

DWT6 10'-11000 COMPARTMENT
11,065 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	3	6 1/8	181	12 1/8	510	18 1/8	945	24 1/8	1,466
1/4	4	6 1/4	187	12 1/4	518	18 1/4	955	24 1/4	1,477
3/8	6	6 3/8	192	12 3/8	526	18 3/8	965	24 3/8	1,489
1/2	7	6 1/2	198	12 1/2	534	18 1/2	975	24 1/2	1,500
5/8	9	6 5/8	204	12 5/8	542	18 5/8	986	24 5/8	1,512
3/4	11	6 3/4	209	12 3/4	550	18 3/4	996	24 3/4	1,524
7/8	13	6 7/8	215	12 7/8	559	18 7/8	1,006	24 7/8	1,536
1	15	7	221	13	567	19	1,016	25	1,548
1 1/8	18	7 1/8	227	13 1/8	575	19 1/8	1,026	25 1/8	1,559
1 1/4	20	7 1/4	233	13 1/4	584	19 1/4	1,037	25 1/4	1,571
1 3/8	22	7 3/8	239	13 3/8	592	19 3/8	1,047	25 3/8	1,583
1 1/2	25	7 1/2	245	13 1/2	601	19 1/2	1,058	25 1/2	1,595
1 5/8	28	7 5/8	251	13 5/8	609	19 5/8	1,068	25 5/8	1,607
1 3/4	31	7 3/4	258	13 3/4	618	19 3/4	1,078	25 3/4	1,619
1 7/8	34	7 7/8	264	13 7/8	627	19 7/8	1,089	25 7/8	1,631
2	37	8	270	14	635	20	1,100	26	1,643
2 1/8	40	8 1/8	277	14 1/8	644	20 1/8	1,110	26 1/8	1,655
2 1/4	43	8 1/4	283	14 1/4	653	20 1/4	1,121	26 1/4	1,667
2 3/8	46	8 3/8	290	14 3/8	662	20 3/8	1,131	26 3/8	1,679
2 1/2	50	8 1/2	296	14 1/2	671	20 1/2	1,142	26 1/2	1,691
2 5/8	53	8 5/8	303	14 5/8	680	20 5/8	1,153	26 5/8	1,703
2 3/4	57	8 3/4	310	14 3/4	689	20 3/4	1,163	26 3/4	1,716
2 7/8	60	8 7/8	316	14 7/8	697	20 7/8	1,174	26 7/8	1,728
3	64	9	323	15	707	21	1,185	27	1,740
3 1/8	68	9 1/8	330	15 1/8	716	21 1/8	1,196	27 1/8	1,752
3 1/4	72	9 1/4	337	15 1/4	725	21 1/4	1,207	27 1/4	1,765
3 3/8	76	9 3/8	344	15 3/8	734	21 3/8	1,218	27 3/8	1,777
3 1/2	80	9 1/2	351	15 1/2	743	21 1/2	1,229	27 1/2	1,789
3 5/8	84	9 5/8	358	15 5/8	752	21 5/8	1,240	27 5/8	1,802
3 3/4	88	9 3/4	365	15 3/4	762	21 3/4	1,251	27 3/4	1,814
3 7/8	92	9 7/8	372	15 7/8	771	21 7/8	1,262	27 7/8	1,826
4	97	10	380	16	780	22	1,273	28	1,839
4 1/8	101	10 1/8	387	16 1/8	790	22 1/8	1,284	28 1/8	1,851
4 1/4	106	10 1/4	394	16 1/4	799	22 1/4	1,295	28 1/4	1,864
4 3/8	110	10 3/8	401	16 3/8	809	22 3/8	1,306	28 3/8	1,876
4 1/2	115	10 1/2	409	16 1/2	818	22 1/2	1,317	28 1/2	1,889
4 5/8	119	10 5/8	416	16 5/8	828	22 5/8	1,328	28 5/8	1,902
4 3/4	124	10 3/4	424	16 3/4	837	22 3/4	1,340	28 3/4	1,914
4 7/8	129	10 7/8	431	16 7/8	847	22 7/8	1,351	28 7/8	1,927
5	134	11	439	17	856	23	1,362	29	1,939
5 1/8	139	11 1/8	447	17 1/8	866	23 1/8	1,374	29 1/8	1,952
5 1/4	144	11 1/4	454	17 1/4	876	23 1/4	1,385	29 1/4	1,965
5 3/8	149	11 3/8	462	17 3/8	886	23 3/8	1,396	29 3/8	1,978
5 1/2	154	11 1/2	470	17 1/2	896	23 1/2	1,408	29 1/2	1,990
5 5/8	159	11 5/8	478	17 5/8	905	23 5/8	1,419	29 5/8	2,003
5 3/4	165	11 3/4	486	17 3/4	915	23 3/4	1,431	29 3/4	2,016
5 7/8	170	11 7/8	494	17 7/8	925	23 7/8	1,442	29 7/8	2,029
6	175	12	502	18	935	24	1,454	30	2,042

DWT6 10'-11000 COMPARTMENT
11,065 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	2,054	36 1/8	2,698	42 1/8	3,384	48 1/8	4,102	54 1/8	4,840
30 1/4	2,067	36 1/4	2,712	42 1/4	3,399	48 1/4	4,117	54 1/4	4,855
30 3/8	2,080	36 3/8	2,726	42 3/8	3,414	48 3/8	4,132	54 3/8	4,871
30 1/2	2,093	36 1/2	2,740	42 1/2	3,429	48 1/2	4,148	54 1/2	4,886
30 5/8	2,106	36 5/8	2,754	42 5/8	3,443	48 5/8	4,163	54 5/8	4,902
30 3/4	2,119	36 3/4	2,768	42 3/4	3,458	48 3/4	4,178	54 3/4	4,917
30 7/8	2,132	36 7/8	2,782	42 7/8	3,473	48 7/8	4,193	54 7/8	4,933
31	2,145	37	2,796	43	3,487	49	4,209	55	4,948
31 1/8	2,158	37 1/8	2,810	43 1/8	3,502	49 1/8	4,224	55 1/8	4,964
31 1/4	2,171	37 1/4	2,824	43 1/4	3,517	49 1/4	4,239	55 1/4	4,979
31 3/8	2,184	37 3/8	2,838	43 3/8	3,532	49 3/8	4,254	55 3/8	4,995
31 1/2	2,198	37 1/2	2,852	43 1/2	3,547	49 1/2	4,270	55 1/2	5,011
31 5/8	2,211	37 5/8	2,866	43 5/8	3,561	49 5/8	4,285	55 5/8	5,026
31 3/4	2,224	37 3/4	2,880	43 3/4	3,576	49 3/4	4,300	55 3/4	5,042
31 7/8	2,237	37 7/8	2,894	43 7/8	3,591	49 7/8	4,315	55 7/8	5,057
32	2,250	38	2,909	44	3,606	50	4,331	56	5,073
32 1/8	2,264	38 1/8	2,923	44 1/8	3,621	50 1/8	4,346	56 1/8	5,088
32 1/4	2,277	38 1/4	2,937	44 1/4	3,636	50 1/4	4,361	56 1/4	5,104
32 3/8	2,290	38 3/8	2,951	44 3/8	3,650	50 3/8	4,377	56 3/8	5,119
32 1/2	2,303	38 1/2	2,965	44 1/2	3,665	50 1/2	4,392	56 1/2	5,135
32 5/8	2,317	38 5/8	2,980	44 5/8	3,680	50 5/8	4,407	56 5/8	5,151
32 3/4	2,330	38 3/4	2,994	44 3/4	3,695	50 3/4	4,423	56 3/4	5,166
32 7/8	2,343	38 7/8	3,008	44 7/8	3,710	50 7/8	4,438	56 7/8	5,182
33	2,357	39	3,022	45	3,725	51	4,454	57	5,197
33 1/8	2,370	39 1/8	3,037	45 1/8	3,740	51 1/8	4,469	57 1/8	5,213
33 1/4	2,384	39 1/4	3,051	45 1/4	3,755	51 1/4	4,484	57 1/4	5,228
33 3/8	2,397	39 3/8	3,065	45 3/8	3,770	51 3/8	4,500	57 3/8	5,244
33 1/2	2,411	39 1/2	3,080	45 1/2	3,785	51 1/2	4,515	57 1/2	5,260
33 5/8	2,424	39 5/8	3,094	45 5/8	3,800	51 5/8	4,531	57 5/8	5,275
33 3/4	2,438	39 3/4	3,108	45 3/4	3,815	51 3/4	4,546	57 3/4	5,291
33 7/8	2,451	39 7/8	3,123	45 7/8	3,830	51 7/8	4,561	57 7/8	5,306
34	2,465	40	3,137	46	3,845	52	4,577	58	5,322
34 1/8	2,478	40 1/8	3,152	46 1/8	3,860	52 1/8	4,592	58 1/8	5,338
34 1/4	2,492	40 1/4	3,166	46 1/4	3,875	52 1/4	4,608	58 1/4	5,353
34 3/8	2,505	40 3/8	3,181	46 3/8	3,890	52 3/8	4,623	58 3/8	5,369
34 1/2	2,519	40 1/2	3,195	46 1/2	3,905	52 1/2	4,638	58 1/2	5,384
34 5/8	2,533	40 5/8	3,210	46 5/8	3,920	52 5/8	4,654	58 5/8	5,400
34 3/4	2,546	40 3/4	3,224	46 3/4	3,935	52 3/4	4,669	58 3/4	5,416
34 7/8	2,560	40 7/8	3,239	46 7/8	3,950	52 7/8	4,685	58 7/8	5,431
35	2,574	41	3,253	47	3,966	53	4,700	59	5,447
35 1/8	2,588	41 1/8	3,268	47 1/8	3,981	53 1/8	4,716	59 1/8	5,462
35 1/4	2,601	41 1/4	3,282	47 1/4	3,996	53 1/4	4,731	59 1/4	5,478
35 3/8	2,615	41 3/8	3,297	47 3/8	4,011	53 3/8	4,747	59 3/8	5,494
35 1/2	2,629	41 1/2	3,311	47 1/2	4,026	53 1/2	4,762	59 1/2	5,509
35 5/8	2,643	41 5/8	3,326	47 5/8	4,041	53 5/8	4,778	59 5/8	5,525
35 3/4	2,657	41 3/4	3,341	47 3/4	4,056	53 3/4	4,793	59 3/4	5,540
35 7/8	2,670	41 7/8	3,355	47 7/8	4,072	53 7/8	4,809	59 7/8	5,556
36	2,684	42	3,370	48	4,087	54	4,824	60	5,572

DWT6 10'-11000 COMPARTMENT
11,065 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	5,587	66 1/8	6,334	72 1/8	7,069	78 1/8	7,783	84 1/8	8,464
60 1/4	5,603	66 1/4	6,349	72 1/4	7,084	78 1/4	7,797	84 1/4	8,477
60 3/8	5,618	66 3/8	6,365	72 3/8	7,100	78 3/8	7,812	84 3/8	8,491
60 1/2	5,634	66 1/2	6,380	72 1/2	7,115	78 1/2	7,827	84 1/2	8,505
60 5/8	5,650	66 5/8	6,396	72 5/8	7,130	78 5/8	7,841	84 5/8	8,519
60 3/4	5,665	66 3/4	6,411	72 3/4	7,145	78 3/4	7,856	84 3/4	8,532
60 7/8	5,681	66 7/8	6,427	72 7/8	7,160	78 7/8	7,870	84 7/8	8,546
61	5,696	67	6,442	73	7,175	79	7,885	85	8,560
61 1/8	5,712	67 1/8	6,457	73 1/8	7,190	79 1/8	7,899	85 1/8	8,573
61 1/4	5,728	67 1/4	6,473	73 1/4	7,205	79 1/4	7,913	85 1/4	8,587
61 3/8	5,743	67 3/8	6,488	73 3/8	7,220	79 3/8	7,928	85 3/8	8,600
61 1/2	5,759	67 1/2	6,504	73 1/2	7,235	79 1/2	7,942	85 1/2	8,614
61 5/8	5,774	67 5/8	6,519	73 5/8	7,250	79 5/8	7,957	85 5/8	8,627
61 3/4	5,790	67 3/4	6,535	73 3/4	7,265	79 3/4	7,971	85 3/4	8,641
61 7/8	5,805	67 7/8	6,550	73 7/8	7,280	79 7/8	7,985	85 7/8	8,654
62	5,821	68	6,565	74	7,295	80	8,000	86	8,668
62 1/8	5,837	68 1/8	6,581	74 1/8	7,310	80 1/8	8,014	86 1/8	8,681
62 1/4	5,852	68 1/4	6,596	74 1/4	7,325	80 1/4	8,028	86 1/4	8,695
62 3/8	5,868	68 3/8	6,612	74 3/8	7,340	80 3/8	8,043	86 3/8	8,708
62 1/2	5,883	68 1/2	6,627	74 1/2	7,355	80 1/2	8,057	86 1/2	8,722
62 5/8	5,899	68 5/8	6,642	74 5/8	7,370	80 5/8	8,071	86 5/8	8,735
62 3/4	5,915	68 3/4	6,658	74 3/4	7,385	80 3/4	8,085	86 3/4	8,748
62 7/8	5,930	68 7/8	6,673	74 7/8	7,400	80 7/8	8,100	86 7/8	8,762
63	5,946	69	6,688	75	7,415	81	8,114	87	8,775
63 1/8	5,961	69 1/8	6,704	75 1/8	7,430	81 1/8	8,128	87 1/8	8,788
63 1/4	5,977	69 1/4	6,719	75 1/4	7,444	81 1/4	8,142	87 1/4	8,802
63 3/8	5,992	69 3/8	6,734	75 3/8	7,459	81 3/8	8,156	87 3/8	8,815
63 1/2	6,008	69 1/2	6,750	75 1/2	7,474	81 1/2	8,171	87 1/2	8,828
63 5/8	6,023	69 5/8	6,765	75 5/8	7,489	81 5/8	8,185	87 5/8	8,841
63 3/4	6,039	69 3/4	6,780	75 3/4	7,504	81 3/4	8,199	87 3/4	8,854
63 7/8	6,055	69 7/8	6,795	75 7/8	7,519	81 7/8	8,213	87 7/8	8,868
64	6,070	70	6,811	76	7,533	82	8,227	88	8,881
64 1/8	6,086	70 1/8	6,826	76 1/8	7,548	82 1/8	8,241	88 1/8	8,894
64 1/4	6,101	70 1/4	6,841	76 1/4	7,563	82 1/4	8,255	88 1/4	8,907
64 3/8	6,117	70 3/8	6,857	76 3/8	7,578	82 3/8	8,269	88 3/8	8,920
64 1/2	6,132	70 1/2	6,872	76 1/2	7,592	82 1/2	8,283	88 1/2	8,933
64 5/8	6,148	70 5/8	6,887	76 5/8	7,607	82 5/8	8,297	88 5/8	8,946
64 3/4	6,163	70 3/4	6,902	76 3/4	7,622	82 3/4	8,311	88 3/4	8,959
64 7/8	6,179	70 7/8	6,918	76 7/8	7,637	82 7/8	8,325	88 7/8	8,972
65	6,194	71	6,933	77	7,651	83	8,339	89	8,985
65 1/8	6,210	71 1/8	6,948	77 1/8	7,666	83 1/8	8,353	89 1/8	8,998
65 1/4	6,225	71 1/4	6,963	77 1/4	7,681	83 1/4	8,367	89 1/4	9,011
65 3/8	6,241	71 3/8	6,978	77 3/8	7,695	83 3/8	8,381	89 3/8	9,024
65 1/2	6,256	71 1/2	6,994	77 1/2	7,710	83 1/2	8,395	89 1/2	9,036
65 5/8	6,272	71 5/8	7,009	77 5/8	7,725	83 5/8	8,409	89 5/8	9,049
65 3/4	6,287	71 3/4	7,024	77 3/4	7,739	83 3/4	8,422	89 3/4	9,062
65 7/8	6,303	71 7/8	7,039	77 7/8	7,754	83 7/8	8,436	89 7/8	9,075
66	6,318	72	7,054	78	7,768	84	8,450	90	9,088

DWT6 10'-11000 COMPARTMENT
11,065 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	9,100	96 1/8	9,680	102 1/8	10,189	108 1/8	10,611	114 1/8	10,921
90 1/4	9,113	96 1/4	9,691	102 1/4	10,199	108 1/4	10,618	114 1/4	10,926
90 3/8	9,126	96 3/8	9,703	102 3/8	10,209	108 3/8	10,626	114 3/8	10,931
90 1/2	9,138	96 1/2	9,714	102 1/2	10,218	108 1/2	10,634	114 1/2	10,936
90 5/8	9,151	96 5/8	9,725	102 5/8	10,228	108 5/8	10,641	114 5/8	10,941
90 3/4	9,164	96 3/4	9,737	102 3/4	10,238	108 3/4	10,649	114 3/4	10,946
90 7/8	9,176	96 7/8	9,748	102 7/8	10,247	108 7/8	10,656	114 7/8	10,950
91	9,189	97	9,759	103	10,257	109	10,664	115	10,955
91 1/8	9,201	97 1/8	9,770	103 1/8	10,266	109 1/8	10,671	115 1/8	10,960
91 1/4	9,214	97 1/4	9,781	103 1/4	10,275	109 1/4	10,678	115 1/4	10,964
91 3/8	9,226	97 3/8	9,792	103 3/8	10,285	109 3/8	10,686	115 3/8	10,968
91 1/2	9,239	97 1/2	9,804	103 1/2	10,294	109 1/2	10,693	115 1/2	10,973
91 5/8	9,251	97 5/8	9,815	103 5/8	10,304	109 5/8	10,700	115 5/8	10,977
91 3/4	9,263	97 3/4	9,826	103 3/4	10,313	109 3/4	10,707	115 3/4	10,981
91 7/8	9,276	97 7/8	9,837	103 7/8	10,322	109 7/8	10,714	115 7/8	10,985
92	9,288	98	9,847	104	10,331	110	10,721	116	10,989
92 1/8	9,300	98 1/8	9,858	104 1/8	10,340	110 1/8	10,728	116 1/8	10,993
92 1/4	9,313	98 1/4	9,869	104 1/4	10,349	110 1/4	10,735	116 1/4	10,997
92 3/8	9,325	98 3/8	9,880	104 3/8	10,359	110 3/8	10,742	116 3/8	11,001
92 1/2	9,337	98 1/2	9,891	104 1/2	10,368	110 1/2	10,749	116 1/2	11,005
92 5/8	9,349	98 5/8	9,902	104 5/8	10,377	110 5/8	10,755	116 5/8	11,008
92 3/4	9,362	98 3/4	9,912	104 3/4	10,386	110 3/4	10,762	116 3/4	11,012
92 7/8	9,374	98 7/8	9,923	104 7/8	10,394	110 7/8	10,769	116 7/8	11,015
93	9,386	99	9,934	105	10,403	111	10,775	117	11,019
93 1/8	9,398	99 1/8	9,944	105 1/8	10,412	111 1/8	10,782	117 1/8	11,022
93 1/4	9,410	99 1/4	9,955	105 1/4	10,421	111 1/4	10,788	117 1/4	11,025
93 3/8	9,422	99 3/8	9,966	105 3/8	10,430	111 3/8	10,795	117 3/8	11,028
93 1/2	9,434	99 1/2	9,976	105 1/2	10,438	111 1/2	10,801	117 1/2	11,032
93 5/8	9,446	99 5/8	9,987	105 5/8	10,447	111 5/8	10,807	117 5/8	11,034
93 3/4	9,458	99 3/4	9,997	105 3/4	10,456	111 3/4	10,814	117 3/4	11,037
93 7/8	9,470	99 7/8	10,008	105 7/8	10,464	111 7/8	10,820	117 7/8	11,040
94	9,482	100	10,018	106	10,473	112	10,826	118	11,043
94 1/8	9,494	100 1/8	10,028	106 1/8	10,481	112 1/8	10,832	118 1/8	11,045
94 1/4	9,506	100 1/4	10,039	106 1/4	10,490	112 1/4	10,838	118 1/4	11,048
94 3/8	9,518	100 3/8	10,049	106 3/8	10,498	112 3/8	10,844	118 3/8	11,050
94 1/2	9,529	100 1/2	10,059	106 1/2	10,506	112 1/2	10,850	118 1/2	11,052
94 5/8	9,541	100 5/8	10,069	106 5/8	10,515	112 5/8	10,856	118 5/8	11,054
94 3/4	9,553	100 3/4	10,080	106 3/4	10,523	112 3/4	10,862	118 3/4	11,056
94 7/8	9,565	100 7/8	10,090	106 7/8	10,531	112 7/8	10,867	118 7/8	11,058
95	9,576	101	10,100	107	10,539	113	10,873	119	11,059
95 1/8	9,588	101 1/8	10,110	107 1/8	10,547	113 1/8	10,879	119 1/8	11,061
95 1/4	9,600	101 1/4	10,120	107 1/4	10,555	113 1/4	10,884	119 1/4	11,062
95 3/8	9,611	101 3/8	10,130	107 3/8	10,564	113 3/8	10,890	119 3/8	11,063
95 1/2	9,623	101 1/2	10,140	107 1/2	10,572	113 1/2	10,895	119 1/2	11,064
95 5/8	9,634	101 5/8	10,150	107 5/8	10,579	113 5/8	10,900	119 5/8	11,065
95 3/4	9,646	101 3/4	10,160	107 3/4	10,587	113 3/4	10,906		
95 7/8	9,657	101 7/8	10,170	107 7/8	10,595	113 7/8	10,911		
96	9,669	102	10,179	108	10,603	114	10,916		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.