

10'-12000 SWT D6 Single-Wall Tank 11702 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	3	6 1/8	194	12 1/8	545	18 1/8	1007	24 1/8	1559	30 1/8	2182
1/4	5	6 1/4	200	12 1/4	553	18 1/4	1018	24 1/4	1571	30 1/4	2195
3/8	6	6 3/8	206	12 3/8	562	18 3/8	1029	24 3/8	1583	30 3/8	2209
1/2	8	6 1/2	212	12 1/2	570	18 1/2	1039	24 1/2	1596	30 1/2	2223
5/8	10	6 5/8	218	12 5/8	579	18 5/8	1050	24 5/8	1608	30 5/8	2236
3/4	12	6 3/4	224	12 3/4	588	18 3/4	1061	24 3/4	1620	30 3/4	2250
7/8	14	6 7/8	231	12 7/8	597	18 7/8	1072	24 7/8	1633	30 7/8	2264
1	16	7	237	13	606	19	1083	25	1645	31	2278
1 1/8	19	7 1/8	243	13 1/8	615	19 1/8	1093	25 1/8	1658	31 1/8	2291
1 1/4	22	7 1/4	250	13 1/4	624	19 1/4	1104	25 1/4	1670	31 1/4	2305
1 3/8	24	7 3/8	256	13 3/8	633	19 3/8	1115	25 3/8	1683	31 3/8	2319
1 1/2	27	7 1/2	263	13 1/2	642	19 1/2	1126	25 1/2	1696	31 1/2	2333
1 5/8	30	7 5/8	269	13 5/8	651	19 5/8	1137	25 5/8	1708	31 5/8	2347
1 3/4	33	7 3/4	276	13 3/4	660	19 3/4	1149	25 3/4	1721	31 3/4	2361
1 7/8	36	7 7/8	283	13 7/8	669	19 7/8	1160	25 7/8	1734	31 7/8	2375
2	39	8	290	14	678	20	1171	26	1746	32	2389
2 1/8	43	8 1/8	297	14 1/8	688	20 1/8	1182	26 1/8	1759	32 1/8	2403
2 1/4	46	8 1/4	303	14 1/4	697	20 1/4	1193	26 1/4	1772	32 1/4	2417
2 3/8	50	8 3/8	310	14 3/8	706	20 3/8	1205	26 3/8	1785	32 3/8	2431
2 1/2	53	8 1/2	317	14 1/2	716	20 1/2	1216	26 1/2	1798	32 1/2	2445
2 5/8	57	8 5/8	325	14 5/8	725	20 5/8	1227	26 5/8	1810	32 5/8	2459
2 3/4	61	8 3/4	332	14 3/4	735	20 3/4	1239	26 3/4	1823	32 3/4	2473
2 7/8	65	8 7/8	339	14 7/8	744	20 7/8	1250	26 7/8	1836	32 7/8	2487
3	69	9	346	15	754	21	1262	27	1849	33	2501
3 1/8	73	9 1/8	353	15 1/8	764	21 1/8	1273	27 1/8	1862	33 1/8	2515
3 1/4	77	9 1/4	361	15 1/4	773	21 1/4	1285	27 1/4	1875	33 1/4	2529
3 3/8	81	9 3/8	368	15 3/8	783	21 3/8	1296	27 3/8	1888	33 3/8	2544
3 1/2	86	9 1/2	376	15 1/2	793	21 1/2	1308	27 1/2	1901	33 1/2	2558
3 5/8	90	9 5/8	383	15 5/8	803	21 5/8	1319	27 5/8	1914	33 5/8	2572
3 3/4	95	9 3/4	391	15 3/4	812	21 3/4	1331	27 3/4	1927	33 3/4	2586
3 7/8	99	9 7/8	398	15 7/8	822	21 7/8	1343	27 7/8	1941	33 7/8	2601
4	104	10	406	16	832	22	1354	28	1954	34	2615
4 1/8	109	10 1/8	414	16 1/8	842	22 1/8	1366	28 1/8	1967	34 1/8	2629
4 1/4	113	10 1/4	422	16 1/4	852	22 1/4	1378	28 1/4	1980	34 1/4	2644
4 3/8	118	10 3/8	429	16 3/8	862	22 3/8	1390	28 3/8	1993	34 3/8	2658
4 1/2	123	10 1/2	437	16 1/2	872	22 1/2	1402	28 1/2	2007	34 1/2	2673
4 5/8	128	10 5/8	445	16 5/8	882	22 5/8	1413	28 5/8	2020	34 5/8	2687
4 3/4	133	10 3/4	453	16 3/4	893	22 3/4	1425	28 3/4	2033	34 3/4	2701
4 7/8	139	10 7/8	461	16 7/8	903	22 7/8	1437	28 7/8	2047	34 7/8	2716
5	144	11	469	17	913	23	1449	29	2060	35	2730
5 1/8	149	11 1/8	478	17 1/8	923	23 1/8	1461	29 1/8	2073	35 1/8	2745
5 1/4	155	11 1/4	486	17 1/4	934	23 1/4	1473	29 1/4	2087	35 1/4	2759
5 3/8	160	11 3/8	494	17 3/8	944	23 3/8	1485	29 3/8	2100	35 3/8	2774
5 1/2	166	11 1/2	502	17 1/2	955	23 1/2	1498	29 1/2	2114	35 1/2	2789
5 5/8	171	11 5/8	511	17 5/8	965	23 5/8	1510	29 5/8	2127	35 5/8	2803
5 3/4	177	11 3/4	519	17 3/4	976	23 3/4	1522	29 3/4	2141	35 3/4	2818
5 7/8	183	11 7/8	528	17 7/8	986	23 7/8	1534	29 7/8	2154	35 7/8	2832
6	188	12	536	18	997	24	1546	30	2168	36	2847

10'-12000 SWT D6 Single-Wall Tank 11702 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	2862	42 1/8	3586	48 1/8	4343	54 1/8	5121	60 1/8	5909	66 1/8	6696
36 1/4	2876	42 1/4	3602	48 1/4	4359	54 1/4	5137	60 1/4	5925	66 1/4	6712
36 3/8	2891	42 3/8	3617	48 3/8	4375	54 3/8	5153	60 3/8	5942	66 3/8	6729
36 1/2	2906	42 1/2	3633	48 1/2	4391	54 1/2	5170	60 1/2	5958	66 1/2	6745
36 5/8	2921	42 5/8	3648	48 5/8	4407	54 5/8	5186	60 5/8	5974	66 5/8	6761
36 3/4	2935	42 3/4	3664	48 3/4	4423	54 3/4	5203	60 3/4	5991	66 3/4	6777
36 7/8	2950	42 7/8	3679	48 7/8	4439	54 7/8	5219	60 7/8	6007	66 7/8	6794
37	2965	43	3695	49	4455	55	5235	61	6024	67	6810
37 1/8	2980	43 1/8	3710	49 1/8	4471	55 1/8	5252	61 1/8	6040	67 1/8	6826
37 1/4	2994	43 1/4	3726	49 1/4	4487	55 1/4	5268	61 1/4	6057	67 1/4	6843
37 3/8	3009	43 3/8	3741	49 3/8	4504	55 3/8	5284	61 3/8	6073	67 3/8	6859
37 1/2	3024	43 1/2	3757	49 1/2	4520	55 1/2	5301	61 1/2	6090	67 1/2	6875
37 5/8	3039	43 5/8	3773	49 5/8	4536	55 5/8	5317	61 5/8	6106	67 5/8	6891
37 3/4	3054	43 3/4	3788	49 3/4	4552	55 3/4	5334	61 3/4	6122	67 3/4	6908
37 7/8	3069	43 7/8	3804	49 7/8	4568	55 7/8	5350	61 7/8	6139	67 7/8	6924
38	3084	44	3820	50	4584	56	5366	62	6155	68	6940
38 1/8	3099	44 1/8	3835	50 1/8	4600	56 1/8	5383	62 1/8	6172	68 1/8	6956
38 1/4	3114	44 1/4	3851	50 1/4	4617	56 1/4	5399	62 1/4	6188	68 1/4	6972
38 3/8	3129	44 3/8	3867	50 3/8	4633	56 3/8	5416	62 3/8	6205	68 3/8	6989
38 1/2	3144	44 1/2	3882	50 1/2	4649	56 1/2	5432	62 1/2	6221	68 1/2	7005
38 5/8	3159	44 5/8	3898	50 5/8	4665	56 5/8	5448	62 5/8	6237	68 5/8	7021
38 3/4	3174	44 3/4	3914	50 3/4	4681	56 3/4	5465	62 3/4	6254	68 3/4	7037
38 7/8	3189	44 7/8	3930	50 7/8	4697	56 7/8	5481	62 7/8	6270	68 7/8	7053
39	3204	45	3945	51	4714	57	5498	63	6287	69	7070
39 1/8	3219	45 1/8	3961	51 1/8	4730	57 1/8	5514	63 1/8	6303	69 1/8	7086
39 1/4	3234	45 1/4	3977	51 1/4	4746	57 1/4	5531	63 1/4	6319	69 1/4	7102
39 3/8	3249	45 3/8	3993	51 3/8	4762	57 3/8	5547	63 3/8	6336	69 3/8	7118
39 1/2	3264	45 1/2	4009	51 1/2	4779	57 1/2	5563	63 1/2	6352	69 1/2	7134
39 5/8	3280	45 5/8	4024	51 5/8	4795	57 5/8	5580	63 5/8	6369	69 5/8	7150
39 3/4	3295	45 3/4	4040	51 3/4	4811	57 3/4	5596	63 3/4	6385	69 3/4	7167
39 7/8	3310	45 7/8	4056	51 7/8	4827	57 7/8	5613	63 7/8	6401	69 7/8	7183
40	3325	46	4072	52	4844	58	5629	64	6418	70	7199
40 1/8	3340	46 1/8	4088	52 1/8	4860	58 1/8	5646	64 1/8	6434	70 1/8	7215
40 1/4	3356	46 1/4	4104	52 1/4	4876	58 1/4	5662	64 1/4	6451	70 1/4	7231
40 3/8	3371	46 3/8	4119	52 3/8	4892	58 3/8	5678	64 3/8	6467	70 3/8	7247
40 1/2	3386	46 1/2	4135	52 1/2	4909	58 1/2	5695	64 1/2	6483	70 1/2	7263
40 5/8	3401	46 5/8	4151	52 5/8	4925	58 5/8	5711	64 5/8	6500	70 5/8	7279
40 3/4	3417	46 3/4	4167	52 3/4	4941	58 3/4	5728	64 3/4	6516	70 3/4	7295
40 7/8	3432	46 7/8	4183	52 7/8	4957	58 7/8	5744	64 7/8	6532	70 7/8	7311
41	3447	47	4199	53	4974	59	5761	65	6549	71	7327
41 1/8	3463	47 1/8	4215	53 1/8	4990	59 1/8	5777	65 1/8	6565	71 1/8	7343
41 1/4	3478	47 1/4	4231	53 1/4	5006	59 1/4	5794	65 1/4	6582	71 1/4	7359
41 3/8	3493	47 3/8	4247	53 3/8	5023	59 3/8	5810	65 3/8	6598	71 3/8	7375
41 1/2	3509	47 1/2	4263	53 1/2	5039	59 1/2	5826	65 1/2	6614	71 1/2	7391
41 5/8	3524	47 5/8	4279	53 5/8	5055	59 5/8	5843	65 5/8	6631	71 5/8	7407
41 3/4	3540	47 3/4	4295	53 3/4	5072	59 3/4	5859	65 3/4	6647	71 3/4	7423
41 7/8	3555	47 7/8	4311	53 7/8	5088	59 7/8	5876	65 7/8	6663	71 7/8	7439
42	3571	48	4327	54	5104	60	5892	66	6680	72	7455

10'-12000 SWT D6 Single-Wall Tank 11702 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	7471	78 1/8	8224	84 1/8	8943	90 1/8	9615	96 1/8	10229	102 1/8	10769
72 1/4	7487	78 1/4	8240	84 1/4	8957	90 1/4	9629	96 1/4	10241	102 1/4	10779
72 3/8	7503	78 3/8	8255	84 3/8	8972	90 3/8	9642	96 3/8	10253	102 3/8	10789
72 1/2	7519	78 1/2	8270	84 1/2	8986	90 1/2	9656	96 1/2	10265	102 1/2	10799
72 5/8	7535	78 5/8	8286	84 5/8	9001	90 5/8	9669	96 5/8	10277	102 5/8	10810
72 3/4	7551	78 3/4	8301	84 3/4	9015	90 3/4	9682	96 3/4	10289	102 3/4	10820
72 7/8	7567	78 7/8	8316	84 7/8	9030	90 7/8	9696	96 7/8	10301	102 7/8	10830
73	7583	79	8331	85	9044	91	9709	97	10313	103	10840
73 1/8	7599	79 1/8	8347	85 1/8	9059	91 1/8	9722	97 1/8	10324	103 1/8	10850
73 1/4	7615	79 1/4	8362	85 1/4	9073	91 1/4	9735	97 1/4	10336	103 1/4	10860
73 3/8	7630	79 3/8	8377	85 3/8	9087	91 3/8	9749	97 3/8	10348	103 3/8	10870
73 1/2	7646	79 1/2	8392	85 1/2	9102	91 1/2	9762	97 1/2	10360	103 1/2	10880
73 5/8	7662	79 5/8	8408	85 5/8	9116	91 5/8	9775	97 5/8	10371	103 5/8	10890
73 3/4	7678	79 3/4	8423	85 3/4	9130	91 3/4	9788	97 3/4	10383	103 3/4	10900
73 7/8	7694	79 7/8	8438	85 7/8	9144	91 7/8	9801	97 7/8	10395	103 7/8	10910
74	7710	80	8453	86	9159	92	9814	98	10406	104	10919
74 1/8	7725	80 1/8	8468	86 1/8	9173	92 1/8	9827	98 1/8	10418	104 1/8	10929
74 1/4	7741	80 1/4	8483	86 1/4	9187	92 1/4	9840	98 1/4	10429	104 1/4	10939
74 3/8	7757	80 3/8	8498	86 3/8	9201	92 3/8	9853	98 3/8	10441	104 3/8	10948
74 1/2	7773	80 1/2	8513	86 1/2	9215	92 1/2	9866	98 1/2	10452	104 1/2	10958
74 5/8	7788	80 5/8	8528	86 5/8	9229	92 5/8	9879	98 5/8	10464	104 5/8	10968
74 3/4	7804	80 3/4	8544	86 3/4	9244	92 3/4	9892	98 3/4	10475	104 3/4	10977
74 7/8	7820	80 7/8	8559	86 7/8	9258	92 7/8	9905	98 7/8	10486	104 7/8	10987
75	7836	81	8574	87	9272	93	9918	99	10498	105	10996
75 1/8	7851	81 1/8	8589	87 1/8	9286	93 1/8	9930	99 1/8	10509	105 1/8	11005
75 1/4	7867	81 1/4	8604	87 1/4	9300	93 1/4	9943	99 1/4	10520	105 1/4	11015
75 3/8	7883	81 3/8	8618	87 3/8	9314	93 3/8	9956	99 3/8	10531	105 3/8	11024
75 1/2	7898	81 1/2	8633	87 1/2	9328	93 1/2	9969	99 1/2	10543	105 1/2	11033
75 5/8	7914	81 5/8	8648	87 5/8	9342	93 5/8	9981	99 5/8	10554	105 5/8	11042
75 3/4	7930	81 3/4	8663	87 3/4	9356	93 3/4	9994	99 3/4	10565	105 3/4	11052
75 7/8	7945	81 7/8	8678	87 7/8	9369	93 7/8	10007	99 7/8	10576	105 7/8	11061
76	7961	82	8693	88	9383	94	10019	100	10587	106	11070
76 1/8	7976	82 1/8	8708	88 1/8	9397	94 1/8	10032	100 1/8	10598	106 1/8	11079
76 1/4	7992	82 1/4	8723	88 1/4	9411	94 1/4	10044	100 1/4	10609	106 1/4	11088
76 3/8	8008	82 3/8	8737	88 3/8	9425	94 3/8	10057	100 3/8	10620	106 3/8	11097
76 1/2	8023	82 1/2	8752	88 1/2	9439	94 1/2	10069	100 1/2	10631	106 1/2	11105
76 5/8	8039	82 5/8	8767	88 5/8	9452	94 5/8	10082	100 5/8	10641	106 5/8	11114
76 3/4	8054	82 3/4	8782	88 3/4	9466	94 3/4	10094	100 3/4	10652	106 3/4	11123
76 7/8	8070	82 7/8	8797	88 7/8	9480	94 7/8	10107	100 7/8	10663	106 7/8	11132
77	8085	83	8811	89	9493	95	10119	101	10674	107	11141
77 1/8	8101	83 1/8	8826	89 1/8	9507	95 1/8	10131	101 1/8	10684	107 1/8	11149
77 1/4	8116	83 1/4	8841	89 1/4	9521	95 1/4	10144	101 1/4	10695	107 1/4	11158
77 3/8	8132	83 3/8	8855	89 3/8	9534	95 3/8	10156	101 3/8	10706	107 3/8	11166
77 1/2	8147	83 1/2	8870	89 1/2	9548	95 1/2	10168	101 1/2	10716	107 1/2	11175
77 5/8	8163	83 5/8	8885	89 5/8	9561	95 5/8	10180	101 5/8	10727	107 5/8	11183
77 3/4	8178	83 3/4	8899	89 3/4	9575	95 3/4	10193	101 3/4	10737	107 3/4	11192
77 7/8	8193	83 7/8	8914	89 7/8	9589	95 7/8	10205	101 7/8	10748	107 7/8	11200
78	8209	84	8928	90	9602	96	10217	102	10758	108	11208

10'-12000 SWT D6 Single-Wall Tank 11702 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	11217	114 1/8	11548
108 1/4	11225	114 1/4	11553
108 3/8	11233	114 3/8	11558
108 1/2	11241	114 1/2	11564
108 5/8	11249	114 5/8	11569
108 3/4	11257	114 3/4	11574
108 7/8	11265	114 7/8	11579
109	11273	115	11584
109 1/8	11281	115 1/8	11589
109 1/4	11288	115 1/4	11594
109 3/8	11296	115 3/8	11598
109 1/2	11304	115 1/2	11603
109 5/8	11312	115 5/8	11608
109 3/4	11319	115 3/4	11612
109 7/8	11327	115 7/8	11617
110	11334	116	11621
110 1/8	11342	116 1/8	11625
110 1/4	11349	116 1/4	11629
110 3/8	11356	116 3/8	11633
110 1/2	11363	116 1/2	11637
110 5/8	11371	116 5/8	11641
110 3/4	11378	116 3/4	11645
110 7/8	11385	116 7/8	11649
111	11392	117	11652
111 1/8	11399	117 1/8	11656
111 1/4	11406	117 1/4	11659
111 3/8	11413	117 3/8	11663
111 1/2	11419	117 1/2	11666
111 5/8	11426	117 5/8	11669
111 3/4	11433	117 3/4	11672
111 7/8	11439	117 7/8	11675
112	11446	118	11678
112 1/8	11452	118 1/8	11681
112 1/4	11459	118 1/4	11683
112 3/8	11465	118 3/8	11686
112 1/2	11472	118 1/2	11688
112 5/8	11478	118 5/8	11690
112 3/4	11484	118 3/4	11692
112 7/8	11490	118 7/8	11694
113	11496	119	11696
113 1/8	11502	119 1/8	11698
113 1/4	11508	119 1/4	11699
113 3/8	11514	119 3/8	11700
113 1/2	11520	119 1/2	11701
113 5/8	11526	119 5/8	11702
113 3/4	11531		
113 7/8	11537		
114	11542		



**CONTAINMENT
SOLUTIONS[®]**

How To Properly Gauge Your Tank

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:
 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gauging or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoil Water Finding Paste
 Federal Process Corp.
 800-846-7325
www.gasoila.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.