

DWT6 10'-13000 COMPARTMENT
13,489 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	4	6 1/8	231	12 1/8	643	18 1/8	1,181	24 1/8	1,820
1/4	6	6 1/4	238	12 1/4	653	18 1/4	1,194	24 1/4	1,834
3/8	7	6 3/8	245	12 3/8	663	18 3/8	1,206	24 3/8	1,848
1/2	10	6 1/2	252	12 1/2	673	18 1/2	1,219	24 1/2	1,863
5/8	12	6 5/8	260	12 5/8	683	18 5/8	1,231	24 5/8	1,877
3/4	14	6 3/4	267	12 3/4	693	18 3/4	1,244	24 3/4	1,891
7/8	17	6 7/8	274	12 7/8	704	18 7/8	1,256	24 7/8	1,906
1	20	7	282	13	714	19	1,269	25	1,920
1 1/8	23	7 1/8	289	13 1/8	724	19 1/8	1,281	25 1/8	1,934
1 1/4	26	7 1/4	297	13 1/4	735	19 1/4	1,294	25 1/4	1,949
1 3/8	29	7 3/8	305	13 3/8	745	19 3/8	1,307	25 3/8	1,963
1 1/2	33	7 1/2	312	13 1/2	756	19 1/2	1,320	25 1/2	1,978
1 5/8	36	7 5/8	320	13 5/8	767	19 5/8	1,332	25 5/8	1,993
1 3/4	40	7 3/4	328	13 3/4	777	19 3/4	1,345	25 3/4	2,007
1 7/8	44	7 7/8	336	13 7/8	788	19 7/8	1,358	25 7/8	2,022
2	48	8	344	14	799	20	1,371	26	2,037
2 1/8	52	8 1/8	352	14 1/8	810	20 1/8	1,384	26 1/8	2,051
2 1/4	56	8 1/4	360	14 1/4	820	20 1/4	1,397	26 1/4	2,066
2 3/8	60	8 3/8	368	14 3/8	831	20 3/8	1,410	26 3/8	2,081
2 1/2	64	8 1/2	376	14 1/2	842	20 1/2	1,423	26 1/2	2,096
2 5/8	69	8 5/8	385	14 5/8	853	20 5/8	1,436	26 5/8	2,110
2 3/4	73	8 3/4	393	14 3/4	864	20 3/4	1,450	26 3/4	2,125
2 7/8	78	8 7/8	402	14 7/8	876	20 7/8	1,463	26 7/8	2,140
3	83	9	410	15	887	21	1,476	27	2,155
3 1/8	88	9 1/8	419	15 1/8	898	21 1/8	1,489	27 1/8	2,170
3 1/4	93	9 1/4	427	15 1/4	909	21 1/4	1,503	27 1/4	2,185
3 3/8	98	9 3/8	436	15 3/8	921	21 3/8	1,516	27 3/8	2,200
3 1/2	103	9 1/2	445	15 1/2	932	21 1/2	1,530	27 1/2	2,215
3 5/8	108	9 5/8	454	15 5/8	943	21 5/8	1,543	27 5/8	2,230
3 3/4	113	9 3/4	463	15 3/4	955	21 3/4	1,556	27 3/4	2,245
3 7/8	119	9 7/8	472	15 7/8	966	21 7/8	1,570	27 7/8	2,261
4	124	10	481	16	978	22	1,584	28	2,276
4 1/8	130	10 1/8	490	16 1/8	990	22 1/8	1,597	28 1/8	2,291
4 1/4	136	10 1/4	499	16 1/4	1,001	22 1/4	1,611	28 1/4	2,306
4 3/8	141	10 3/8	508	16 3/8	1,013	22 3/8	1,624	28 3/8	2,321
4 1/2	147	10 1/2	517	16 1/2	1,025	22 1/2	1,638	28 1/2	2,337
4 5/8	153	10 5/8	526	16 5/8	1,036	22 5/8	1,652	28 5/8	2,352
4 3/4	159	10 3/4	536	16 3/4	1,048	22 3/4	1,666	28 3/4	2,367
4 7/8	166	10 7/8	545	16 7/8	1,060	22 7/8	1,680	28 7/8	2,383
5	172	11	555	17	1,072	23	1,693	29	2,398
5 1/8	178	11 1/8	564	17 1/8	1,084	23 1/8	1,707	29 1/8	2,414
5 1/4	184	11 1/4	574	17 1/4	1,096	23 1/4	1,721	29 1/4	2,429
5 3/8	191	11 3/8	584	17 3/8	1,108	23 3/8	1,735	29 3/8	2,445
5 1/2	197	11 1/2	593	17 1/2	1,120	23 1/2	1,749	29 1/2	2,460
5 5/8	204	11 5/8	603	17 5/8	1,132	23 5/8	1,763	29 5/8	2,476
5 3/4	211	11 3/4	613	17 3/4	1,144	23 3/4	1,777	29 3/4	2,491
5 7/8	217	11 7/8	623	17 7/8	1,157	23 7/8	1,791	29 7/8	2,507
6	224	12	633	18	1,169	24	1,806	30	2,523

DWT6 10'-13000 COMPARTMENT
13,489 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	2,538	36 1/8	3,320	42 1/8	4,151	48 1/8	5,019	54 1/8	5,909
30 1/4	2,554	36 1/4	3,337	42 1/4	4,169	48 1/4	5,037	54 1/4	5,928
30 3/8	2,570	36 3/8	3,354	42 3/8	4,187	48 3/8	5,055	54 3/8	5,946
30 1/2	2,585	36 1/2	3,371	42 1/2	4,205	48 1/2	5,074	54 1/2	5,965
30 5/8	2,601	36 5/8	3,388	42 5/8	4,223	48 5/8	5,092	54 5/8	5,984
30 3/4	2,617	36 3/4	3,405	42 3/4	4,240	48 3/4	5,110	54 3/4	6,003
30 7/8	2,633	36 7/8	3,422	42 7/8	4,258	48 7/8	5,129	54 7/8	6,021
31	2,649	37	3,439	43	4,276	49	5,147	55	6,040
31 1/8	2,665	37 1/8	3,456	43 1/8	4,294	49 1/8	5,166	55 1/8	6,059
31 1/4	2,680	37 1/4	3,473	43 1/4	4,312	49 1/4	5,184	55 1/4	6,078
31 3/8	2,696	37 3/8	3,490	43 3/8	4,330	49 3/8	5,203	55 3/8	6,096
31 1/2	2,712	37 1/2	3,507	43 1/2	4,347	49 1/2	5,221	55 1/2	6,115
31 5/8	2,728	37 5/8	3,524	43 5/8	4,365	49 5/8	5,240	55 5/8	6,134
31 3/4	2,744	37 3/4	3,541	43 3/4	4,383	49 3/4	5,258	55 3/4	6,153
31 7/8	2,760	37 7/8	3,558	43 7/8	4,401	49 7/8	5,276	55 7/8	6,171
32	2,776	38	3,575	44	4,419	50	5,295	56	6,190
32 1/8	2,793	38 1/8	3,593	44 1/8	4,437	50 1/8	5,313	56 1/8	6,209
32 1/4	2,809	38 1/4	3,610	44 1/4	4,455	50 1/4	5,332	56 1/4	6,228
32 3/8	2,825	38 3/8	3,627	44 3/8	4,473	50 3/8	5,350	56 3/8	6,246
32 1/2	2,841	38 1/2	3,644	44 1/2	4,491	50 1/2	5,369	56 1/2	6,265
32 5/8	2,857	38 5/8	3,661	44 5/8	4,509	50 5/8	5,387	56 5/8	6,284
32 3/4	2,873	38 3/4	3,679	44 3/4	4,527	50 3/4	5,406	56 3/4	6,303
32 7/8	2,890	38 7/8	3,696	44 7/8	4,545	50 7/8	5,425	56 7/8	6,322
33	2,906	39	3,713	45	4,563	51	5,443	57	6,340
33 1/8	2,922	39 1/8	3,731	45 1/8	4,581	51 1/8	5,462	57 1/8	6,359
33 1/4	2,939	39 1/4	3,748	45 1/4	4,599	51 1/4	5,480	57 1/4	6,378
33 3/8	2,955	39 3/8	3,765	45 3/8	4,618	51 3/8	5,499	57 3/8	6,397
33 1/2	2,971	39 1/2	3,783	45 1/2	4,636	51 1/2	5,517	57 1/2	6,416
33 5/8	2,988	39 5/8	3,800	45 5/8	4,654	51 5/8	5,536	57 5/8	6,434
33 3/4	3,004	39 3/4	3,817	45 3/4	4,672	51 3/4	5,555	57 3/4	6,453
33 7/8	3,020	39 7/8	3,835	45 7/8	4,690	51 7/8	5,573	57 7/8	6,472
34	3,037	40	3,852	46	4,708	52	5,592	58	6,491
34 1/8	3,053	40 1/8	3,870	46 1/8	4,726	52 1/8	5,610	58 1/8	6,510
34 1/4	3,070	40 1/4	3,887	46 1/4	4,745	52 1/4	5,629	58 1/4	6,528
34 3/8	3,086	40 3/8	3,905	46 3/8	4,763	52 3/8	5,648	58 3/8	6,547
34 1/2	3,103	40 1/2	3,922	46 1/2	4,781	52 1/2	5,666	58 1/2	6,566
34 5/8	3,120	40 5/8	3,940	46 5/8	4,799	52 5/8	5,685	58 5/8	6,585
34 3/4	3,136	40 3/4	3,957	46 3/4	4,817	52 3/4	5,704	58 3/4	6,604
34 7/8	3,153	40 7/8	3,975	46 7/8	4,836	52 7/8	5,722	58 7/8	6,622
35	3,169	41	3,992	47	4,854	53	5,741	59	6,641
35 1/8	3,186	41 1/8	4,010	47 1/8	4,872	53 1/8	5,760	59 1/8	6,660
35 1/4	3,203	41 1/4	4,028	47 1/4	4,890	53 1/4	5,778	59 1/4	6,679
35 3/8	3,220	41 3/8	4,045	47 3/8	4,909	53 3/8	5,797	59 3/8	6,698
35 1/2	3,236	41 1/2	4,063	47 1/2	4,927	53 1/2	5,816	59 1/2	6,717
35 5/8	3,253	41 5/8	4,081	47 5/8	4,945	53 5/8	5,834	59 5/8	6,735
35 3/4	3,270	41 3/4	4,098	47 3/4	4,964	53 3/4	5,853	59 3/4	6,754
35 7/8	3,287	41 7/8	4,116	47 7/8	4,982	53 7/8	5,872	59 7/8	6,773
36	3,303	42	4,134	48	5,000	54	5,890	60	6,792

DWT6 10'-13000 COMPARTMENT
13,489 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	6,811	66 1/8	7,711	72 1/8	8,599	78 1/8	9,462	84 1/8	10,287
60 1/4	6,829	66 1/4	7,730	72 1/4	8,617	78 1/4	9,480	84 1/4	10,303
60 3/8	6,848	66 3/8	7,749	72 3/8	8,636	78 3/8	9,497	84 3/8	10,320
60 1/2	6,867	66 1/2	7,767	72 1/2	8,654	78 1/2	9,515	84 1/2	10,337
60 5/8	6,886	66 5/8	7,786	72 5/8	8,672	78 5/8	9,532	84 5/8	10,353
60 3/4	6,905	66 3/4	7,805	72 3/4	8,690	78 3/4	9,550	84 3/4	10,370
60 7/8	6,924	66 7/8	7,823	72 7/8	8,709	78 7/8	9,567	84 7/8	10,387
61	6,942	67	7,842	73	8,727	79	9,585	85	10,403
61 1/8	6,961	67 1/8	7,861	73 1/8	8,745	79 1/8	9,602	85 1/8	10,420
61 1/4	6,980	67 1/4	7,879	73 1/4	8,763	79 1/4	9,620	85 1/4	10,436
61 3/8	6,999	67 3/8	7,898	73 3/8	8,781	79 3/8	9,637	85 3/8	10,453
61 1/2	7,018	67 1/2	7,916	73 1/2	8,800	79 1/2	9,655	85 1/2	10,469
61 5/8	7,036	67 5/8	7,935	73 5/8	8,818	79 5/8	9,672	85 5/8	10,486
61 3/4	7,055	67 3/4	7,954	73 3/4	8,836	79 3/4	9,690	85 3/4	10,502
61 7/8	7,074	67 7/8	7,972	73 7/8	8,854	79 7/8	9,707	85 7/8	10,518
62	7,093	68	7,991	74	8,872	80	9,724	86	10,535
62 1/8	7,112	68 1/8	8,009	74 1/8	8,890	80 1/8	9,742	86 1/8	10,551
62 1/4	7,130	68 1/4	8,028	74 1/4	8,908	80 1/4	9,759	86 1/4	10,567
62 3/8	7,149	68 3/8	8,046	74 3/8	8,926	80 3/8	9,776	86 3/8	10,584
62 1/2	7,168	68 1/2	8,065	74 1/2	8,944	80 1/2	9,794	86 1/2	10,600
62 5/8	7,187	68 5/8	8,084	74 5/8	8,962	80 5/8	9,811	86 5/8	10,616
62 3/4	7,206	68 3/4	8,102	74 3/4	8,980	80 3/4	9,828	86 3/4	10,632
62 7/8	7,224	68 7/8	8,121	74 7/8	8,998	80 7/8	9,845	86 7/8	10,649
63	7,243	69	8,139	75	9,016	81	9,863	87	10,665
63 1/8	7,262	69 1/8	8,158	75 1/8	9,034	81 1/8	9,880	87 1/8	10,681
63 1/4	7,281	69 1/4	8,176	75 1/4	9,052	81 1/4	9,897	87 1/4	10,697
63 3/8	7,299	69 3/8	8,195	75 3/8	9,070	81 3/8	9,914	87 3/8	10,713
63 1/2	7,318	69 1/2	8,213	75 1/2	9,088	81 1/2	9,931	87 1/2	10,729
63 5/8	7,337	69 5/8	8,232	75 5/8	9,106	81 5/8	9,949	87 5/8	10,745
63 3/4	7,356	69 3/4	8,250	75 3/4	9,124	81 3/4	9,966	87 3/4	10,761
63 7/8	7,374	69 7/8	8,269	75 7/8	9,142	81 7/8	9,983	87 7/8	10,777
64	7,393	70	8,287	76	9,160	82	10,000	88	10,793
64 1/8	7,412	70 1/8	8,305	76 1/8	9,178	82 1/8	10,017	88 1/8	10,809
64 1/4	7,431	70 1/4	8,324	76 1/4	9,196	82 1/4	10,034	88 1/4	10,825
64 3/8	7,449	70 3/8	8,342	76 3/8	9,214	82 3/8	10,051	88 3/8	10,841
64 1/2	7,468	70 1/2	8,361	76 1/2	9,231	82 1/2	10,068	88 1/2	10,857
64 5/8	7,487	70 5/8	8,379	76 5/8	9,249	82 5/8	10,085	88 5/8	10,873
64 3/4	7,506	70 3/4	8,398	76 3/4	9,267	82 3/4	10,102	88 3/4	10,888
64 7/8	7,524	70 7/8	8,416	76 7/8	9,285	82 7/8	10,119	88 7/8	10,904
65	7,543	71	8,434	77	9,303	83	10,136	89	10,920
65 1/8	7,562	71 1/8	8,453	77 1/8	9,320	83 1/8	10,152	89 1/8	10,936
65 1/4	7,581	71 1/4	8,471	77 1/4	9,338	83 1/4	10,169	89 1/4	10,951
65 3/8	7,599	71 3/8	8,489	77 3/8	9,356	83 3/8	10,186	89 3/8	10,967
65 1/2	7,618	71 1/2	8,508	77 1/2	9,374	83 1/2	10,203	89 1/2	10,983
65 5/8	7,637	71 5/8	8,526	77 5/8	9,391	83 5/8	10,220	89 5/8	10,998
65 3/4	7,655	71 3/4	8,544	77 3/4	9,409	83 3/4	10,237	89 3/4	11,014
65 7/8	7,674	71 7/8	8,563	77 7/8	9,427	83 7/8	10,253	89 7/8	11,029
66	7,693	72	8,581	78	9,444	84	10,270	90	11,045

DWT6 10'-13000 COMPARTMENT
13,489 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	11,060	96 1/8	11,768	102 1/8	12,394	108 1/8	12,916	114 1/8	13,305
90 1/4	11,076	96 1/4	11,782	102 1/4	12,406	108 1/4	12,925	114 1/4	13,312
90 3/8	11,091	96 3/8	11,796	102 3/8	12,418	108 3/8	12,935	114 3/8	13,318
90 1/2	11,107	96 1/2	11,810	102 1/2	12,430	108 1/2	12,944	114 1/2	13,324
90 5/8	11,122	96 5/8	11,824	102 5/8	12,441	108 5/8	12,954	114 5/8	13,330
90 3/4	11,138	96 3/4	11,838	102 3/4	12,453	108 3/4	12,963	114 3/4	13,336
90 7/8	11,153	96 7/8	11,851	102 7/8	12,465	108 7/8	12,972	114 7/8	13,342
91	11,168	97	11,865	103	12,477	109	12,982	115	13,348
91 1/8	11,183	97 1/8	11,879	103 1/8	12,488	109 1/8	12,991	115 1/8	13,354
91 1/4	11,199	97 1/4	11,892	103 1/4	12,500	109 1/4	13,000	115 1/4	13,360
91 3/8	11,214	97 3/8	11,906	103 3/8	12,512	109 3/8	13,009	115 3/8	13,365
91 1/2	11,229	97 1/2	11,920	103 1/2	12,523	109 1/2	13,018	115 1/2	13,371
91 5/8	11,244	97 5/8	11,933	103 5/8	12,535	109 5/8	13,027	115 5/8	13,376
91 3/4	11,259	97 3/4	11,947	103 3/4	12,546	109 3/4	13,036	115 3/4	13,382
91 7/8	11,274	97 7/8	11,960	103 7/8	12,558	109 7/8	13,045	115 7/8	13,387
92	11,289	98	11,973	104	12,569	110	13,054	116	13,392
92 1/8	11,305	98 1/8	11,987	104 1/8	12,580	110 1/8	13,062	116 1/8	13,397
92 1/4	11,320	98 1/4	12,000	104 1/4	12,592	110 1/4	13,071	116 1/4	13,402
92 3/8	11,334	98 3/8	12,013	104 3/8	12,603	110 3/8	13,079	116 3/8	13,407
92 1/2	11,349	98 1/2	12,027	104 1/2	12,614	110 1/2	13,088	116 1/2	13,412
92 5/8	11,364	98 5/8	12,040	104 5/8	12,625	110 5/8	13,096	116 5/8	13,416
92 3/4	11,379	98 3/4	12,053	104 3/4	12,636	110 3/4	13,105	116 3/4	13,421
92 7/8	11,394	98 7/8	12,066	104 7/8	12,647	110 7/8	13,113	116 7/8	13,425
93	11,409	99	12,079	105	12,658	111	13,121	117	13,430
93 1/8	11,424	99 1/8	12,092	105 1/8	12,669	111 1/8	13,130	117 1/8	13,434
93 1/4	11,438	99 1/4	12,105	105 1/4	12,680	111 1/4	13,138	117 1/4	13,438
93 3/8	11,453	99 3/8	12,118	105 3/8	12,691	111 3/8	13,146	117 3/8	13,442
93 1/2	11,468	99 1/2	12,131	105 1/2	12,702	111 1/2	13,154	117 1/2	13,446
93 5/8	11,482	99 5/8	12,144	105 5/8	12,712	111 5/8	13,162	117 5/8	13,450
93 3/4	11,497	99 3/4	12,157	105 3/4	12,723	111 3/4	13,170	117 3/4	13,453
93 7/8	11,512	99 7/8	12,170	105 7/8	12,734	111 7/8	13,177	117 7/8	13,457
94	11,526	100	12,183	106	12,744	112	13,185	118	13,460
94 1/8	11,541	100 1/8	12,196	106 1/8	12,755	112 1/8	13,193	118 1/8	13,464
94 1/4	11,555	100 1/4	12,208	106 1/4	12,765	112 1/4	13,200	118 1/4	13,467
94 3/8	11,570	100 3/8	12,221	106 3/8	12,776	112 3/8	13,208	118 3/8	13,470
94 1/2	11,584	100 1/2	12,233	106 1/2	12,786	112 1/2	13,215	118 1/2	13,472
94 5/8	11,598	100 5/8	12,246	106 5/8	12,796	112 5/8	13,223	118 5/8	13,475
94 3/4	11,613	100 3/4	12,259	106 3/4	12,807	112 3/4	13,230	118 3/4	13,478
94 7/8	11,627	100 7/8	12,271	106 7/8	12,817	112 7/8	13,237	118 7/8	13,480
95	11,641	101	12,284	107	12,827	113	13,244	119	13,482
95 1/8	11,656	101 1/8	12,296	107 1/8	12,837	113 1/8	13,251	119 1/8	13,484
95 1/4	11,670	101 1/4	12,308	107 1/4	12,847	113 1/4	13,258	119 1/4	13,486
95 3/8	11,684	101 3/8	12,321	107 3/8	12,857	113 3/8	13,265	119 3/8	13,487
95 1/2	11,698	101 1/2	12,333	107 1/2	12,867	113 1/2	13,272	119 1/2	13,489
95 5/8	11,712	101 5/8	12,345	107 5/8	12,877	113 5/8	13,279	119 5/8	13,489
95 3/4	11,726	101 3/4	12,357	107 3/4	12,887	113 3/4	13,286		
95 7/8	11,740	101 7/8	12,369	107 7/8	12,896	113 7/8	13,292		
96	11,754	102	12,382	108	12,906	114	13,299		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.