

DWT6 10'-16000 COMPARTMENT
15,912 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	5	6 1/8	282	12 1/8	775	18 1/8	1,417	24 1/8	2,174
1/4	7	6 1/4	290	12 1/4	787	18 1/4	1,432	24 1/4	2,191
3/8	9	6 3/8	299	12 3/8	800	18 3/8	1,447	24 3/8	2,207
1/2	12	6 1/2	307	12 1/2	812	18 1/2	1,461	24 1/2	2,224
5/8	15	6 5/8	316	12 5/8	824	18 5/8	1,476	24 5/8	2,241
3/4	18	6 3/4	325	12 3/4	836	18 3/4	1,491	24 3/4	2,258
7/8	21	6 7/8	334	12 7/8	848	18 7/8	1,506	24 7/8	2,275
1	25	7	343	13	861	19	1,521	25	2,292
1 1/8	28	7 1/8	352	13 1/8	873	19 1/8	1,536	25 1/8	2,309
1 1/4	32	7 1/4	361	13 1/4	886	19 1/4	1,551	25 1/4	2,326
1 3/8	36	7 3/8	370	13 3/8	898	19 3/8	1,566	25 3/8	2,344
1 1/2	40	7 1/2	379	13 1/2	911	19 1/2	1,581	25 1/2	2,361
1 5/8	45	7 5/8	389	13 5/8	924	19 5/8	1,597	25 5/8	2,378
1 3/4	49	7 3/4	398	13 3/4	936	19 3/4	1,612	25 3/4	2,395
1 7/8	54	7 7/8	408	13 7/8	949	19 7/8	1,627	25 7/8	2,412
2	59	8	417	14	962	20	1,643	26	2,430
2 1/8	63	8 1/8	427	14 1/8	975	20 1/8	1,658	26 1/8	2,447
2 1/4	68	8 1/4	437	14 1/4	988	20 1/4	1,673	26 1/4	2,465
2 3/8	74	8 3/8	447	14 3/8	1,001	20 3/8	1,689	26 3/8	2,482
2 1/2	79	8 1/2	457	14 1/2	1,014	20 1/2	1,704	26 1/2	2,500
2 5/8	84	8 5/8	467	14 5/8	1,027	20 5/8	1,720	26 5/8	2,517
2 3/4	90	8 3/4	477	14 3/4	1,040	20 3/4	1,736	26 3/4	2,535
2 7/8	96	8 7/8	487	14 7/8	1,054	20 7/8	1,751	26 7/8	2,552
3	101	9	497	15	1,067	21	1,767	27	2,570
3 1/8	107	9 1/8	507	15 1/8	1,080	21 1/8	1,783	27 1/8	2,587
3 1/4	113	9 1/4	518	15 1/4	1,094	21 1/4	1,799	27 1/4	2,605
3 3/8	120	9 3/8	528	15 3/8	1,107	21 3/8	1,814	27 3/8	2,623
3 1/2	126	9 1/2	539	15 1/2	1,121	21 1/2	1,830	27 1/2	2,641
3 5/8	132	9 5/8	549	15 5/8	1,134	21 5/8	1,846	27 5/8	2,658
3 3/4	139	9 3/4	560	15 3/4	1,148	21 3/4	1,862	27 3/4	2,676
3 7/8	145	9 7/8	571	15 7/8	1,162	21 7/8	1,878	27 7/8	2,694
4	152	10	581	16	1,175	22	1,894	28	2,712
4 1/8	159	10 1/8	592	16 1/8	1,189	22 1/8	1,910	28 1/8	2,730
4 1/4	166	10 1/4	603	16 1/4	1,203	22 1/4	1,927	28 1/4	2,748
4 3/8	173	10 3/8	614	16 3/8	1,217	22 3/8	1,943	28 3/8	2,766
4 1/2	180	10 1/2	625	16 1/2	1,231	22 1/2	1,959	28 1/2	2,784
4 5/8	187	10 5/8	636	16 5/8	1,245	22 5/8	1,975	28 5/8	2,802
4 3/4	195	10 3/4	648	16 3/4	1,259	22 3/4	1,992	28 3/4	2,820
4 7/8	202	10 7/8	659	16 7/8	1,273	22 7/8	2,008	28 7/8	2,838
5	210	11	670	17	1,287	23	2,024	29	2,857
5 1/8	217	11 1/8	682	17 1/8	1,302	23 1/8	2,041	29 1/8	2,875
5 1/4	225	11 1/4	693	17 1/4	1,316	23 1/4	2,057	29 1/4	2,893
5 3/8	233	11 3/8	705	17 3/8	1,330	23 3/8	2,074	29 3/8	2,911
5 1/2	241	11 1/2	716	17 1/2	1,345	23 1/2	2,090	29 1/2	2,930
5 5/8	249	11 5/8	728	17 5/8	1,359	23 5/8	2,107	29 5/8	2,948
5 3/4	257	11 3/4	740	17 3/4	1,373	23 3/4	2,124	29 3/4	2,966
5 7/8	265	11 7/8	752	17 7/8	1,388	23 7/8	2,140	29 7/8	2,985
6	273	12	764	18	1,403	24	2,157	30	3,003

DWT6 10'-16000 COMPARTMENT
15,912 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	3,022	36 1/8	3,942	42 1/8	4,918	48 1/8	5,935	54 1/8	6,978
30 1/4	3,040	36 1/4	3,962	42 1/4	4,939	48 1/4	5,956	54 1/4	6,999
30 3/8	3,059	36 3/8	3,981	42 3/8	4,959	48 3/8	5,978	54 3/8	7,021
30 1/2	3,077	36 1/2	4,001	42 1/2	4,980	48 1/2	5,999	54 1/2	7,043
30 5/8	3,096	36 5/8	4,021	42 5/8	5,001	48 5/8	6,021	54 5/8	7,065
30 3/4	3,114	36 3/4	4,041	42 3/4	5,022	48 3/4	6,042	54 3/4	7,087
30 7/8	3,133	36 7/8	4,061	42 7/8	5,043	48 7/8	6,064	54 7/8	7,109
31	3,152	37	4,081	43	5,064	49	6,085	55	7,131
31 1/8	3,170	37 1/8	4,101	43 1/8	5,085	49 1/8	6,107	55 1/8	7,153
31 1/4	3,189	37 1/4	4,121	43 1/4	5,106	49 1/4	6,128	55 1/4	7,175
31 3/8	3,208	37 3/8	4,141	43 3/8	5,127	49 3/8	6,150	55 3/8	7,197
31 1/2	3,227	37 1/2	4,161	43 1/2	5,148	49 1/2	6,172	55 1/2	7,219
31 5/8	3,246	37 5/8	4,181	43 5/8	5,169	49 5/8	6,193	55 5/8	7,241
31 3/4	3,264	37 3/4	4,201	43 3/4	5,190	49 3/4	6,215	55 3/4	7,263
31 7/8	3,283	37 7/8	4,221	43 7/8	5,211	49 7/8	6,237	55 7/8	7,285
32	3,302	38	4,242	44	5,232	50	6,258	56	7,307
32 1/8	3,321	38 1/8	4,262	44 1/8	5,253	50 1/8	6,280	56 1/8	7,329
32 1/4	3,340	38 1/4	4,282	44 1/4	5,274	50 1/4	6,302	56 1/4	7,351
32 3/8	3,359	38 3/8	4,302	44 3/8	5,295	50 3/8	6,323	56 3/8	7,373
32 1/2	3,378	38 1/2	4,322	44 1/2	5,316	50 1/2	6,345	56 1/2	7,395
32 5/8	3,397	38 5/8	4,343	44 5/8	5,337	50 5/8	6,367	56 5/8	7,417
32 3/4	3,416	38 3/4	4,363	44 3/4	5,358	50 3/4	6,388	56 3/4	7,439
32 7/8	3,435	38 7/8	4,383	44 7/8	5,380	50 7/8	6,410	56 7/8	7,461
33	3,455	39	4,403	45	5,401	51	6,432	57	7,483
33 1/8	3,474	39 1/8	4,424	45 1/8	5,422	51 1/8	6,454	57 1/8	7,505
33 1/4	3,493	39 1/4	4,444	45 1/4	5,443	51 1/4	6,475	57 1/4	7,527
33 3/8	3,512	39 3/8	4,465	45 3/8	5,464	51 3/8	6,497	57 3/8	7,549
33 1/2	3,531	39 1/2	4,485	45 1/2	5,486	51 1/2	6,519	57 1/2	7,571
33 5/8	3,551	39 5/8	4,505	45 5/8	5,507	51 5/8	6,541	57 5/8	7,593
33 3/4	3,570	39 3/4	4,526	45 3/4	5,528	51 3/4	6,562	57 3/4	7,615
33 7/8	3,589	39 7/8	4,546	45 7/8	5,549	51 7/8	6,584	57 7/8	7,637
34	3,609	40	4,567	46	5,571	52	6,606	58	7,659
34 1/8	3,628	40 1/8	4,587	46 1/8	5,592	52 1/8	6,628	58 1/8	7,681
34 1/4	3,647	40 1/4	4,608	46 1/4	5,613	52 1/4	6,650	58 1/4	7,703
34 3/8	3,667	40 3/8	4,628	46 3/8	5,635	52 3/8	6,671	58 3/8	7,725
34 1/2	3,686	40 1/2	4,649	46 1/2	5,656	52 1/2	6,693	58 1/2	7,747
34 5/8	3,706	40 5/8	4,669	46 5/8	5,677	52 5/8	6,715	58 5/8	7,769
34 3/4	3,725	40 3/4	4,690	46 3/4	5,699	52 3/4	6,737	58 3/4	7,791
34 7/8	3,745	40 7/8	4,711	46 7/8	5,720	52 7/8	6,759	58 7/8	7,813
35	3,765	41	4,731	47	5,741	53	6,781	59	7,835
35 1/8	3,784	41 1/8	4,752	47 1/8	5,763	53 1/8	6,802	59 1/8	7,857
35 1/4	3,804	41 1/4	4,773	47 1/4	5,784	53 1/4	6,824	59 1/4	7,879
35 3/8	3,823	41 3/8	4,793	47 3/8	5,806	53 3/8	6,846	59 3/8	7,901
35 1/2	3,843	41 1/2	4,814	47 1/2	5,827	53 1/2	6,868	59 1/2	7,923
35 5/8	3,863	41 5/8	4,835	47 5/8	5,849	53 5/8	6,890	59 5/8	7,945
35 3/4	3,882	41 3/4	4,855	47 3/4	5,870	53 3/4	6,912	59 3/4	7,967
35 7/8	3,902	41 7/8	4,876	47 7/8	5,892	53 7/8	6,934	59 7/8	7,989
36	3,922	42	4,897	48	5,913	54	6,956	60	8,011

DWT6 10'-16000 COMPARTMENT
15,912 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	8,033	66 1/8	9,088	72 1/8	10,128	78 1/8	11,140	84 1/8	12,108
60 1/4	8,055	66 1/4	9,110	72 1/4	10,149	78 1/4	11,160	84 1/4	12,128
60 3/8	8,077	66 3/8	9,132	72 3/8	10,171	78 3/8	11,181	84 3/8	12,148
60 1/2	8,099	66 1/2	9,153	72 1/2	10,192	78 1/2	11,201	84 1/2	12,167
60 5/8	8,121	66 5/8	9,175	72 5/8	10,213	78 5/8	11,222	84 5/8	12,187
60 3/4	8,143	66 3/4	9,197	72 3/4	10,235	78 3/4	11,243	84 3/4	12,206
60 7/8	8,165	66 7/8	9,219	72 7/8	10,256	78 7/8	11,263	84 7/8	12,226
61	8,187	67	9,241	73	10,277	79	11,284	85	12,245
61 1/8	8,209	67 1/8	9,263	73 1/8	10,299	79 1/8	11,304	85 1/8	12,265
61 1/4	8,231	67 1/4	9,284	73 1/4	10,320	79 1/4	11,325	85 1/4	12,284
61 3/8	8,253	67 3/8	9,306	73 3/8	10,341	79 3/8	11,345	85 3/8	12,303
61 1/2	8,275	67 1/2	9,328	73 1/2	10,363	79 1/2	11,366	85 1/2	12,323
61 5/8	8,297	67 5/8	9,350	73 5/8	10,384	79 5/8	11,386	85 5/8	12,342
61 3/4	8,319	67 3/4	9,371	73 3/4	10,405	79 3/4	11,407	85 3/4	12,361
61 7/8	8,341	67 7/8	9,393	73 7/8	10,426	79 7/8	11,427	85 7/8	12,381
62	8,363	68	9,415	74	10,448	80	11,448	86	12,400
62 1/8	8,385	68 1/8	9,437	74 1/8	10,469	80 1/8	11,468	86 1/8	12,419
62 1/4	8,407	68 1/4	9,459	74 1/4	10,490	80 1/4	11,488	86 1/4	12,438
62 3/8	8,429	68 3/8	9,480	74 3/8	10,511	80 3/8	11,509	86 3/8	12,458
62 1/2	8,451	68 1/2	9,502	74 1/2	10,532	80 1/2	11,529	86 1/2	12,477
62 5/8	8,473	68 5/8	9,524	74 5/8	10,554	80 5/8	11,549	86 5/8	12,496
62 3/4	8,495	68 3/4	9,545	74 3/4	10,575	80 3/4	11,570	86 3/4	12,515
62 7/8	8,517	68 7/8	9,567	74 7/8	10,596	80 7/8	11,590	86 7/8	12,534
63	8,539	69	9,589	75	10,617	81	11,610	87	12,553
63 1/8	8,561	69 1/8	9,611	75 1/8	10,638	81 1/8	11,630	87 1/8	12,572
63 1/4	8,583	69 1/4	9,632	75 1/4	10,659	81 1/4	11,650	87 1/4	12,591
63 3/8	8,605	69 3/8	9,654	75 3/8	10,680	81 3/8	11,671	87 3/8	12,610
63 1/2	8,627	69 1/2	9,676	75 1/2	10,701	81 1/2	11,691	87 1/2	12,629
63 5/8	8,649	69 5/8	9,697	75 5/8	10,722	81 5/8	11,711	87 5/8	12,648
63 3/4	8,671	69 3/4	9,719	75 3/4	10,743	81 3/4	11,731	87 3/4	12,667
63 7/8	8,693	69 7/8	9,740	75 7/8	10,764	81 7/8	11,751	87 7/8	12,685
64	8,715	70	9,762	76	10,785	82	11,771	88	12,704
64 1/8	8,737	70 1/8	9,784	76 1/8	10,806	82 1/8	11,791	88 1/8	12,723
64 1/4	8,759	70 1/4	9,805	76 1/4	10,827	82 1/4	11,811	88 1/4	12,742
64 3/8	8,781	70 3/8	9,827	76 3/8	10,848	82 3/8	11,831	88 3/8	12,760
64 1/2	8,803	70 1/2	9,848	76 1/2	10,869	82 1/2	11,851	88 1/2	12,779
64 5/8	8,825	70 5/8	9,870	76 5/8	10,890	82 5/8	11,871	88 5/8	12,798
64 3/4	8,847	70 3/4	9,892	76 3/4	10,911	82 3/4	11,891	88 3/4	12,816
64 7/8	8,869	70 7/8	9,913	76 7/8	10,932	82 7/8	11,911	88 7/8	12,835
65	8,891	71	9,935	77	10,953	83	11,931	89	12,854
65 1/8	8,913	71 1/8	9,956	77 1/8	10,973	83 1/8	11,951	89 1/8	12,872
65 1/4	8,935	71 1/4	9,978	77 1/4	10,994	83 1/4	11,970	89 1/4	12,891
65 3/8	8,956	71 3/8	9,999	77 3/8	11,015	83 3/8	11,990	89 3/8	12,909
65 1/2	8,978	71 1/2	10,021	77 1/2	11,036	83 1/2	12,010	89 1/2	12,927
65 5/8	9,000	71 5/8	10,042	77 5/8	11,057	83 5/8	12,030	89 5/8	12,946
65 3/4	9,022	71 3/4	10,064	77 3/4	11,077	83 3/4	12,049	89 3/4	12,964
65 7/8	9,044	71 7/8	10,085	77 7/8	11,098	83 7/8	12,069	89 7/8	12,983
66	9,066	72	10,106	78	11,119	84	12,089	90	13,001

DWT6 10'-16000 COMPARTMENT
15,912 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	13,019	96 1/8	13,855	102 1/8	14,596	108 1/8	15,219	114 1/8	15,687
90 1/4	13,037	96 1/4	13,871	102 1/4	14,611	108 1/4	15,230	114 1/4	15,695
90 3/8	13,056	96 3/8	13,888	102 3/8	14,625	108 3/8	15,242	114 3/8	15,703
90 1/2	13,074	96 1/2	13,904	102 1/2	14,639	108 1/2	15,253	114 1/2	15,710
90 5/8	13,092	96 5/8	13,921	102 5/8	14,653	108 5/8	15,264	114 5/8	15,718
90 3/4	13,110	96 3/4	13,937	102 3/4	14,667	108 3/4	15,276	114 3/4	15,725
90 7/8	13,128	96 7/8	13,953	102 7/8	14,681	108 7/8	15,287	114 7/8	15,732
91	13,146	97	13,969	103	14,695	109	15,298	115	15,739
91 1/8	13,164	97 1/8	13,986	103 1/8	14,709	109 1/8	15,309	115 1/8	15,746
91 1/4	13,182	97 1/4	14,002	103 1/4	14,723	109 1/4	15,320	115 1/4	15,753
91 3/8	13,200	97 3/8	14,018	103 3/8	14,737	109 3/8	15,331	115 3/8	15,760
91 1/2	13,218	97 1/2	14,034	103 1/2	14,750	109 1/2	15,342	115 1/2	15,767
91 5/8	13,236	97 5/8	14,050	103 5/8	14,764	109 5/8	15,352	115 5/8	15,773
91 3/4	13,254	97 3/4	14,066	103 3/4	14,778	109 3/4	15,363	115 3/4	15,780
91 7/8	13,271	97 7/8	14,082	103 7/8	14,791	109 7/8	15,374	115 7/8	15,786
92	13,289	98	14,098	104	14,805	110	15,384	116	15,793
92 1/8	13,307	98 1/8	14,114	104 1/8	14,818	110 1/8	15,394	116 1/8	15,799
92 1/4	13,325	98 1/4	14,129	104 1/4	14,832	110 1/4	15,405	116 1/4	15,805
92 3/8	13,342	98 3/8	14,145	104 3/8	14,845	110 3/8	15,415	116 3/8	15,811
92 1/2	13,360	98 1/2	14,161	104 1/2	14,859	110 1/2	15,425	116 1/2	15,817
92 5/8	13,378	98 5/8	14,177	104 5/8	14,872	110 5/8	15,436	116 5/8	15,822
92 3/4	13,395	98 3/4	14,192	104 3/4	14,885	110 3/4	15,446	116 3/4	15,828
92 7/8	13,413	98 7/8	14,208	104 7/8	14,898	110 7/8	15,456	116 7/8	15,833
93	13,430	99	14,223	105	14,911	111	15,466	117	15,839
93 1/8	13,448	99 1/8	14,239	105 1/8	14,924	111 1/8	15,475	117 1/8	15,844
93 1/4	13,465	99 1/4	14,254	105 1/4	14,937	111 1/4	15,485	117 1/4	15,849
93 3/8	13,482	99 3/8	14,270	105 3/8	14,950	111 3/8	15,495	117 3/8	15,854
93 1/2	13,500	99 1/2	14,285	105 1/2	14,963	111 1/2	15,504	117 1/2	15,858
93 5/8	13,517	99 5/8	14,300	105 5/8	14,976	111 5/8	15,514	117 5/8	15,863
93 3/4	13,534	99 3/4	14,316	105 3/4	14,989	111 3/4	15,523	117 3/4	15,867
93 7/8	13,551	99 7/8	14,331	105 7/8	15,001	111 7/8	15,533	117 7/8	15,872
94	13,569	100	14,346	106	15,014	112	15,542	118	15,876
94 1/8	13,586	100 1/8	14,361	106 1/8	15,026	112 1/8	15,551	118 1/8	15,880
94 1/4	13,603	100 1/4	14,376	106 1/4	15,039	112 1/4	15,561	118 1/4	15,884
94 3/8	13,620	100 3/8	14,391	106 3/8	15,051	112 3/8	15,570	118 3/8	15,887
94 1/2	13,637	100 1/2	14,406	106 1/2	15,064	112 1/2	15,579	118 1/2	15,891
94 5/8	13,654	100 5/8	14,421	106 5/8	15,076	112 5/8	15,587	118 5/8	15,894
94 3/4	13,671	100 3/4	14,436	106 3/4	15,088	112 3/4	15,596	118 3/4	15,897
94 7/8	13,688	100 7/8	14,451	106 7/8	15,100	112 7/8	15,605	118 7/8	15,900
95	13,705	101	14,465	107	15,113	113	15,614	119	15,903
95 1/8	13,722	101 1/8	14,480	107 1/8	15,125	113 1/8	15,622	119 1/8	15,905
95 1/4	13,738	101 1/4	14,495	107 1/4	15,137	113 1/4	15,631	119 1/4	15,907
95 3/8	13,755	101 3/8	14,510	107 3/8	15,149	113 3/8	15,639	119 3/8	15,909
95 1/2	13,772	101 1/2	14,524	107 1/2	15,160	113 1/2	15,647	119 1/2	15,911
95 5/8	13,789	101 5/8	14,539	107 5/8	15,172	113 5/8	15,655	119 5/8	15,912
95 3/4	13,805	101 3/4	14,553	107 3/4	15,184	113 3/4	15,664		
95 7/8	13,822	101 7/8	14,568	107 7/8	15,196	113 7/8	15,672		
96	13,838	102	14,582	108	15,207	114	15,679		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.