

DWT6 10'-18000 COMPARTMENT
18,336 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	6	6 1/8	332	12 1/8	908	18 1/8	1,653	24 1/8	2,528
1/4	8	6 1/4	342	12 1/4	922	18 1/4	1,670	24 1/4	2,547
3/8	11	6 3/8	352	12 3/8	936	18 3/8	1,687	24 3/8	2,567
1/2	14	6 1/2	362	12 1/2	951	18 1/2	1,704	24 1/2	2,586
5/8	18	6 5/8	372	12 5/8	965	18 5/8	1,722	24 5/8	2,606
3/4	21	6 3/4	382	12 3/4	979	18 3/4	1,739	24 3/4	2,625
7/8	25	6 7/8	393	12 7/8	993	18 7/8	1,756	24 7/8	2,645
1	29	7	403	13	1,008	19	1,773	25	2,665
1 1/8	34	7 1/8	414	13 1/8	1,022	19 1/8	1,791	25 1/8	2,684
1 1/4	38	7 1/4	425	13 1/4	1,037	19 1/4	1,808	25 1/4	2,704
1 3/8	43	7 3/8	435	13 3/8	1,051	19 3/8	1,826	25 3/8	2,724
1 1/2	48	7 1/2	446	13 1/2	1,066	19 1/2	1,843	25 1/2	2,744
1 5/8	53	7 5/8	457	13 5/8	1,081	19 5/8	1,861	25 5/8	2,763
1 3/4	58	7 3/4	468	13 3/4	1,096	19 3/4	1,879	25 3/4	2,783
1 7/8	64	7 7/8	479	13 7/8	1,110	19 7/8	1,896	25 7/8	2,803
2	69	8	491	14	1,125	20	1,914	26	2,823
2 1/8	75	8 1/8	502	14 1/8	1,140	20 1/8	1,932	26 1/8	2,843
2 1/4	81	8 1/4	513	14 1/4	1,155	20 1/4	1,950	26 1/4	2,863
2 3/8	87	8 3/8	525	14 3/8	1,171	20 3/8	1,968	26 3/8	2,884
2 1/2	94	8 1/2	537	14 1/2	1,186	20 1/2	1,986	26 1/2	2,904
2 5/8	100	8 5/8	548	14 5/8	1,201	20 5/8	2,004	26 5/8	2,924
2 3/4	107	8 3/4	560	14 3/4	1,216	20 3/4	2,022	26 3/4	2,944
2 7/8	113	8 7/8	572	14 7/8	1,232	20 7/8	2,040	26 7/8	2,964
3	120	9	584	15	1,247	21	2,058	27	2,985
3 1/8	127	9 1/8	596	15 1/8	1,263	21 1/8	2,076	27 1/8	3,005
3 1/4	134	9 1/4	608	15 1/4	1,278	21 1/4	2,095	27 1/4	3,026
3 3/8	142	9 3/8	620	15 3/8	1,294	21 3/8	2,113	27 3/8	3,046
3 1/2	149	9 1/2	632	15 1/2	1,310	21 1/2	2,131	27 1/2	3,066
3 5/8	156	9 5/8	645	15 5/8	1,325	21 5/8	2,150	27 5/8	3,087
3 3/4	164	9 3/4	657	15 3/4	1,341	21 3/4	2,168	27 3/4	3,108
3 7/8	172	9 7/8	670	15 7/8	1,357	21 7/8	2,187	27 7/8	3,128
4	180	10	682	16	1,373	22	2,205	28	3,149
4 1/8	188	10 1/8	695	16 1/8	1,389	22 1/8	2,224	28 1/8	3,169
4 1/4	196	10 1/4	708	16 1/4	1,405	22 1/4	2,242	28 1/4	3,190
4 3/8	204	10 3/8	721	16 3/8	1,421	22 3/8	2,261	28 3/8	3,211
4 1/2	213	10 1/2	734	16 1/2	1,437	22 1/2	2,280	28 1/2	3,232
4 5/8	221	10 5/8	747	16 5/8	1,454	22 5/8	2,299	28 5/8	3,253
4 3/4	230	10 3/4	760	16 3/4	1,470	22 3/4	2,318	28 3/4	3,273
4 7/8	238	10 7/8	773	16 7/8	1,486	22 7/8	2,336	28 7/8	3,294
5	247	11	786	17	1,503	23	2,355	29	3,315
5 1/8	256	11 1/8	799	17 1/8	1,519	23 1/8	2,374	29 1/8	3,336
5 1/4	265	11 1/4	813	17 1/4	1,536	23 1/4	2,393	29 1/4	3,357
5 3/8	275	11 3/8	826	17 3/8	1,552	23 3/8	2,412	29 3/8	3,378
5 1/2	284	11 1/2	840	17 1/2	1,569	23 1/2	2,432	29 1/2	3,399
5 5/8	293	11 5/8	853	17 5/8	1,586	23 5/8	2,451	29 5/8	3,420
5 3/4	303	11 3/4	867	17 3/4	1,603	23 3/4	2,470	29 3/4	3,442
5 7/8	312	11 7/8	881	17 7/8	1,619	23 7/8	2,489	29 7/8	3,463
6	322	12	895	18	1,636	24	2,509	30	3,484

DWT6 10'-18000 COMPARTMENT
18,336 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	3,505	36 1/8	4,564	42 1/8	5,685	48 1/8	6,851	54 1/8	8,047
30 1/4	3,527	36 1/4	4,587	42 1/4	5,709	48 1/4	6,876	54 1/4	8,072
30 3/8	3,548	36 3/8	4,609	42 3/8	5,732	48 3/8	6,900	54 3/8	8,097
30 1/2	3,569	36 1/2	4,632	42 1/2	5,756	48 1/2	6,925	54 1/2	8,122
30 5/8	3,591	36 5/8	4,655	42 5/8	5,780	48 5/8	6,950	54 5/8	8,147
30 3/4	3,612	36 3/4	4,678	42 3/4	5,804	48 3/4	6,974	54 3/4	8,172
30 7/8	3,634	36 7/8	4,701	42 7/8	5,828	48 7/8	6,999	54 7/8	8,197
31	3,655	37	4,724	43	5,852	49	7,024	55	8,223
31 1/8	3,677	37 1/8	4,747	43 1/8	5,876	49 1/8	7,049	55 1/8	8,248
31 1/4	3,698	37 1/4	4,770	43 1/4	5,900	49 1/4	7,073	55 1/4	8,273
31 3/8	3,720	37 3/8	4,793	43 3/8	5,924	49 3/8	7,098	55 3/8	8,298
31 1/2	3,741	37 1/2	4,816	43 1/2	5,949	49 1/2	7,123	55 1/2	8,323
31 5/8	3,763	37 5/8	4,839	43 5/8	5,973	49 5/8	7,148	55 5/8	8,348
31 3/4	3,785	37 3/4	4,862	43 3/4	5,997	49 3/4	7,173	55 3/4	8,374
31 7/8	3,806	37 7/8	4,885	43 7/8	6,021	49 7/8	7,197	55 7/8	8,399
32	3,828	38	4,908	44	6,045	50	7,222	56	8,424
32 1/8	3,850	38 1/8	4,931	44 1/8	6,069	50 1/8	7,247	56 1/8	8,449
32 1/4	3,872	38 1/4	4,955	44 1/4	6,093	50 1/4	7,272	56 1/4	8,474
32 3/8	3,894	38 3/8	4,978	44 3/8	6,118	50 3/8	7,297	56 3/8	8,500
32 1/2	3,916	38 1/2	5,001	44 1/2	6,142	50 1/2	7,322	56 1/2	8,525
32 5/8	3,938	38 5/8	5,024	44 5/8	6,166	50 5/8	7,347	56 5/8	8,550
32 3/4	3,960	38 3/4	5,048	44 3/4	6,190	50 3/4	7,371	56 3/4	8,575
32 7/8	3,982	38 7/8	5,071	44 7/8	6,215	50 7/8	7,396	56 7/8	8,600
33	4,004	39	5,094	45	6,239	51	7,421	57	8,626
33 1/8	4,026	39 1/8	5,118	45 1/8	6,263	51 1/8	7,446	57 1/8	8,651
33 1/4	4,048	39 1/4	5,141	45 1/4	6,288	51 1/4	7,471	57 1/4	8,676
33 3/8	4,070	39 3/8	5,164	45 3/8	6,312	51 3/8	7,496	57 3/8	8,701
33 1/2	4,092	39 1/2	5,188	45 1/2	6,336	51 1/2	7,521	57 1/2	8,726
33 5/8	4,114	39 5/8	5,211	45 5/8	6,361	51 5/8	7,546	57 5/8	8,752
33 3/4	4,136	39 3/4	5,235	45 3/4	6,385	51 3/4	7,571	57 3/4	8,777
33 7/8	4,159	39 7/8	5,258	45 7/8	6,409	51 7/8	7,596	57 7/8	8,802
34	4,181	40	5,282	46	6,434	52	7,621	58	8,827
34 1/8	4,203	40 1/8	5,305	46 1/8	6,458	52 1/8	7,646	58 1/8	8,853
34 1/4	4,225	40 1/4	5,329	46 1/4	6,483	52 1/4	7,671	58 1/4	8,878
34 3/8	4,248	40 3/8	5,352	46 3/8	6,507	52 3/8	7,696	58 3/8	8,903
34 1/2	4,270	40 1/2	5,376	46 1/2	6,532	52 1/2	7,721	58 1/2	8,928
34 5/8	4,293	40 5/8	5,400	46 5/8	6,556	52 5/8	7,746	58 5/8	8,954
34 3/4	4,315	40 3/4	5,423	46 3/4	6,581	52 3/4	7,771	58 3/4	8,979
34 7/8	4,337	40 7/8	5,447	46 7/8	6,605	52 7/8	7,796	58 7/8	9,004
35	4,360	41	5,471	47	6,630	53	7,821	59	9,029
35 1/8	4,383	41 1/8	5,494	47 1/8	6,654	53 1/8	7,846	59 1/8	9,054
35 1/4	4,405	41 1/4	5,518	47 1/4	6,679	53 1/4	7,871	59 1/4	9,080
35 3/8	4,428	41 3/8	5,542	47 3/8	6,703	53 3/8	7,896	59 3/8	9,105
35 1/2	4,450	41 1/2	5,566	47 1/2	6,728	53 1/2	7,921	59 1/2	9,130
35 5/8	4,473	41 5/8	5,589	47 5/8	6,752	53 5/8	7,946	59 5/8	9,155
35 3/4	4,496	41 3/4	5,613	47 3/4	6,777	53 3/4	7,971	59 3/4	9,181
35 7/8	4,518	41 7/8	5,637	47 7/8	6,802	53 7/8	7,996	59 7/8	9,206
36	4,541	42	5,661	48	6,826	54	8,022	60	9,231

DWT6 10'-18000 COMPARTMENT
18,336 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	9,256	66 1/8	10,465	72 1/8	11,657	78 1/8	12,818	84 1/8	13,931
60 1/4	9,282	66 1/4	10,490	72 1/4	11,682	78 1/4	12,842	84 1/4	13,954
60 3/8	9,307	66 3/8	10,515	72 3/8	11,707	78 3/8	12,866	84 3/8	13,976
60 1/2	9,332	66 1/2	10,540	72 1/2	11,731	78 1/2	12,889	84 1/2	13,999
60 5/8	9,357	66 5/8	10,565	72 5/8	11,756	78 5/8	12,913	84 5/8	14,021
60 3/4	9,383	66 3/4	10,590	72 3/4	11,780	78 3/4	12,937	84 3/4	14,044
60 7/8	9,408	66 7/8	10,615	72 7/8	11,805	78 7/8	12,960	84 7/8	14,066
61	9,433	67	10,640	73	11,829	79	12,984	85	14,088
61 1/8	9,458	67 1/8	10,665	73 1/8	11,854	79 1/8	13,007	85 1/8	14,111
61 1/4	9,484	67 1/4	10,690	73 1/4	11,878	79 1/4	13,031	85 1/4	14,133
61 3/8	9,509	67 3/8	10,715	73 3/8	11,902	79 3/8	13,054	85 3/8	14,155
61 1/2	9,534	67 1/2	10,740	73 1/2	11,927	79 1/2	13,078	85 1/2	14,178
61 5/8	9,559	67 5/8	10,765	73 5/8	11,951	79 5/8	13,102	85 5/8	14,200
61 3/4	9,585	67 3/4	10,790	73 3/4	11,976	79 3/4	13,125	85 3/4	14,222
61 7/8	9,610	67 7/8	10,815	73 7/8	12,000	79 7/8	13,148	85 7/8	14,244
62	9,635	68	10,840	74	12,024	80	13,172	86	14,266
62 1/8	9,660	68 1/8	10,865	74 1/8	12,049	80 1/8	13,195	86 1/8	14,288
62 1/4	9,685	68 1/4	10,890	74 1/4	12,073	80 1/4	13,219	86 1/4	14,311
62 3/8	9,711	68 3/8	10,915	74 3/8	12,097	80 3/8	13,242	86 3/8	14,333
62 1/2	9,736	68 1/2	10,940	74 1/2	12,122	80 1/2	13,265	86 1/2	14,355
62 5/8	9,761	68 5/8	10,965	74 5/8	12,146	80 5/8	13,289	86 5/8	14,377
62 3/4	9,786	68 3/4	10,990	74 3/4	12,170	80 3/4	13,312	86 3/4	14,399
62 7/8	9,811	68 7/8	11,015	74 7/8	12,194	80 7/8	13,335	86 7/8	14,421
63	9,837	69	11,039	75	12,219	81	13,358	87	14,442
63 1/8	9,862	69 1/8	11,064	75 1/8	12,243	81 1/8	13,382	87 1/8	14,464
63 1/4	9,887	69 1/4	11,089	75 1/4	12,267	81 1/4	13,405	87 1/4	14,486
63 3/8	9,912	69 3/8	11,114	75 3/8	12,291	81 3/8	13,428	87 3/8	14,508
63 1/2	9,937	69 1/2	11,139	75 1/2	12,315	81 1/2	13,451	87 1/2	14,530
63 5/8	9,963	69 5/8	11,164	75 5/8	12,339	81 5/8	13,474	87 5/8	14,551
63 3/4	9,988	69 3/4	11,188	75 3/4	12,364	81 3/4	13,497	87 3/4	14,573
63 7/8	10,013	69 7/8	11,213	75 7/8	12,388	81 7/8	13,520	87 7/8	14,595
64	10,038	70	11,238	76	12,412	82	13,543	88	14,616
64 1/8	10,063	70 1/8	11,263	76 1/8	12,436	82 1/8	13,566	88 1/8	14,638
64 1/4	10,088	70 1/4	11,287	76 1/4	12,460	82 1/4	13,589	88 1/4	14,660
64 3/8	10,114	70 3/8	11,312	76 3/8	12,484	82 3/8	13,612	88 3/8	14,681
64 1/2	10,139	70 1/2	11,337	76 1/2	12,508	82 1/2	13,635	88 1/2	14,703
64 5/8	10,164	70 5/8	11,362	76 5/8	12,532	82 5/8	13,658	88 5/8	14,724
64 3/4	10,189	70 3/4	11,386	76 3/4	12,556	82 3/4	13,681	88 3/4	14,746
64 7/8	10,214	70 7/8	11,411	76 7/8	12,580	82 7/8	13,704	88 7/8	14,767
65	10,239	71	11,436	77	12,604	83	13,727	89	14,788
65 1/8	10,264	71 1/8	11,460	77 1/8	12,628	83 1/8	13,750	89 1/8	14,810
65 1/4	10,289	71 1/4	11,485	77 1/4	12,651	83 1/4	13,772	89 1/4	14,831
65 3/8	10,315	71 3/8	11,510	77 3/8	12,675	83 3/8	13,795	89 3/8	14,852
65 1/2	10,340	71 1/2	11,534	77 1/2	12,699	83 1/2	13,818	89 1/2	14,873
65 5/8	10,365	71 5/8	11,559	77 5/8	12,723	83 5/8	13,841	89 5/8	14,895
65 3/4	10,390	71 3/4	11,584	77 3/4	12,747	83 3/4	13,863	89 3/4	14,916
65 7/8	10,415	71 7/8	11,608	77 7/8	12,771	83 7/8	13,886	89 7/8	14,937
66	10,440	72	11,633	78	12,794	84	13,908	90	14,958

DWT6 10'-18000 COMPARTMENT
18,336 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	14,979	96 1/8	15,943	102 1/8	16,800	108 1/8	17,523	114 1/8	18,071
90 1/4	15,000	96 1/4	15,962	102 1/4	16,817	108 1/4	17,537	114 1/4	18,080
90 3/8	15,021	96 3/8	15,981	102 3/8	16,833	108 3/8	17,550	114 3/8	18,089
90 1/2	15,042	96 1/2	16,000	102 1/2	16,850	108 1/2	17,563	114 1/2	18,098
90 5/8	15,063	96 5/8	16,019	102 5/8	16,866	108 5/8	17,576	114 5/8	18,106
90 3/4	15,084	96 3/4	16,037	102 3/4	16,882	108 3/4	17,590	114 3/4	18,115
90 7/8	15,104	96 7/8	16,056	102 7/8	16,899	108 7/8	17,603	114 7/8	18,124
91	15,125	97	16,075	103	16,915	109	17,615	115	18,132
91 1/8	15,146	97 1/8	16,094	103 1/8	16,931	109 1/8	17,628	115 1/8	18,140
91 1/4	15,167	97 1/4	16,112	103 1/4	16,947	109 1/4	17,641	115 1/4	18,148
91 3/8	15,187	97 3/8	16,131	103 3/8	16,963	109 3/8	17,654	115 3/8	18,156
91 1/2	15,208	97 1/2	16,150	103 1/2	16,979	109 1/2	17,666	115 1/2	18,164
91 5/8	15,229	97 5/8	16,168	103 5/8	16,995	109 5/8	17,679	115 5/8	18,172
91 3/4	15,249	97 3/4	16,187	103 3/4	17,011	109 3/4	17,691	115 3/4	18,180
91 7/8	15,270	97 7/8	16,205	103 7/8	17,027	109 7/8	17,704	115 7/8	18,187
92	15,290	98	16,223	104	17,042	110	17,716	116	18,195
92 1/8	15,311	98 1/8	16,242	104 1/8	17,058	110 1/8	17,728	116 1/8	18,202
92 1/4	15,331	98 1/4	16,260	104 1/4	17,073	110 1/4	17,740	116 1/4	18,209
92 3/8	15,351	98 3/8	16,278	104 3/8	17,089	110 3/8	17,752	116 3/8	18,216
92 1/2	15,372	98 1/2	16,296	104 1/2	17,104	110 1/2	17,764	116 1/2	18,223
92 5/8	15,392	98 5/8	16,314	104 5/8	17,120	110 5/8	17,776	116 5/8	18,230
92 3/4	15,412	98 3/4	16,332	104 3/4	17,135	110 3/4	17,788	116 3/4	18,236
92 7/8	15,432	98 7/8	16,350	104 7/8	17,150	110 7/8	17,800	116 7/8	18,243
93	15,453	99	16,368	105	17,166	111	17,811	117	18,249
93 1/8	15,473	99 1/8	16,386	105 1/8	17,181	111 1/8	17,823	117 1/8	18,255
93 1/4	15,493	99 1/4	16,404	105 1/4	17,196	111 1/4	17,834	117 1/4	18,261
93 3/8	15,513	99 3/8	16,422	105 3/8	17,211	111 3/8	17,845	117 3/8	18,267
93 1/2	15,533	99 1/2	16,440	105 1/2	17,226	111 1/2	17,857	117 1/2	18,272
93 5/8	15,553	99 5/8	16,458	105 5/8	17,241	111 5/8	17,868	117 5/8	18,278
93 3/4	15,573	99 3/4	16,475	105 3/4	17,255	111 3/4	17,879	117 3/4	18,283
93 7/8	15,593	99 7/8	16,493	105 7/8	17,270	111 7/8	17,890	117 7/8	18,288
94	15,612	100	16,510	106	17,285	112	17,901	118	18,293
94 1/8	15,632	100 1/8	16,528	106 1/8	17,299	112 1/8	17,912	118 1/8	18,298
94 1/4	15,652	100 1/4	16,545	106 1/4	17,314	112 1/4	17,922	118 1/4	18,302
94 3/8	15,672	100 3/8	16,563	106 3/8	17,328	112 3/8	17,933	118 3/8	18,307
94 1/2	15,691	100 1/2	16,580	106 1/2	17,343	112 1/2	17,943	118 1/2	18,311
94 5/8	15,711	100 5/8	16,597	106 5/8	17,357	112 5/8	17,954	118 5/8	18,315
94 3/4	15,730	100 3/4	16,614	106 3/4	17,371	112 3/4	17,964	118 3/4	18,319
94 7/8	15,750	100 7/8	16,632	106 7/8	17,386	112 7/8	17,974	118 7/8	18,322
95	15,769	101	16,649	107	17,400	113	17,984	119	18,325
95 1/8	15,789	101 1/8	16,666	107 1/8	17,414	113 1/8	17,994	119 1/8	18,328
95 1/4	15,808	101 1/4	16,683	107 1/4	17,428	113 1/4	18,004	119 1/4	18,331
95 3/8	15,828	101 3/8	16,700	107 3/8	17,442	113 3/8	18,014	119 3/8	18,333
95 1/2	15,847	101 1/2	16,717	107 1/2	17,455	113 1/2	18,024	119 1/2	18,335
95 5/8	15,866	101 5/8	16,734	107 5/8	17,469	113 5/8	18,033	119 5/8	18,336
95 3/4	15,885	101 3/4	16,750	107 3/4	17,483	113 3/4	18,043		
95 7/8	15,905	101 7/8	16,767	107 7/8	17,496	113 7/8	18,052		
96	15,924	102	16,784	108	17,510	114	18,062		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
 7915 East Elm Street
 Houston, TX 77012
 Phone (713) 926-4780
 E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
 Conroe, TX 77303
 Tel: 936-756-7731
 Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.