

**DWT6 10'-22000 COMPARTMENT**  
**21,567 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	7	6 1/8	399	12 1/8	1,086	18 1/8	1,968	24 1/8	3,000
1/4	10	6 1/4	411	12 1/4	1,102	18 1/4	1,988	24 1/4	3,023
3/8	13	6 3/8	423	12 3/8	1,119	18 3/8	2,008	24 3/8	3,046
1/2	17	6 1/2	435	12 1/2	1,136	18 1/2	2,029	24 1/2	3,069
5/8	21	6 5/8	447	12 5/8	1,153	18 5/8	2,049	24 5/8	3,092
3/4	26	6 3/4	459	12 3/4	1,169	18 3/4	2,069	24 3/4	3,115
7/8	31	6 7/8	472	12 7/8	1,186	18 7/8	2,090	24 7/8	3,138
1	36	7	484	13	1,204	19	2,110	25	3,161
1 1/8	41	7 1/8	497	13 1/8	1,221	19 1/8	2,131	25 1/8	3,184
1 1/4	46	7 1/4	510	13 1/4	1,238	19 1/4	2,151	25 1/4	3,208
1 3/8	52	7 3/8	523	13 3/8	1,255	19 3/8	2,172	25 3/8	3,231
1 1/2	58	7 1/2	536	13 1/2	1,273	19 1/2	2,193	25 1/2	3,254
1 5/8	64	7 5/8	549	13 5/8	1,290	19 5/8	2,213	25 5/8	3,278
1 3/4	71	7 3/4	562	13 3/4	1,308	19 3/4	2,234	25 3/4	3,301
1 7/8	77	7 7/8	575	13 7/8	1,325	19 7/8	2,255	25 7/8	3,325
2	84	8	589	14	1,343	20	2,276	26	3,348
2 1/8	91	8 1/8	602	14 1/8	1,361	20 1/8	2,297	26 1/8	3,372
2 1/4	98	8 1/4	616	14 1/4	1,379	20 1/4	2,318	26 1/4	3,395
2 3/8	106	8 3/8	630	14 3/8	1,397	20 3/8	2,339	26 3/8	3,419
2 1/2	113	8 1/2	643	14 1/2	1,415	20 1/2	2,361	26 1/2	3,443
2 5/8	121	8 5/8	657	14 5/8	1,433	20 5/8	2,382	26 5/8	3,466
2 3/4	129	8 3/4	671	14 3/4	1,451	20 3/4	2,403	26 3/4	3,490
2 7/8	137	8 7/8	685	14 7/8	1,469	20 7/8	2,425	26 7/8	3,514
3	145	9	700	15	1,487	21	2,446	27	3,538
3 1/8	154	9 1/8	714	15 1/8	1,506	21 1/8	2,468	27 1/8	3,562
3 1/4	162	9 1/4	728	15 1/4	1,524	21 1/4	2,489	27 1/4	3,586
3 3/8	171	9 3/8	743	15 3/8	1,543	21 3/8	2,511	27 3/8	3,610
3 1/2	180	9 1/2	758	15 1/2	1,561	21 1/2	2,532	27 1/2	3,634
3 5/8	189	9 5/8	772	15 5/8	1,580	21 5/8	2,554	27 5/8	3,658
3 3/4	198	9 3/4	787	15 3/4	1,599	21 3/4	2,576	27 3/4	3,682
3 7/8	207	9 7/8	802	15 7/8	1,618	21 7/8	2,598	27 7/8	3,707
4	217	10	817	16	1,637	22	2,620	28	3,731
4 1/8	226	10 1/8	832	16 1/8	1,655	22 1/8	2,642	28 1/8	3,755
4 1/4	236	10 1/4	847	16 1/4	1,675	22 1/4	2,664	28 1/4	3,780
4 3/8	246	10 3/8	863	16 3/8	1,694	22 3/8	2,686	28 3/8	3,804
4 1/2	256	10 1/2	878	16 1/2	1,713	22 1/2	2,708	28 1/2	3,828
4 5/8	266	10 5/8	893	16 5/8	1,732	22 5/8	2,730	28 5/8	3,853
4 3/4	277	10 3/4	909	16 3/4	1,751	22 3/4	2,752	28 3/4	3,878
4 7/8	287	10 7/8	925	16 7/8	1,771	22 7/8	2,774	28 7/8	3,902
5	298	11	940	17	1,790	23	2,797	29	3,927
5 1/8	309	11 1/8	956	17 1/8	1,810	23 1/8	2,819	29 1/8	3,951
5 1/4	319	11 1/4	972	17 1/4	1,829	23 1/4	2,842	29 1/4	3,976
5 3/8	330	11 3/8	988	17 3/8	1,849	23 3/8	2,864	29 3/8	4,001
5 1/2	341	11 1/2	1,004	17 1/2	1,869	23 1/2	2,887	29 1/2	4,026
5 5/8	353	11 5/8	1,020	17 5/8	1,888	23 5/8	2,909	29 5/8	4,050
5 3/4	364	11 3/4	1,036	17 3/4	1,908	23 3/4	2,932	29 3/4	4,075
5 7/8	376	11 7/8	1,053	17 7/8	1,928	23 7/8	2,955	29 7/8	4,100
6	387	12	1,069	18	1,948	24	2,977	30	4,125

**DWT6 10'-22000 COMPARTMENT**  
**21,567 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	4,150	36 1/8	5,393	42 1/8	6,707	48 1/8	8,073	54 1/8	9,472
30 1/4	4,175	36 1/4	5,420	42 1/4	6,735	48 1/4	8,102	54 1/4	9,502
30 3/8	4,200	36 3/8	5,446	42 3/8	6,763	48 3/8	8,131	54 3/8	9,531
30 1/2	4,225	36 1/2	5,473	42 1/2	6,791	48 1/2	8,160	54 1/2	9,560
30 5/8	4,250	36 5/8	5,500	42 5/8	6,819	48 5/8	8,188	54 5/8	9,590
30 3/4	4,276	36 3/4	5,527	42 3/4	6,847	48 3/4	8,217	54 3/4	9,619
30 7/8	4,301	36 7/8	5,554	42 7/8	6,875	48 7/8	8,246	54 7/8	9,649
31	4,326	37	5,581	43	6,903	49	8,275	55	9,678
31 1/8	4,351	37 1/8	5,608	43 1/8	6,932	49 1/8	8,304	55 1/8	9,707
31 1/4	4,377	37 1/4	5,635	43 1/4	6,960	49 1/4	8,333	55 1/4	9,737
31 3/8	4,402	37 3/8	5,662	43 3/8	6,988	49 3/8	8,362	55 3/8	9,766
31 1/2	4,428	37 1/2	5,689	43 1/2	7,016	49 1/2	8,391	55 1/2	9,796
31 5/8	4,453	37 5/8	5,716	43 5/8	7,044	49 5/8	8,420	55 5/8	9,825
31 3/4	4,479	37 3/4	5,743	43 3/4	7,073	49 3/4	8,449	55 3/4	9,855
31 7/8	4,504	37 7/8	5,770	43 7/8	7,101	49 7/8	8,478	55 7/8	9,884
32	4,530	38	5,797	44	7,129	50	8,507	56	9,913
32 1/8	4,555	38 1/8	5,824	44 1/8	7,158	50 1/8	8,536	56 1/8	9,943
32 1/4	4,581	38 1/4	5,851	44 1/4	7,186	50 1/4	8,566	56 1/4	9,972
32 3/8	4,607	38 3/8	5,879	44 3/8	7,214	50 3/8	8,595	56 3/8	10,002
32 1/2	4,632	38 1/2	5,906	44 1/2	7,243	50 1/2	8,624	56 1/2	10,031
32 5/8	4,658	38 5/8	5,933	44 5/8	7,271	50 5/8	8,653	56 5/8	10,061
32 3/4	4,684	38 3/4	5,960	44 3/4	7,299	50 3/4	8,682	56 3/4	10,090
32 7/8	4,710	38 7/8	5,988	44 7/8	7,328	50 7/8	8,711	56 7/8	10,120
33	4,735	39	6,015	45	7,356	51	8,740	57	10,149
33 1/8	4,761	39 1/8	6,042	45 1/8	7,385	51 1/8	8,769	57 1/8	10,179
33 1/4	4,787	39 1/4	6,070	45 1/4	7,413	51 1/4	8,799	57 1/4	10,208
33 3/8	4,813	39 3/8	6,097	45 3/8	7,442	51 3/8	8,828	57 3/8	10,238
33 1/2	4,839	39 1/2	6,125	45 1/2	7,470	51 1/2	8,857	57 1/2	10,267
33 5/8	4,865	39 5/8	6,152	45 5/8	7,499	51 5/8	8,886	57 5/8	10,297
33 3/4	4,891	39 3/4	6,180	45 3/4	7,527	51 3/4	8,915	57 3/4	10,326
33 7/8	4,917	39 7/8	6,207	45 7/8	7,556	51 7/8	8,945	57 7/8	10,356
34	4,944	40	6,235	46	7,584	52	8,974	58	10,385
34 1/8	4,970	40 1/8	6,262	46 1/8	7,613	52 1/8	9,003	58 1/8	10,415
34 1/4	4,996	40 1/4	6,290	46 1/4	7,642	52 1/4	9,032	58 1/4	10,444
34 3/8	5,022	40 3/8	6,318	46 3/8	7,670	52 3/8	9,062	58 3/8	10,474
34 1/2	5,048	40 1/2	6,345	46 1/2	7,699	52 1/2	9,091	58 1/2	10,503
34 5/8	5,075	40 5/8	6,373	46 5/8	7,728	52 5/8	9,120	58 5/8	10,533
34 3/4	5,101	40 3/4	6,401	46 3/4	7,756	52 3/4	9,149	58 3/4	10,563
34 7/8	5,127	40 7/8	6,428	46 7/8	7,785	52 7/8	9,179	58 7/8	10,592
35	5,154	41	6,456	47	7,814	53	9,208	59	10,622
35 1/8	5,180	41 1/8	6,484	47 1/8	7,842	53 1/8	9,237	59 1/8	10,651
35 1/4	5,207	41 1/4	6,512	47 1/4	7,871	53 1/4	9,267	59 1/4	10,681
35 3/8	5,233	41 3/8	6,540	47 3/8	7,900	53 3/8	9,296	59 3/8	10,710
35 1/2	5,260	41 1/2	6,567	47 1/2	7,929	53 1/2	9,325	59 1/2	10,740
35 5/8	5,286	41 5/8	6,595	47 5/8	7,958	53 5/8	9,355	59 5/8	10,769
35 3/4	5,313	41 3/4	6,623	47 3/4	7,986	53 3/4	9,384	59 3/4	10,799
35 7/8	5,340	41 7/8	6,651	47 7/8	8,015	53 7/8	9,413	59 7/8	10,828
36	5,366	42	6,679	48	8,044	54	9,443	60	10,858

**DWT6 10'-2200 COMPARTMENT**  
**21,567 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	10,887	66 1/8	12,301	72 1/8	13,697	78 1/8	15,056	84 1/8	16,361
60 1/4	10,917	66 1/4	12,331	72 1/4	13,726	78 1/4	15,084	84 1/4	16,388
60 3/8	10,946	66 3/8	12,360	72 3/8	13,754	78 3/8	15,112	84 3/8	16,414
60 1/2	10,976	66 1/2	12,389	72 1/2	13,783	78 1/2	15,140	84 1/2	16,441
60 5/8	11,005	66 5/8	12,419	72 5/8	13,812	78 5/8	15,167	84 5/8	16,467
60 3/4	11,035	66 3/4	12,448	72 3/4	13,840	78 3/4	15,195	84 3/4	16,493
60 7/8	11,065	66 7/8	12,477	72 7/8	13,869	78 7/8	15,223	84 7/8	16,520
61	11,094	67	12,506	73	13,898	79	15,250	85	16,546
61 1/8	11,124	67 1/8	12,536	73 1/8	13,926	79 1/8	15,278	85 1/8	16,572
61 1/4	11,153	67 1/4	12,565	73 1/4	13,955	79 1/4	15,306	85 1/4	16,598
61 3/8	11,183	67 3/8	12,594	73 3/8	13,984	79 3/8	15,333	85 3/8	16,624
61 1/2	11,212	67 1/2	12,623	73 1/2	14,012	79 1/2	15,361	85 1/2	16,651
61 5/8	11,242	67 5/8	12,653	73 5/8	14,041	79 5/8	15,388	85 5/8	16,677
61 3/4	11,271	67 3/4	12,682	73 3/4	14,069	79 3/4	15,416	85 3/4	16,703
61 7/8	11,301	67 7/8	12,711	73 7/8	14,098	79 7/8	15,443	85 7/8	16,729
62	11,330	68	12,740	74	14,126	80	15,471	86	16,755
62 1/8	11,360	68 1/8	12,769	74 1/8	14,155	80 1/8	15,498	86 1/8	16,781
62 1/4	11,389	68 1/4	12,799	74 1/4	14,183	80 1/4	15,526	86 1/4	16,807
62 3/8	11,419	68 3/8	12,828	74 3/8	14,212	80 3/8	15,553	86 3/8	16,833
62 1/2	11,448	68 1/2	12,857	74 1/2	14,240	80 1/2	15,580	86 1/2	16,858
62 5/8	11,478	68 5/8	12,886	74 5/8	14,269	80 5/8	15,608	86 5/8	16,884
62 3/4	11,507	68 3/4	12,915	74 3/4	14,297	80 3/4	15,635	86 3/4	16,910
62 7/8	11,537	68 7/8	12,944	74 7/8	14,325	80 7/8	15,662	86 7/8	16,936
63	11,566	69	12,973	75	14,354	81	15,689	87	16,961
63 1/8	11,596	69 1/8	13,002	75 1/8	14,382	81 1/8	15,717	87 1/8	16,987
63 1/4	11,625	69 1/4	13,032	75 1/4	14,410	81 1/4	15,744	87 1/4	17,013
63 3/8	11,655	69 3/8	13,061	75 3/8	14,439	81 3/8	15,771	87 3/8	17,038
63 1/2	11,684	69 1/2	13,090	75 1/2	14,467	81 1/2	15,798	87 1/2	17,064
63 5/8	11,713	69 5/8	13,119	75 5/8	14,495	81 5/8	15,825	87 5/8	17,089
63 3/4	11,743	69 3/4	13,148	75 3/4	14,524	81 3/4	15,852	87 3/4	17,115
63 7/8	11,772	69 7/8	13,177	75 7/8	14,552	81 7/8	15,879	87 7/8	17,140
64	11,802	70	13,206	76	14,580	82	15,906	88	17,166
64 1/8	11,831	70 1/8	13,235	76 1/8	14,608	82 1/8	15,933	88 1/8	17,191
64 1/4	11,861	70 1/4	13,264	76 1/4	14,636	82 1/4	15,960	88 1/4	17,217
64 3/8	11,890	70 3/8	13,293	76 3/8	14,665	82 3/8	15,987	88 3/8	17,242
64 1/2	11,919	70 1/2	13,322	76 1/2	14,693	82 1/2	16,014	88 1/2	17,267
64 5/8	11,949	70 5/8	13,351	76 5/8	14,721	82 5/8	16,041	88 5/8	17,292
64 3/4	11,978	70 3/4	13,380	76 3/4	14,749	82 3/4	16,068	88 3/4	17,318
64 7/8	12,008	70 7/8	13,408	76 7/8	14,777	82 7/8	16,095	88 7/8	17,343
65	12,037	71	13,437	77	14,805	83	16,122	89	17,368
65 1/8	12,066	71 1/8	13,466	77 1/8	14,833	83 1/8	16,148	89 1/8	17,393
65 1/4	12,096	71 1/4	13,495	77 1/4	14,861	83 1/4	16,175	89 1/4	17,418
65 3/8	12,125	71 3/8	13,524	77 3/8	14,889	83 3/8	16,202	89 3/8	17,443
65 1/2	12,155	71 1/2	13,553	77 1/2	14,917	83 1/2	16,228	89 1/2	17,468
65 5/8	12,184	71 5/8	13,582	77 5/8	14,945	83 5/8	16,255	89 5/8	17,493
65 3/4	12,213	71 3/4	13,610	77 3/4	14,973	83 3/4	16,282	89 3/4	17,518
65 7/8	12,243	71 7/8	13,639	77 7/8	15,001	83 7/8	16,308	89 7/8	17,542
66	12,272	72	13,668	78	15,028	84	16,335	90	17,567

**DWT6 10'-2200 COMPARTMENT**  
**21,567 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	17,592	96 1/8	18,726	102 1/8	19,739	108 1/8	20,596	114 1/8	21,249
90 1/4	17,617	96 1/4	18,749	102 1/4	19,758	108 1/4	20,612	114 1/4	21,259
90 3/8	17,641	96 3/8	18,771	102 3/8	19,778	108 3/8	20,628	114 3/8	21,270
90 1/2	17,666	96 1/2	18,794	102 1/2	19,797	108 1/2	20,643	114 1/2	21,281
90 5/8	17,690	96 5/8	18,816	102 5/8	19,817	108 5/8	20,659	114 5/8	21,291
90 3/4	17,715	96 3/4	18,838	102 3/4	19,836	108 3/4	20,675	114 3/4	21,302
90 7/8	17,740	96 7/8	18,860	102 7/8	19,855	108 7/8	20,690	114 7/8	21,312
91	17,764	97	18,882	103	19,874	109	20,705	115	21,322
91 1/8	17,788	97 1/8	18,904	103 1/8	19,893	109 1/8	20,721	115 1/8	21,332
91 1/4	17,813	97 1/4	18,926	103 1/4	19,913	109 1/4	20,736	115 1/4	21,342
91 3/8	17,837	97 3/8	18,948	103 3/8	19,931	109 3/8	20,751	115 3/8	21,351
91 1/2	17,861	97 1/2	18,970	103 1/2	19,950	109 1/2	20,766	115 1/2	21,361
91 5/8	17,886	97 5/8	18,992	103 5/8	19,969	109 5/8	20,781	115 5/8	21,370
91 3/4	17,910	97 3/4	19,014	103 3/4	19,988	109 3/4	20,796	115 3/4	21,379
91 7/8	17,934	97 7/8	19,036	103 7/8	20,007	109 7/8	20,810	115 7/8	21,388
92	17,958	98	19,057	104	20,025	110	20,825	116	21,397
92 1/8	17,982	98 1/8	19,079	104 1/8	20,044	110 1/8	20,840	116 1/8	21,406
92 1/4	18,006	98 1/4	19,100	104 1/4	20,062	110 1/4	20,854	116 1/4	21,414
92 3/8	18,030	98 3/8	19,122	104 3/8	20,081	110 3/8	20,868	116 3/8	21,423
92 1/2	18,054	98 1/2	19,143	104 1/2	20,099	110 1/2	20,883	116 1/2	21,431
92 5/8	18,078	98 5/8	19,165	104 5/8	20,117	110 5/8	20,897	116 5/8	21,439
92 3/4	18,102	98 3/4	19,186	104 3/4	20,135	110 3/4	20,911	116 3/4	21,447
92 7/8	18,125	98 7/8	19,207	104 7/8	20,153	110 7/8	20,925	116 7/8	21,455
93	18,149	99	19,229	105	20,171	111	20,938	117	21,462
93 1/8	18,173	99 1/8	19,250	105 1/8	20,189	111 1/8	20,952	117 1/8	21,470
93 1/4	18,196	99 1/4	19,271	105 1/4	20,207	111 1/4	20,966	117 1/4	21,477
93 3/8	18,220	99 3/8	19,292	105 3/8	20,225	111 3/8	20,979	117 3/8	21,484
93 1/2	18,243	99 1/2	19,313	105 1/2	20,243	111 1/2	20,993	117 1/2	21,491
93 5/8	18,267	99 5/8	19,334	105 5/8	20,260	111 5/8	21,006	117 5/8	21,497
93 3/4	18,290	99 3/4	19,355	105 3/4	20,278	111 3/4	21,019	117 3/4	21,504
93 7/8	18,314	99 7/8	19,375	105 7/8	20,295	111 7/8	21,032	117 7/8	21,510
94	18,337	100	19,396	106	20,313	112	21,045	118	21,516
94 1/8	18,360	100 1/8	19,417	106 1/8	20,330	112 1/8	21,058	118 1/8	21,522
94 1/4	18,384	100 1/4	19,437	106 1/4	20,347	112 1/4	21,071	118 1/4	21,527
94 3/8	18,407	100 3/8	19,458	106 3/8	20,364	112 3/8	21,084	118 3/8	21,532
94 1/2	18,430	100 1/2	19,478	106 1/2	20,382	112 1/2	21,096	118 1/2	21,537
94 5/8	18,453	100 5/8	19,499	106 5/8	20,399	112 5/8	21,109	118 5/8	21,542
94 3/4	18,476	100 3/4	19,519	106 3/4	20,415	112 3/4	21,121	118 3/4	21,547
94 7/8	18,499	100 7/8	19,539	106 7/8	20,432	112 7/8	21,133	118 7/8	21,551
95	18,522	101	19,560	107	20,449	113	21,145	119	21,555
95 1/8	18,545	101 1/8	19,580	107 1/8	20,466	113 1/8	21,157	119 1/8	21,558
95 1/4	18,568	101 1/4	19,600	107 1/4	20,482	113 1/4	21,169	119 1/4	21,561
95 3/8	18,591	101 3/8	19,620	107 3/8	20,499	113 3/8	21,181	119 3/8	21,564
95 1/2	18,613	101 1/2	19,640	107 1/2	20,515	113 1/2	21,192	119 1/2	21,566
95 5/8	18,636	101 5/8	19,660	107 5/8	20,532	113 5/8	21,204	119 5/8	21,567
95 3/4	18,659	101 3/4	19,680	107 3/4	20,548	113 3/4	21,215		
95 7/8	18,681	101 7/8	19,699	107 7/8	20,564	113 7/8	21,227		
96	18,704	102	19,719	108	20,580	114	21,238		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.