

DWT6 10'-24000 COMPARTMENT
24,162 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	8	6 1/8	453	12 1/8	1,228	18 1/8	2,221	24 1/8	3,379
1/4	11	6 1/4	466	12 1/4	1,247	18 1/4	2,243	24 1/4	3,405
3/8	15	6 3/8	480	12 3/8	1,266	18 3/8	2,266	24 3/8	3,430
1/2	20	6 1/2	493	12 1/2	1,284	18 1/2	2,289	24 1/2	3,456
5/8	24	6 5/8	507	12 5/8	1,303	18 5/8	2,312	24 5/8	3,482
3/4	30	6 3/4	521	12 3/4	1,322	18 3/4	2,334	24 3/4	3,508
7/8	35	6 7/8	535	12 7/8	1,342	18 7/8	2,357	24 7/8	3,534
1	41	7	549	13	1,361	19	2,380	25	3,560
1 1/8	47	7 1/8	564	13 1/8	1,380	19 1/8	2,403	25 1/8	3,586
1 1/4	53	7 1/4	578	13 1/4	1,400	19 1/4	2,427	25 1/4	3,612
1 3/8	59	7 3/8	593	13 3/8	1,419	19 3/8	2,450	25 3/8	3,638
1 1/2	66	7 1/2	607	13 1/2	1,439	19 1/2	2,473	25 1/2	3,664
1 5/8	73	7 5/8	622	13 5/8	1,458	19 5/8	2,496	25 5/8	3,690
1 3/4	81	7 3/4	637	13 3/4	1,478	19 3/4	2,520	25 3/4	3,717
1 7/8	88	7 7/8	652	13 7/8	1,498	19 7/8	2,543	25 7/8	3,743
2	96	8	667	14	1,518	20	2,567	26	3,769
2 1/8	104	8 1/8	683	14 1/8	1,538	20 1/8	2,590	26 1/8	3,796
2 1/4	112	8 1/4	698	14 1/4	1,558	20 1/4	2,614	26 1/4	3,822
2 3/8	120	8 3/8	713	14 3/8	1,578	20 3/8	2,638	26 3/8	3,849
2 1/2	129	8 1/2	729	14 1/2	1,598	20 1/2	2,662	26 1/2	3,875
2 5/8	138	8 5/8	745	14 5/8	1,619	20 5/8	2,686	26 5/8	3,902
2 3/4	147	8 3/4	761	14 3/4	1,639	20 3/4	2,709	26 3/4	3,929
2 7/8	156	8 7/8	777	14 7/8	1,660	20 7/8	2,733	26 7/8	3,955
3	165	9	793	15	1,680	21	2,758	27	3,982
3 1/8	175	9 1/8	809	15 1/8	1,701	21 1/8	2,782	27 1/8	4,009
3 1/4	184	9 1/4	825	15 1/4	1,722	21 1/4	2,806	27 1/4	4,036
3 3/8	194	9 3/8	841	15 3/8	1,743	21 3/8	2,830	27 3/8	4,063
3 1/2	204	9 1/2	858	15 1/2	1,764	21 1/2	2,854	27 1/2	4,090
3 5/8	215	9 5/8	875	15 5/8	1,785	21 5/8	2,879	27 5/8	4,117
3 3/4	225	9 3/4	891	15 3/4	1,806	21 3/4	2,903	27 3/4	4,144
3 7/8	236	9 7/8	908	15 7/8	1,827	21 7/8	2,928	27 7/8	4,171
4	246	10	925	16	1,848	22	2,952	28	4,198
4 1/8	257	10 1/8	942	16 1/8	1,869	22 1/8	2,977	28 1/8	4,226
4 1/4	268	10 1/4	959	16 1/4	1,891	22 1/4	3,002	28 1/4	4,253
4 3/8	280	10 3/8	976	16 3/8	1,912	22 3/8	3,026	28 3/8	4,280
4 1/2	291	10 1/2	994	16 1/2	1,934	22 1/2	3,051	28 1/2	4,308
4 5/8	303	10 5/8	1,011	16 5/8	1,955	22 5/8	3,076	28 5/8	4,335
4 3/4	314	10 3/4	1,029	16 3/4	1,977	22 3/4	3,101	28 3/4	4,362
4 7/8	326	10 7/8	1,046	16 7/8	1,999	22 7/8	3,126	28 7/8	4,390
5	338	11	1,064	17	2,021	23	3,151	29	4,418
5 1/8	350	11 1/8	1,082	17 1/8	2,043	23 1/8	3,176	29 1/8	4,445
5 1/4	363	11 1/4	1,100	17 1/4	2,065	23 1/4	3,201	29 1/4	4,473
5 3/8	375	11 3/8	1,118	17 3/8	2,087	23 3/8	3,227	29 3/8	4,501
5 1/2	388	11 1/2	1,136	17 1/2	2,109	23 1/2	3,252	29 1/2	4,528
5 5/8	400	11 5/8	1,154	17 5/8	2,131	23 5/8	3,277	29 5/8	4,556
5 3/4	413	11 3/4	1,173	17 3/4	2,153	23 3/4	3,303	29 3/4	4,584
5 7/8	426	11 7/8	1,191	17 7/8	2,176	23 7/8	3,328	29 7/8	4,612
6	439	12	1,209	18	2,198	24	3,354	30	4,640

DWT6 10'-24000 COMPARTMENT
24,162 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	4,668	36 1/8	6,059	42 1/8	7,528	48 1/8	9,054	54 1/8	10,616
30 1/4	4,696	36 1/4	6,089	42 1/4	7,559	48 1/4	9,086	54 1/4	10,649
30 3/8	4,724	36 3/8	6,118	42 3/8	7,590	48 3/8	9,118	54 3/8	10,682
30 1/2	4,752	36 1/2	6,148	42 1/2	7,622	48 1/2	9,151	54 1/2	10,715
30 5/8	4,780	36 5/8	6,178	42 5/8	7,653	48 5/8	9,183	54 5/8	10,748
30 3/4	4,808	36 3/4	6,208	42 3/4	7,684	48 3/4	9,215	54 3/4	10,781
30 7/8	4,837	36 7/8	6,238	42 7/8	7,716	48 7/8	9,248	54 7/8	10,813
31	4,865	37	6,269	43	7,747	49	9,280	55	10,846
31 1/8	4,893	37 1/8	6,299	43 1/8	7,779	49 1/8	9,312	55 1/8	10,879
31 1/4	4,922	37 1/4	6,329	43 1/4	7,810	49 1/4	9,345	55 1/4	10,912
31 3/8	4,950	37 3/8	6,359	43 3/8	7,842	49 3/8	9,377	55 3/8	10,945
31 1/2	4,978	37 1/2	6,389	43 1/2	7,873	49 1/2	9,409	55 1/2	10,978
31 5/8	5,007	37 5/8	6,419	43 5/8	7,905	49 5/8	9,442	55 5/8	11,011
31 3/4	5,035	37 3/4	6,450	43 3/4	7,936	49 3/4	9,474	55 3/4	11,043
31 7/8	5,064	37 7/8	6,480	43 7/8	7,968	49 7/8	9,507	55 7/8	11,076
32	5,093	38	6,510	44	8,000	50	9,539	56	11,109
32 1/8	5,121	38 1/8	6,541	44 1/8	8,031	50 1/8	9,572	56 1/8	11,142
32 1/4	5,150	38 1/4	6,571	44 1/4	8,063	50 1/4	9,604	56 1/4	11,175
32 3/8	5,179	38 3/8	6,602	44 3/8	8,095	50 3/8	9,637	56 3/8	11,208
32 1/2	5,207	38 1/2	6,632	44 1/2	8,126	50 1/2	9,669	56 1/2	11,241
32 5/8	5,236	38 5/8	6,663	44 5/8	8,158	50 5/8	9,702	56 5/8	11,274
32 3/4	5,265	38 3/4	6,693	44 3/4	8,190	50 3/4	9,734	56 3/4	11,307
32 7/8	5,294	38 7/8	6,724	44 7/8	8,221	50 7/8	9,767	56 7/8	11,340
33	5,323	39	6,754	45	8,253	51	9,799	57	11,373
33 1/8	5,352	39 1/8	6,785	45 1/8	8,285	51 1/8	9,832	57 1/8	11,406
33 1/4	5,381	39 1/4	6,815	45 1/4	8,317	51 1/4	9,864	57 1/4	11,438
33 3/8	5,410	39 3/8	6,846	45 3/8	8,349	51 3/8	9,897	57 3/8	11,471
33 1/2	5,439	39 1/2	6,877	45 1/2	8,381	51 1/2	9,930	57 1/2	11,504
33 5/8	5,468	39 5/8	6,908	45 5/8	8,412	51 5/8	9,962	57 5/8	11,537
33 3/4	5,497	39 3/4	6,938	45 3/4	8,444	51 3/4	9,995	57 3/4	11,570
33 7/8	5,527	39 7/8	6,969	45 7/8	8,476	51 7/8	10,027	57 7/8	11,603
34	5,556	40	7,000	46	8,508	52	10,060	58	11,636
34 1/8	5,585	40 1/8	7,031	46 1/8	8,540	52 1/8	10,093	58 1/8	11,669
34 1/4	5,615	40 1/4	7,062	46 1/4	8,572	52 1/4	10,125	58 1/4	11,702
34 3/8	5,644	40 3/8	7,093	46 3/8	8,604	52 3/8	10,158	58 3/8	11,735
34 1/2	5,673	40 1/2	7,123	46 1/2	8,636	52 1/2	10,191	58 1/2	11,768
34 5/8	5,703	40 5/8	7,154	46 5/8	8,668	52 5/8	10,223	58 5/8	11,801
34 3/4	5,732	40 3/4	7,185	46 3/4	8,700	52 3/4	10,256	58 3/4	11,834
34 7/8	5,762	40 7/8	7,216	46 7/8	8,732	52 7/8	10,289	58 7/8	11,867
35	5,791	41	7,247	47	8,764	53	10,322	59	11,900
35 1/8	5,821	41 1/8	7,278	47 1/8	8,796	53 1/8	10,354	59 1/8	11,933
35 1/4	5,850	41 1/4	7,310	47 1/4	8,829	53 1/4	10,387	59 1/4	11,966
35 3/8	5,880	41 3/8	7,341	47 3/8	8,861	53 3/8	10,420	59 3/8	11,999
35 1/2	5,910	41 1/2	7,372	47 1/2	8,893	53 1/2	10,453	59 1/2	12,032
35 5/8	5,939	41 5/8	7,403	47 5/8	8,925	53 5/8	10,485	59 5/8	12,065
35 3/4	5,969	41 3/4	7,434	47 3/4	8,957	53 3/4	10,518	59 3/4	12,098
35 7/8	5,999	41 7/8	7,465	47 7/8	8,989	53 7/8	10,551	59 7/8	12,131
36	6,029	42	7,497	48	9,022	54	10,584	60	12,164

DWT6 10'-24000 COMPARTMENT
24,162 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	12,197	66 1/8	13,775	72 1/8	15,334	78 1/8	16,853	84 1/8	18,312
60 1/4	12,230	66 1/4	13,808	72 1/4	15,366	78 1/4	16,884	84 1/4	18,342
60 3/8	12,263	66 3/8	13,841	72 3/8	15,398	78 3/8	16,915	84 3/8	18,371
60 1/2	12,296	66 1/2	13,874	72 1/2	15,430	78 1/2	16,946	84 1/2	18,401
60 5/8	12,328	66 5/8	13,906	72 5/8	15,462	78 5/8	16,977	84 5/8	18,430
60 3/4	12,361	66 3/4	13,939	72 3/4	15,494	78 3/4	17,008	84 3/4	18,460
60 7/8	12,394	66 7/8	13,972	72 7/8	15,526	78 7/8	17,039	84 7/8	18,489
61	12,427	67	14,004	73	15,558	79	17,070	85	18,519
61 1/8	12,460	67 1/8	14,037	73 1/8	15,590	79 1/8	17,101	85 1/8	18,548
61 1/4	12,493	67 1/4	14,070	73 1/4	15,622	79 1/4	17,132	85 1/4	18,577
61 3/8	12,526	67 3/8	14,102	73 3/8	15,654	79 3/8	17,162	85 3/8	18,606
61 1/2	12,559	67 1/2	14,135	73 1/2	15,686	79 1/2	17,193	85 1/2	18,636
61 5/8	12,592	67 5/8	14,168	73 5/8	15,718	79 5/8	17,224	85 5/8	18,665
61 3/4	12,625	67 3/4	14,200	73 3/4	15,750	79 3/4	17,255	85 3/4	18,694
61 7/8	12,658	67 7/8	14,233	73 7/8	15,782	79 7/8	17,286	85 7/8	18,723
62	12,691	68	14,265	74	15,814	80	17,316	86	18,752
62 1/8	12,724	68 1/8	14,298	74 1/8	15,846	80 1/8	17,347	86 1/8	18,781
62 1/4	12,757	68 1/4	14,331	74 1/4	15,877	80 1/4	17,378	86 1/4	18,810
62 3/8	12,790	68 3/8	14,363	74 3/8	15,909	80 3/8	17,408	86 3/8	18,839
62 1/2	12,823	68 1/2	14,396	74 1/2	15,941	80 1/2	17,439	86 1/2	18,868
62 5/8	12,856	68 5/8	14,428	74 5/8	15,973	80 5/8	17,469	86 5/8	18,897
62 3/4	12,889	68 3/4	14,461	74 3/4	16,004	80 3/4	17,500	86 3/4	18,926
62 7/8	12,921	68 7/8	14,493	74 7/8	16,036	80 7/8	17,530	86 7/8	18,955
63	12,954	69	14,526	75	16,068	81	17,561	87	18,984
63 1/8	12,987	69 1/8	14,558	75 1/8	16,100	81 1/8	17,591	87 1/8	19,012
63 1/4	13,020	69 1/4	14,591	75 1/4	16,131	81 1/4	17,622	87 1/4	19,041
63 3/8	13,053	69 3/8	14,623	75 3/8	16,163	81 3/8	17,652	87 3/8	19,070
63 1/2	13,086	69 1/2	14,656	75 1/2	16,194	81 1/2	17,682	87 1/2	19,098
63 5/8	13,119	69 5/8	14,688	75 5/8	16,226	81 5/8	17,713	87 5/8	19,127
63 3/4	13,152	69 3/4	14,721	75 3/4	16,258	81 3/4	17,743	87 3/4	19,155
63 7/8	13,185	69 7/8	14,753	75 7/8	16,289	81 7/8	17,773	87 7/8	19,184
64	13,218	70	14,785	76	16,321	82	17,803	88	19,212
64 1/8	13,250	70 1/8	14,818	76 1/8	16,352	82 1/8	17,834	88 1/8	19,241
64 1/4	13,283	70 1/4	14,850	76 1/4	16,384	82 1/4	17,864	88 1/4	19,269
64 3/8	13,316	70 3/8	14,883	76 3/8	16,415	82 3/8	17,894	88 3/8	19,298
64 1/2	13,349	70 1/2	14,915	76 1/2	16,446	82 1/2	17,924	88 1/2	19,326
64 5/8	13,382	70 5/8	14,947	76 5/8	16,478	82 5/8	17,954	88 5/8	19,354
64 3/4	13,415	70 3/4	14,980	76 3/4	16,509	82 3/4	17,984	88 3/4	19,382
64 7/8	13,447	70 7/8	15,012	76 7/8	16,541	82 7/8	18,014	88 7/8	19,410
65	13,480	71	15,044	77	16,572	83	18,044	89	19,439
65 1/8	13,513	71 1/8	15,076	77 1/8	16,603	83 1/8	18,074	89 1/8	19,467
65 1/4	13,546	71 1/4	15,109	77 1/4	16,635	83 1/4	18,104	89 1/4	19,495
65 3/8	13,579	71 3/8	15,141	77 3/8	16,666	83 3/8	18,134	89 3/8	19,523
65 1/2	13,612	71 1/2	15,173	77 1/2	16,697	83 1/2	18,163	89 1/2	19,551
65 5/8	13,644	71 5/8	15,205	77 5/8	16,728	83 5/8	18,193	89 5/8	19,578
65 3/4	13,677	71 3/4	15,237	77 3/4	16,759	83 3/4	18,223	89 3/4	19,606
65 7/8	13,710	71 7/8	15,270	77 7/8	16,791	83 7/8	18,253	89 7/8	19,634
66	13,743	72	15,302	78	16,822	84	18,282	90	19,662

DWT6 10'-24000 COMPARTMENT
24,162 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	19,690	96 1/8	20,961	102 1/8	22,098	108 1/8	23,063	114 1/8	23,800
90 1/4	19,717	96 1/4	20,986	102 1/4	22,120	108 1/4	23,080	114 1/4	23,812
90 3/8	19,745	96 3/8	21,011	102 3/8	22,142	108 3/8	23,098	114 3/8	23,824
90 1/2	19,772	96 1/2	21,036	102 1/2	22,163	108 1/2	23,116	114 1/2	23,836
90 5/8	19,800	96 5/8	21,061	102 5/8	22,185	108 5/8	23,134	114 5/8	23,848
90 3/4	19,827	96 3/4	21,086	102 3/4	22,207	108 3/4	23,151	114 3/4	23,860
90 7/8	19,855	96 7/8	21,111	102 7/8	22,229	108 7/8	23,169	114 7/8	23,871
91	19,882	97	21,136	103	22,250	109	23,186	115	23,883
91 1/8	19,910	97 1/8	21,161	103 1/8	22,272	109 1/8	23,203	115 1/8	23,894
91 1/4	19,937	97 1/4	21,185	103 1/4	22,293	109 1/4	23,220	115 1/4	23,905
91 3/8	19,964	97 3/8	21,210	103 3/8	22,314	109 3/8	23,237	115 3/8	23,916
91 1/2	19,991	97 1/2	21,235	103 1/2	22,336	109 1/2	23,254	115 1/2	23,927
91 5/8	20,018	97 5/8	21,259	103 5/8	22,357	109 5/8	23,271	115 5/8	23,937
91 3/4	20,045	97 3/4	21,284	103 3/4	22,378	109 3/4	23,288	115 3/4	23,948
91 7/8	20,073	97 7/8	21,308	103 7/8	22,399	109 7/8	23,304	115 7/8	23,958
92	20,100	98	21,332	104	22,420	110	23,321	116	23,968
92 1/8	20,126	98 1/8	21,357	104 1/8	22,441	110 1/8	23,337	116 1/8	23,978
92 1/4	20,153	98 1/4	21,381	104 1/4	22,461	110 1/4	23,354	116 1/4	23,988
92 3/8	20,180	98 3/8	21,405	104 3/8	22,482	110 3/8	23,370	116 3/8	23,997
92 1/2	20,207	98 1/2	21,429	104 1/2	22,503	110 1/2	23,386	116 1/2	24,007
92 5/8	20,234	98 5/8	21,453	104 5/8	22,523	110 5/8	23,402	116 5/8	24,016
92 3/4	20,260	98 3/4	21,477	104 3/4	22,544	110 3/4	23,418	116 3/4	24,025
92 7/8	20,287	98 7/8	21,501	104 7/8	22,564	110 7/8	23,433	116 7/8	24,034
93	20,314	99	21,525	105	22,584	111	23,449	117	24,042
93 1/8	20,340	99 1/8	21,548	105 1/8	22,604	111 1/8	23,464	117 1/8	24,050
93 1/4	20,367	99 1/4	21,572	105 1/4	22,625	111 1/4	23,480	117 1/4	24,059
93 3/8	20,393	99 3/8	21,596	105 3/8	22,645	111 3/8	23,495	117 3/8	24,067
93 1/2	20,420	99 1/2	21,619	105 1/2	22,664	111 1/2	23,510	117 1/2	24,074
93 5/8	20,446	99 5/8	21,643	105 5/8	22,684	111 5/8	23,525	117 5/8	24,082
93 3/4	20,472	99 3/4	21,666	105 3/4	22,704	111 3/4	23,540	117 3/4	24,089
93 7/8	20,498	99 7/8	21,689	105 7/8	22,724	111 7/8	23,555	117 7/8	24,096
94	20,525	100	21,713	106	22,743	112	23,570	118	24,103
94 1/8	20,551	100 1/8	21,736	106 1/8	22,763	112 1/8	23,584	118 1/8	24,109
94 1/4	20,577	100 1/4	21,759	106 1/4	22,782	112 1/4	23,599	118 1/4	24,116
94 3/8	20,603	100 3/8	21,782	106 3/8	22,802	112 3/8	23,613	118 3/8	24,122
94 1/2	20,629	100 1/2	21,805	106 1/2	22,821	112 1/2	23,627	118 1/2	24,127
94 5/8	20,655	100 5/8	21,828	106 5/8	22,840	112 5/8	23,641	118 5/8	24,133
94 3/4	20,680	100 3/4	21,851	106 3/4	22,859	112 3/4	23,655	118 3/4	24,138
94 7/8	20,706	100 7/8	21,874	106 7/8	22,878	112 7/8	23,669	118 7/8	24,143
95	20,732	101	21,896	107	22,897	113	23,683	119	24,147
95 1/8	20,758	101 1/8	21,919	107 1/8	22,916	113 1/8	23,696	119 1/8	24,151
95 1/4	20,783	101 1/4	21,942	107 1/4	22,934	113 1/4	23,710	119 1/4	24,155
95 3/8	20,809	101 3/8	21,964	107 3/8	22,953	113 3/8	23,723	119 3/8	24,158
95 1/2	20,834	101 1/2	21,987	107 1/2	22,971	113 1/2	23,736	119 1/2	24,160
95 5/8	20,860	101 5/8	22,009	107 5/8	22,990	113 5/8	23,749	119 5/8	24,162
95 3/4	20,885	101 3/4	22,031	107 3/4	23,008	113 3/4	23,762		
95 7/8	20,911	101 7/8	22,053	107 7/8	23,026	113 7/8	23,775		
96	20,936	102	22,076	108	23,045	114	23,787		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.