

**DWT6 10'-26000 COMPARTMENT**  
**25,777 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	8	6 1/8	486	12 1/8	1,317	18 1/8	2,378	24 1/8	3,615
1/4	12	6 1/4	501	12 1/4	1,337	18 1/4	2,402	24 1/4	3,642
3/8	17	6 3/8	515	12 3/8	1,357	18 3/8	2,426	24 3/8	3,670
1/2	21	6 1/2	530	12 1/2	1,377	18 1/2	2,451	24 1/2	3,697
5/8	26	6 5/8	545	12 5/8	1,397	18 5/8	2,475	24 5/8	3,725
3/4	32	6 3/4	560	12 3/4	1,418	18 3/4	2,499	24 3/4	3,752
7/8	38	6 7/8	575	12 7/8	1,438	18 7/8	2,524	24 7/8	3,780
1	44	7	590	13	1,459	19	2,549	25	3,808
1 1/8	50	7 1/8	605	13 1/8	1,479	19 1/8	2,573	25 1/8	3,836
1 1/4	57	7 1/4	621	13 1/4	1,500	19 1/4	2,598	25 1/4	3,863
1 3/8	64	7 3/8	636	13 3/8	1,521	19 3/8	2,623	25 3/8	3,891
1 1/2	71	7 1/2	652	13 1/2	1,542	19 1/2	2,648	25 1/2	3,919
1 5/8	79	7 5/8	668	13 5/8	1,563	19 5/8	2,673	25 5/8	3,947
1 3/4	87	7 3/4	684	13 3/4	1,584	19 3/4	2,698	25 3/4	3,975
1 7/8	95	7 7/8	700	13 7/8	1,605	19 7/8	2,723	25 7/8	4,003
2	103	8	716	14	1,627	20	2,748	26	4,031
2 1/8	112	8 1/8	733	14 1/8	1,648	20 1/8	2,773	26 1/8	4,060
2 1/4	120	8 1/4	749	14 1/4	1,670	20 1/4	2,798	26 1/4	4,088
2 3/8	129	8 3/8	766	14 3/8	1,691	20 3/8	2,824	26 3/8	4,116
2 1/2	139	8 1/2	782	14 1/2	1,713	20 1/2	2,849	26 1/2	4,145
2 5/8	148	8 5/8	799	14 5/8	1,735	20 5/8	2,875	26 5/8	4,173
2 3/4	158	8 3/4	816	14 3/4	1,756	20 3/4	2,900	26 3/4	4,202
2 7/8	168	8 7/8	833	14 7/8	1,778	20 7/8	2,926	26 7/8	4,230
3	178	9	851	15	1,800	21	2,951	27	4,259
3 1/8	188	9 1/8	868	15 1/8	1,823	21 1/8	2,977	27 1/8	4,287
3 1/4	198	9 1/4	885	15 1/4	1,845	21 1/4	3,003	27 1/4	4,316
3 3/8	209	9 3/8	903	15 3/8	1,867	21 3/8	3,029	27 3/8	4,345
3 1/2	220	9 1/2	920	15 1/2	1,889	21 1/2	3,055	27 1/2	4,374
3 5/8	231	9 5/8	938	15 5/8	1,912	21 5/8	3,081	27 5/8	4,402
3 3/4	242	9 3/4	956	15 3/4	1,934	21 3/4	3,107	27 3/4	4,431
3 7/8	253	9 7/8	974	15 7/8	1,957	21 7/8	3,133	27 7/8	4,460
4	265	10	992	16	1,980	22	3,160	28	4,489
4 1/8	277	10 1/8	1,011	16 1/8	2,003	22 1/8	3,186	28 1/8	4,518
4 1/4	289	10 1/4	1,029	16 1/4	2,025	22 1/4	3,212	28 1/4	4,547
4 3/8	301	10 3/8	1,047	16 3/8	2,048	22 3/8	3,239	28 3/8	4,577
4 1/2	313	10 1/2	1,066	16 1/2	2,071	22 1/2	3,265	28 1/2	4,606
4 5/8	325	10 5/8	1,085	16 5/8	2,094	22 5/8	3,292	28 5/8	4,635
4 3/4	338	10 3/4	1,103	16 3/4	2,118	22 3/4	3,318	28 3/4	4,664
4 7/8	351	10 7/8	1,122	16 7/8	2,141	22 7/8	3,345	28 7/8	4,694
5	363	11	1,141	17	2,164	23	3,372	29	4,723
5 1/8	377	11 1/8	1,160	17 1/8	2,188	23 1/8	3,398	29 1/8	4,753
5 1/4	390	11 1/4	1,179	17 1/4	2,211	23 1/4	3,425	29 1/4	4,782
5 3/8	403	11 3/8	1,199	17 3/8	2,235	23 3/8	3,452	29 3/8	4,812
5 1/2	417	11 1/2	1,218	17 1/2	2,259	23 1/2	3,479	29 1/2	4,841
5 5/8	430	11 5/8	1,238	17 5/8	2,282	23 5/8	3,506	29 5/8	4,871
5 3/4	444	11 3/4	1,257	17 3/4	2,306	23 3/4	3,533	29 3/4	4,901
5 7/8	458	11 7/8	1,277	17 7/8	2,330	23 7/8	3,561	29 7/8	4,930
6	472	12	1,297	18	2,354	24	3,588	30	4,960

**DWT6 10'-26000 COMPARTMENT**  
**25,777 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	4,990	36 1/8	6,473	42 1/8	8,039	48 1/8	9,664	54 1/8	11,329
30 1/4	5,020	36 1/4	6,505	42 1/4	8,072	48 1/4	9,699	54 1/4	11,364
30 3/8	5,050	36 3/8	6,537	42 3/8	8,105	48 3/8	9,733	54 3/8	11,399
30 1/2	5,080	36 1/2	6,569	42 1/2	8,139	48 1/2	9,768	54 1/2	11,434
30 5/8	5,110	36 5/8	6,601	42 5/8	8,172	48 5/8	9,802	54 5/8	11,469
30 3/4	5,140	36 3/4	6,633	42 3/4	8,206	48 3/4	9,836	54 3/4	11,504
30 7/8	5,170	36 7/8	6,665	42 7/8	8,239	48 7/8	9,871	54 7/8	11,539
31	5,200	37	6,697	43	8,273	49	9,905	55	11,574
31 1/8	5,230	37 1/8	6,729	43 1/8	8,306	49 1/8	9,940	55 1/8	11,609
31 1/4	5,261	37 1/4	6,761	43 1/4	8,340	49 1/4	9,974	55 1/4	11,644
31 3/8	5,291	37 3/8	6,793	43 3/8	8,373	49 3/8	10,009	55 3/8	11,679
31 1/2	5,321	37 1/2	6,825	43 1/2	8,407	49 1/2	10,043	55 1/2	11,714
31 5/8	5,352	37 5/8	6,858	43 5/8	8,440	49 5/8	10,078	55 5/8	11,749
31 3/4	5,382	37 3/4	6,890	43 3/4	8,474	49 3/4	10,112	55 3/4	11,784
31 7/8	5,413	37 7/8	6,922	43 7/8	8,508	49 7/8	10,147	55 7/8	11,819
32	5,443	38	6,955	44	8,541	50	10,181	56	11,854
32 1/8	5,474	38 1/8	6,987	44 1/8	8,575	50 1/8	10,216	56 1/8	11,889
32 1/4	5,504	38 1/4	7,019	44 1/4	8,609	50 1/4	10,251	56 1/4	11,924
32 3/8	5,535	38 3/8	7,052	44 3/8	8,643	50 3/8	10,285	56 3/8	11,959
32 1/2	5,566	38 1/2	7,084	44 1/2	8,676	50 1/2	10,320	56 1/2	11,994
32 5/8	5,596	38 5/8	7,117	44 5/8	8,710	50 5/8	10,354	56 5/8	12,029
32 3/4	5,627	38 3/4	7,149	44 3/4	8,744	50 3/4	10,389	56 3/4	12,064
32 7/8	5,658	38 7/8	7,182	44 7/8	8,778	50 7/8	10,424	56 7/8	12,099
33	5,689	39	7,214	45	8,812	51	10,458	57	12,134
33 1/8	5,720	39 1/8	7,247	45 1/8	8,845	51 1/8	10,493	57 1/8	12,169
33 1/4	5,751	39 1/4	7,280	45 1/4	8,879	51 1/4	10,528	57 1/4	12,204
33 3/8	5,782	39 3/8	7,312	45 3/8	8,913	51 3/8	10,563	57 3/8	12,239
33 1/2	5,813	39 1/2	7,345	45 1/2	8,947	51 1/2	10,597	57 1/2	12,274
33 5/8	5,844	39 5/8	7,378	45 5/8	8,981	51 5/8	10,632	57 5/8	12,310
33 3/4	5,875	39 3/4	7,411	45 3/4	9,015	51 3/4	10,667	57 3/4	12,345
33 7/8	5,906	39 7/8	7,443	45 7/8	9,049	51 7/8	10,701	57 7/8	12,380
34	5,937	40	7,476	46	9,083	52	10,736	58	12,415
34 1/8	5,968	40 1/8	7,509	46 1/8	9,117	52 1/8	10,771	58 1/8	12,450
34 1/4	6,000	40 1/4	7,542	46 1/4	9,151	52 1/4	10,806	58 1/4	12,485
34 3/8	6,031	40 3/8	7,575	46 3/8	9,185	52 3/8	10,841	58 3/8	12,520
34 1/2	6,062	40 1/2	7,608	46 1/2	9,219	52 1/2	10,875	58 1/2	12,555
34 5/8	6,094	40 5/8	7,641	46 5/8	9,254	52 5/8	10,910	58 5/8	12,590
34 3/4	6,125	40 3/4	7,674	46 3/4	9,288	52 3/4	10,945	58 3/4	12,625
34 7/8	6,156	40 7/8	7,707	46 7/8	9,322	52 7/8	10,980	58 7/8	12,661
35	6,188	41	7,740	47	9,356	53	11,015	59	12,696
35 1/8	6,220	41 1/8	7,773	47 1/8	9,390	53 1/8	11,050	59 1/8	12,731
35 1/4	6,251	41 1/4	7,806	47 1/4	9,424	53 1/4	11,085	59 1/4	12,766
35 3/8	6,283	41 3/8	7,839	47 3/8	9,459	53 3/8	11,119	59 3/8	12,801
35 1/2	6,314	41 1/2	7,873	47 1/2	9,493	53 1/2	11,154	59 1/2	12,836
35 5/8	6,346	41 5/8	7,906	47 5/8	9,527	53 5/8	11,189	59 5/8	12,871
35 3/4	6,378	41 3/4	7,939	47 3/4	9,562	53 3/4	11,224	59 3/4	12,906
35 7/8	6,409	41 7/8	7,972	47 7/8	9,596	53 7/8	11,259	59 7/8	12,941
36	6,441	42	8,005	48	9,630	54	11,294	60	12,977

**DWT6 10'-26000 COMPARTMENT**  
**25,777 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	13,012	66 1/8	14,693	72 1/8	16,353	78 1/8	17,971	84 1/8	19,527
60 1/4	13,047	66 1/4	14,728	72 1/4	16,387	78 1/4	18,004	84 1/4	19,558
60 3/8	13,082	66 3/8	14,763	72 3/8	16,422	78 3/8	18,038	84 3/8	19,590
60 1/2	13,117	66 1/2	14,798	72 1/2	16,456	78 1/2	18,071	84 1/2	19,621
60 5/8	13,152	66 5/8	14,833	72 5/8	16,490	78 5/8	18,104	84 5/8	19,653
60 3/4	13,187	66 3/4	14,867	72 3/4	16,524	78 3/4	18,137	84 3/4	19,684
60 7/8	13,222	66 7/8	14,902	72 7/8	16,558	78 7/8	18,170	84 7/8	19,715
61	13,257	67	14,937	73	16,592	79	18,203	85	19,747
61 1/8	13,293	67 1/8	14,972	73 1/8	16,626	79 1/8	18,236	85 1/8	19,778
61 1/4	13,328	67 1/4	15,007	73 1/4	16,660	79 1/4	18,268	85 1/4	19,809
61 3/8	13,363	67 3/8	15,041	73 3/8	16,694	79 3/8	18,301	85 3/8	19,840
61 1/2	13,398	67 1/2	15,076	73 1/2	16,728	79 1/2	18,334	85 1/2	19,872
61 5/8	13,433	67 5/8	15,111	73 5/8	16,762	79 5/8	18,367	85 5/8	19,903
61 3/4	13,468	67 3/4	15,146	73 3/4	16,796	79 3/4	18,400	85 3/4	19,934
61 7/8	13,503	67 7/8	15,180	73 7/8	16,830	79 7/8	18,432	85 7/8	19,965
62	13,538	68	15,215	74	16,864	80	18,465	86	19,996
62 1/8	13,573	68 1/8	15,250	74 1/8	16,898	80 1/8	18,498	86 1/8	20,027
62 1/4	13,608	68 1/4	15,284	74 1/4	16,932	80 1/4	18,531	86 1/4	20,058
62 3/8	13,643	68 3/8	15,319	74 3/8	16,966	80 3/8	18,563	86 3/8	20,089
62 1/2	13,679	68 1/2	15,354	74 1/2	17,000	80 1/2	18,596	86 1/2	20,120
62 5/8	13,714	68 5/8	15,389	74 5/8	17,034	80 5/8	18,628	86 5/8	20,150
62 3/4	13,749	68 3/4	15,423	74 3/4	17,067	80 3/4	18,661	86 3/4	20,181
62 7/8	13,784	68 7/8	15,458	74 7/8	17,101	80 7/8	18,693	86 7/8	20,212
63	13,819	69	15,492	75	17,135	81	18,726	87	20,243
63 1/8	13,854	69 1/8	15,527	75 1/8	17,169	81 1/8	18,758	87 1/8	20,273
63 1/4	13,889	69 1/4	15,562	75 1/4	17,202	81 1/4	18,791	87 1/4	20,304
63 3/8	13,924	69 3/8	15,596	75 3/8	17,236	81 3/8	18,823	87 3/8	20,334
63 1/2	13,959	69 1/2	15,631	75 1/2	17,270	81 1/2	18,855	87 1/2	20,365
63 5/8	13,994	69 5/8	15,665	75 5/8	17,304	81 5/8	18,888	87 5/8	20,395
63 3/4	14,029	69 3/4	15,700	75 3/4	17,337	81 3/4	18,920	87 3/4	20,426
63 7/8	14,064	69 7/8	15,734	75 7/8	17,371	81 7/8	18,952	87 7/8	20,456
64	14,099	70	15,769	76	17,404	82	18,984	88	20,487
64 1/8	14,134	70 1/8	15,803	76 1/8	17,438	82 1/8	19,017	88 1/8	20,517
64 1/4	14,169	70 1/4	15,838	76 1/4	17,471	82 1/4	19,049	88 1/4	20,547
64 3/8	14,204	70 3/8	15,872	76 3/8	17,505	82 3/8	19,081	88 3/8	20,577
64 1/2	14,239	70 1/2	15,907	76 1/2	17,538	82 1/2	19,113	88 1/2	20,608
64 5/8	14,274	70 5/8	15,941	76 5/8	17,572	82 5/8	19,145	88 5/8	20,638
64 3/4	14,309	70 3/4	15,976	76 3/4	17,605	82 3/4	19,177	88 3/4	20,668
64 7/8	14,344	70 7/8	16,010	76 7/8	17,639	82 7/8	19,209	88 7/8	20,698
65	14,379	71	16,044	77	17,672	83	19,241	89	20,728
65 1/8	14,414	71 1/8	16,079	77 1/8	17,705	83 1/8	19,273	89 1/8	20,758
65 1/4	14,449	71 1/4	16,113	77 1/4	17,739	83 1/4	19,305	89 1/4	20,788
65 3/8	14,484	71 3/8	16,147	77 3/8	17,772	83 3/8	19,336	89 3/8	20,817
65 1/2	14,519	71 1/2	16,182	77 1/2	17,805	83 1/2	19,368	89 1/2	20,847
65 5/8	14,553	71 5/8	16,216	77 5/8	17,839	83 5/8	19,400	89 5/8	20,877
65 3/4	14,588	71 3/4	16,250	77 3/4	17,872	83 3/4	19,432	89 3/4	20,907
65 7/8	14,623	71 7/8	16,285	77 7/8	17,905	83 7/8	19,463	89 7/8	20,936
66	14,658	72	16,319	78	17,938	84	19,495	90	20,966

**DWT6 10'-26000 COMPARTMENT**  
**25,777 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	20,995	96 1/8	22,352	102 1/8	23,566	108 1/8	24,598	114 1/8	25,388
90 1/4	21,025	96 1/4	22,379	102 1/4	23,590	108 1/4	24,617	114 1/4	25,401
90 3/8	21,054	96 3/8	22,406	102 3/8	23,613	108 3/8	24,636	114 3/8	25,414
90 1/2	21,084	96 1/2	22,433	102 1/2	23,637	108 1/2	24,655	114 1/2	25,427
90 5/8	21,113	96 5/8	22,459	102 5/8	23,660	108 5/8	24,674	114 5/8	25,440
90 3/4	21,142	96 3/4	22,486	102 3/4	23,683	108 3/4	24,693	114 3/4	25,452
90 7/8	21,172	96 7/8	22,513	102 7/8	23,706	108 7/8	24,712	114 7/8	25,465
91	21,201	97	22,539	103	23,729	109	24,730	115	25,477
91 1/8	21,230	97 1/8	22,565	103 1/8	23,752	109 1/8	24,749	115 1/8	25,489
91 1/4	21,259	97 1/4	22,592	103 1/4	23,775	109 1/4	24,767	115 1/4	25,501
91 3/8	21,288	97 3/8	22,618	103 3/8	23,798	109 3/8	24,785	115 3/8	25,513
91 1/2	21,317	97 1/2	22,644	103 1/2	23,821	109 1/2	24,803	115 1/2	25,524
91 5/8	21,346	97 5/8	22,670	103 5/8	23,843	109 5/8	24,821	115 5/8	25,536
91 3/4	21,375	97 3/4	22,697	103 3/4	23,866	109 3/4	24,839	115 3/4	25,547
91 7/8	21,404	97 7/8	22,723	103 7/8	23,888	109 7/8	24,857	115 7/8	25,558
92	21,433	98	22,749	104	23,911	110	24,875	116	25,569
92 1/8	21,462	98 1/8	22,774	104 1/8	23,933	110 1/8	24,892	116 1/8	25,579
92 1/4	21,490	98 1/4	22,800	104 1/4	23,955	110 1/4	24,910	116 1/4	25,590
92 3/8	21,519	98 3/8	22,826	104 3/8	23,977	110 3/8	24,927	116 3/8	25,600
92 1/2	21,547	98 1/2	22,852	104 1/2	23,999	110 1/2	24,944	116 1/2	25,610
92 5/8	21,576	98 5/8	22,877	104 5/8	24,021	110 5/8	24,961	116 5/8	25,620
92 3/4	21,604	98 3/4	22,903	104 3/4	24,043	110 3/4	24,978	116 3/4	25,630
92 7/8	21,633	98 7/8	22,929	104 7/8	24,065	110 7/8	24,995	116 7/8	25,639
93	21,661	99	22,954	105	24,086	111	25,012	117	25,648
93 1/8	21,690	99 1/8	22,979	105 1/8	24,108	111 1/8	25,029	117 1/8	25,657
93 1/4	21,718	99 1/4	23,005	105 1/4	24,130	111 1/4	25,045	117 1/4	25,666
93 3/8	21,746	99 3/8	23,030	105 3/8	24,151	111 3/8	25,061	117 3/8	25,675
93 1/2	21,774	99 1/2	23,055	105 1/2	24,172	111 1/2	25,078	117 1/2	25,683
93 5/8	21,802	99 5/8	23,080	105 5/8	24,193	111 5/8	25,094	117 5/8	25,691
93 3/4	21,830	99 3/4	23,105	105 3/4	24,215	111 3/4	25,110	117 3/4	25,699
93 7/8	21,858	99 7/8	23,130	105 7/8	24,236	111 7/8	25,126	117 7/8	25,706
94	21,886	100	23,155	106	24,257	112	25,141	118	25,714
94 1/8	21,914	100 1/8	23,180	106 1/8	24,277	112 1/8	25,157	118 1/8	25,721
94 1/4	21,942	100 1/4	23,204	106 1/4	24,298	112 1/4	25,172	118 1/4	25,727
94 3/8	21,970	100 3/8	23,229	106 3/8	24,319	112 3/8	25,188	118 3/8	25,734
94 1/2	21,997	100 1/2	23,254	106 1/2	24,339	112 1/2	25,203	118 1/2	25,740
94 5/8	22,025	100 5/8	23,278	106 5/8	24,360	112 5/8	25,218	118 5/8	25,746
94 3/4	22,053	100 3/4	23,303	106 3/4	24,380	112 3/4	25,233	118 3/4	25,751
94 7/8	22,080	100 7/8	23,327	106 7/8	24,401	112 7/8	25,248	118 7/8	25,756
95	22,108	101	23,351	107	24,421	113	25,262	119	25,761
95 1/8	22,135	101 1/8	23,375	107 1/8	24,441	113 1/8	25,277	119 1/8	25,765
95 1/4	22,162	101 1/4	23,400	107 1/4	24,461	113 1/4	25,291	119 1/4	25,769
95 3/8	22,190	101 3/8	23,424	107 3/8	24,481	113 3/8	25,306	119 3/8	25,772
95 1/2	22,217	101 1/2	23,448	107 1/2	24,501	113 1/2	25,320	119 1/2	25,775
95 5/8	22,244	101 5/8	23,471	107 5/8	24,520	113 5/8	25,334	119 5/8	25,777
95 3/4	22,271	101 3/4	23,495	107 3/4	24,540	113 3/4	25,347		
95 7/8	22,298	101 7/8	23,519	107 7/8	24,559	113 7/8	25,361		
96	22,325	102	23,543	108	24,579	114	25,375		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.