

**DWT6 10'-27000 COMPARTMENT**  
**100,634 Liters**

06/22/2023

DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)
0.5	42	24.5	3,680	48.5	10,028	72.5	18,022	96.5	27,133
1.0	68	25.0	3,790	49.0	10,180	73.0	18,201	97.0	27,332
1.5	98	25.5	3,902	49.5	10,333	73.5	18,382	97.5	27,531
2.0	132	26.0	4,014	50.0	10,486	74.0	18,563	98.0	27,731
2.5	169	26.5	4,128	50.5	10,640	74.5	18,744	98.5	27,930
3.0	209	27.0	4,243	51.0	10,795	75.0	18,926	99.0	28,130
3.5	251	27.5	4,358	51.5	10,950	75.5	19,108	99.5	28,331
4.0	297	28.0	4,475	52.0	11,106	76.0	19,291	100.0	28,531
4.5	345	28.5	4,593	52.5	11,263	76.5	19,474	100.5	28,732
5.0	395	29.0	4,711	53.0	11,421	77.0	19,658	101.0	28,934
5.5	448	29.5	4,831	53.5	11,579	77.5	19,842	101.5	29,135
6.0	503	30.0	4,952	54.0	11,737	78.0	20,026	102.0	29,337
6.5	560	30.5	5,073	54.5	11,897	78.5	20,211	102.5	29,539
7.0	619	31.0	5,196	55.0	12,057	79.0	20,397	103.0	29,741
7.5	680	31.5	5,320	55.5	12,217	79.5	20,583	103.5	29,944
8.0	743	32.0	5,444	56.0	12,378	80.0	20,769	104.0	30,147
8.5	808	32.5	5,569	56.5	12,540	80.5	20,955	104.5	30,350
9.0	875	33.0	5,696	57.0	12,703	81.0	21,143	105.0	30,553
9.5	944	33.5	5,823	57.5	12,866	81.5	21,330	105.5	30,757
10.0	1,014	34.0	5,951	58.0	13,030	82.0	21,518	106.0	30,961
10.5	1,086	34.5	6,080	58.5	13,194	82.5	21,706	106.5	31,165
11.0	1,160	35.0	6,210	59.0	13,359	83.0	21,895	107.0	31,370
11.5	1,235	35.5	6,341	59.5	13,524	83.5	22,084	107.5	31,574
12.0	1,312	36.0	6,473	60.0	13,690	84.0	22,274	108.0	31,779
12.5	1,390	36.5	6,605	60.5	13,857	84.5	22,464	108.5	31,984
13.0	1,470	37.0	6,739	61.0	14,024	85.0	22,654	109.0	32,190
13.5	1,552	37.5	6,873	61.5	14,192	85.5	22,845	109.5	32,395
14.0	1,635	38.0	7,008	62.0	14,360	86.0	23,036	110.0	32,601
14.5	1,719	38.5	7,144	62.5	14,529	86.5	23,228	110.5	32,808
15.0	1,805	39.0	7,281	63.0	14,699	87.0	23,420	111.0	33,014
15.5	1,892	39.5	7,419	63.5	14,869	87.5	23,612	111.5	33,220
16.0	1,981	40.0	7,557	64.0	15,040	88.0	23,804	112.0	33,427
16.5	2,071	40.5	7,696	64.5	15,211	88.5	23,997	112.5	33,634
17.0	2,162	41.0	7,836	65.0	15,383	89.0	24,191	113.0	33,842
17.5	2,255	41.5	7,977	65.5	15,555	89.5	24,385	113.5	34,049
18.0	2,348	42.0	8,119	66.0	15,728	90.0	24,579	114.0	34,257
18.5	2,444	42.5	8,261	66.5	15,901	90.5	24,773	114.5	34,465
19.0	2,540	43.0	8,404	67.0	16,075	91.0	24,968	115.0	34,673
19.5	2,638	43.5	8,548	67.5	16,249	91.5	25,163	115.5	34,881
20.0	2,737	44.0	8,693	68.0	16,424	92.0	25,359	116.0	35,090
20.5	2,837	44.5	8,838	68.5	16,600	92.5	25,555	116.5	35,298
21.0	2,938	45.0	8,984	69.0	16,776	93.0	25,751	117.0	35,507
21.5	3,041	45.5	9,131	69.5	16,952	93.5	25,947	117.5	35,716
22.0	3,144	46.0	9,279	70.0	17,129	94.0	26,144	118.0	35,925
22.5	3,249	46.5	9,427	70.5	17,307	94.5	26,341	118.5	36,135
23.0	3,355	47.0	9,577	71.0	17,485	95.0	26,539	119.0	36,345
23.5	3,462	47.5	9,726	71.5	17,663	95.5	26,737	119.5	36,554
24.0	3,571	48.0	9,877	72.0	17,842	96.0	26,935	120.0	36,764

**DWT6 10'-27000 COMPARTMENT**  
**100,634 Liters**

06/22/2023

DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)
120.5	36,975	144.5	47,213	168.5	57,542	192.5	67,660
121.0	37,185	145.0	47,429	169.0	57,756	193.0	67,866
121.5	37,395	145.5	47,644	169.5	57,970	193.5	68,073
122.0	37,606	146.0	47,859	170.0	58,184	194.0	68,278
122.5	37,817	146.5	48,075	170.5	58,398	194.5	68,484
123.0	38,028	147.0	48,290	171.0	58,612	195.0	68,689
123.5	38,239	147.5	48,506	171.5	58,825	195.5	68,895
124.0	38,450	148.0	48,721	172.0	59,038	196.0	69,099
124.5	38,662	148.5	48,937	172.5	59,252	196.5	69,304
125.0	38,874	149.0	49,152	173.0	59,465	197.0	69,509
125.5	39,085	149.5	49,368	173.5	59,678	197.5	69,713
126.0	39,297	150.0	49,583	174.0	59,891	198.0	69,917
126.5	39,509	150.5	49,799	174.5	60,104	198.5	70,120
127.0	39,721	151.0	50,014	175.0	60,316	199.0	70,324
127.5	39,934	151.5	50,230	175.5	60,529	199.5	70,527
128.0	40,146	152.0	50,446	176.0	60,741	200.0	70,730
128.5	40,359	152.5	50,661	176.5	60,954	200.5	70,932
129.0	40,571	153.0	50,877	177.0	61,166	201.0	71,134
129.5	40,784	153.5	51,092	177.5	61,378	201.5	71,336
130.0	40,997	154.0	51,308	178.0	61,590	202.0	71,538
130.5	41,210	154.5	51,523	178.5	61,801	202.5	71,740
131.0	41,424	155.0	51,739	179.0	62,013	203.0	71,941
131.5	41,637	155.5	51,954	179.5	62,224	203.5	72,142
132.0	41,850	156.0	52,170	180.0	62,436	204.0	72,342
132.5	42,064	156.5	52,385	180.5	62,647	204.5	72,542
133.0	42,277	157.0	52,601	181.0	62,858	205.0	72,742
133.5	42,491	157.5	52,816	181.5	63,069	205.5	72,942
134.0	42,705	158.0	53,032	182.0	63,279	206.0	73,141
134.5	42,919	158.5	53,247	182.5	63,490	206.5	73,341
135.0	43,133	159.0	53,462	183.0	63,700	207.0	73,539
135.5	43,347	159.5	53,678	183.5	63,910	207.5	73,738
136.0	43,561	160.0	53,893	184.0	64,120	208.0	73,936
136.5	43,775	160.5	54,108	184.5	64,330	208.5	74,134
137.0	43,990	161.0	54,323	185.0	64,540	209.0	74,331
137.5	44,204	161.5	54,538	185.5	64,749	209.5	74,528
138.0	44,419	162.0	54,753	186.0	64,958	210.0	74,725
138.5	44,633	162.5	54,968	186.5	65,167	210.5	74,922
139.0	44,848	163.0	55,183	187.0	65,376	211.0	75,118
139.5	45,063	163.5	55,398	187.5	65,585	211.5	75,313
140.0	45,278	164.0	55,613	188.0	65,793	212.0	75,509
140.5	45,492	164.5	55,827	188.5	66,002	212.5	75,704
141.0	45,707	165.0	56,042	189.0	66,210	213.0	75,899
141.5	45,922	165.5	56,257	189.5	66,417	213.5	76,093
142.0	46,137	166.0	56,471	190.0	66,625	214.0	76,287
142.5	46,352	166.5	56,686	190.5	66,833	214.5	76,481
143.0	46,568	167.0	56,900	191.0	67,040	215.0	76,674
143.5	46,783	167.5	57,114	191.5	67,247	215.5	76,867
144.0	46,998	168.0	57,328	192.0	67,454	216.0	77,060

**DWT6 10'-27000 COMPARTMENT**  
**100,634 Liters**

06/22/2023

DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)
216.5	77,252	240.5	85,969	264.5	93,381	288.5	98,848
217.0	77,444	241.0	86,138	265.0	93,518	289.0	98,934
217.5	77,635	241.5	86,307	265.5	93,653	289.5	99,018
218.0	77,826	242.0	86,475	266.0	93,788	290.0	99,101
218.5	78,017	242.5	86,643	266.5	93,923	290.5	99,182
219.0	78,207	243.0	86,810	267.0	94,056	291.0	99,261
219.5	78,397	243.5	86,977	267.5	94,188	291.5	99,340
220.0	78,587	244.0	87,143	268.0	94,320	292.0	99,416
220.5	78,776	244.5	87,308	268.5	94,450	292.5	99,491
221.0	78,964	245.0	87,473	269.0	94,580	293.0	99,565
221.5	79,153	245.5	87,637	269.5	94,709	293.5	99,636
222.0	79,341	246.0	87,801	270.0	94,837	294.0	99,706
222.5	79,528	246.5	87,964	270.5	94,964	294.5	99,775
223.0	79,715	247.0	88,126	271.0	95,090	295.0	99,841
223.5	79,902	247.5	88,288	271.5	95,216	295.5	99,906
224.0	80,088	248.0	88,449	272.0	95,340	296.0	99,968
224.5	80,274	248.5	88,609	272.5	95,463	296.5	100,029
225.0	80,459	249.0	88,769	273.0	95,586	297.0	100,088
225.5	80,644	249.5	88,928	273.5	95,707	297.5	100,145
226.0	80,828	250.0	89,087	274.0	95,828	298.0	100,199
226.5	81,012	250.5	89,245	274.5	95,947	298.5	100,252
227.0	81,196	251.0	89,402	275.0	96,066	299.0	100,302
227.5	81,379	251.5	89,559	275.5	96,183	299.5	100,349
228.0	81,562	252.0	89,715	276.0	96,300	300.0	100,394
228.5	81,744	252.5	89,870	276.5	96,415	300.5	100,437
229.0	81,926	253.0	90,025	277.0	96,530	301.0	100,476
229.5	82,107	253.5	90,179	277.5	96,643	301.5	100,513
230.0	82,288	254.0	90,332	278.0	96,756	302.0	100,546
230.5	82,468	254.5	90,484	278.5	96,867	302.5	100,575
231.0	82,648	255.0	90,636	279.0	96,977	303.0	100,600
231.5	82,827	255.5	90,787	279.5	97,086	303.5	100,621
232.0	83,006	256.0	90,938	280.0	97,194	304.0	100,634
232.5	83,184	256.5	91,087	280.5	97,301		
233.0	83,362	257.0	91,236	281.0	97,407		
233.5	83,540	257.5	91,385	281.5	97,512		
234.0	83,717	258.0	91,532	282.0	97,615		
234.5	83,893	258.5	91,679	282.5	97,717		
235.0	84,069	259.0	91,825	283.0	97,819		
235.5	84,244	259.5	91,970	283.5	97,919		
236.0	84,419	260.0	92,115	284.0	98,017		
236.5	84,593	260.5	92,259	284.5	98,115		
237.0	84,767	261.0	92,402	285.0	98,211		
237.5	84,940	261.5	92,544	285.5	98,306		
238.0	85,113	262.0	92,686	286.0	98,400		
238.5	85,285	262.5	92,826	286.5	98,492		
239.0	85,457	263.0	92,966	287.0	98,583		
239.5	85,628	263.5	93,105	287.5	98,673		
240.0	85,799	264.0	93,243	288.0	98,761		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.