

DWT6 10'-30000 COMPARTMENT
29,816 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	10	6 1/8	570	12 1/8	1,538	18 1/8	2,771	24 1/8	4,205
1/4	14	6 1/4	587	12 1/4	1,561	18 1/4	2,799	24 1/4	4,237
3/8	20	6 3/8	604	12 3/8	1,585	18 3/8	2,828	24 3/8	4,269
1/2	25	6 1/2	621	12 1/2	1,608	18 1/2	2,856	24 1/2	4,300
5/8	31	6 5/8	638	12 5/8	1,632	18 5/8	2,884	24 5/8	4,332
3/4	38	6 3/4	656	12 3/4	1,656	18 3/4	2,912	24 3/4	4,364
7/8	44	6 7/8	673	12 7/8	1,679	18 7/8	2,941	24 7/8	4,396
1	52	7	691	13	1,703	19	2,969	25	4,428
1 1/8	59	7 1/8	709	13 1/8	1,727	19 1/8	2,998	25 1/8	4,461
1 1/4	67	7 1/4	727	13 1/4	1,752	19 1/4	3,027	25 1/4	4,493
1 3/8	75	7 3/8	745	13 3/8	1,776	19 3/8	3,055	25 3/8	4,525
1 1/2	84	7 1/2	764	13 1/2	1,800	19 1/2	3,084	25 1/2	4,557
1 5/8	93	7 5/8	782	13 5/8	1,825	19 5/8	3,113	25 5/8	4,590
1 3/4	102	7 3/4	801	13 3/4	1,849	19 3/4	3,142	25 3/4	4,622
1 7/8	112	7 7/8	820	13 7/8	1,874	19 7/8	3,171	25 7/8	4,655
2	121	8	839	14	1,899	20	3,200	26	4,687
2 1/8	131	8 1/8	858	14 1/8	1,924	20 1/8	3,230	26 1/8	4,720
2 1/4	142	8 1/4	877	14 1/4	1,949	20 1/4	3,259	26 1/4	4,753
2 3/8	152	8 3/8	896	14 3/8	1,974	20 3/8	3,288	26 3/8	4,785
2 1/2	163	8 1/2	916	14 1/2	1,999	20 1/2	3,318	26 1/2	4,818
2 5/8	174	8 5/8	935	14 5/8	2,024	20 5/8	3,347	26 5/8	4,851
2 3/4	185	8 3/4	955	14 3/4	2,050	20 3/4	3,377	26 3/4	4,884
2 7/8	197	8 7/8	975	14 7/8	2,075	20 7/8	3,407	26 7/8	4,917
3	209	9	995	15	2,101	21	3,436	27	4,950
3 1/8	221	9 1/8	1,015	15 1/8	2,126	21 1/8	3,466	27 1/8	4,983
3 1/4	233	9 1/4	1,036	15 1/4	2,152	21 1/4	3,496	27 1/4	5,017
3 3/8	246	9 3/8	1,056	15 3/8	2,178	21 3/8	3,526	27 3/8	5,050
3 1/2	258	9 1/2	1,077	15 1/2	2,204	21 1/2	3,556	27 1/2	5,083
3 5/8	271	9 5/8	1,098	15 5/8	2,230	21 5/8	3,587	27 5/8	5,116
3 3/4	284	9 3/4	1,118	15 3/4	2,256	21 3/4	3,617	27 3/4	5,150
3 7/8	298	9 7/8	1,139	15 7/8	2,283	21 7/8	3,647	27 7/8	5,183
4	311	10	1,161	16	2,309	22	3,678	28	5,217
4 1/8	325	10 1/8	1,182	16 1/8	2,336	22 1/8	3,708	28 1/8	5,251
4 1/4	339	10 1/4	1,203	16 1/4	2,362	22 1/4	3,739	28 1/4	5,284
4 3/8	353	10 3/8	1,225	16 3/8	2,389	22 3/8	3,769	28 3/8	5,318
4 1/2	367	10 1/2	1,246	16 1/2	2,415	22 1/2	3,800	28 1/2	5,352
4 5/8	382	10 5/8	1,268	16 5/8	2,442	22 5/8	3,831	28 5/8	5,386
4 3/4	397	10 3/4	1,290	16 3/4	2,469	22 3/4	3,861	28 3/4	5,419
4 7/8	411	10 7/8	1,312	16 7/8	2,496	22 7/8	3,892	28 7/8	5,453
5	426	11	1,334	17	2,523	23	3,923	29	5,487
5 1/8	442	11 1/8	1,356	17 1/8	2,551	23 1/8	3,954	29 1/8	5,522
5 1/4	457	11 1/4	1,379	17 1/4	2,578	23 1/4	3,985	29 1/4	5,556
5 3/8	473	11 3/8	1,401	17 3/8	2,605	23 3/8	4,017	29 3/8	5,590
5 1/2	489	11 1/2	1,424	17 1/2	2,633	23 1/2	4,048	29 1/2	5,624
5 5/8	505	11 5/8	1,446	17 5/8	2,660	23 5/8	4,079	29 5/8	5,658
5 3/4	521	11 3/4	1,469	17 3/4	2,688	23 3/4	4,111	29 3/4	5,693
5 7/8	537	11 7/8	1,492	17 7/8	2,716	23 7/8	4,142	29 7/8	5,727
6	553	12	1,515	18	2,744	24	4,174	30	5,761

DWT6 10'-30000 COMPARTMENT
29,816 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	5,796	36 1/8	7,509	42 1/8	9,317	48 1/8	11,192	54 1/8	13,110
30 1/4	5,831	36 1/4	7,546	42 1/4	9,355	48 1/4	11,231	54 1/4	13,151
30 3/8	5,865	36 3/8	7,583	42 3/8	9,394	48 3/8	11,271	54 3/8	13,191
30 1/2	5,900	36 1/2	7,620	42 1/2	9,432	48 1/2	11,310	54 1/2	13,231
30 5/8	5,935	36 5/8	7,657	42 5/8	9,471	48 5/8	11,350	54 5/8	13,272
30 3/4	5,969	36 3/4	7,694	42 3/4	9,509	48 3/4	11,390	54 3/4	13,312
30 7/8	6,004	36 7/8	7,731	42 7/8	9,548	48 7/8	11,430	54 7/8	13,352
31	6,039	37	7,768	43	9,586	49	11,469	55	13,393
31 1/8	6,074	37 1/8	7,805	43 1/8	9,625	49 1/8	11,509	55 1/8	13,433
31 1/4	6,109	37 1/4	7,842	43 1/4	9,664	49 1/4	11,549	55 1/4	13,473
31 3/8	6,144	37 3/8	7,879	43 3/8	9,702	49 3/8	11,589	55 3/8	13,514
31 1/2	6,179	37 1/2	7,916	43 1/2	9,741	49 1/2	11,628	55 1/2	13,554
31 5/8	6,214	37 5/8	7,953	43 5/8	9,780	49 5/8	11,668	55 5/8	13,594
31 3/4	6,249	37 3/4	7,991	43 3/4	9,819	49 3/4	11,708	55 3/4	13,635
31 7/8	6,284	37 7/8	8,028	43 7/8	9,858	49 7/8	11,748	55 7/8	13,675
32	6,320	38	8,065	44	9,896	50	11,788	56	13,715
32 1/8	6,355	38 1/8	8,103	44 1/8	9,935	50 1/8	11,827	56 1/8	13,756
32 1/4	6,390	38 1/4	8,140	44 1/4	9,974	50 1/4	11,867	56 1/4	13,796
32 3/8	6,426	38 3/8	8,178	44 3/8	10,013	50 3/8	11,907	56 3/8	13,837
32 1/2	6,461	38 1/2	8,215	44 1/2	10,052	50 1/2	11,947	56 1/2	13,877
32 5/8	6,497	38 5/8	8,253	44 5/8	10,091	50 5/8	11,987	56 5/8	13,917
32 3/4	6,532	38 3/4	8,290	44 3/4	10,130	50 3/4	12,027	56 3/4	13,958
32 7/8	6,568	38 7/8	8,328	44 7/8	10,169	50 7/8	12,067	56 7/8	13,998
33	6,604	39	8,365	45	10,208	51	12,107	57	14,039
33 1/8	6,639	39 1/8	8,403	45 1/8	10,247	51 1/8	12,147	57 1/8	14,079
33 1/4	6,675	39 1/4	8,441	45 1/4	10,286	51 1/4	12,187	57 1/4	14,119
33 3/8	6,711	39 3/8	8,478	45 3/8	10,325	51 3/8	12,227	57 3/8	14,160
33 1/2	6,747	39 1/2	8,516	45 1/2	10,365	51 1/2	12,267	57 1/2	14,200
33 5/8	6,783	39 5/8	8,554	45 5/8	10,404	51 5/8	12,307	57 5/8	14,241
33 3/4	6,818	39 3/4	8,592	45 3/4	10,443	51 3/4	12,347	57 3/4	14,281
33 7/8	6,854	39 7/8	8,630	45 7/8	10,482	51 7/8	12,387	57 7/8	14,322
34	6,890	40	8,668	46	10,521	52	12,427	58	14,362
34 1/8	6,927	40 1/8	8,705	46 1/8	10,561	52 1/8	12,467	58 1/8	14,403
34 1/4	6,963	40 1/4	8,743	46 1/4	10,600	52 1/4	12,507	58 1/4	14,443
34 3/8	6,999	40 3/8	8,781	46 3/8	10,639	52 3/8	12,548	58 3/8	14,483
34 1/2	7,035	40 1/2	8,819	46 1/2	10,678	52 1/2	12,588	58 1/2	14,524
34 5/8	7,071	40 5/8	8,857	46 5/8	10,718	52 5/8	12,628	58 5/8	14,564
34 3/4	7,108	40 3/4	8,896	46 3/4	10,757	52 3/4	12,668	58 3/4	14,605
34 7/8	7,144	40 7/8	8,934	46 7/8	10,797	52 7/8	12,708	58 7/8	14,645
35	7,180	41	8,972	47	10,836	53	12,748	59	14,686
35 1/8	7,217	41 1/8	9,010	47 1/8	10,875	53 1/8	12,789	59 1/8	14,726
35 1/4	7,253	41 1/4	9,048	47 1/4	10,915	53 1/4	12,829	59 1/4	14,767
35 3/8	7,290	41 3/8	9,086	47 3/8	10,954	53 3/8	12,869	59 3/8	14,807
35 1/2	7,326	41 1/2	9,125	47 1/2	10,994	53 1/2	12,909	59 1/2	14,848
35 5/8	7,363	41 5/8	9,163	47 5/8	11,033	53 5/8	12,949	59 5/8	14,888
35 3/4	7,399	41 3/4	9,201	47 3/4	11,073	53 3/4	12,990	59 3/4	14,929
35 7/8	7,436	41 7/8	9,240	47 7/8	11,112	53 7/8	13,030	59 7/8	14,969
36	7,473	42	9,278	48	11,152	54	13,070	60	15,010

DWT6 10'-30000 COMPARTMENT
29,816 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	15,050	66 1/8	16,988	72 1/8	18,902	78 1/8	20,769	84 1/8	22,564
60 1/4	15,091	66 1/4	17,028	72 1/4	18,941	78 1/4	20,807	84 1/4	22,600
60 3/8	15,131	66 3/8	17,068	72 3/8	18,981	78 3/8	20,845	84 3/8	22,637
60 1/2	15,171	66 1/2	17,109	72 1/2	19,020	78 1/2	20,883	84 1/2	22,673
60 5/8	15,212	66 5/8	17,149	72 5/8	19,060	78 5/8	20,921	84 5/8	22,709
60 3/4	15,252	66 3/4	17,189	72 3/4	19,099	78 3/4	20,959	84 3/4	22,746
60 7/8	15,293	66 7/8	17,229	72 7/8	19,138	78 7/8	20,997	84 7/8	22,782
61	15,333	67	17,269	73	19,178	79	21,035	85	22,818
61 1/8	15,374	67 1/8	17,309	73 1/8	19,217	79 1/8	21,073	85 1/8	22,854
61 1/4	15,414	67 1/4	17,349	73 1/4	19,256	79 1/4	21,111	85 1/4	22,890
61 3/8	15,455	67 3/8	17,389	73 3/8	19,295	79 3/8	21,149	85 3/8	22,926
61 1/2	15,495	67 1/2	17,430	73 1/2	19,335	79 1/2	21,187	85 1/2	22,962
61 5/8	15,536	67 5/8	17,470	73 5/8	19,374	79 5/8	21,225	85 5/8	22,998
61 3/4	15,576	67 3/4	17,510	73 3/4	19,413	79 3/4	21,263	85 3/4	23,034
61 7/8	15,616	67 7/8	17,550	73 7/8	19,452	79 7/8	21,301	85 7/8	23,070
62	15,657	68	17,590	74	19,491	80	21,338	86	23,106
62 1/8	15,697	68 1/8	17,630	74 1/8	19,531	80 1/8	21,376	86 1/8	23,142
62 1/4	15,738	68 1/4	17,670	74 1/4	19,570	80 1/4	21,414	86 1/4	23,177
62 3/8	15,778	68 3/8	17,710	74 3/8	19,609	80 3/8	21,451	86 3/8	23,213
62 1/2	15,819	68 1/2	17,750	74 1/2	19,648	80 1/2	21,489	86 1/2	23,249
62 5/8	15,859	68 5/8	17,790	74 5/8	19,687	80 5/8	21,527	86 5/8	23,284
62 3/4	15,899	68 3/4	17,830	74 3/4	19,726	80 3/4	21,564	86 3/4	23,320
62 7/8	15,940	68 7/8	17,870	74 7/8	19,765	80 7/8	21,602	86 7/8	23,356
63	15,980	69	17,910	75	19,804	81	21,639	87	23,391
63 1/8	16,021	69 1/8	17,949	75 1/8	19,843	81 1/8	21,677	87 1/8	23,426
63 1/4	16,061	69 1/4	17,989	75 1/4	19,881	81 1/4	21,714	87 1/4	23,462
63 3/8	16,101	69 3/8	18,029	75 3/8	19,920	81 3/8	21,751	87 3/8	23,497
63 1/2	16,142	69 1/2	18,069	75 1/2	19,959	81 1/2	21,789	87 1/2	23,532
63 5/8	16,182	69 5/8	18,109	75 5/8	19,998	81 5/8	21,826	87 5/8	23,568
63 3/4	16,223	69 3/4	18,149	75 3/4	20,037	81 3/4	21,863	87 3/4	23,603
63 7/8	16,263	69 7/8	18,188	75 7/8	20,076	81 7/8	21,900	87 7/8	23,638
64	16,303	70	18,228	76	20,114	82	21,938	88	23,673
64 1/8	16,344	70 1/8	18,268	76 1/8	20,153	82 1/8	21,975	88 1/8	23,708
64 1/4	16,384	70 1/4	18,308	76 1/4	20,192	82 1/4	22,012	88 1/4	23,743
64 3/8	16,424	70 3/8	18,348	76 3/8	20,230	82 3/8	22,049	88 3/8	23,778
64 1/2	16,465	70 1/2	18,387	76 1/2	20,269	82 1/2	22,086	88 1/2	23,813
64 5/8	16,505	70 5/8	18,427	76 5/8	20,308	82 5/8	22,123	88 5/8	23,847
64 3/4	16,545	70 3/4	18,467	76 3/4	20,346	82 3/4	22,160	88 3/4	23,882
64 7/8	16,586	70 7/8	18,506	76 7/8	20,385	82 7/8	22,197	88 7/8	23,917
65	16,626	71	18,546	77	20,423	83	22,234	89	23,952
65 1/8	16,666	71 1/8	18,586	77 1/8	20,462	83 1/8	22,271	89 1/8	23,986
65 1/4	16,706	71 1/4	18,625	77 1/4	20,500	83 1/4	22,307	89 1/4	24,021
65 3/8	16,747	71 3/8	18,665	77 3/8	20,539	83 3/8	22,344	89 3/8	24,055
65 1/2	16,787	71 1/2	18,704	77 1/2	20,577	83 1/2	22,381	89 1/2	24,090
65 5/8	16,827	71 5/8	18,744	77 5/8	20,615	83 5/8	22,417	89 5/8	24,124
65 3/4	16,867	71 3/4	18,783	77 3/4	20,654	83 3/4	22,454	89 3/4	24,158
65 7/8	16,908	71 7/8	18,823	77 7/8	20,692	83 7/8	22,491	89 7/8	24,193
66	16,948	72	18,862	78	20,730	84	22,527	90	24,227

DWT6 10'-30000 COMPARTMENT
29,816 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	24,261	96 1/8	25,831	102 1/8	27,239	108 1/8	28,438	114 1/8	29,360
90 1/4	24,295	96 1/4	25,862	102 1/4	27,266	108 1/4	28,461	114 1/4	29,375
90 3/8	24,329	96 3/8	25,893	102 3/8	27,293	108 3/8	28,483	114 3/8	29,390
90 1/2	24,363	96 1/2	25,924	102 1/2	27,321	108 1/2	28,505	114 1/2	29,405
90 5/8	24,397	96 5/8	25,955	102 5/8	27,348	108 5/8	28,527	114 5/8	29,420
90 3/4	24,431	96 3/4	25,986	102 3/4	27,374	108 3/4	28,549	114 3/4	29,435
90 7/8	24,465	96 7/8	26,017	102 7/8	27,401	108 7/8	28,571	114 7/8	29,449
91	24,499	97	26,048	103	27,428	109	28,592	115	29,464
91 1/8	24,533	97 1/8	26,078	103 1/8	27,455	109 1/8	28,614	115 1/8	29,478
91 1/4	24,566	97 1/4	26,109	103 1/4	27,481	109 1/4	28,635	115 1/4	29,492
91 3/8	24,600	97 3/8	26,139	103 3/8	27,508	109 3/8	28,656	115 3/8	29,506
91 1/2	24,633	97 1/2	26,170	103 1/2	27,534	109 1/2	28,677	115 1/2	29,519
91 5/8	24,667	97 5/8	26,200	103 5/8	27,560	109 5/8	28,698	115 5/8	29,532
91 3/4	24,700	97 3/4	26,230	103 3/4	27,587	109 3/4	28,719	115 3/4	29,546
91 7/8	24,734	97 7/8	26,260	103 7/8	27,613	109 7/8	28,740	115 7/8	29,558
92	24,767	98	26,290	104	27,639	110	28,761	116	29,571
92 1/8	24,800	98 1/8	26,321	104 1/8	27,665	110 1/8	28,781	116 1/8	29,584
92 1/4	24,833	98 1/4	26,350	104 1/4	27,690	110 1/4	28,801	116 1/4	29,596
92 3/8	24,867	98 3/8	26,380	104 3/8	27,716	110 3/8	28,822	116 3/8	29,608
92 1/2	24,900	98 1/2	26,410	104 1/2	27,742	110 1/2	28,842	116 1/2	29,620
92 5/8	24,933	98 5/8	26,440	104 5/8	27,767	110 5/8	28,862	116 5/8	29,631
92 3/4	24,966	98 3/4	26,469	104 3/4	27,793	110 3/4	28,881	116 3/4	29,643
92 7/8	24,999	98 7/8	26,499	104 7/8	27,818	110 7/8	28,901	116 7/8	29,654
93	25,031	99	26,529	105	27,843	111	28,920	117	29,665
93 1/8	25,064	99 1/8	26,558	105 1/8	27,868	111 1/8	28,940	117 1/8	29,675
93 1/4	25,097	99 1/4	26,587	105 1/4	27,893	111 1/4	28,959	117 1/4	29,685
93 3/8	25,130	99 3/8	26,616	105 3/8	27,918	111 3/8	28,978	117 3/8	29,695
93 1/2	25,162	99 1/2	26,646	105 1/2	27,943	111 1/2	28,997	117 1/2	29,705
93 5/8	25,195	99 5/8	26,675	105 5/8	27,967	111 5/8	29,016	117 5/8	29,715
93 3/4	25,227	99 3/4	26,704	105 3/4	27,992	111 3/4	29,035	117 3/4	29,724
93 7/8	25,259	99 7/8	26,733	105 7/8	28,017	111 7/8	29,053	117 7/8	29,733
94	25,292	100	26,762	106	28,041	112	29,071	118	29,741
94 1/8	25,324	100 1/8	26,790	106 1/8	28,065	112 1/8	29,090	118 1/8	29,750
94 1/4	25,356	100 1/4	26,819	106 1/4	28,089	112 1/4	29,108	118 1/4	29,758
94 3/8	25,388	100 3/8	26,848	106 3/8	28,113	112 3/8	29,126	118 3/8	29,765
94 1/2	25,420	100 1/2	26,876	106 1/2	28,137	112 1/2	29,143	118 1/2	29,772
94 5/8	25,452	100 5/8	26,904	106 5/8	28,161	112 5/8	29,161	118 5/8	29,779
94 3/4	25,484	100 3/4	26,933	106 3/4	28,185	112 3/4	29,178	118 3/4	29,786
94 7/8	25,516	100 7/8	26,961	106 7/8	28,208	112 7/8	29,196	118 7/8	29,792
95	25,548	101	26,989	107	28,232	113	29,213	119	29,797
95 1/8	25,580	101 1/8	27,017	107 1/8	28,255	113 1/8	29,230	119 1/8	29,802
95 1/4	25,612	101 1/4	27,045	107 1/4	28,279	113 1/4	29,247	119 1/4	29,807
95 3/8	25,643	101 3/8	27,073	107 3/8	28,302	113 3/8	29,263	119 3/8	29,811
95 1/2	25,675	101 1/2	27,101	107 1/2	28,325	113 1/2	29,280	119 1/2	29,814
95 5/8	25,706	101 5/8	27,129	107 5/8	28,348	113 5/8	29,296	119 5/8	29,816
95 3/4	25,738	101 3/4	27,156	107 3/4	28,371	113 3/4	29,312		
95 7/8	25,769	101 7/8	27,184	107 7/8	28,393	113 7/8	29,328		
96	25,800	102	27,212	108	28,416	114	29,344		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.