

DWT6 10'-31000 COMPARTMENT
30,625 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	10	6 1/8	587	12 1/8	1,583	18 1/8	2,850	24 1/8	4,323
1/4	15	6 1/4	604	12 1/4	1,606	18 1/4	2,879	24 1/4	4,356
3/8	20	6 3/8	622	12 3/8	1,631	18 3/8	2,908	24 3/8	4,389
1/2	26	6 1/2	639	12 1/2	1,655	18 1/2	2,937	24 1/2	4,421
5/8	32	6 5/8	657	12 5/8	1,679	18 5/8	2,966	24 5/8	4,454
3/4	39	6 3/4	675	12 3/4	1,703	18 3/4	2,995	24 3/4	4,487
7/8	46	6 7/8	693	12 7/8	1,728	18 7/8	3,024	24 7/8	4,520
1	53	7	711	13	1,752	19	3,053	25	4,553
1 1/8	61	7 1/8	730	13 1/8	1,777	19 1/8	3,083	25 1/8	4,586
1 1/4	69	7 1/4	748	13 1/4	1,802	19 1/4	3,112	25 1/4	4,619
1 3/8	78	7 3/8	767	13 3/8	1,827	19 3/8	3,142	25 3/8	4,652
1 1/2	87	7 1/2	786	13 1/2	1,852	19 1/2	3,172	25 1/2	4,685
1 5/8	96	7 5/8	805	13 5/8	1,877	19 5/8	3,201	25 5/8	4,718
1 3/4	105	7 3/4	824	13 3/4	1,902	19 3/4	3,231	25 3/4	4,752
1 7/8	115	7 7/8	844	13 7/8	1,928	19 7/8	3,261	25 7/8	4,785
2	125	8	863	14	1,953	20	3,291	26	4,819
2 1/8	135	8 1/8	883	14 1/8	1,979	20 1/8	3,321	26 1/8	4,852
2 1/4	146	8 1/4	903	14 1/4	2,005	20 1/4	3,351	26 1/4	4,886
2 3/8	157	8 3/8	922	14 3/8	2,030	20 3/8	3,381	26 3/8	4,919
2 1/2	168	8 1/2	943	14 1/2	2,056	20 1/2	3,412	26 1/2	4,953
2 5/8	179	8 5/8	963	14 5/8	2,082	20 5/8	3,442	26 5/8	4,987
2 3/4	191	8 3/4	983	14 3/4	2,108	20 3/4	3,472	26 3/4	5,021
2 7/8	203	8 7/8	1,004	14 7/8	2,135	20 7/8	3,503	26 7/8	5,055
3	215	9	1,024	15	2,161	21	3,534	27	5,089
3 1/8	227	9 1/8	1,045	15 1/8	2,187	21 1/8	3,564	27 1/8	5,123
3 1/4	240	9 1/4	1,066	15 1/4	2,214	21 1/4	3,595	27 1/4	5,157
3 3/8	253	9 3/8	1,087	15 3/8	2,240	21 3/8	3,626	27 3/8	5,191
3 1/2	266	9 1/2	1,108	15 1/2	2,267	21 1/2	3,657	27 1/2	5,225
3 5/8	279	9 5/8	1,129	15 5/8	2,294	21 5/8	3,688	27 5/8	5,259
3 3/4	293	9 3/4	1,151	15 3/4	2,321	21 3/4	3,719	27 3/4	5,294
3 7/8	306	9 7/8	1,173	15 7/8	2,348	21 7/8	3,750	27 7/8	5,328
4	320	10	1,194	16	2,375	22	3,781	28	5,363
4 1/8	335	10 1/8	1,216	16 1/8	2,402	22 1/8	3,813	28 1/8	5,397
4 1/4	349	10 1/4	1,238	16 1/4	2,429	22 1/4	3,844	28 1/4	5,432
4 3/8	363	10 3/8	1,260	16 3/8	2,457	22 3/8	3,875	28 3/8	5,466
4 1/2	378	10 1/2	1,282	16 1/2	2,484	22 1/2	3,907	28 1/2	5,501
4 5/8	393	10 5/8	1,305	16 5/8	2,512	22 5/8	3,939	28 5/8	5,536
4 3/4	408	10 3/4	1,327	16 3/4	2,540	22 3/4	3,970	28 3/4	5,571
4 7/8	424	10 7/8	1,350	16 7/8	2,567	22 7/8	4,002	28 7/8	5,606
5	439	11	1,373	17	2,595	23	4,034	29	5,640
5 1/8	455	11 1/8	1,395	17 1/8	2,623	23 1/8	4,066	29 1/8	5,675
5 1/4	471	11 1/4	1,418	17 1/4	2,651	23 1/4	4,098	29 1/4	5,711
5 3/8	487	11 3/8	1,441	17 3/8	2,679	23 3/8	4,130	29 3/8	5,746
5 1/2	503	11 1/2	1,465	17 1/2	2,708	23 1/2	4,162	29 1/2	5,781
5 5/8	519	11 5/8	1,488	17 5/8	2,736	23 5/8	4,194	29 5/8	5,816
5 3/4	536	11 3/4	1,511	17 3/4	2,764	23 3/4	4,226	29 3/4	5,851
5 7/8	553	11 7/8	1,535	17 7/8	2,793	23 7/8	4,259	29 7/8	5,887
6	570	12	1,559	18	2,822	24	4,291	30	5,922

DWT6 10'-31000 COMPARTMENT
30,625 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	5,957	36 1/8	7,717	42 1/8	9,572	48 1/8	11,497	54 1/8	13,467
30 1/4	5,993	36 1/4	7,755	42 1/4	9,612	48 1/4	11,538	54 1/4	13,508
30 3/8	6,028	36 3/8	7,793	42 3/8	9,651	48 3/8	11,579	54 3/8	13,550
30 1/2	6,064	36 1/2	7,830	42 1/2	9,691	48 1/2	11,619	54 1/2	13,591
30 5/8	6,100	36 5/8	7,868	42 5/8	9,731	48 5/8	11,660	54 5/8	13,633
30 3/4	6,135	36 3/4	7,906	42 3/4	9,770	48 3/4	11,701	54 3/4	13,674
30 7/8	6,171	36 7/8	7,944	42 7/8	9,810	48 7/8	11,742	54 7/8	13,715
31	6,207	37	7,982	43	9,849	49	11,782	55	13,757
31 1/8	6,243	37 1/8	8,020	43 1/8	9,889	49 1/8	11,823	55 1/8	13,798
31 1/4	6,279	37 1/4	8,058	43 1/4	9,929	49 1/4	11,864	55 1/4	13,840
31 3/8	6,315	37 3/8	8,097	43 3/8	9,969	49 3/8	11,905	55 3/8	13,881
31 1/2	6,351	37 1/2	8,135	43 1/2	10,008	49 1/2	11,946	55 1/2	13,922
31 5/8	6,387	37 5/8	8,173	43 5/8	10,048	49 5/8	11,987	55 5/8	13,964
31 3/4	6,423	37 3/4	8,211	43 3/4	10,088	49 3/4	12,027	55 3/4	14,005
31 7/8	6,459	37 7/8	8,249	43 7/8	10,128	49 7/8	12,068	55 7/8	14,047
32	6,495	38	8,288	44	10,168	50	12,109	56	14,088
32 1/8	6,532	38 1/8	8,326	44 1/8	10,208	50 1/8	12,150	56 1/8	14,130
32 1/4	6,568	38 1/4	8,365	44 1/4	10,248	50 1/4	12,191	56 1/4	14,171
32 3/8	6,604	38 3/8	8,403	44 3/8	10,288	50 3/8	12,232	56 3/8	14,213
32 1/2	6,641	38 1/2	8,442	44 1/2	10,328	50 1/2	12,273	56 1/2	14,254
32 5/8	6,677	38 5/8	8,480	44 5/8	10,368	50 5/8	12,314	56 5/8	14,295
32 3/4	6,714	38 3/4	8,519	44 3/4	10,408	50 3/4	12,355	56 3/4	14,337
32 7/8	6,750	38 7/8	8,557	44 7/8	10,448	50 7/8	12,396	56 7/8	14,378
33	6,787	39	8,596	45	10,488	51	12,437	57	14,420
33 1/8	6,823	39 1/8	8,634	45 1/8	10,528	51 1/8	12,478	57 1/8	14,461
33 1/4	6,860	39 1/4	8,673	45 1/4	10,568	51 1/4	12,519	57 1/4	14,503
33 3/8	6,897	39 3/8	8,712	45 3/8	10,608	51 3/8	12,560	57 3/8	14,544
33 1/2	6,934	39 1/2	8,751	45 1/2	10,648	51 1/2	12,601	57 1/2	14,586
33 5/8	6,971	39 5/8	8,789	45 5/8	10,689	51 5/8	12,643	57 5/8	14,627
33 3/4	7,007	39 3/4	8,828	45 3/4	10,729	51 3/4	12,684	57 3/4	14,669
33 7/8	7,044	39 7/8	8,867	45 7/8	10,769	51 7/8	12,725	57 7/8	14,711
34	7,081	40	8,906	46	10,809	52	12,766	58	14,752
34 1/8	7,118	40 1/8	8,945	46 1/8	10,850	52 1/8	12,807	58 1/8	14,794
34 1/4	7,155	40 1/4	8,984	46 1/4	10,890	52 1/4	12,848	58 1/4	14,835
34 3/8	7,193	40 3/8	9,023	46 3/8	10,930	52 3/8	12,889	58 3/8	14,877
34 1/2	7,230	40 1/2	9,062	46 1/2	10,971	52 1/2	12,931	58 1/2	14,918
34 5/8	7,267	40 5/8	9,101	46 5/8	11,011	52 5/8	12,972	58 5/8	14,960
34 3/4	7,304	40 3/4	9,140	46 3/4	11,051	52 3/4	13,013	58 3/4	15,001
34 7/8	7,342	40 7/8	9,179	46 7/8	11,092	52 7/8	13,054	58 7/8	15,043
35	7,379	41	9,219	47	11,132	53	13,096	59	15,084
35 1/8	7,416	41 1/8	9,258	47 1/8	11,173	53 1/8	13,137	59 1/8	15,126
35 1/4	7,454	41 1/4	9,297	47 1/4	11,213	53 1/4	13,178	59 1/4	15,167
35 3/8	7,491	41 3/8	9,336	47 3/8	11,254	53 3/8	13,219	59 3/8	15,209
35 1/2	7,529	41 1/2	9,376	47 1/2	11,294	53 1/2	13,261	59 1/2	15,250
35 5/8	7,566	41 5/8	9,415	47 5/8	11,335	53 5/8	13,302	59 5/8	15,292
35 3/4	7,604	41 3/4	9,454	47 3/4	11,376	53 3/4	13,343	59 3/4	15,334
35 7/8	7,642	41 7/8	9,494	47 7/8	11,416	53 7/8	13,384	59 7/8	15,375
36	7,679	42	9,533	48	11,457	54	13,426	60	15,417

DWT6 10'-31000 COMPARTMENT
30,625 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	15,458	66 1/8	17,448	72 1/8	19,412	78 1/8	21,329	84 1/8	23,172
60 1/4	15,500	66 1/4	17,489	72 1/4	19,453	78 1/4	21,368	84 1/4	23,209
60 3/8	15,541	66 3/8	17,530	72 3/8	19,493	78 3/8	21,407	84 3/8	23,247
60 1/2	15,583	66 1/2	17,571	72 1/2	19,534	78 1/2	21,446	84 1/2	23,284
60 5/8	15,624	66 5/8	17,613	72 5/8	19,574	78 5/8	21,485	84 5/8	23,321
60 3/4	15,666	66 3/4	17,654	72 3/4	19,615	78 3/4	21,524	84 3/4	23,359
60 7/8	15,707	66 7/8	17,695	72 7/8	19,655	78 7/8	21,564	84 7/8	23,396
61	15,749	67	17,736	73	19,695	79	21,603	85	23,433
61 1/8	15,791	67 1/8	17,777	73 1/8	19,736	79 1/8	21,642	85 1/8	23,470
61 1/4	15,832	67 1/4	17,819	73 1/4	19,776	79 1/4	21,681	85 1/4	23,507
61 3/8	15,874	67 3/8	17,860	73 3/8	19,816	79 3/8	21,720	85 3/8	23,544
61 1/2	15,915	67 1/2	17,901	73 1/2	19,857	79 1/2	21,758	85 1/2	23,581
61 5/8	15,957	67 5/8	17,942	73 5/8	19,897	79 5/8	21,797	85 5/8	23,618
61 3/4	15,998	67 3/4	17,983	73 3/4	19,937	79 3/4	21,836	85 3/4	23,655
61 7/8	16,040	67 7/8	18,024	73 7/8	19,977	79 7/8	21,875	85 7/8	23,692
62	16,081	68	18,065	74	20,017	80	21,914	86	23,729
62 1/8	16,123	68 1/8	18,106	74 1/8	20,058	80 1/8	21,952	86 1/8	23,765
62 1/4	16,164	68 1/4	18,147	74 1/4	20,098	80 1/4	21,991	86 1/4	23,802
62 3/8	16,206	68 3/8	18,188	74 3/8	20,138	80 3/8	22,030	86 3/8	23,839
62 1/2	16,247	68 1/2	18,230	74 1/2	20,178	80 1/2	22,068	86 1/2	23,875
62 5/8	16,289	68 5/8	18,271	74 5/8	20,218	80 5/8	22,107	86 5/8	23,912
62 3/4	16,330	68 3/4	18,312	74 3/4	20,258	80 3/4	22,146	86 3/4	23,949
62 7/8	16,372	68 7/8	18,353	74 7/8	20,298	80 7/8	22,184	86 7/8	23,985
63	16,413	69	18,394	75	20,338	81	22,223	87	24,021
63 1/8	16,455	69 1/8	18,434	75 1/8	20,378	81 1/8	22,261	87 1/8	24,058
63 1/4	16,496	69 1/4	18,475	75 1/4	20,418	81 1/4	22,299	87 1/4	24,094
63 3/8	16,537	69 3/8	18,516	75 3/8	20,458	81 3/8	22,338	87 3/8	24,130
63 1/2	16,579	69 1/2	18,557	75 1/2	20,498	81 1/2	22,376	87 1/2	24,167
63 5/8	16,620	69 5/8	18,598	75 5/8	20,538	81 5/8	22,414	87 5/8	24,203
63 3/4	16,662	69 3/4	18,639	75 3/4	20,577	81 3/4	22,453	87 3/4	24,239
63 7/8	16,703	69 7/8	18,680	75 7/8	20,617	81 7/8	22,491	87 7/8	24,275
64	16,745	70	18,721	76	20,657	82	22,529	88	24,311
64 1/8	16,786	70 1/8	18,762	76 1/8	20,697	82 1/8	22,567	88 1/8	24,347
64 1/4	16,827	70 1/4	18,802	76 1/4	20,736	82 1/4	22,605	88 1/4	24,383
64 3/8	16,869	70 3/8	18,843	76 3/8	20,776	82 3/8	22,643	88 3/8	24,419
64 1/2	16,910	70 1/2	18,884	76 1/2	20,816	82 1/2	22,681	88 1/2	24,454
64 5/8	16,952	70 5/8	18,925	76 5/8	20,855	82 5/8	22,719	88 5/8	24,490
64 3/4	16,993	70 3/4	18,965	76 3/4	20,895	82 3/4	22,757	88 3/4	24,526
64 7/8	17,034	70 7/8	19,006	76 7/8	20,935	82 7/8	22,795	88 7/8	24,562
65	17,076	71	19,047	77	20,974	83	22,833	89	24,597
65 1/8	17,117	71 1/8	19,088	77 1/8	21,014	83 1/8	22,871	89 1/8	24,633
65 1/4	17,158	71 1/4	19,128	77 1/4	21,053	83 1/4	22,909	89 1/4	24,668
65 3/8	17,200	71 3/8	19,169	77 3/8	21,093	83 3/8	22,946	89 3/8	24,704
65 1/2	17,241	71 1/2	19,209	77 1/2	21,132	83 1/2	22,984	89 1/2	24,739
65 5/8	17,282	71 5/8	19,250	77 5/8	21,171	83 5/8	23,022	89 5/8	24,774
65 3/4	17,324	71 3/4	19,291	77 3/4	21,211	83 3/4	23,059	89 3/4	24,810
65 7/8	17,365	71 7/8	19,331	77 7/8	21,250	83 7/8	23,097	89 7/8	24,845
66	17,406	72	19,372	78	21,289	84	23,134	90	24,880

DWT6 10'-31000 COMPARTMENT
30,625 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	24,915	96 1/8	26,528	102 1/8	27,974	108 1/8	29,207	114 1/8	30,155
90 1/4	24,950	96 1/4	26,560	102 1/4	28,002	108 1/4	29,230	114 1/4	30,171
90 3/8	24,985	96 3/8	26,592	102 3/8	28,030	108 3/8	29,253	114 3/8	30,186
90 1/2	25,020	96 1/2	26,624	102 1/2	28,058	108 1/2	29,276	114 1/2	30,202
90 5/8	25,055	96 5/8	26,655	102 5/8	28,086	108 5/8	29,298	114 5/8	30,217
90 3/4	25,090	96 3/4	26,687	102 3/4	28,114	108 3/4	29,321	114 3/4	30,232
90 7/8	25,124	96 7/8	26,719	102 7/8	28,141	108 7/8	29,343	114 7/8	30,247
91	25,159	97	26,750	103	28,169	109	29,365	115	30,262
91 1/8	25,194	97 1/8	26,782	103 1/8	28,196	109 1/8	29,388	115 1/8	30,277
91 1/4	25,228	97 1/4	26,813	103 1/4	28,223	109 1/4	29,410	115 1/4	30,291
91 3/8	25,263	97 3/8	26,844	103 3/8	28,251	109 3/8	29,431	115 3/8	30,305
91 1/2	25,297	97 1/2	26,876	103 1/2	28,278	109 1/2	29,453	115 1/2	30,319
91 5/8	25,332	97 5/8	26,907	103 5/8	28,305	109 5/8	29,475	115 5/8	30,333
91 3/4	25,366	97 3/4	26,938	103 3/4	28,332	109 3/4	29,496	115 3/4	30,346
91 7/8	25,400	97 7/8	26,969	103 7/8	28,358	109 7/8	29,517	115 7/8	30,360
92	25,435	98	27,000	104	28,385	110	29,539	116	30,373
92 1/8	25,469	98 1/8	27,031	104 1/8	28,412	110 1/8	29,560	116 1/8	30,386
92 1/4	25,503	98 1/4	27,061	104 1/4	28,438	110 1/4	29,581	116 1/4	30,398
92 3/8	25,537	98 3/8	27,092	104 3/8	28,465	110 3/8	29,601	116 3/8	30,411
92 1/2	25,571	98 1/2	27,123	104 1/2	28,491	110 1/2	29,622	116 1/2	30,423
92 5/8	25,605	98 5/8	27,153	104 5/8	28,517	110 5/8	29,642	116 5/8	30,435
92 3/4	25,639	98 3/4	27,184	104 3/4	28,543	110 3/4	29,663	116 3/4	30,446
92 7/8	25,672	98 7/8	27,214	104 7/8	28,569	110 7/8	29,683	116 7/8	30,458
93	25,706	99	27,244	105	28,595	111	29,703	117	30,469
93 1/8	25,740	99 1/8	27,275	105 1/8	28,621	111 1/8	29,723	117 1/8	30,480
93 1/4	25,773	99 1/4	27,305	105 1/4	28,647	111 1/4	29,743	117 1/4	30,490
93 3/8	25,807	99 3/8	27,335	105 3/8	28,672	111 3/8	29,763	117 3/8	30,501
93 1/2	25,840	99 1/2	27,365	105 1/2	28,698	111 1/2	29,782	117 1/2	30,511
93 5/8	25,874	99 5/8	27,395	105 5/8	28,723	111 5/8	29,801	117 5/8	30,520
93 3/4	25,907	99 3/4	27,424	105 3/4	28,748	111 3/4	29,821	117 3/4	30,530
93 7/8	25,941	99 7/8	27,454	105 7/8	28,774	111 7/8	29,840	117 7/8	30,539
94	25,974	100	27,484	106	28,799	112	29,858	118	30,548
94 1/8	26,007	100 1/8	27,513	106 1/8	28,824	112 1/8	29,877	118 1/8	30,556
94 1/4	26,040	100 1/4	27,543	106 1/4	28,848	112 1/4	29,896	118 1/4	30,565
94 3/8	26,073	100 3/8	27,572	106 3/8	28,873	112 3/8	29,914	118 3/8	30,572
94 1/2	26,106	100 1/2	27,601	106 1/2	28,898	112 1/2	29,932	118 1/2	30,580
94 5/8	26,139	100 5/8	27,631	106 5/8	28,922	112 5/8	29,951	118 5/8	30,587
94 3/4	26,172	100 3/4	27,660	106 3/4	28,947	112 3/4	29,969	118 3/4	30,594
94 7/8	26,204	100 7/8	27,689	106 7/8	28,971	112 7/8	29,986	118 7/8	30,600
95	26,237	101	27,718	107	28,995	113	30,004	119	30,605
95 1/8	26,270	101 1/8	27,747	107 1/8	29,019	113 1/8	30,021	119 1/8	30,611
95 1/4	26,302	101 1/4	27,775	107 1/4	29,043	113 1/4	30,039	119 1/4	30,615
95 3/8	26,335	101 3/8	27,804	107 3/8	29,067	113 3/8	30,056	119 3/8	30,619
95 1/2	26,367	101 1/2	27,833	107 1/2	29,091	113 1/2	30,073	119 1/2	30,623
95 5/8	26,399	101 5/8	27,861	107 5/8	29,114	113 5/8	30,090	119 5/8	30,625
95 3/4	26,432	101 3/4	27,890	107 3/4	29,138	113 3/4	30,106		
95 7/8	26,464	101 7/8	27,918	107 7/8	29,161	113 7/8	30,123		
96	26,496	102	27,946	108	29,184	114	30,139		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.