

**DWT6 10'-33000 COMPARTMENT**  
**33,219 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	11	6 1/8	641	12 1/8	1,725	18 1/8	3,103	24 1/8	4,702
1/4	16	6 1/4	660	12 1/4	1,751	18 1/4	3,134	24 1/4	4,738
3/8	22	6 3/8	679	12 3/8	1,777	18 3/8	3,165	24 3/8	4,773
1/2	28	6 1/2	698	12 1/2	1,803	18 1/2	3,197	24 1/2	4,809
5/8	35	6 5/8	717	12 5/8	1,830	18 5/8	3,228	24 5/8	4,844
3/4	42	6 3/4	737	12 3/4	1,856	18 3/4	3,260	24 3/4	4,880
7/8	50	6 7/8	756	12 7/8	1,883	18 7/8	3,292	24 7/8	4,915
1	58	7	776	13	1,910	19	3,324	25	4,951
1 1/8	67	7 1/8	796	13 1/8	1,937	19 1/8	3,356	25 1/8	4,987
1 1/4	76	7 1/4	817	13 1/4	1,964	19 1/4	3,388	25 1/4	5,023
1 3/8	85	7 3/8	837	13 3/8	1,991	19 3/8	3,420	25 3/8	5,059
1 1/2	95	7 1/2	858	13 1/2	2,018	19 1/2	3,452	25 1/2	5,095
1 5/8	105	7 5/8	878	13 5/8	2,045	19 5/8	3,484	25 5/8	5,131
1 3/4	115	7 3/4	899	13 3/4	2,073	19 3/4	3,516	25 3/4	5,167
1 7/8	126	7 7/8	920	13 7/8	2,100	19 7/8	3,549	25 7/8	5,203
2	137	8	942	14	2,128	20	3,581	26	5,240
2 1/8	148	8 1/8	963	14 1/8	2,156	20 1/8	3,614	26 1/8	5,276
2 1/4	160	8 1/4	985	14 1/4	2,184	20 1/4	3,647	26 1/4	5,313
2 3/8	171	8 3/8	1,006	14 3/8	2,212	20 3/8	3,680	26 3/8	5,349
2 1/2	184	8 1/2	1,028	14 1/2	2,240	20 1/2	3,713	26 1/2	5,386
2 5/8	196	8 5/8	1,050	14 5/8	2,268	20 5/8	3,746	26 5/8	5,422
2 3/4	209	8 3/4	1,072	14 3/4	2,297	20 3/4	3,779	26 3/4	5,459
2 7/8	222	8 7/8	1,095	14 7/8	2,325	20 7/8	3,812	26 7/8	5,496
3	235	9	1,117	15	2,354	21	3,845	27	5,533
3 1/8	249	9 1/8	1,140	15 1/8	2,382	21 1/8	3,878	27 1/8	5,570
3 1/4	262	9 1/4	1,163	15 1/4	2,411	21 1/4	3,912	27 1/4	5,607
3 3/8	276	9 3/8	1,186	15 3/8	2,440	21 3/8	3,945	27 3/8	5,644
3 1/2	291	9 1/2	1,209	15 1/2	2,469	21 1/2	3,979	27 1/2	5,681
3 5/8	305	9 5/8	1,232	15 5/8	2,498	21 5/8	4,012	27 5/8	5,718
3 3/4	320	9 3/4	1,255	15 3/4	2,528	21 3/4	4,046	27 3/4	5,755
3 7/8	335	9 7/8	1,279	15 7/8	2,557	21 7/8	4,080	27 7/8	5,793
4	350	10	1,302	16	2,586	22	4,114	28	5,830
4 1/8	366	10 1/8	1,326	16 1/8	2,616	22 1/8	4,148	28 1/8	5,867
4 1/4	381	10 1/4	1,350	16 1/4	2,646	22 1/4	4,182	28 1/4	5,905
4 3/8	397	10 3/8	1,374	16 3/8	2,675	22 3/8	4,216	28 3/8	5,942
4 1/2	413	10 1/2	1,398	16 1/2	2,705	22 1/2	4,250	28 1/2	5,980
4 5/8	429	10 5/8	1,423	16 5/8	2,735	22 5/8	4,285	28 5/8	6,018
4 3/4	446	10 3/4	1,447	16 3/4	2,765	22 3/4	4,319	28 3/4	6,056
4 7/8	463	10 7/8	1,472	16 7/8	2,796	22 7/8	4,354	28 7/8	6,093
5	480	11	1,496	17	2,826	23	4,388	29	6,131
5 1/8	497	11 1/8	1,521	17 1/8	2,856	23 1/8	4,423	29 1/8	6,169
5 1/4	514	11 1/4	1,546	17 1/4	2,887	23 1/4	4,457	29 1/4	6,207
5 3/8	532	11 3/8	1,571	17 3/8	2,917	23 3/8	4,492	29 3/8	6,245
5 1/2	549	11 1/2	1,597	17 1/2	2,948	23 1/2	4,527	29 1/2	6,283
5 5/8	567	11 5/8	1,622	17 5/8	2,979	23 5/8	4,562	29 5/8	6,322
5 3/4	585	11 3/4	1,648	17 3/4	3,010	23 3/4	4,597	29 3/4	6,360
5 7/8	604	11 7/8	1,673	17 7/8	3,041	23 7/8	4,632	29 7/8	6,398
6	622	12	1,699	18	3,072	24	4,667	30	6,437

**DWT6 10'-33000 COMPARTMENT**  
**33,219 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	6,475	36 1/8	8,383	42 1/8	10,393	48 1/8	12,478	54 1/8	14,611
30 1/4	6,513	36 1/4	8,423	42 1/4	10,436	48 1/4	12,522	54 1/4	14,656
30 3/8	6,552	36 3/8	8,464	42 3/8	10,479	48 3/8	12,566	54 3/8	14,701
30 1/2	6,591	36 1/2	8,505	42 1/2	10,521	48 1/2	12,610	54 1/2	14,746
30 5/8	6,629	36 5/8	8,547	42 5/8	10,564	48 5/8	12,654	54 5/8	14,790
30 3/4	6,668	36 3/4	8,588	42 3/4	10,607	48 3/4	12,699	54 3/4	14,835
30 7/8	6,707	36 7/8	8,629	42 7/8	10,650	48 7/8	12,743	54 7/8	14,880
31	6,746	37	8,670	43	10,693	49	12,787	55	14,925
31 1/8	6,784	37 1/8	8,711	43 1/8	10,736	49 1/8	12,831	55 1/8	14,970
31 1/4	6,823	37 1/4	8,753	43 1/4	10,779	49 1/4	12,875	55 1/4	15,014
31 3/8	6,862	37 3/8	8,794	43 3/8	10,822	49 3/8	12,919	55 3/8	15,059
31 1/2	6,901	37 1/2	8,835	43 1/2	10,865	49 1/2	12,964	55 1/2	15,104
31 5/8	6,941	37 5/8	8,877	43 5/8	10,908	49 5/8	13,008	55 5/8	15,149
31 3/4	6,980	37 3/4	8,918	43 3/4	10,952	49 3/4	13,052	55 3/4	15,194
31 7/8	7,019	37 7/8	8,960	43 7/8	10,995	49 7/8	13,096	55 7/8	15,239
32	7,058	38	9,001	44	11,038	50	13,141	56	15,284
32 1/8	7,097	38 1/8	9,043	44 1/8	11,081	50 1/8	13,185	56 1/8	15,329
32 1/4	7,137	38 1/4	9,084	44 1/4	11,124	50 1/4	13,229	56 1/4	15,373
32 3/8	7,176	38 3/8	9,126	44 3/8	11,168	50 3/8	13,274	56 3/8	15,418
32 1/2	7,216	38 1/2	9,168	44 1/2	11,211	50 1/2	13,318	56 1/2	15,463
32 5/8	7,255	38 5/8	9,209	44 5/8	11,254	50 5/8	13,363	56 5/8	15,508
32 3/4	7,295	38 3/4	9,251	44 3/4	11,298	50 3/4	13,407	56 3/4	15,553
32 7/8	7,335	38 7/8	9,293	44 7/8	11,341	50 7/8	13,451	56 7/8	15,598
33	7,374	39	9,335	45	11,385	51	13,496	57	15,643
33 1/8	7,414	39 1/8	9,377	45 1/8	11,428	51 1/8	13,540	57 1/8	15,688
33 1/4	7,454	39 1/4	9,419	45 1/4	11,471	51 1/4	13,585	57 1/4	15,733
33 3/8	7,494	39 3/8	9,461	45 3/8	11,515	51 3/8	13,629	57 3/8	15,778
33 1/2	7,533	39 1/2	9,503	45 1/2	11,558	51 1/2	13,674	57 1/2	15,823
33 5/8	7,573	39 5/8	9,545	45 5/8	11,602	51 5/8	13,718	57 5/8	15,868
33 3/4	7,613	39 3/4	9,587	45 3/4	11,646	51 3/4	13,763	57 3/4	15,913
33 7/8	7,653	39 7/8	9,629	45 7/8	11,689	51 7/8	13,807	57 7/8	15,958
34	7,694	40	9,671	46	11,733	52	13,852	58	16,003
34 1/8	7,734	40 1/8	9,713	46 1/8	11,776	52 1/8	13,896	58 1/8	16,048
34 1/4	7,774	40 1/4	9,755	46 1/4	11,820	52 1/4	13,941	58 1/4	16,092
34 3/8	7,814	40 3/8	9,798	46 3/8	11,864	52 3/8	13,986	58 3/8	16,137
34 1/2	7,854	40 1/2	9,840	46 1/2	11,908	52 1/2	14,030	58 1/2	16,182
34 5/8	7,895	40 5/8	9,882	46 5/8	11,951	52 5/8	14,075	58 5/8	16,227
34 3/4	7,935	40 3/4	9,925	46 3/4	11,995	52 3/4	14,119	58 3/4	16,272
34 7/8	7,976	40 7/8	9,967	46 7/8	12,039	52 7/8	14,164	58 7/8	16,317
35	8,016	41	10,010	47	12,083	53	14,209	59	16,362
35 1/8	8,057	41 1/8	10,052	47 1/8	12,127	53 1/8	14,253	59 1/8	16,407
35 1/4	8,097	41 1/4	10,095	47 1/4	12,170	53 1/4	14,298	59 1/4	16,452
35 3/8	8,138	41 3/8	10,137	47 3/8	12,214	53 3/8	14,343	59 3/8	16,497
35 1/2	8,178	41 1/2	10,180	47 1/2	12,258	53 1/2	14,388	59 1/2	16,542
35 5/8	8,219	41 5/8	10,222	47 5/8	12,302	53 5/8	14,432	59 5/8	16,587
35 3/4	8,260	41 3/4	10,265	47 3/4	12,346	53 3/4	14,477	59 3/4	16,632
35 7/8	8,301	41 7/8	10,308	47 7/8	12,390	53 7/8	14,522	59 7/8	16,677
36	8,342	42	10,350	48	12,434	54	14,566	60	16,722

**DWT6 10'-33000 COMPARTMENT**  
**33,219 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	16,767	66 1/8	18,921	72 1/8	21,049	78 1/8	23,125	84 1/8	25,122
60 1/4	16,812	66 1/4	18,966	72 1/4	21,093	78 1/4	23,167	84 1/4	25,163
60 3/8	16,857	66 3/8	19,011	72 3/8	21,137	78 3/8	23,210	84 3/8	25,203
60 1/2	16,902	66 1/2	19,055	72 1/2	21,181	78 1/2	23,252	84 1/2	25,244
60 5/8	16,947	66 5/8	19,100	72 5/8	21,224	78 5/8	23,295	84 5/8	25,284
60 3/4	16,992	66 3/4	19,145	72 3/4	21,268	78 3/4	23,337	84 3/4	25,325
60 7/8	17,037	66 7/8	19,189	72 7/8	21,312	78 7/8	23,379	84 7/8	25,365
61	17,082	67	19,234	73	21,356	79	23,422	85	25,405
61 1/8	17,127	67 1/8	19,278	73 1/8	21,399	79 1/8	23,464	85 1/8	25,446
61 1/4	17,172	67 1/4	19,323	73 1/4	21,443	79 1/4	23,506	85 1/4	25,486
61 3/8	17,217	67 3/8	19,368	73 3/8	21,487	79 3/8	23,548	85 3/8	25,526
61 1/2	17,262	67 1/2	19,412	73 1/2	21,530	79 1/2	23,591	85 1/2	25,566
61 5/8	17,307	67 5/8	19,457	73 5/8	21,574	79 5/8	23,633	85 5/8	25,606
61 3/4	17,352	67 3/4	19,501	73 3/4	21,617	79 3/4	23,675	85 3/4	25,646
61 7/8	17,397	67 7/8	19,546	73 7/8	21,661	79 7/8	23,717	85 7/8	25,686
62	17,442	68	19,590	74	21,705	80	23,759	86	25,726
62 1/8	17,487	68 1/8	19,635	74 1/8	21,748	80 1/8	23,801	86 1/8	25,766
62 1/4	17,532	68 1/4	19,679	74 1/4	21,792	80 1/4	23,843	86 1/4	25,806
62 3/8	17,577	68 3/8	19,724	74 3/8	21,835	80 3/8	23,885	86 3/8	25,845
62 1/2	17,621	68 1/2	19,768	74 1/2	21,878	80 1/2	23,926	86 1/2	25,885
62 5/8	17,666	68 5/8	19,813	74 5/8	21,922	80 5/8	23,968	86 5/8	25,925
62 3/4	17,711	68 3/4	19,857	74 3/4	21,965	80 3/4	24,010	86 3/4	25,964
62 7/8	17,756	68 7/8	19,901	74 7/8	22,008	80 7/8	24,052	86 7/8	26,004
63	17,801	69	19,946	75	22,052	81	24,094	87	26,043
63 1/8	17,846	69 1/8	19,990	75 1/8	22,095	81 1/8	24,135	87 1/8	26,083
63 1/4	17,891	69 1/4	20,034	75 1/4	22,138	81 1/4	24,177	87 1/4	26,122
63 3/8	17,936	69 3/8	20,079	75 3/8	22,182	81 3/8	24,218	87 3/8	26,161
63 1/2	17,981	69 1/2	20,123	75 1/2	22,225	81 1/2	24,260	87 1/2	26,201
63 5/8	18,026	69 5/8	20,167	75 5/8	22,268	81 5/8	24,301	87 5/8	26,240
63 3/4	18,070	69 3/4	20,212	75 3/4	22,311	81 3/4	24,343	87 3/4	26,279
63 7/8	18,115	69 7/8	20,256	75 7/8	22,354	81 7/8	24,384	87 7/8	26,318
64	18,160	70	20,300	76	22,397	82	24,426	88	26,357
64 1/8	18,205	70 1/8	20,344	76 1/8	22,440	82 1/8	24,467	88 1/8	26,396
64 1/4	18,250	70 1/4	20,389	76 1/4	22,483	82 1/4	24,508	88 1/4	26,435
64 3/8	18,295	70 3/8	20,433	76 3/8	22,526	82 3/8	24,549	88 3/8	26,474
64 1/2	18,340	70 1/2	20,477	76 1/2	22,569	82 1/2	24,591	88 1/2	26,513
64 5/8	18,384	70 5/8	20,521	76 5/8	22,612	82 5/8	24,632	88 5/8	26,552
64 3/4	18,429	70 3/4	20,565	76 3/4	22,655	82 3/4	24,673	88 3/4	26,590
64 7/8	18,474	70 7/8	20,609	76 7/8	22,698	82 7/8	24,714	88 7/8	26,629
65	18,519	71	20,653	77	22,741	83	24,755	89	26,668
65 1/8	18,564	71 1/8	20,697	77 1/8	22,784	83 1/8	24,796	89 1/8	26,706
65 1/4	18,608	71 1/4	20,741	77 1/4	22,826	83 1/4	24,837	89 1/4	26,745
65 3/8	18,653	71 3/8	20,785	77 3/8	22,869	83 3/8	24,878	89 3/8	26,783
65 1/2	18,698	71 1/2	20,829	77 1/2	22,912	83 1/2	24,919	89 1/2	26,821
65 5/8	18,743	71 5/8	20,873	77 5/8	22,955	83 5/8	24,960	89 5/8	26,860
65 3/4	18,787	71 3/4	20,917	77 3/4	22,997	83 3/4	25,000	89 3/4	26,898
65 7/8	18,832	71 7/8	20,961	77 7/8	23,040	83 7/8	25,041	89 7/8	26,936
66	18,877	72	21,005	78	23,082	84	25,082	90	26,974

**DWT6 10'-33000 COMPARTMENT**  
**33,219 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	27,012	96 1/8	28,762	102 1/8	30,333	108 1/8	31,673	114 1/8	32,705
90 1/4	27,050	96 1/4	28,797	102 1/4	30,363	108 1/4	31,698	114 1/4	32,723
90 3/8	27,088	96 3/8	28,831	102 3/8	30,394	108 3/8	31,723	114 3/8	32,740
90 1/2	27,126	96 1/2	28,866	102 1/2	30,424	108 1/2	31,748	114 1/2	32,757
90 5/8	27,164	96 5/8	28,900	102 5/8	30,454	108 5/8	31,772	114 5/8	32,774
90 3/4	27,202	96 3/4	28,935	102 3/4	30,484	108 3/4	31,797	114 3/4	32,790
90 7/8	27,239	96 7/8	28,969	102 7/8	30,514	108 7/8	31,821	114 7/8	32,806
91	27,277	97	29,003	103	30,544	109	31,845	115	32,822
91 1/8	27,315	97 1/8	29,038	103 1/8	30,574	109 1/8	31,870	115 1/8	32,838
91 1/4	27,352	97 1/4	29,072	103 1/4	30,603	109 1/4	31,893	115 1/4	32,854
91 3/8	27,390	97 3/8	29,106	103 3/8	30,633	109 3/8	31,917	115 3/8	32,869
91 1/2	27,427	97 1/2	29,139	103 1/2	30,663	109 1/2	31,941	115 1/2	32,885
91 5/8	27,464	97 5/8	29,173	103 5/8	30,692	109 5/8	31,964	115 5/8	32,900
91 3/4	27,502	97 3/4	29,207	103 3/4	30,721	109 3/4	31,988	115 3/4	32,914
91 7/8	27,539	97 7/8	29,241	103 7/8	30,750	109 7/8	32,011	115 7/8	32,929
92	27,576	98	29,274	104	30,779	110	32,034	116	32,943
92 1/8	27,613	98 1/8	29,308	104 1/8	30,808	110 1/8	32,057	116 1/8	32,957
92 1/4	27,650	98 1/4	29,341	104 1/4	30,837	110 1/4	32,080	116 1/4	32,971
92 3/8	27,687	98 3/8	29,375	104 3/8	30,866	110 3/8	32,102	116 3/8	32,984
92 1/2	27,724	98 1/2	29,408	104 1/2	30,894	110 1/2	32,125	116 1/2	32,998
92 5/8	27,760	98 5/8	29,441	104 5/8	30,923	110 5/8	32,147	116 5/8	33,011
92 3/4	27,797	98 3/4	29,474	104 3/4	30,951	110 3/4	32,169	116 3/4	33,023
92 7/8	27,834	98 7/8	29,507	104 7/8	30,980	110 7/8	32,191	116 7/8	33,036
93	27,870	99	29,540	105	31,008	111	32,213	117	33,048
93 1/8	27,907	99 1/8	29,573	105 1/8	31,036	111 1/8	32,235	117 1/8	33,060
93 1/4	27,943	99 1/4	29,605	105 1/4	31,064	111 1/4	32,256	117 1/4	33,072
93 3/8	27,980	99 3/8	29,638	105 3/8	31,091	111 3/8	32,278	117 3/8	33,083
93 1/2	28,016	99 1/2	29,671	105 1/2	31,119	111 1/2	32,299	117 1/2	33,094
93 5/8	28,052	99 5/8	29,703	105 5/8	31,147	111 5/8	32,320	117 5/8	33,104
93 3/4	28,089	99 3/4	29,735	105 3/4	31,174	111 3/4	32,341	117 3/4	33,115
93 7/8	28,125	99 7/8	29,768	105 7/8	31,202	111 7/8	32,362	117 7/8	33,125
94	28,161	100	29,800	106	31,229	112	32,382	118	33,135
94 1/8	28,197	100 1/8	29,832	106 1/8	31,256	112 1/8	32,403	118 1/8	33,144
94 1/4	28,233	100 1/4	29,864	106 1/4	31,283	112 1/4	32,423	118 1/4	33,153
94 3/8	28,268	100 3/8	29,896	106 3/8	31,310	112 3/8	32,443	118 3/8	33,161
94 1/2	28,304	100 1/2	29,928	106 1/2	31,337	112 1/2	32,463	118 1/2	33,169
94 5/8	28,340	100 5/8	29,959	106 5/8	31,363	112 5/8	32,483	118 5/8	33,177
94 3/4	28,375	100 3/4	29,991	106 3/4	31,390	112 3/4	32,502	118 3/4	33,184
94 7/8	28,411	100 7/8	30,023	106 7/8	31,416	112 7/8	32,522	118 7/8	33,191
95	28,446	101	30,054	107	31,442	113	32,541	119	33,197
95 1/8	28,482	101 1/8	30,085	107 1/8	31,469	113 1/8	32,560	119 1/8	33,203
95 1/4	28,517	101 1/4	30,117	107 1/4	31,495	113 1/4	32,579	119 1/4	33,208
95 3/8	28,552	101 3/8	30,148	107 3/8	31,521	113 3/8	32,597	119 3/8	33,213
95 1/2	28,587	101 1/2	30,179	107 1/2	31,546	113 1/2	32,616	119 1/2	33,216
95 5/8	28,623	101 5/8	30,210	107 5/8	31,572	113 5/8	32,634	119 5/8	33,219
95 3/4	28,658	101 3/4	30,241	107 3/4	31,598	113 3/4	32,652		
95 7/8	28,692	101 7/8	30,272	107 7/8	31,623	113 7/8	32,670		
96	28,727	102	30,302	108	31,648	114	32,688		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.