

DWT6 10'-9000 COMPARTMENT
9,449 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	2	6 1/8	147	12 1/8	421	18 1/8	788	24 1/8	1,229
1/4	3	6 1/4	152	12 1/4	428	18 1/4	796	24 1/4	1,239
3/8	4	6 3/8	157	12 3/8	435	18 3/8	805	24 3/8	1,249
1/2	6	6 1/2	161	12 1/2	441	18 1/2	813	24 1/2	1,259
5/8	7	6 5/8	166	12 5/8	448	18 5/8	822	24 5/8	1,269
3/4	9	6 3/4	171	12 3/4	455	18 3/4	831	24 3/4	1,279
7/8	10	6 7/8	176	12 7/8	462	18 7/8	839	24 7/8	1,289
1	12	7	181	13	469	19	848	25	1,299
1 1/8	14	7 1/8	185	13 1/8	476	19 1/8	857	25 1/8	1,309
1 1/4	16	7 1/4	190	13 1/4	483	19 1/4	865	25 1/4	1,319
1 3/8	18	7 3/8	196	13 3/8	490	19 3/8	874	25 3/8	1,330
1 1/2	20	7 1/2	201	13 1/2	498	19 1/2	883	25 1/2	1,340
1 5/8	22	7 5/8	206	13 5/8	505	19 5/8	892	25 5/8	1,350
1 3/4	25	7 3/4	211	13 3/4	512	19 3/4	901	25 3/4	1,360
1 7/8	27	7 7/8	216	13 7/8	519	19 7/8	910	25 7/8	1,370
2	29	8	221	14	527	20	919	26	1,381
2 1/8	32	8 1/8	227	14 1/8	534	20 1/8	927	26 1/8	1,391
2 1/4	34	8 1/4	232	14 1/4	541	20 1/4	936	26 1/4	1,401
2 3/8	37	8 3/8	238	14 3/8	549	20 3/8	945	26 3/8	1,411
2 1/2	40	8 1/2	243	14 1/2	556	20 1/2	955	26 1/2	1,422
2 5/8	43	8 5/8	249	14 5/8	564	20 5/8	964	26 5/8	1,432
2 3/4	46	8 3/4	254	14 3/4	571	20 3/4	973	26 3/4	1,443
2 7/8	48	8 7/8	260	14 7/8	579	20 7/8	982	26 7/8	1,453
3	52	9	265	15	586	21	991	27	1,463
3 1/8	55	9 1/8	271	15 1/8	594	21 1/8	1,000	27 1/8	1,474
3 1/4	58	9 1/4	277	15 1/4	602	21 1/4	1,009	27 1/4	1,484
3 3/8	61	9 3/8	283	15 3/8	609	21 3/8	1,019	27 3/8	1,495
3 1/2	64	9 1/2	288	15 1/2	617	21 1/2	1,028	27 1/2	1,505
3 5/8	68	9 5/8	294	15 5/8	625	21 5/8	1,037	27 5/8	1,516
3 3/4	71	9 3/4	300	15 3/4	633	21 3/4	1,047	27 3/4	1,527
3 7/8	75	9 7/8	306	15 7/8	641	21 7/8	1,056	27 7/8	1,537
4	78	10	312	16	649	22	1,065	28	1,548
4 1/8	82	10 1/8	318	16 1/8	656	22 1/8	1,075	28 1/8	1,559
4 1/4	85	10 1/4	324	16 1/4	664	22 1/4	1,084	28 1/4	1,569
4 3/8	89	10 3/8	331	16 3/8	672	22 3/8	1,094	28 3/8	1,580
4 1/2	93	10 1/2	337	16 1/2	680	22 1/2	1,103	28 1/2	1,591
4 5/8	97	10 5/8	343	16 5/8	688	22 5/8	1,113	28 5/8	1,601
4 3/4	101	10 3/4	349	16 3/4	697	22 3/4	1,122	28 3/4	1,612
4 7/8	105	10 7/8	356	16 7/8	705	22 7/8	1,132	28 7/8	1,623
5	109	11	362	17	713	23	1,142	29	1,634
5 1/8	113	11 1/8	368	17 1/8	721	23 1/8	1,151	29 1/8	1,645
5 1/4	117	11 1/4	375	17 1/4	729	23 1/4	1,161	29 1/4	1,655
5 3/8	121	11 3/8	381	17 3/8	738	23 3/8	1,171	29 3/8	1,666
5 1/2	125	11 1/2	388	17 1/2	746	23 1/2	1,180	29 1/2	1,677
5 5/8	130	11 5/8	394	17 5/8	754	23 5/8	1,190	29 5/8	1,688
5 3/4	134	11 3/4	401	17 3/4	763	23 3/4	1,200	29 3/4	1,699
5 7/8	138	11 7/8	408	17 7/8	771	23 7/8	1,210	29 7/8	1,710
6	143	12	414	18	779	24	1,220	30	1,721

DWT6 10'-9000 COMPARTMENT
9,449 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	1,732	36 1/8	2,284	42 1/8	2,873	48 1/8	3,491	54 1/8	4,127
30 1/4	1,743	36 1/4	2,296	42 1/4	2,886	48 1/4	3,504	54 1/4	4,140
30 3/8	1,754	36 3/8	2,308	42 3/8	2,899	48 3/8	3,517	54 3/8	4,154
30 1/2	1,765	36 1/2	2,319	42 1/2	2,911	48 1/2	3,530	54 1/2	4,167
30 5/8	1,776	36 5/8	2,331	42 5/8	2,924	48 5/8	3,544	54 5/8	4,181
30 3/4	1,787	36 3/4	2,343	42 3/4	2,937	48 3/4	3,557	54 3/4	4,194
30 7/8	1,799	36 7/8	2,355	42 7/8	2,949	48 7/8	3,570	54 7/8	4,207
31	1,810	37	2,367	43	2,962	49	3,583	55	4,221
31 1/8	1,821	37 1/8	2,380	43 1/8	2,975	49 1/8	3,596	55 1/8	4,234
31 1/4	1,832	37 1/4	2,392	43 1/4	2,987	49 1/4	3,609	55 1/4	4,248
31 3/8	1,843	37 3/8	2,404	43 3/8	3,000	49 3/8	3,622	55 3/8	4,261
31 1/2	1,855	37 1/2	2,416	43 1/2	3,013	49 1/2	3,636	55 1/2	4,274
31 5/8	1,866	37 5/8	2,428	43 5/8	3,026	49 5/8	3,649	55 5/8	4,288
31 3/4	1,877	37 3/4	2,440	43 3/4	3,038	49 3/4	3,662	55 3/4	4,301
31 7/8	1,888	37 7/8	2,452	43 7/8	3,051	49 7/8	3,675	55 7/8	4,315
32	1,900	38	2,464	44	3,064	50	3,688	56	4,328
32 1/8	1,911	38 1/8	2,476	44 1/8	3,077	50 1/8	3,702	56 1/8	4,341
32 1/4	1,922	38 1/4	2,489	44 1/4	3,089	50 1/4	3,715	56 1/4	4,355
32 3/8	1,934	38 3/8	2,501	44 3/8	3,102	50 3/8	3,728	56 3/8	4,368
32 1/2	1,945	38 1/2	2,513	44 1/2	3,115	50 1/2	3,741	56 1/2	4,382
32 5/8	1,957	38 5/8	2,525	44 5/8	3,128	50 5/8	3,754	56 5/8	4,395
32 3/4	1,968	38 3/4	2,538	44 3/4	3,141	50 3/4	3,768	56 3/4	4,409
32 7/8	1,979	38 7/8	2,550	44 7/8	3,154	50 7/8	3,781	56 7/8	4,422
33	1,991	39	2,562	45	3,166	51	3,794	57	4,436
33 1/8	2,002	39 1/8	2,574	45 1/8	3,179	51 1/8	3,807	57 1/8	4,449
33 1/4	2,014	39 1/4	2,587	45 1/4	3,192	51 1/4	3,821	57 1/4	4,462
33 3/8	2,025	39 3/8	2,599	45 3/8	3,205	51 3/8	3,834	57 3/8	4,476
33 1/2	2,037	39 1/2	2,611	45 1/2	3,218	51 1/2	3,847	57 1/2	4,489
33 5/8	2,049	39 5/8	2,624	45 5/8	3,231	51 5/8	3,860	57 5/8	4,503
33 3/4	2,060	39 3/4	2,636	45 3/4	3,244	51 3/4	3,874	57 3/4	4,516
33 7/8	2,072	39 7/8	2,648	45 7/8	3,257	51 7/8	3,887	57 7/8	4,530
34	2,083	40	2,661	46	3,270	52	3,900	58	4,543
34 1/8	2,095	40 1/8	2,673	46 1/8	3,283	52 1/8	3,914	58 1/8	4,557
34 1/4	2,107	40 1/4	2,686	46 1/4	3,296	52 1/4	3,927	58 1/4	4,570
34 3/8	2,118	40 3/8	2,698	46 3/8	3,309	52 3/8	3,940	58 3/8	4,583
34 1/2	2,130	40 1/2	2,710	46 1/2	3,322	52 1/2	3,954	58 1/2	4,597
34 5/8	2,142	40 5/8	2,723	46 5/8	3,335	52 5/8	3,967	58 5/8	4,610
34 3/4	2,153	40 3/4	2,735	46 3/4	3,348	52 3/4	3,980	58 3/4	4,624
34 7/8	2,165	40 7/8	2,748	46 7/8	3,361	52 7/8	3,994	58 7/8	4,637
35	2,177	41	2,760	47	3,374	53	4,007	59	4,651
35 1/8	2,189	41 1/8	2,773	47 1/8	3,387	53 1/8	4,020	59 1/8	4,664
35 1/4	2,201	41 1/4	2,785	47 1/4	3,400	53 1/4	4,034	59 1/4	4,678
35 3/8	2,212	41 3/8	2,798	47 3/8	3,413	53 3/8	4,047	59 3/8	4,691
35 1/2	2,224	41 1/2	2,810	47 1/2	3,426	53 1/2	4,060	59 1/2	4,705
35 5/8	2,236	41 5/8	2,823	47 5/8	3,439	53 5/8	4,074	59 5/8	4,718
35 3/4	2,248	41 3/4	2,836	47 3/4	3,452	53 3/4	4,087	59 3/4	4,731
35 7/8	2,260	41 7/8	2,848	47 7/8	3,465	53 7/8	4,100	59 7/8	4,745
36	2,272	42	2,861	48	3,478	54	4,114	60	4,758

DWT6 10'-9000 COMPARTMENT
9,449 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	4,772	66 1/8	5,416	72 1/8	6,050	78 1/8	6,664	84 1/8	7,249
60 1/4	4,785	66 1/4	5,429	72 1/4	6,063	78 1/4	6,677	84 1/4	7,261
60 3/8	4,799	66 3/8	5,443	72 3/8	6,076	78 3/8	6,689	84 3/8	7,272
60 1/2	4,812	66 1/2	5,456	72 1/2	6,089	78 1/2	6,702	84 1/2	7,284
60 5/8	4,826	66 5/8	5,469	72 5/8	6,102	78 5/8	6,714	84 5/8	7,296
60 3/4	4,839	66 3/4	5,483	72 3/4	6,115	78 3/4	6,727	84 3/4	7,308
60 7/8	4,853	66 7/8	5,496	72 7/8	6,128	78 7/8	6,739	84 7/8	7,319
61	4,866	67	5,509	73	6,141	79	6,751	85	7,331
61 1/8	4,879	67 1/8	5,522	73 1/8	6,154	79 1/8	6,764	85 1/8	7,343
61 1/4	4,893	67 1/4	5,536	73 1/4	6,167	79 1/4	6,776	85 1/4	7,354
61 3/8	4,906	67 3/8	5,549	73 3/8	6,180	79 3/8	6,789	85 3/8	7,366
61 1/2	4,920	67 1/2	5,562	73 1/2	6,193	79 1/2	6,801	85 1/2	7,378
61 5/8	4,933	67 5/8	5,576	73 5/8	6,206	79 5/8	6,813	85 5/8	7,389
61 3/4	4,947	67 3/4	5,589	73 3/4	6,218	79 3/4	6,826	85 3/4	7,401
61 7/8	4,960	67 7/8	5,602	73 7/8	6,231	79 7/8	6,838	85 7/8	7,412
62	4,974	68	5,615	74	6,244	80	6,850	86	7,424
62 1/8	4,987	68 1/8	5,629	74 1/8	6,257	80 1/8	6,863	86 1/8	7,435
62 1/4	5,000	68 1/4	5,642	74 1/4	6,270	80 1/4	6,875	86 1/4	7,447
62 3/8	5,014	68 3/8	5,655	74 3/8	6,283	80 3/8	6,887	86 3/8	7,458
62 1/2	5,027	68 1/2	5,669	74 1/2	6,296	80 1/2	6,900	86 1/2	7,470
62 5/8	5,041	68 5/8	5,682	74 5/8	6,309	80 5/8	6,912	86 5/8	7,481
62 3/4	5,054	68 3/4	5,695	74 3/4	6,322	80 3/4	6,924	86 3/4	7,493
62 7/8	5,068	68 7/8	5,708	74 7/8	6,334	80 7/8	6,936	86 7/8	7,504
63	5,081	69	5,721	75	6,347	81	6,949	87	7,516
63 1/8	5,095	69 1/8	5,735	75 1/8	6,360	81 1/8	6,961	87 1/8	7,527
63 1/4	5,108	69 1/4	5,748	75 1/4	6,373	81 1/4	6,973	87 1/4	7,538
63 3/8	5,121	69 3/8	5,761	75 3/8	6,386	81 3/8	6,985	87 3/8	7,550
63 1/2	5,135	69 1/2	5,774	75 1/2	6,398	81 1/2	6,997	87 1/2	7,561
63 5/8	5,148	69 5/8	5,787	75 5/8	6,411	81 5/8	7,009	87 5/8	7,572
63 3/4	5,162	69 3/4	5,801	75 3/4	6,424	81 3/4	7,022	87 3/4	7,584
63 7/8	5,175	69 7/8	5,814	75 7/8	6,437	81 7/8	7,034	87 7/8	7,595
64	5,188	70	5,827	76	6,449	82	7,046	88	7,606
64 1/8	5,202	70 1/8	5,840	76 1/8	6,462	82 1/8	7,058	88 1/8	7,617
64 1/4	5,215	70 1/4	5,853	76 1/4	6,475	82 1/4	7,070	88 1/4	7,629
64 3/8	5,229	70 3/8	5,866	76 3/8	6,487	82 3/8	7,082	88 3/8	7,640
64 1/2	5,242	70 1/2	5,880	76 1/2	6,500	82 1/2	7,094	88 1/2	7,651
64 5/8	5,255	70 5/8	5,893	76 5/8	6,513	82 5/8	7,106	88 5/8	7,662
64 3/4	5,269	70 3/4	5,906	76 3/4	6,526	82 3/4	7,118	88 3/4	7,673
64 7/8	5,282	70 7/8	5,919	76 7/8	6,538	82 7/8	7,130	88 7/8	7,684
65	5,296	71	5,932	77	6,551	83	7,142	89	7,695
65 1/8	5,309	71 1/8	5,945	77 1/8	6,563	83 1/8	7,154	89 1/8	7,706
65 1/4	5,322	71 1/4	5,958	77 1/4	6,576	83 1/4	7,166	89 1/4	7,717
65 3/8	5,336	71 3/8	5,971	77 3/8	6,589	83 3/8	7,178	89 3/8	7,728
65 1/2	5,349	71 1/2	5,985	77 1/2	6,601	83 1/2	7,190	89 1/2	7,739
65 5/8	5,362	71 5/8	5,998	77 5/8	6,614	83 5/8	7,201	89 5/8	7,750
65 3/4	5,376	71 3/4	6,011	77 3/4	6,626	83 3/4	7,213	89 3/4	7,761
65 7/8	5,389	71 7/8	6,024	77 7/8	6,639	83 7/8	7,225	89 7/8	7,772
66	5,403	72	6,037	78	6,652	84	7,237	90	7,783

DWT6 10'-9000 COMPARTMENT
9,449 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	7,794	96 1/8	8,288	102 1/8	8,720	108 1/8	9,075	114 1/8	9,333
90 1/4	7,805	96 1/4	8,298	102 1/4	8,728	108 1/4	9,081	114 1/4	9,337
90 3/8	7,816	96 3/8	8,308	102 3/8	8,737	108 3/8	9,088	114 3/8	9,341
90 1/2	7,826	96 1/2	8,317	102 1/2	8,745	108 1/2	9,094	114 1/2	9,345
90 5/8	7,837	96 5/8	8,327	102 5/8	8,753	108 5/8	9,100	114 5/8	9,349
90 3/4	7,848	96 3/4	8,337	102 3/4	8,761	108 3/4	9,106	114 3/4	9,353
90 7/8	7,859	96 7/8	8,346	102 7/8	8,769	108 7/8	9,113	114 7/8	9,356
91	7,870	97	8,356	103	8,777	109	9,119	115	9,360
91 1/8	7,880	97 1/8	8,365	103 1/8	8,785	109 1/8	9,125	115 1/8	9,364
91 1/4	7,891	97 1/4	8,375	103 1/4	8,793	109 1/4	9,131	115 1/4	9,368
91 3/8	7,902	97 3/8	8,384	103 3/8	8,801	109 3/8	9,137	115 3/8	9,371
91 1/2	7,912	97 1/2	8,393	103 1/2	8,809	109 1/2	9,143	115 1/2	9,375
91 5/8	7,923	97 5/8	8,403	103 5/8	8,817	109 5/8	9,149	115 5/8	9,378
91 3/4	7,933	97 3/4	8,412	103 3/4	8,824	109 3/4	9,155	115 3/4	9,382
91 7/8	7,944	97 7/8	8,421	103 7/8	8,832	109 7/8	9,161	115 7/8	9,385
92	7,954	98	8,431	104	8,840	110	9,167	116	9,388
92 1/8	7,965	98 1/8	8,440	104 1/8	8,848	110 1/8	9,173	116 1/8	9,392
92 1/4	7,975	98 1/4	8,449	104 1/4	8,855	110 1/4	9,178	116 1/4	9,395
92 3/8	7,986	98 3/8	8,458	104 3/8	8,863	110 3/8	9,184	116 3/8	9,398
92 1/2	7,996	98 1/2	8,468	104 1/2	8,871	110 1/2	9,190	116 1/2	9,401
92 5/8	8,007	98 5/8	8,477	104 5/8	8,878	110 5/8	9,195	116 5/8	9,404
92 3/4	8,017	98 3/4	8,486	104 3/4	8,886	110 3/4	9,201	116 3/4	9,407
92 7/8	8,028	98 7/8	8,495	104 7/8	8,893	110 7/8	9,206	116 7/8	9,410
93	8,038	99	8,504	105	8,901	111	9,212	117	9,412
93 1/8	8,048	99 1/8	8,513	105 1/8	8,908	111 1/8	9,217	117 1/8	9,415
93 1/4	8,059	99 1/4	8,522	105 1/4	8,915	111 1/4	9,223	117 1/4	9,418
93 3/8	8,069	99 3/8	8,531	105 3/8	8,923	111 3/8	9,228	117 3/8	9,420
93 1/2	8,079	99 1/2	8,540	105 1/2	8,930	111 1/2	9,233	117 1/2	9,423
93 5/8	8,089	99 5/8	8,549	105 5/8	8,937	111 5/8	9,239	117 5/8	9,425
93 3/4	8,100	99 3/4	8,558	105 3/4	8,945	111 3/4	9,244	117 3/4	9,427
93 7/8	8,110	99 7/8	8,566	105 7/8	8,952	111 7/8	9,249	117 7/8	9,429
94	8,120	100	8,575	106	8,959	112	9,254	118	9,431
94 1/8	8,130	100 1/8	8,584	106 1/8	8,966	112 1/8	9,259	118 1/8	9,434
94 1/4	8,140	100 1/4	8,593	106 1/4	8,973	112 1/4	9,264	118 1/4	9,435
94 3/8	8,150	100 3/8	8,601	106 3/8	8,980	112 3/8	9,269	118 3/8	9,437
94 1/2	8,160	100 1/2	8,610	106 1/2	8,987	112 1/2	9,274	118 1/2	9,439
94 5/8	8,170	100 5/8	8,619	106 5/8	8,994	112 5/8	9,279	118 5/8	9,441
94 3/4	8,180	100 3/4	8,627	106 3/4	9,001	112 3/4	9,283	118 3/4	9,442
94 7/8	8,190	100 7/8	8,636	106 7/8	9,008	112 7/8	9,288	118 7/8	9,444
95	8,200	101	8,645	107	9,015	113	9,293	119	9,445
95 1/8	8,210	101 1/8	8,653	107 1/8	9,022	113 1/8	9,297	119 1/8	9,446
95 1/4	8,220	101 1/4	8,662	107 1/4	9,028	113 1/4	9,302	119 1/4	9,447
95 3/8	8,230	101 3/8	8,670	107 3/8	9,035	113 3/8	9,307	119 3/8	9,448
95 1/2	8,240	101 1/2	8,678	107 1/2	9,042	113 1/2	9,311	119 1/2	9,449
95 5/8	8,249	101 5/8	8,687	107 5/8	9,048	113 5/8	9,315	119 5/8	9,449
95 3/4	8,259	101 3/4	8,695	107 3/4	9,055	113 3/4	9,320		
95 7/8	8,269	101 7/8	8,704	107 7/8	9,062	113 7/8	9,324		
96	8,279	102	8,712	108	9,068	114	9,328		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.