

DWT6 12'-18000 COMPARTMENT
18,693 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	5	6 1/8	296	12 1/8	793	18 1/8	1,424
1/4	8	6 1/4	304	12 1/4	805	18 1/4	1,439
3/8	10	6 3/8	313	12 3/8	817	18 3/8	1,453
1/2	13	6 1/2	322	12 1/2	829	18 1/2	1,468
5/8	16	6 5/8	331	12 5/8	841	18 5/8	1,482
3/4	20	6 3/4	340	12 3/4	853	18 3/4	1,496
7/8	23	6 7/8	349	12 7/8	865	18 7/8	1,511
1	27	7	358	13	878	19	1,526
1 1/8	31	7 1/8	367	13 1/8	890	19 1/8	1,540
1 1/4	35	7 1/4	376	13 1/4	902	19 1/4	1,555
1 3/8	39	7 3/8	386	13 3/8	915	19 3/8	1,570
1 1/2	44	7 1/2	395	13 1/2	927	19 1/2	1,584
1 5/8	48	7 5/8	405	13 5/8	940	19 5/8	1,599
1 3/4	53	7 3/4	414	13 3/4	952	19 3/4	1,614
1 7/8	58	7 7/8	424	13 7/8	965	19 7/8	1,629
2	63	8	434	14	978	20	1,644
2 1/8	69	8 1/8	444	14 1/8	990	20 1/8	1,659
2 1/4	74	8 1/4	454	14 1/4	1,003	20 1/4	1,674
2 3/8	79	8 3/8	464	14 3/8	1,016	20 3/8	1,689
2 1/2	85	8 1/2	474	14 1/2	1,029	20 1/2	1,704
2 5/8	91	8 5/8	484	14 5/8	1,042	20 5/8	1,719
2 3/4	97	8 3/4	494	14 3/4	1,055	20 3/4	1,734
2 7/8	103	8 7/8	504	14 7/8	1,068	20 7/8	1,750
3	109	9	514	15	1,081	21	1,765
3 1/8	115	9 1/8	525	15 1/8	1,094	21 1/8	1,780
3 1/4	121	9 1/4	535	15 1/4	1,107	21 1/4	1,796
3 3/8	128	9 3/8	546	15 3/8	1,121	21 3/8	1,811
3 1/2	134	9 1/2	556	15 1/2	1,134	21 1/2	1,826
3 5/8	141	9 5/8	567	15 5/8	1,147	21 5/8	1,842
3 3/4	148	9 3/4	578	15 3/4	1,161	21 3/4	1,857
3 7/8	155	9 7/8	588	15 7/8	1,174	21 7/8	1,873
4	162	10	599	16	1,188	22	1,889
4 1/8	169	10 1/8	610	16 1/8	1,201	22 1/8	1,904
4 1/4	176	10 1/4	621	16 1/4	1,215	22 1/4	1,920
4 3/8	183	10 3/8	632	16 3/8	1,228	22 3/8	1,935
4 1/2	191	10 1/2	643	16 1/2	1,242	22 1/2	1,951
4 5/8	198	10 5/8	654	16 5/8	1,256	22 5/8	1,967
4 3/4	206	10 3/4	666	16 3/4	1,270	22 3/4	1,983
4 7/8	214	10 7/8	677	16 7/8	1,283	22 7/8	1,999
5	221	11	688	17	1,297	23	2,015
5 1/8	229	11 1/8	700	17 1/8	1,311	23 1/8	2,030
5 1/4	237	11 1/4	711	17 1/4	1,325	23 1/4	2,046
5 3/8	245	11 3/8	723	17 3/8	1,339	23 3/8	2,062
5 1/2	254	11 1/2	734	17 1/2	1,353	23 1/2	2,078
5 5/8	262	11 5/8	746	17 5/8	1,367	23 5/8	2,095
5 3/4	270	11 3/4	757	17 3/4	1,382	23 3/4	2,111
5 7/8	279	11 7/8	769	17 7/8	1,396	23 7/8	2,127
6	287	12	781	18	1,410	24	2,143

DWT6 12'-18000 COMPARTMENT
18,693 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	2,159	30 1/8	2,977	36 1/8	3,863	42 1/8	4,803
24 1/4	2,175	30 1/4	2,995	36 1/4	3,882	42 1/4	4,823
24 3/8	2,192	30 3/8	3,013	36 3/8	3,901	42 3/8	4,843
24 1/2	2,208	30 1/2	3,031	36 1/2	3,920	42 1/2	4,863
24 5/8	2,224	30 5/8	3,049	36 5/8	3,939	42 5/8	4,884
24 3/4	2,241	30 3/4	3,066	36 3/4	3,958	42 3/4	4,904
24 7/8	2,257	30 7/8	3,084	36 7/8	3,978	42 7/8	4,924
25	2,274	31	3,102	37	3,997	43	4,944
25 1/8	2,290	31 1/8	3,120	37 1/8	4,016	43 1/8	4,964
25 1/4	2,307	31 1/4	3,138	37 1/4	4,035	43 1/4	4,985
25 3/8	2,323	31 3/8	3,156	37 3/8	4,055	43 3/8	5,005
25 1/2	2,340	31 1/2	3,175	37 1/2	4,074	43 1/2	5,025
25 5/8	2,357	31 5/8	3,193	37 5/8	4,093	43 5/8	5,045
25 3/4	2,373	31 3/4	3,211	37 3/4	4,113	43 3/4	5,066
25 7/8	2,390	31 7/8	3,229	37 7/8	4,132	43 7/8	5,086
26	2,407	32	3,247	38	4,151	44	5,106
26 1/8	2,423	32 1/8	3,265	38 1/8	4,171	44 1/8	5,127
26 1/4	2,440	32 1/4	3,284	38 1/4	4,190	44 1/4	5,147
26 3/8	2,457	32 3/8	3,302	38 3/8	4,210	44 3/8	5,168
26 1/2	2,474	32 1/2	3,320	38 1/2	4,229	44 1/2	5,188
26 5/8	2,491	32 5/8	3,339	38 5/8	4,249	44 5/8	5,208
26 3/4	2,508	32 3/4	3,357	38 3/4	4,268	44 3/4	5,229
26 7/8	2,525	32 7/8	3,375	38 7/8	4,288	44 7/8	5,249
27	2,542	33	3,394	39	4,307	45	5,270
27 1/8	2,559	33 1/8	3,412	39 1/8	4,327	45 1/8	5,290
27 1/4	2,576	33 1/4	3,431	39 1/4	4,346	45 1/4	5,311
27 3/8	2,593	33 3/8	3,449	39 3/8	4,366	45 3/8	5,331
27 1/2	2,610	33 1/2	3,468	39 1/2	4,386	45 1/2	5,352
27 5/8	2,627	33 5/8	3,486	39 5/8	4,405	45 5/8	5,372
27 3/4	2,644	33 3/4	3,505	39 3/4	4,425	45 3/4	5,393
27 7/8	2,662	33 7/8	3,524	39 7/8	4,445	45 7/8	5,414
28	2,679	34	3,542	40	4,465	46	5,434
28 1/8	2,696	34 1/8	3,561	40 1/8	4,484	46 1/8	5,455
28 1/4	2,714	34 1/4	3,580	40 1/4	4,504	46 1/4	5,475
28 3/8	2,731	34 3/8	3,598	40 3/8	4,524	46 3/8	5,496
28 1/2	2,748	34 1/2	3,617	40 1/2	4,544	46 1/2	5,517
28 5/8	2,766	34 5/8	3,636	40 5/8	4,564	46 5/8	5,537
28 3/4	2,783	34 3/4	3,655	40 3/4	4,583	46 3/4	5,558
28 7/8	2,801	34 7/8	3,673	40 7/8	4,603	46 7/8	5,579
29	2,818	35	3,692	41	4,623	47	5,600
29 1/8	2,836	35 1/8	3,711	41 1/8	4,643	47 1/8	5,620
29 1/4	2,853	35 1/4	3,730	41 1/4	4,663	47 1/4	5,641
29 3/8	2,871	35 3/8	3,749	41 3/8	4,683	47 3/8	5,662
29 1/2	2,889	35 1/2	3,768	41 1/2	4,703	47 1/2	5,683
29 5/8	2,906	35 5/8	3,787	41 5/8	4,723	47 5/8	5,703
29 3/4	2,924	35 3/4	3,806	41 3/4	4,743	47 3/4	5,724
29 7/8	2,942	35 7/8	3,825	41 7/8	4,763	47 7/8	5,745
30	2,959	36	3,844	42	4,783	48	5,766

DWT6 12'-18000 COMPARTMENT
18,693 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	5,787	54 1/8	6,803	60 1/8	7,843	66 1/8	8,895
48 1/4	5,808	54 1/4	6,825	60 1/4	7,865	66 1/4	8,917
48 3/8	5,829	54 3/8	6,846	60 3/8	7,886	66 3/8	8,939
48 1/2	5,850	54 1/2	6,868	60 1/2	7,908	66 1/2	8,961
48 5/8	5,870	54 5/8	6,889	60 5/8	7,930	66 5/8	8,983
48 3/4	5,891	54 3/4	6,911	60 3/4	7,952	66 3/4	9,005
48 7/8	5,912	54 7/8	6,932	60 7/8	7,974	66 7/8	9,027
49	5,933	55	6,954	61	7,996	67	9,049
49 1/8	5,954	55 1/8	6,975	61 1/8	8,017	67 1/8	9,071
49 1/4	5,975	55 1/4	6,997	61 1/4	8,039	67 1/4	9,094
49 3/8	5,996	55 3/8	7,018	61 3/8	8,061	67 3/8	9,116
49 1/2	6,017	55 1/2	7,040	61 1/2	8,083	67 1/2	9,138
49 5/8	6,038	55 5/8	7,061	61 5/8	8,105	67 5/8	9,160
49 3/4	6,059	55 3/4	7,083	61 3/4	8,127	67 3/4	9,182
49 7/8	6,080	55 7/8	7,105	61 7/8	8,149	67 7/8	9,204
50	6,101	56	7,126	62	8,171	68	9,226
50 1/8	6,123	56 1/8	7,148	62 1/8	8,193	68 1/8	9,248
50 1/4	6,144	56 1/4	7,169	62 1/4	8,215	68 1/4	9,270
50 3/8	6,165	56 3/8	7,191	62 3/8	8,236	68 3/8	9,292
50 1/2	6,186	56 1/2	7,213	62 1/2	8,258	68 1/2	9,314
50 5/8	6,207	56 5/8	7,234	62 5/8	8,280	68 5/8	9,336
50 3/4	6,228	56 3/4	7,256	62 3/4	8,302	68 3/4	9,358
50 7/8	6,249	56 7/8	7,277	62 7/8	8,324	68 7/8	9,380
51	6,270	57	7,299	63	8,346	69	9,402
51 1/8	6,292	57 1/8	7,321	63 1/8	8,368	69 1/8	9,424
51 1/4	6,313	57 1/4	7,342	63 1/4	8,390	69 1/4	9,446
51 3/8	6,334	57 3/8	7,364	63 3/8	8,412	69 3/8	9,468
51 1/2	6,355	57 1/2	7,386	63 1/2	8,434	69 1/2	9,490
51 5/8	6,376	57 5/8	7,407	63 5/8	8,456	69 5/8	9,512
51 3/4	6,398	57 3/4	7,429	63 3/4	8,478	69 3/4	9,534
51 7/8	6,419	57 7/8	7,451	63 7/8	8,500	69 7/8	9,556
52	6,440	58	7,473	64	8,522	70	9,578
52 1/8	6,462	58 1/8	7,494	64 1/8	8,544	70 1/8	9,600
52 1/4	6,483	58 1/4	7,516	64 1/4	8,566	70 1/4	9,622
52 3/8	6,504	58 3/8	7,538	64 3/8	8,588	70 3/8	9,644
52 1/2	6,525	58 1/2	7,560	64 1/2	8,610	70 1/2	9,666
52 5/8	6,547	58 5/8	7,581	64 5/8	8,631	70 5/8	9,688
52 3/4	6,568	58 3/4	7,603	64 3/4	8,653	70 3/4	9,710
52 7/8	6,589	58 7/8	7,625	64 7/8	8,675	70 7/8	9,732
53	6,611	59	7,647	65	8,697	71	9,754
53 1/8	6,632	59 1/8	7,668	65 1/8	8,719	71 1/8	9,776
53 1/4	6,653	59 1/4	7,690	65 1/4	8,741	71 1/4	9,798
53 3/8	6,675	59 3/8	7,712	65 3/8	8,763	71 3/8	9,820
53 1/2	6,696	59 1/2	7,734	65 1/2	8,785	71 1/2	9,842
53 5/8	6,718	59 5/8	7,755	65 5/8	8,807	71 5/8	9,864
53 3/4	6,739	59 3/4	7,777	65 3/4	8,829	71 3/4	9,886
53 7/8	6,760	59 7/8	7,799	65 7/8	8,851	71 7/8	9,908
54	6,782	60	7,821	66	8,873	72	9,930

DWT6 12'-18000 COMPARTMENT
18,693 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
72 1/8	9,952	78 1/8	11,003	84 1/8	12,040	90 1/8	13,052
72 1/4	9,974	78 1/4	11,025	84 1/4	12,061	90 1/4	13,073
72 3/8	9,996	78 3/8	11,047	84 3/8	12,083	90 3/8	13,094
72 1/2	10,018	78 1/2	11,069	84 1/2	12,104	90 1/2	13,115
72 5/8	10,040	78 5/8	11,090	84 5/8	12,125	90 5/8	13,135
72 3/4	10,062	78 3/4	11,112	84 3/4	12,147	90 3/4	13,156
72 7/8	10,084	78 7/8	11,134	84 7/8	12,168	90 7/8	13,177
73	10,106	79	11,156	85	12,189	91	13,197
73 1/8	10,128	79 1/8	11,177	85 1/8	12,211	91 1/8	13,218
73 1/4	10,150	79 1/4	11,199	85 1/4	12,232	91 1/4	13,239
73 3/8	10,172	79 3/8	11,221	85 3/8	12,253	91 3/8	13,259
73 1/2	10,194	79 1/2	11,243	85 1/2	12,275	91 1/2	13,280
73 5/8	10,216	79 5/8	11,264	85 5/8	12,296	91 5/8	13,300
73 3/4	10,238	79 3/4	11,286	85 3/4	12,317	91 3/4	13,321
73 7/8	10,260	79 7/8	11,308	85 7/8	12,338	91 7/8	13,342
74	10,282	80	11,329	86	12,359	92	13,362
74 1/8	10,304	80 1/8	11,351	86 1/8	12,381	92 1/8	13,383
74 1/4	10,325	80 1/4	11,373	86 1/4	12,402	92 1/4	13,403
74 3/8	10,347	80 3/8	11,394	86 3/8	12,423	92 3/8	13,424
74 1/2	10,369	80 1/2	11,416	86 1/2	12,444	92 1/2	13,444
74 5/8	10,391	80 5/8	11,438	86 5/8	12,465	92 5/8	13,465
74 3/4	10,413	80 3/4	11,459	86 3/4	12,486	92 3/4	13,485
74 7/8	10,435	80 7/8	11,481	86 7/8	12,508	92 7/8	13,506
75	10,457	81	11,503	87	12,529	93	13,526
75 1/8	10,479	81 1/8	11,524	87 1/8	12,550	93 1/8	13,546
75 1/4	10,501	81 1/4	11,546	87 1/4	12,571	93 1/4	13,567
75 3/8	10,523	81 3/8	11,567	87 3/8	12,592	93 3/8	13,587
75 1/2	10,545	81 1/2	11,589	87 1/2	12,613	93 1/2	13,607
75 5/8	10,567	81 5/8	11,610	87 5/8	12,634	93 5/8	13,628
75 3/4	10,588	81 3/4	11,632	87 3/4	12,655	93 3/4	13,648
75 7/8	10,610	81 7/8	11,654	87 7/8	12,676	93 7/8	13,668
76	10,632	82	11,675	88	12,697	94	13,689
76 1/8	10,654	82 1/8	11,697	88 1/8	12,718	94 1/8	13,709
76 1/4	10,676	82 1/4	11,718	88 1/4	12,739	94 1/4	13,729
76 3/8	10,698	82 3/8	11,740	88 3/8	12,760	94 3/8	13,749
76 1/2	10,720	82 1/2	11,761	88 1/2	12,781	94 1/2	13,770
76 5/8	10,742	82 5/8	11,783	88 5/8	12,802	94 5/8	13,790
76 3/4	10,763	82 3/4	11,804	88 3/4	12,823	94 3/4	13,810
76 7/8	10,785	82 7/8	11,826	88 7/8	12,844	94 7/8	13,830
77	10,807	83	11,847	89	12,865	95	13,850
77 1/8	10,829	83 1/8	11,869	89 1/8	12,886	95 1/8	13,870
77 1/4	10,851	83 1/4	11,890	89 1/4	12,907	95 1/4	13,890
77 3/8	10,873	83 3/8	11,912	89 3/8	12,927	95 3/8	13,910
77 1/2	10,894	83 1/2	11,933	89 1/2	12,948	95 1/2	13,930
77 5/8	10,916	83 5/8	11,954	89 5/8	12,969	95 5/8	13,950
77 3/4	10,938	83 3/4	11,976	89 3/4	12,990	95 3/4	13,970
77 7/8	10,960	83 7/8	11,997	89 7/8	13,011	95 7/8	13,990
78	10,982	84	12,019	90	13,032	96	14,010

DWT6 12'-18000 COMPARTMENT
18,693 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
96 1/8	14,030	102 1/8	14,964	108 1/8	15,840	114 1/8	16,647
96 1/4	14,050	102 1/4	14,982	108 1/4	15,858	114 1/4	16,663
96 3/8	14,070	102 3/8	15,001	108 3/8	15,875	114 3/8	16,679
96 1/2	14,090	102 1/2	15,020	108 1/2	15,893	114 1/2	16,695
96 5/8	14,110	102 5/8	15,039	108 5/8	15,910	114 5/8	16,711
96 3/4	14,130	102 3/4	15,058	108 3/4	15,928	114 3/4	16,726
96 7/8	14,150	102 7/8	15,076	108 7/8	15,945	114 7/8	16,742
97	14,170	103	15,095	109	15,963	115	16,758
97 1/8	14,189	103 1/8	15,114	109 1/8	15,980	115 1/8	16,774
97 1/4	14,209	103 1/4	15,133	109 1/4	15,997	115 1/4	16,789
97 3/8	14,229	103 3/8	15,151	109 3/8	16,015	115 3/8	16,805
97 1/2	14,249	103 1/2	15,170	109 1/2	16,032	115 1/2	16,821
97 5/8	14,268	103 5/8	15,189	109 5/8	16,049	115 5/8	16,836
97 3/4	14,288	103 3/4	15,207	109 3/4	16,066	115 3/4	16,852
97 7/8	14,308	103 7/8	15,226	109 7/8	16,083	115 7/8	16,867
98	14,327	104	15,244	110	16,101	116	16,882
98 1/8	14,347	104 1/8	15,263	110 1/8	16,118	116 1/8	16,898
98 1/4	14,367	104 1/4	15,281	110 1/4	16,135	116 1/4	16,913
98 3/8	14,386	104 3/8	15,300	110 3/8	16,152	116 3/8	16,929
98 1/2	14,406	104 1/2	15,318	110 1/2	16,169	116 1/2	16,944
98 5/8	14,425	104 5/8	15,336	110 5/8	16,186	116 5/8	16,959
98 3/4	14,445	104 3/4	15,355	110 3/4	16,203	116 3/4	16,974
98 7/8	14,464	104 7/8	15,373	110 7/8	16,220	116 7/8	16,989
99	14,484	105	15,391	111	16,236	117	17,004
99 1/8	14,503	105 1/8	15,410	111 1/8	16,253	117 1/8	17,020
99 1/4	14,523	105 1/4	15,428	111 1/4	16,270	117 1/4	17,035
99 3/8	14,542	105 3/8	15,446	111 3/8	16,287	117 3/8	17,050
99 1/2	14,562	105 1/2	15,464	111 1/2	16,304	117 1/2	17,064
99 5/8	14,581	105 5/8	15,483	111 5/8	16,320	117 5/8	17,079
99 3/4	14,600	105 3/4	15,501	111 3/4	16,337	117 3/4	17,094
99 7/8	14,620	105 7/8	15,519	111 7/8	16,354	117 7/8	17,109
100	14,639	106	15,537	112	16,370	118	17,124
100 1/8	14,658	106 1/8	15,555	112 1/8	16,387	118 1/8	17,139
100 1/4	14,677	106 1/4	15,573	112 1/4	16,403	118 1/4	17,153
100 3/8	14,697	106 3/8	15,591	112 3/8	16,420	118 3/8	17,168
100 1/2	14,716	106 1/2	15,609	112 1/2	16,436	118 1/2	17,182
100 5/8	14,735	106 5/8	15,627	112 5/8	16,453	118 5/8	17,197
100 3/4	14,754	106 3/4	15,645	112 3/4	16,469	118 3/4	17,212
100 7/8	14,773	106 7/8	15,663	112 7/8	16,485	118 7/8	17,226
101	14,793	107	15,681	113	16,502	119	17,240
101 1/8	14,812	107 1/8	15,699	113 1/8	16,518	119 1/8	17,255
101 1/4	14,831	107 1/4	15,716	113 1/4	16,534	119 1/4	17,269
101 3/8	14,850	107 3/8	15,734	113 3/8	16,551	119 3/8	17,283
101 1/2	14,869	107 1/2	15,752	113 1/2	16,567	119 1/2	17,298
101 5/8	14,888	107 5/8	15,770	113 5/8	16,583	119 5/8	17,312
101 3/4	14,907	107 3/4	15,787	113 3/4	16,599	119 3/4	17,326
101 7/8	14,926	107 7/8	15,805	113 7/8	16,615	119 7/8	17,340
102	14,945	108	15,823	114	16,631	120	17,354

DWT6 12'-18000 COMPARTMENT
18,693 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
120 1/8	17,368	126 1/8	17,982	132 1/8	18,456
120 1/4	17,382	126 1/4	17,994	132 1/4	18,464
120 3/8	17,396	126 3/8	18,005	132 3/8	18,472
120 1/2	17,410	126 1/2	18,017	132 1/2	18,480
120 5/8	17,424	126 5/8	18,028	132 5/8	18,487
120 3/4	17,438	126 3/4	18,039	132 3/4	18,495
120 7/8	17,451	126 7/8	18,050	132 7/8	18,503
121	17,465	127	18,061	133	18,510
121 1/8	17,479	127 1/8	18,072	133 1/8	18,517
121 1/4	17,492	127 1/4	18,083	133 1/4	18,525
121 3/8	17,506	127 3/8	18,094	133 3/8	18,532
121 1/2	17,519	127 1/2	18,105	133 1/2	18,539
121 5/8	17,533	127 5/8	18,116	133 5/8	18,546
121 3/4	17,546	127 3/4	18,127	133 3/4	18,552
121 7/8	17,560	127 7/8	18,137	133 7/8	18,559
122	17,573	128	18,148	134	18,566
122 1/8	17,586	128 1/8	18,158	134 1/8	18,572
122 1/4	17,599	128 1/4	18,169	134 1/4	18,578
122 3/8	17,612	128 3/8	18,179	134 3/8	18,585
122 1/2	17,626	128 1/2	18,189	134 1/2	18,591
122 5/8	17,639	128 5/8	18,200	134 5/8	18,597
122 3/4	17,652	128 3/4	18,210	134 3/4	18,603
122 7/8	17,665	128 7/8	18,220	134 7/8	18,608
123	17,677	129	18,230	135	18,614
123 1/8	17,690	129 1/8	18,240	135 1/8	18,620
123 1/4	17,703	129 1/4	18,250	135 1/4	18,625
123 3/8	17,716	129 3/8	18,260	135 3/8	18,630
123 1/2	17,729	129 1/2	18,269	135 1/2	18,635
123 5/8	17,741	129 5/8	18,279	135 5/8	18,640
123 3/4	17,754	129 3/4	18,289	135 3/4	18,645
123 7/8	17,766	129 7/8	18,298	135 7/8	18,650
124	17,779	130	18,308	136	18,654
124 1/8	17,791	130 1/8	18,317	136 1/8	18,658
124 1/4	17,804	130 1/4	18,326	136 1/4	18,663
124 3/8	17,816	130 3/8	18,336	136 3/8	18,666
124 1/2	17,828	130 1/2	18,345	136 1/2	18,670
124 5/8	17,840	130 5/8	18,354	136 5/8	18,674
124 3/4	17,853	130 3/4	18,363	136 3/4	18,677
124 7/8	17,865	130 7/8	18,372	136 7/8	18,680
125	17,877	131	18,380	137	18,683
125 1/8	17,889	131 1/8	18,389	137 1/8	18,686
125 1/4	17,901	131 1/4	18,398	137 1/4	18,688
125 3/8	17,912	131 3/8	18,406	137 3/8	18,690
125 1/2	17,924	131 1/2	18,415	137 1/2	18,692
125 5/8	17,936	131 5/8	18,423	137 5/8	18,693
125 3/4	17,948	131 3/4	18,432		
125 7/8	17,959	131 7/8	18,440		
126	17,971	132	18,448		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.