

DWT6 12'-20000 COMPARTMENT
20,046 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	6	6 1/8	318	12 1/8	853	18 1/8	1,532
1/4	8	6 1/4	328	12 1/4	866	18 1/4	1,547
3/8	11	6 3/8	337	12 3/8	879	18 3/8	1,563
1/2	14	6 1/2	347	12 1/2	892	18 1/2	1,578
5/8	18	6 5/8	356	12 5/8	905	18 5/8	1,594
3/4	21	6 3/4	366	12 3/4	918	18 3/4	1,609
7/8	25	6 7/8	376	12 7/8	931	18 7/8	1,625
1	29	7	386	13	944	19	1,641
1 1/8	33	7 1/8	395	13 1/8	958	19 1/8	1,656
1 1/4	38	7 1/4	405	13 1/4	971	19 1/4	1,672
1 3/8	42	7 3/8	416	13 3/8	984	19 3/8	1,688
1 1/2	47	7 1/2	426	13 1/2	998	19 1/2	1,704
1 5/8	52	7 5/8	436	13 5/8	1,011	19 5/8	1,720
1 3/4	57	7 3/4	446	13 3/4	1,025	19 3/4	1,736
1 7/8	63	7 7/8	457	13 7/8	1,038	19 7/8	1,752
2	68	8	467	14	1,052	20	1,768
2 1/8	74	8 1/8	478	14 1/8	1,066	20 1/8	1,784
2 1/4	80	8 1/4	488	14 1/4	1,079	20 1/4	1,800
2 3/8	86	8 3/8	499	14 3/8	1,093	20 3/8	1,816
2 1/2	92	8 1/2	510	14 1/2	1,107	20 1/2	1,832
2 5/8	98	8 5/8	521	14 5/8	1,121	20 5/8	1,849
2 3/4	104	8 3/4	532	14 3/4	1,135	20 3/4	1,865
2 7/8	111	8 7/8	543	14 7/8	1,149	20 7/8	1,881
3	117	9	554	15	1,163	21	1,898
3 1/8	124	9 1/8	565	15 1/8	1,177	21 1/8	1,914
3 1/4	131	9 1/4	576	15 1/4	1,191	21 1/4	1,931
3 3/8	138	9 3/8	588	15 3/8	1,206	21 3/8	1,947
3 1/2	145	9 1/2	599	15 1/2	1,220	21 1/2	1,964
3 5/8	152	9 5/8	610	15 5/8	1,234	21 5/8	1,980
3 3/4	159	9 3/4	622	15 3/4	1,249	21 3/4	1,997
3 7/8	167	9 7/8	633	15 7/8	1,263	21 7/8	2,014
4	174	10	645	16	1,278	22	2,030
4 1/8	182	10 1/8	657	16 1/8	1,292	22 1/8	2,047
4 1/4	190	10 1/4	669	16 1/4	1,307	22 1/4	2,064
4 3/8	198	10 3/8	680	16 3/8	1,321	22 3/8	2,081
4 1/2	206	10 1/2	692	16 1/2	1,336	22 1/2	2,098
4 5/8	214	10 5/8	704	16 5/8	1,351	22 5/8	2,115
4 3/4	222	10 3/4	716	16 3/4	1,366	22 3/4	2,132
4 7/8	230	10 7/8	729	16 7/8	1,381	22 7/8	2,149
5	239	11	741	17	1,396	23	2,166
5 1/8	247	11 1/8	753	17 1/8	1,410	23 1/8	2,183
5 1/4	256	11 1/4	765	17 1/4	1,425	23 1/4	2,200
5 3/8	264	11 3/8	778	17 3/8	1,441	23 3/8	2,217
5 1/2	273	11 1/2	790	17 1/2	1,456	23 1/2	2,234
5 5/8	282	11 5/8	803	17 5/8	1,471	23 5/8	2,252
5 3/4	291	11 3/4	815	17 3/4	1,486	23 3/4	2,269
5 7/8	300	11 7/8	828	17 7/8	1,501	23 7/8	2,286
6	309	12	841	18	1,517	24	2,304

DWT6 12'-20000 COMPARTMENT
20,046 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	2,321	30 1/8	3,199	36 1/8	4,148	42 1/8	5,156
24 1/4	2,338	30 1/4	3,218	36 1/4	4,169	42 1/4	5,178
24 3/8	2,356	30 3/8	3,237	36 3/8	4,189	42 3/8	5,200
24 1/2	2,373	30 1/2	3,256	36 1/2	4,210	42 1/2	5,221
24 5/8	2,391	30 5/8	3,275	36 5/8	4,230	42 5/8	5,243
24 3/4	2,409	30 3/4	3,294	36 3/4	4,251	42 3/4	5,264
24 7/8	2,426	30 7/8	3,314	36 7/8	4,271	42 7/8	5,286
25	2,444	31	3,333	37	4,292	43	5,308
25 1/8	2,462	31 1/8	3,352	37 1/8	4,313	43 1/8	5,329
25 1/4	2,479	31 1/4	3,372	37 1/4	4,333	43 1/4	5,351
25 3/8	2,497	31 3/8	3,391	37 3/8	4,354	43 3/8	5,373
25 1/2	2,515	31 1/2	3,410	37 1/2	4,375	43 1/2	5,394
25 5/8	2,533	31 5/8	3,430	37 5/8	4,395	43 5/8	5,416
25 3/4	2,551	31 3/4	3,449	37 3/4	4,416	43 3/4	5,438
25 7/8	2,569	31 7/8	3,469	37 7/8	4,437	43 7/8	5,460
26	2,587	32	3,488	38	4,458	44	5,481
26 1/8	2,605	32 1/8	3,508	38 1/8	4,479	44 1/8	5,503
26 1/4	2,623	32 1/4	3,528	38 1/4	4,499	44 1/4	5,525
26 3/8	2,641	32 3/8	3,547	38 3/8	4,520	44 3/8	5,547
26 1/2	2,659	32 1/2	3,567	38 1/2	4,541	44 1/2	5,569
26 5/8	2,677	32 5/8	3,586	38 5/8	4,562	44 5/8	5,591
26 3/4	2,695	32 3/4	3,606	38 3/4	4,583	44 3/4	5,613
26 7/8	2,713	32 7/8	3,626	38 7/8	4,604	44 7/8	5,635
27	2,732	33	3,646	39	4,625	45	5,656
27 1/8	2,750	33 1/8	3,665	39 1/8	4,646	45 1/8	5,678
27 1/4	2,768	33 1/4	3,685	39 1/4	4,667	45 1/4	5,700
27 3/8	2,786	33 3/8	3,705	39 3/8	4,688	45 3/8	5,722
27 1/2	2,805	33 1/2	3,725	39 1/2	4,709	45 1/2	5,744
27 5/8	2,823	33 5/8	3,745	39 5/8	4,730	45 5/8	5,766
27 3/4	2,842	33 3/4	3,765	39 3/4	4,751	45 3/4	5,789
27 7/8	2,860	33 7/8	3,785	39 7/8	4,772	45 7/8	5,811
28	2,879	34	3,805	40	4,794	46	5,833
28 1/8	2,897	34 1/8	3,825	40 1/8	4,815	46 1/8	5,855
28 1/4	2,916	34 1/4	3,845	40 1/4	4,836	46 1/4	5,877
28 3/8	2,934	34 3/8	3,865	40 3/8	4,857	46 3/8	5,899
28 1/2	2,953	34 1/2	3,885	40 1/2	4,878	46 1/2	5,921
28 5/8	2,972	34 5/8	3,905	40 5/8	4,900	46 5/8	5,943
28 3/4	2,991	34 3/4	3,925	40 3/4	4,921	46 3/4	5,965
28 7/8	3,009	34 7/8	3,945	40 7/8	4,942	46 7/8	5,988
29	3,028	35	3,965	41	4,964	47	6,010
29 1/8	3,047	35 1/8	3,986	41 1/8	4,985	47 1/8	6,032
29 1/4	3,066	35 1/4	4,006	41 1/4	5,006	47 1/4	6,054
29 3/8	3,085	35 3/8	4,026	41 3/8	5,028	47 3/8	6,077
29 1/2	3,104	35 1/2	4,047	41 1/2	5,049	47 1/2	6,099
29 5/8	3,123	35 5/8	4,067	41 5/8	5,071	47 5/8	6,121
29 3/4	3,141	35 3/4	4,087	41 3/4	5,092	47 3/4	6,143
29 7/8	3,160	35 7/8	4,108	41 7/8	5,113	47 7/8	6,166
30	3,180	36	4,128	42	5,135	48	6,188

DWT6 12'-20000 COMPARTMENT
20,046 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	6,211	54 1/8	7,299	60 1/8	8,413	66 1/8	9,540
48 1/4	6,233	54 1/4	7,322	60 1/4	8,436	66 1/4	9,563
48 3/8	6,255	54 3/8	7,345	60 3/8	8,459	66 3/8	9,587
48 1/2	6,278	54 1/2	7,368	60 1/2	8,483	66 1/2	9,611
48 5/8	6,300	54 5/8	7,391	60 5/8	8,506	66 5/8	9,634
48 3/4	6,322	54 3/4	7,414	60 3/4	8,530	66 3/4	9,658
48 7/8	6,345	54 7/8	7,437	60 7/8	8,553	66 7/8	9,681
49	6,367	55	7,460	61	8,576	67	9,705
49 1/8	6,390	55 1/8	7,484	61 1/8	8,600	67 1/8	9,728
49 1/4	6,412	55 1/4	7,507	61 1/4	8,623	67 1/4	9,752
49 3/8	6,435	55 3/8	7,530	61 3/8	8,647	67 3/8	9,776
49 1/2	6,457	55 1/2	7,553	61 1/2	8,670	67 1/2	9,799
49 5/8	6,480	55 5/8	7,576	61 5/8	8,693	67 5/8	9,823
49 3/4	6,502	55 3/4	7,599	61 3/4	8,717	67 3/4	9,846
49 7/8	6,525	55 7/8	7,622	61 7/8	8,740	67 7/8	9,870
50	6,548	56	7,645	62	8,764	68	9,894
50 1/8	6,570	56 1/8	7,668	62 1/8	8,787	68 1/8	9,917
50 1/4	6,593	56 1/4	7,691	62 1/4	8,811	68 1/4	9,941
50 3/8	6,615	56 3/8	7,715	62 3/8	8,834	68 3/8	9,964
50 1/2	6,638	56 1/2	7,738	62 1/2	8,858	68 1/2	9,988
50 5/8	6,661	56 5/8	7,761	62 5/8	8,881	68 5/8	10,011
50 3/4	6,683	56 3/4	7,784	62 3/4	8,905	68 3/4	10,035
50 7/8	6,706	56 7/8	7,807	62 7/8	8,928	68 7/8	10,059
51	6,729	57	7,830	63	8,952	69	10,082
51 1/8	6,751	57 1/8	7,854	63 1/8	8,975	69 1/8	10,106
51 1/4	6,774	57 1/4	7,877	63 1/4	8,999	69 1/4	10,129
51 3/8	6,797	57 3/8	7,900	63 3/8	9,022	69 3/8	10,153
51 1/2	6,819	57 1/2	7,923	63 1/2	9,046	69 1/2	10,176
51 5/8	6,842	57 5/8	7,946	63 5/8	9,069	69 5/8	10,200
51 3/4	6,865	57 3/4	7,970	63 3/4	9,093	69 3/4	10,224
51 7/8	6,888	57 7/8	7,993	63 7/8	9,116	69 7/8	10,247
52	6,910	58	8,016	64	9,140	70	10,271
52 1/8	6,933	58 1/8	8,039	64 1/8	9,163	70 1/8	10,294
52 1/4	6,956	58 1/4	8,063	64 1/4	9,187	70 1/4	10,318
52 3/8	6,979	58 3/8	8,086	64 3/8	9,210	70 3/8	10,342
52 1/2	7,002	58 1/2	8,109	64 1/2	9,234	70 1/2	10,365
52 5/8	7,025	58 5/8	8,133	64 5/8	9,257	70 5/8	10,389
52 3/4	7,047	58 3/4	8,156	64 3/4	9,281	70 3/4	10,412
52 7/8	7,070	58 7/8	8,179	64 7/8	9,304	70 7/8	10,436
53	7,093	59	8,202	65	9,328	71	10,459
53 1/8	7,116	59 1/8	8,226	65 1/8	9,351	71 1/8	10,483
53 1/4	7,139	59 1/4	8,249	65 1/4	9,375	71 1/4	10,507
53 3/8	7,162	59 3/8	8,272	65 3/8	9,399	71 3/8	10,530
53 1/2	7,185	59 1/2	8,296	65 1/2	9,422	71 1/2	10,554
53 5/8	7,208	59 5/8	8,319	65 5/8	9,446	71 5/8	10,577
53 3/4	7,231	59 3/4	8,342	65 3/4	9,469	71 3/4	10,601
53 7/8	7,253	59 7/8	8,366	65 7/8	9,493	71 7/8	10,624
54	7,276	60	8,389	66	9,516	72	10,648

DWT6 12'-20000 COMPARTMENT
20,046 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
72 1/8	10,671	78 1/8	11,797	84 1/8	12,908	90 1/8	13,992
72 1/4	10,695	78 1/4	11,821	84 1/4	12,930	90 1/4	14,014
72 3/8	10,719	78 3/8	11,844	84 3/8	12,953	90 3/8	14,037
72 1/2	10,742	78 1/2	11,867	84 1/2	12,976	90 1/2	14,059
72 5/8	10,766	78 5/8	11,891	84 5/8	12,999	90 5/8	14,081
72 3/4	10,789	78 3/4	11,914	84 3/4	13,022	90 3/4	14,103
72 7/8	10,813	78 7/8	11,937	84 7/8	13,045	90 7/8	14,125
73	10,836	79	11,960	85	13,068	91	14,147
73 1/8	10,860	79 1/8	11,984	85 1/8	13,090	91 1/8	14,170
73 1/4	10,883	79 1/4	12,007	85 1/4	13,113	91 1/4	14,192
73 3/8	10,907	79 3/8	12,030	85 3/8	13,136	91 3/8	14,214
73 1/2	10,930	79 1/2	12,053	85 1/2	13,159	91 1/2	14,236
73 5/8	10,954	79 5/8	12,077	85 5/8	13,182	91 5/8	14,258
73 3/4	10,977	79 3/4	12,100	85 3/4	13,204	91 3/4	14,280
73 7/8	11,001	79 7/8	12,123	85 7/8	13,227	91 7/8	14,302
74	11,024	80	12,146	86	13,250	92	14,324
74 1/8	11,048	80 1/8	12,170	86 1/8	13,272	92 1/8	14,346
74 1/4	11,071	80 1/4	12,193	86 1/4	13,295	92 1/4	14,368
74 3/8	11,095	80 3/8	12,216	86 3/8	13,318	92 3/8	14,390
74 1/2	11,118	80 1/2	12,239	86 1/2	13,341	92 1/2	14,412
74 5/8	11,142	80 5/8	12,262	86 5/8	13,363	92 5/8	14,434
74 3/4	11,165	80 3/4	12,286	86 3/4	13,386	92 3/4	14,456
74 7/8	11,189	80 7/8	12,309	86 7/8	13,408	92 7/8	14,478
75	11,212	81	12,332	87	13,431	93	14,499
75 1/8	11,236	81 1/8	12,355	87 1/8	13,454	93 1/8	14,521
75 1/4	11,259	81 1/4	12,378	87 1/4	13,476	93 1/4	14,543
75 3/8	11,283	81 3/8	12,401	87 3/8	13,499	93 3/8	14,565
75 1/2	11,306	81 1/2	12,424	87 1/2	13,521	93 1/2	14,587
75 5/8	11,330	81 5/8	12,447	87 5/8	13,544	93 5/8	14,609
75 3/4	11,353	81 3/4	12,471	87 3/4	13,567	93 3/4	14,630
75 7/8	11,376	81 7/8	12,494	87 7/8	13,589	93 7/8	14,652
76	11,400	82	12,517	88	13,612	94	14,674
76 1/8	11,423	82 1/8	12,540	88 1/8	13,634	94 1/8	14,696
76 1/4	11,447	82 1/4	12,563	88 1/4	13,657	94 1/4	14,717
76 3/8	11,470	82 3/8	12,586	88 3/8	13,679	94 3/8	14,739
76 1/2	11,493	82 1/2	12,609	88 1/2	13,701	94 1/2	14,761
76 5/8	11,517	82 5/8	12,632	88 5/8	13,724	94 5/8	14,782
76 3/4	11,540	82 3/4	12,655	88 3/4	13,746	94 3/4	14,804
76 7/8	11,564	82 7/8	12,678	88 7/8	13,769	94 7/8	14,825
77	11,587	83	12,701	89	13,791	95	14,847
77 1/8	11,610	83 1/8	12,724	89 1/8	13,814	95 1/8	14,868
77 1/4	11,634	83 1/4	12,747	89 1/4	13,836	95 1/4	14,890
77 3/8	11,657	83 3/8	12,770	89 3/8	13,858	95 3/8	14,911
77 1/2	11,681	83 1/2	12,793	89 1/2	13,881	95 1/2	14,933
77 5/8	11,704	83 5/8	12,816	89 5/8	13,903	95 5/8	14,954
77 3/4	11,727	83 3/4	12,839	89 3/4	13,925	95 3/4	14,976
77 7/8	11,751	83 7/8	12,862	89 7/8	13,948	95 7/8	14,997
78	11,774	84	12,885	90	13,970	96	15,019

DWT6 12'-20000 COMPARTMENT
20,046 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
96 1/8	15,040	102 1/8	16,040	108 1/8	16,981	114 1/8	17,847
96 1/4	15,061	102 1/4	16,061	108 1/4	17,000	114 1/4	17,864
96 3/8	15,083	102 3/8	16,081	108 3/8	17,018	114 3/8	17,881
96 1/2	15,104	102 1/2	16,101	108 1/2	17,037	114 1/2	17,898
96 5/8	15,125	102 5/8	16,121	108 5/8	17,056	114 5/8	17,915
96 3/4	15,147	102 3/4	16,141	108 3/4	17,075	114 3/4	17,932
96 7/8	15,168	102 7/8	16,162	108 7/8	17,093	114 7/8	17,949
97	15,189	103	16,182	109	17,112	115	17,966
97 1/8	15,210	103 1/8	16,202	109 1/8	17,131	115 1/8	17,982
97 1/4	15,232	103 1/4	16,222	109 1/4	17,149	115 1/4	17,999
97 3/8	15,253	103 3/8	16,242	109 3/8	17,168	115 3/8	18,016
97 1/2	15,274	103 1/2	16,262	109 1/2	17,186	115 1/2	18,033
97 5/8	15,295	103 5/8	16,282	109 5/8	17,205	115 5/8	18,049
97 3/4	15,316	103 3/4	16,302	109 3/4	17,223	115 3/4	18,066
97 7/8	15,337	103 7/8	16,321	109 7/8	17,242	115 7/8	18,083
98	15,358	104	16,341	110	17,260	116	18,099
98 1/8	15,379	104 1/8	16,361	110 1/8	17,278	116 1/8	18,116
98 1/4	15,400	104 1/4	16,381	110 1/4	17,297	116 1/4	18,132
98 3/8	15,421	104 3/8	16,401	110 3/8	17,315	116 3/8	18,149
98 1/2	15,442	104 1/2	16,421	110 1/2	17,333	116 1/2	18,165
98 5/8	15,463	104 5/8	16,440	110 5/8	17,351	116 5/8	18,181
98 3/4	15,484	104 3/4	16,460	110 3/4	17,370	116 3/4	18,198
98 7/8	15,505	104 7/8	16,480	110 7/8	17,388	116 7/8	18,214
99	15,526	105	16,499	111	17,406	117	18,230
99 1/8	15,547	105 1/8	16,519	111 1/8	17,424	117 1/8	18,246
99 1/4	15,568	105 1/4	16,539	111 1/4	17,442	117 1/4	18,263
99 3/8	15,589	105 3/8	16,558	111 3/8	17,460	117 3/8	18,279
99 1/2	15,609	105 1/2	16,578	111 1/2	17,478	117 1/2	18,295
99 5/8	15,630	105 5/8	16,597	111 5/8	17,496	117 5/8	18,311
99 3/4	15,651	105 3/4	16,617	111 3/4	17,514	117 3/4	18,327
99 7/8	15,672	105 7/8	16,636	111 7/8	17,532	117 7/8	18,343
100	15,692	106	16,655	112	17,549	118	18,358
100 1/8	15,713	106 1/8	16,675	112 1/8	17,567	118 1/8	18,374
100 1/4	15,734	106 1/4	16,694	112 1/4	17,585	118 1/4	18,390
100 3/8	15,754	106 3/8	16,713	112 3/8	17,603	118 3/8	18,406
100 1/2	15,775	106 1/2	16,733	112 1/2	17,620	118 1/2	18,421
100 5/8	15,796	106 5/8	16,752	112 5/8	17,638	118 5/8	18,437
100 3/4	15,816	106 3/4	16,771	112 3/4	17,655	118 3/4	18,453
100 7/8	15,837	106 7/8	16,790	112 7/8	17,673	118 7/8	18,468
101	15,857	107	16,810	113	17,691	119	18,484
101 1/8	15,878	107 1/8	16,829	113 1/8	17,708	119 1/8	18,499
101 1/4	15,898	107 1/4	16,848	113 1/4	17,726	119 1/4	18,514
101 3/8	15,918	107 3/8	16,867	113 3/8	17,743	119 3/8	18,530
101 1/2	15,939	107 1/2	16,886	113 1/2	17,760	119 1/2	18,545
101 5/8	15,959	107 5/8	16,905	113 5/8	17,778	119 5/8	18,560
101 3/4	15,980	107 3/4	16,924	113 3/4	17,795	119 3/4	18,576
101 7/8	16,000	107 7/8	16,943	113 7/8	17,812	119 7/8	18,591
102	16,020	108	16,962	114	17,829	120	18,606

DWT6 12'-20000 COMPARTMENT
20,046 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
120 1/8	18,621	126 1/8	19,281	132 1/8	19,791
120 1/4	18,636	126 1/4	19,293	132 1/4	19,799
120 3/8	18,651	126 3/8	19,306	132 3/8	19,808
120 1/2	18,666	126 1/2	19,318	132 1/2	19,816
120 5/8	18,681	126 5/8	19,330	132 5/8	19,824
120 3/4	18,696	126 3/4	19,342	132 3/4	19,833
120 7/8	18,710	126 7/8	19,354	132 7/8	19,841
121	18,725	127	19,366	133	19,849
121 1/8	18,740	127 1/8	19,378	133 1/8	19,857
121 1/4	18,754	127 1/4	19,390	133 1/4	19,864
121 3/8	18,769	127 3/8	19,401	133 3/8	19,872
121 1/2	18,783	127 1/2	19,413	133 1/2	19,880
121 5/8	18,798	127 5/8	19,425	133 5/8	19,887
121 3/4	18,812	127 3/4	19,436	133 3/4	19,894
121 7/8	18,827	127 7/8	19,448	133 7/8	19,902
122	18,841	128	19,459	134	19,909
122 1/8	18,855	128 1/8	19,470	134 1/8	19,916
122 1/4	18,869	128 1/4	19,481	134 1/4	19,922
122 3/8	18,883	128 3/8	19,493	134 3/8	19,929
122 1/2	18,897	128 1/2	19,504	134 1/2	19,936
122 5/8	18,912	128 5/8	19,515	134 5/8	19,942
122 3/4	18,925	128 3/4	19,526	134 3/4	19,949
122 7/8	18,939	128 7/8	19,537	134 7/8	19,955
123	18,953	129	19,547	135	19,961
123 1/8	18,967	129 1/8	19,558	135 1/8	19,967
123 1/4	18,981	129 1/4	19,569	135 1/4	19,973
123 3/8	18,995	129 3/8	19,579	135 3/8	19,978
123 1/2	19,008	129 1/2	19,590	135 1/2	19,984
123 5/8	19,022	129 5/8	19,600	135 5/8	19,989
123 3/4	19,035	129 3/4	19,610	135 3/4	19,994
123 7/8	19,049	129 7/8	19,621	135 7/8	19,999
124	19,062	130	19,631	136	20,004
124 1/8	19,076	130 1/8	19,641	136 1/8	20,009
124 1/4	19,089	130 1/4	19,651	136 1/4	20,013
124 3/8	19,102	130 3/8	19,661	136 3/8	20,017
124 1/2	19,115	130 1/2	19,671	136 1/2	20,021
124 5/8	19,128	130 5/8	19,680	136 5/8	20,025
124 3/4	19,141	130 3/4	19,690	136 3/4	20,029
124 7/8	19,154	130 7/8	19,700	136 7/8	20,032
125	19,167	131	19,709	137	20,035
125 1/8	19,180	131 1/8	19,719	137 1/8	20,038
125 1/4	19,193	131 1/4	19,728	137 1/4	20,041
125 3/8	19,206	131 3/8	19,737	137 3/8	20,043
125 1/2	19,219	131 1/2	19,746	137 1/2	20,045
125 5/8	19,231	131 5/8	19,755	137 5/8	20,046
125 3/4	19,244	131 3/4	19,764		
125 7/8	19,256	131 7/8	19,773		
126	19,269	132	19,782		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.