

**DWT6 12'-30000 COMPARTMENT**  
**30,147 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	9	6 1/8	489	12 1/8	1,305	18 1/8	2,335
1/4	13	6 1/4	503	12 1/4	1,324	18 1/4	2,358
3/8	17	6 3/8	517	12 3/8	1,344	18 3/8	2,382
1/2	22	6 1/2	532	12 1/2	1,363	18 1/2	2,405
5/8	27	6 5/8	547	12 5/8	1,383	18 5/8	2,429
3/4	33	6 3/4	561	12 3/4	1,403	18 3/4	2,452
7/8	39	6 7/8	576	12 7/8	1,423	18 7/8	2,476
1	45	7	591	13	1,443	19	2,500
1 1/8	52	7 1/8	607	13 1/8	1,463	19 1/8	2,524
1 1/4	58	7 1/4	622	13 1/4	1,483	19 1/4	2,548
1 3/8	66	7 3/8	637	13 3/8	1,504	19 3/8	2,571
1 1/2	73	7 1/2	653	13 1/2	1,524	19 1/2	2,595
1 5/8	81	7 5/8	668	13 5/8	1,545	19 5/8	2,620
1 3/4	89	7 3/4	684	13 3/4	1,565	19 3/4	2,644
1 7/8	97	7 7/8	700	13 7/8	1,586	19 7/8	2,668
2	105	8	716	14	1,607	20	2,692
2 1/8	114	8 1/8	732	14 1/8	1,627	20 1/8	2,717
2 1/4	123	8 1/4	748	14 1/4	1,648	20 1/4	2,741
2 3/8	132	8 3/8	765	14 3/8	1,669	20 3/8	2,765
2 1/2	141	8 1/2	781	14 1/2	1,690	20 1/2	2,790
2 5/8	151	8 5/8	798	14 5/8	1,711	20 5/8	2,815
2 3/4	161	8 3/4	815	14 3/4	1,733	20 3/4	2,839
2 7/8	170	8 7/8	831	14 7/8	1,754	20 7/8	2,864
3	181	9	848	15	1,775	21	2,889
3 1/8	191	9 1/8	865	15 1/8	1,797	21 1/8	2,914
3 1/4	201	9 1/4	882	15 1/4	1,818	21 1/4	2,939
3 3/8	212	9 3/8	900	15 3/8	1,840	21 3/8	2,964
3 1/2	223	9 1/2	917	15 1/2	1,862	21 1/2	2,989
3 5/8	234	9 5/8	934	15 5/8	1,883	21 5/8	3,014
3 3/4	245	9 3/4	952	15 3/4	1,905	21 3/4	3,039
3 7/8	257	9 7/8	970	15 7/8	1,927	21 7/8	3,064
4	268	10	987	16	1,949	22	3,090
4 1/8	280	10 1/8	1,005	16 1/8	1,971	22 1/8	3,115
4 1/4	292	10 1/4	1,023	16 1/4	1,994	22 1/4	3,140
4 3/8	304	10 3/8	1,041	16 3/8	2,016	22 3/8	3,166
4 1/2	316	10 1/2	1,060	16 1/2	2,038	22 1/2	3,191
4 5/8	329	10 5/8	1,078	16 5/8	2,061	22 5/8	3,217
4 3/4	341	10 3/4	1,096	16 3/4	2,083	22 3/4	3,243
4 7/8	354	10 7/8	1,115	16 7/8	2,106	22 7/8	3,268
5	367	11	1,133	17	2,128	23	3,294
5 1/8	380	11 1/8	1,152	17 1/8	2,151	23 1/8	3,320
5 1/4	393	11 1/4	1,171	17 1/4	2,174	23 1/4	3,346
5 3/8	406	11 3/8	1,189	17 3/8	2,196	23 3/8	3,372
5 1/2	420	11 1/2	1,208	17 1/2	2,219	23 1/2	3,398
5 5/8	433	11 5/8	1,227	17 5/8	2,242	23 5/8	3,424
5 3/4	447	11 3/4	1,247	17 3/4	2,265	23 3/4	3,450
5 7/8	461	11 7/8	1,266	17 7/8	2,289	23 7/8	3,476
6	475	12	1,285	18	2,312	24	3,502

**DWT6 12'-30000 COMPARTMENT**  
**30,147 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	3,529	30 1/8	4,852	36 1/8	6,281	42 1/8	7,794
24 1/4	3,555	30 1/4	4,881	36 1/4	6,312	42 1/4	7,826
24 3/8	3,581	30 3/8	4,910	36 3/8	6,343	42 3/8	7,859
24 1/2	3,608	30 1/2	4,939	36 1/2	6,373	42 1/2	7,891
24 5/8	3,634	30 5/8	4,968	36 5/8	6,404	42 5/8	7,923
24 3/4	3,661	30 3/4	4,997	36 3/4	6,435	42 3/4	7,956
24 7/8	3,688	30 7/8	5,026	36 7/8	6,466	42 7/8	7,988
25	3,714	31	5,055	37	6,497	43	8,021
25 1/8	3,741	31 1/8	5,084	37 1/8	6,528	43 1/8	8,053
25 1/4	3,768	31 1/4	5,113	37 1/4	6,559	43 1/4	8,086
25 3/8	3,795	31 3/8	5,142	37 3/8	6,590	43 3/8	8,118
25 1/2	3,821	31 1/2	5,171	37 1/2	6,621	43 1/2	8,151
25 5/8	3,848	31 5/8	5,201	37 5/8	6,652	43 5/8	8,183
25 3/4	3,875	31 3/4	5,230	37 3/4	6,683	43 3/4	8,216
25 7/8	3,902	31 7/8	5,259	37 7/8	6,714	43 7/8	8,249
26	3,930	32	5,289	38	6,746	44	8,281
26 1/8	3,957	32 1/8	5,318	38 1/8	6,777	44 1/8	8,314
26 1/4	3,984	32 1/4	5,347	38 1/4	6,808	44 1/4	8,347
26 3/8	4,011	32 3/8	5,377	38 3/8	6,840	44 3/8	8,380
26 1/2	4,039	32 1/2	5,407	38 1/2	6,871	44 1/2	8,412
26 5/8	4,066	32 5/8	5,436	38 5/8	6,902	44 5/8	8,445
26 3/4	4,093	32 3/4	5,466	38 3/4	6,934	44 3/4	8,478
26 7/8	4,121	32 7/8	5,495	38 7/8	6,965	44 7/8	8,511
27	4,148	33	5,525	39	6,997	45	8,544
27 1/8	4,176	33 1/8	5,555	39 1/8	7,028	45 1/8	8,577
27 1/4	4,204	33 1/4	5,585	39 1/4	7,060	45 1/4	8,609
27 3/8	4,231	33 3/8	5,615	39 3/8	7,091	45 3/8	8,642
27 1/2	4,259	33 1/2	5,644	39 1/2	7,123	45 1/2	8,675
27 5/8	4,287	33 5/8	5,674	39 5/8	7,155	45 5/8	8,708
27 3/4	4,315	33 3/4	5,704	39 3/4	7,186	45 3/4	8,741
27 7/8	4,342	33 7/8	5,734	39 7/8	7,218	45 7/8	8,775
28	4,370	34	5,764	40	7,250	46	8,808
28 1/8	4,398	34 1/8	5,794	40 1/8	7,282	46 1/8	8,841
28 1/4	4,426	34 1/4	5,825	40 1/4	7,313	46 1/4	8,874
28 3/8	4,454	34 3/8	5,855	40 3/8	7,345	46 3/8	8,907
28 1/2	4,482	34 1/2	5,885	40 1/2	7,377	46 1/2	8,940
28 5/8	4,511	34 5/8	5,915	40 5/8	7,409	46 5/8	8,973
28 3/4	4,539	34 3/4	5,945	40 3/4	7,441	46 3/4	9,007
28 7/8	4,567	34 7/8	5,976	40 7/8	7,473	46 7/8	9,040
29	4,595	35	6,006	41	7,505	47	9,073
29 1/8	4,624	35 1/8	6,037	41 1/8	7,537	47 1/8	9,106
29 1/4	4,652	35 1/4	6,067	41 1/4	7,569	47 1/4	9,140
29 3/8	4,681	35 3/8	6,097	41 3/8	7,601	47 3/8	9,173
29 1/2	4,709	35 1/2	6,128	41 1/2	7,633	47 1/2	9,206
29 5/8	4,738	35 5/8	6,158	41 5/8	7,665	47 5/8	9,240
29 3/4	4,766	35 3/4	6,189	41 3/4	7,697	47 3/4	9,273
29 7/8	4,795	35 7/8	6,220	41 7/8	7,730	47 7/8	9,307
30	4,824	36	6,250	42	7,762	48	9,340

**DWT6 12'-30000 COMPARTMENT**  
**30,147 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	9,374	54 1/8	11,003	60 1/8	12,667	66 1/8	14,352
48 1/4	9,407	54 1/4	11,037	60 1/4	12,702	66 1/4	14,387
48 3/8	9,441	54 3/8	11,072	60 3/8	12,737	66 3/8	14,422
48 1/2	9,474	54 1/2	11,106	60 1/2	12,772	66 1/2	14,457
48 5/8	9,508	54 5/8	11,141	60 5/8	12,807	66 5/8	14,493
48 3/4	9,541	54 3/4	11,175	60 3/4	12,842	66 3/4	14,528
48 7/8	9,575	54 7/8	11,209	60 7/8	12,877	66 7/8	14,563
49	9,608	55	11,244	61	12,912	67	14,598
49 1/8	9,642	55 1/8	11,278	61 1/8	12,947	67 1/8	14,633
49 1/4	9,676	55 1/4	11,313	61 1/4	12,982	67 1/4	14,669
49 3/8	9,709	55 3/8	11,347	61 3/8	13,017	67 3/8	14,704
49 1/2	9,743	55 1/2	11,382	61 1/2	13,052	67 1/2	14,739
49 5/8	9,777	55 5/8	11,416	61 5/8	13,087	67 5/8	14,774
49 3/4	9,811	55 3/4	11,451	61 3/4	13,122	67 3/4	14,810
49 7/8	9,844	55 7/8	11,485	61 7/8	13,157	67 7/8	14,845
50	9,878	56	11,520	62	13,192	68	14,880
50 1/8	9,912	56 1/8	11,555	62 1/8	13,227	68 1/8	14,915
50 1/4	9,946	56 1/4	11,589	62 1/4	13,262	68 1/4	14,951
50 3/8	9,980	56 3/8	11,624	62 3/8	13,297	68 3/8	14,986
50 1/2	10,013	56 1/2	11,658	62 1/2	13,332	68 1/2	15,021
50 5/8	10,047	56 5/8	11,693	62 5/8	13,368	68 5/8	15,056
50 3/4	10,081	56 3/4	11,728	62 3/4	13,403	68 3/4	15,091
50 7/8	10,115	56 7/8	11,762	62 7/8	13,438	68 7/8	15,127
51	10,149	57	11,797	63	13,473	69	15,162
51 1/8	10,183	57 1/8	11,832	63 1/8	13,508	69 1/8	15,197
51 1/4	10,217	57 1/4	11,866	63 1/4	13,543	69 1/4	15,232
51 3/8	10,251	57 3/8	11,901	63 3/8	13,578	69 3/8	15,268
51 1/2	10,285	57 1/2	11,936	63 1/2	13,613	69 1/2	15,303
51 5/8	10,319	57 5/8	11,971	63 5/8	13,648	69 5/8	15,338
51 3/4	10,353	57 3/4	12,005	63 3/4	13,683	69 3/4	15,373
51 7/8	10,387	57 7/8	12,040	63 7/8	13,719	69 7/8	15,409
52	10,421	58	12,075	64	13,754	70	15,444
52 1/8	10,455	58 1/8	12,110	64 1/8	13,789	70 1/8	15,479
52 1/4	10,489	58 1/4	12,144	64 1/4	13,824	70 1/4	15,514
52 3/8	10,523	58 3/8	12,179	64 3/8	13,859	70 3/8	15,549
52 1/2	10,558	58 1/2	12,214	64 1/2	13,894	70 1/2	15,585
52 5/8	10,592	58 5/8	12,249	64 5/8	13,930	70 5/8	15,620
52 3/4	10,626	58 3/4	12,284	64 3/4	13,965	70 3/4	15,655
52 7/8	10,660	58 7/8	12,318	64 7/8	14,000	70 7/8	15,690
53	10,694	59	12,353	65	14,035	71	15,726
53 1/8	10,729	59 1/8	12,388	65 1/8	14,070	71 1/8	15,761
53 1/4	10,763	59 1/4	12,423	65 1/4	14,105	71 1/4	15,796
53 3/8	10,797	59 3/8	12,458	65 3/8	14,141	71 3/8	15,831
53 1/2	10,831	59 1/2	12,493	65 1/2	14,176	71 1/2	15,866
53 5/8	10,866	59 5/8	12,528	65 5/8	14,211	71 5/8	15,902
53 3/4	10,900	59 3/4	12,563	65 3/4	14,246	71 3/4	15,937
53 7/8	10,934	59 7/8	12,597	65 7/8	14,281	71 7/8	15,972
54	10,969	60	12,632	66	14,317	72	16,007

**DWT6 12'-30000 COMPARTMENT**  
**30,147 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
72 1/8	16,042	78 1/8	17,725	84 1/8	19,385	90 1/8	21,008
72 1/4	16,077	78 1/4	17,760	84 1/4	19,419	90 1/4	21,041
72 3/8	16,113	78 3/8	17,794	84 3/8	19,453	90 3/8	21,075
72 1/2	16,148	78 1/2	17,829	84 1/2	19,488	90 1/2	21,108
72 5/8	16,183	78 5/8	17,864	84 5/8	19,522	90 5/8	21,141
72 3/4	16,218	78 3/4	17,899	84 3/4	19,556	90 3/4	21,174
72 7/8	16,253	78 7/8	17,934	84 7/8	19,590	90 7/8	21,208
73	16,288	79	17,969	85	19,624	91	21,241
73 1/8	16,324	79 1/8	18,003	85 1/8	19,658	91 1/8	21,274
73 1/4	16,359	79 1/4	18,038	85 1/4	19,692	91 1/4	21,307
73 3/8	16,394	79 3/8	18,073	85 3/8	19,727	91 3/8	21,340
73 1/2	16,429	79 1/2	18,108	85 1/2	19,761	91 1/2	21,373
73 5/8	16,464	79 5/8	18,142	85 5/8	19,795	91 5/8	21,406
73 3/4	16,499	79 3/4	18,177	85 3/4	19,829	91 3/4	21,439
73 7/8	16,534	79 7/8	18,212	85 7/8	19,863	91 7/8	21,472
74	16,570	80	18,247	86	19,897	92	21,505
74 1/8	16,605	80 1/8	18,281	86 1/8	19,931	92 1/8	21,538
74 1/4	16,640	80 1/4	18,316	86 1/4	19,965	92 1/4	21,571
74 3/8	16,675	80 3/8	18,351	86 3/8	19,999	92 3/8	21,604
74 1/2	16,710	80 1/2	18,385	86 1/2	20,033	92 1/2	21,637
74 5/8	16,745	80 5/8	18,420	86 5/8	20,067	92 5/8	21,670
74 3/4	16,780	80 3/4	18,455	86 3/4	20,100	92 3/4	21,703
74 7/8	16,815	80 7/8	18,489	86 7/8	20,134	92 7/8	21,735
75	16,850	81	18,524	87	20,168	93	21,768
75 1/8	16,885	81 1/8	18,558	87 1/8	20,202	93 1/8	21,801
75 1/4	16,920	81 1/4	18,593	87 1/4	20,236	93 1/4	21,834
75 3/8	16,956	81 3/8	18,628	87 3/8	20,270	93 3/8	21,866
75 1/2	16,991	81 1/2	18,662	87 1/2	20,303	93 1/2	21,899
75 5/8	17,026	81 5/8	18,697	87 5/8	20,337	93 5/8	21,932
75 3/4	17,061	81 3/4	18,731	87 3/4	20,371	93 3/4	21,964
75 7/8	17,096	81 7/8	18,766	87 7/8	20,405	93 7/8	21,997
76	17,131	82	18,800	88	20,438	94	22,029
76 1/8	17,166	82 1/8	18,835	88 1/8	20,472	94 1/8	22,062
76 1/4	17,201	82 1/4	18,869	88 1/4	20,506	94 1/4	22,095
76 3/8	17,236	82 3/8	18,904	88 3/8	20,539	94 3/8	22,127
76 1/2	17,271	82 1/2	18,938	88 1/2	20,573	94 1/2	22,159
76 5/8	17,306	82 5/8	18,973	88 5/8	20,606	94 5/8	22,192
76 3/4	17,341	82 3/4	19,007	88 3/4	20,640	94 3/4	22,224
76 7/8	17,376	82 7/8	19,042	88 7/8	20,674	94 7/8	22,257
77	17,411	83	19,076	89	20,707	95	22,289
77 1/8	17,445	83 1/8	19,110	89 1/8	20,741	95 1/8	22,321
77 1/4	17,480	83 1/4	19,145	89 1/4	20,774	95 1/4	22,354
77 3/8	17,515	83 3/8	19,179	89 3/8	20,808	95 3/8	22,386
77 1/2	17,550	83 1/2	19,213	89 1/2	20,841	95 1/2	22,418
77 5/8	17,585	83 5/8	19,248	89 5/8	20,875	95 5/8	22,450
77 3/4	17,620	83 3/4	19,282	89 3/4	20,908	95 3/4	22,482
77 7/8	17,655	83 7/8	19,316	89 7/8	20,941	95 7/8	22,515
78	17,690	84	19,351	90	20,975	96	22,547

**DWT6 12'-30000 COMPARTMENT**  
**30,147 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
96 1/8	22,579	102 1/8	24,081	108 1/8	25,495	114 1/8	26,802
96 1/4	22,611	102 1/4	24,111	108 1/4	25,524	114 1/4	26,828
96 3/8	22,643	102 3/8	24,142	108 3/8	25,552	114 3/8	26,854
96 1/2	22,675	102 1/2	24,172	108 1/2	25,581	114 1/2	26,879
96 5/8	22,707	102 5/8	24,202	108 5/8	25,609	114 5/8	26,905
96 3/4	22,739	102 3/4	24,232	108 3/4	25,637	114 3/4	26,931
96 7/8	22,771	102 7/8	24,263	108 7/8	25,665	114 7/8	26,956
97	22,803	103	24,293	109	25,693	115	26,982
97 1/8	22,834	103 1/8	24,323	109 1/8	25,721	115 1/8	27,007
97 1/4	22,866	103 1/4	24,353	109 1/4	25,749	115 1/4	27,033
97 3/8	22,898	103 3/8	24,383	109 3/8	25,777	115 3/8	27,058
97 1/2	22,930	103 1/2	24,413	109 1/2	25,805	115 1/2	27,083
97 5/8	22,961	103 5/8	24,443	109 5/8	25,833	115 5/8	27,109
97 3/4	22,993	103 3/4	24,473	109 3/4	25,861	115 3/4	27,134
97 7/8	23,025	103 7/8	24,503	109 7/8	25,889	115 7/8	27,159
98	23,056	104	24,533	110	25,916	116	27,184
98 1/8	23,088	104 1/8	24,563	110 1/8	25,944	116 1/8	27,209
98 1/4	23,120	104 1/4	24,593	110 1/4	25,972	116 1/4	27,234
98 3/8	23,151	104 3/8	24,623	110 3/8	25,999	116 3/8	27,259
98 1/2	23,183	104 1/2	24,652	110 1/2	26,027	116 1/2	27,284
98 5/8	23,214	104 5/8	24,682	110 5/8	26,054	116 5/8	27,308
98 3/4	23,245	104 3/4	24,712	110 3/4	26,082	116 3/4	27,333
98 7/8	23,277	104 7/8	24,741	110 7/8	26,109	116 7/8	27,358
99	23,308	105	24,771	111	26,136	117	27,382
99 1/8	23,339	105 1/8	24,800	111 1/8	26,164	117 1/8	27,407
99 1/4	23,371	105 1/4	24,830	111 1/4	26,191	117 1/4	27,431
99 3/8	23,402	105 3/8	24,859	111 3/8	26,218	117 3/8	27,455
99 1/2	23,433	105 1/2	24,889	111 1/2	26,245	117 1/2	27,480
99 5/8	23,464	105 5/8	24,918	111 5/8	26,272	117 5/8	27,504
99 3/4	23,496	105 3/4	24,947	111 3/4	26,299	117 3/4	27,528
99 7/8	23,527	105 7/8	24,976	111 7/8	26,326	117 7/8	27,552
100	23,558	106	25,006	112	26,353	118	27,576
100 1/8	23,589	106 1/8	25,035	112 1/8	26,380	118 1/8	27,600
100 1/4	23,620	106 1/4	25,064	112 1/4	26,407	118 1/4	27,624
100 3/8	23,651	106 3/8	25,093	112 3/8	26,433	118 3/8	27,648
100 1/2	23,682	106 1/2	25,122	112 1/2	26,460	118 1/2	27,672
100 5/8	23,713	106 5/8	25,151	112 5/8	26,487	118 5/8	27,695
100 3/4	23,744	106 3/4	25,180	112 3/4	26,513	118 3/4	27,719
100 7/8	23,774	106 7/8	25,209	112 7/8	26,540	118 7/8	27,742
101	23,805	107	25,238	113	26,566	119	27,766
101 1/8	23,836	107 1/8	25,267	113 1/8	26,593	119 1/8	27,789
101 1/4	23,867	107 1/4	25,295	113 1/4	26,619	119 1/4	27,813
101 3/8	23,897	107 3/8	25,324	113 3/8	26,645	119 3/8	27,836
101 1/2	23,928	107 1/2	25,353	113 1/2	26,672	119 1/2	27,859
101 5/8	23,959	107 5/8	25,381	113 5/8	26,698	119 5/8	27,882
101 3/4	23,989	107 3/4	25,410	113 3/4	26,724	119 3/4	27,905
101 7/8	24,020	107 7/8	25,439	113 7/8	26,750	119 7/8	27,928
102	24,050	108	25,467	114	26,776	120	27,951

**DWT6 12'-30000 COMPARTMENT**  
**30,147 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
120 1/8	27,974	126 1/8	28,977	132 1/8	29,755
120 1/4	27,997	126 1/4	28,996	132 1/4	29,768
120 3/8	28,020	126 3/8	29,014	132 3/8	29,781
120 1/2	28,042	126 1/2	29,033	132 1/2	29,794
120 5/8	28,065	126 5/8	29,052	132 5/8	29,807
120 3/4	28,087	126 3/4	29,070	132 3/4	29,819
120 7/8	28,110	126 7/8	29,088	132 7/8	29,831
121	28,132	127	29,106	133	29,844
121 1/8	28,154	127 1/8	29,124	133 1/8	29,856
121 1/4	28,176	127 1/4	29,142	133 1/4	29,868
121 3/8	28,198	127 3/8	29,160	133 3/8	29,879
121 1/2	28,220	127 1/2	29,178	133 1/2	29,891
121 5/8	28,242	127 5/8	29,196	133 5/8	29,902
121 3/4	28,264	127 3/4	29,213	133 3/4	29,914
121 7/8	28,286	127 7/8	29,231	133 7/8	29,925
122	28,308	128	29,248	134	29,936
122 1/8	28,329	128 1/8	29,265	134 1/8	29,946
122 1/4	28,351	128 1/4	29,282	134 1/4	29,957
122 3/8	28,372	128 3/8	29,299	134 3/8	29,967
122 1/2	28,394	128 1/2	29,316	134 1/2	29,977
122 5/8	28,415	128 5/8	29,333	134 5/8	29,987
122 3/4	28,436	128 3/4	29,350	134 3/4	29,997
122 7/8	28,457	128 7/8	29,366	134 7/8	30,006
123	28,478	129	29,383	135	30,016
123 1/8	28,499	129 1/8	29,399	135 1/8	30,025
123 1/4	28,520	129 1/4	29,415	135 1/4	30,034
123 3/8	28,541	129 3/8	29,432	135 3/8	30,042
123 1/2	28,562	129 1/2	29,448	135 1/2	30,051
123 5/8	28,583	129 5/8	29,463	135 5/8	30,059
123 3/4	28,603	129 3/4	29,479	135 3/4	30,067
123 7/8	28,624	129 7/8	29,495	135 7/8	30,075
124	28,644	130	29,510	136	30,082
124 1/8	28,664	130 1/8	29,526	136 1/8	30,089
124 1/4	28,685	130 1/4	29,541	136 1/4	30,096
124 3/8	28,705	130 3/8	29,556	136 3/8	30,103
124 1/2	28,725	130 1/2	29,571	136 1/2	30,109
124 5/8	28,745	130 5/8	29,586	136 5/8	30,115
124 3/4	28,765	130 3/4	29,601	136 3/4	30,121
124 7/8	28,784	130 7/8	29,616	136 7/8	30,126
125	28,804	131	29,630	137	30,131
125 1/8	28,824	131 1/8	29,645	137 1/8	30,135
125 1/4	28,843	131 1/4	29,659	137 1/4	30,139
125 3/8	28,863	131 3/8	29,673	137 3/8	30,142
125 1/2	28,882	131 1/2	29,687	137 1/2	30,145
125 5/8	28,901	131 5/8	29,701	137 5/8	30,147
125 3/4	28,920	131 3/4	29,715		
125 7/8	28,939	131 7/8	29,728		
126	28,958	132	29,742		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.