

DWT6 12'-35000 COMPARTMENT
35,456 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	10	6 1/8	578	12 1/8	1,542	18 1/8	2,757
1/4	15	6 1/4	595	12 1/4	1,565	18 1/4	2,785
3/8	20	6 3/8	612	12 3/8	1,588	18 3/8	2,812
1/2	26	6 1/2	629	12 1/2	1,611	18 1/2	2,840
5/8	32	6 5/8	647	12 5/8	1,634	18 5/8	2,868
3/4	39	6 3/4	664	12 3/4	1,658	18 3/4	2,895
7/8	46	6 7/8	682	12 7/8	1,681	18 7/8	2,923
1	53	7	700	13	1,705	19	2,951
1 1/8	61	7 1/8	717	13 1/8	1,729	19 1/8	2,979
1 1/4	69	7 1/4	736	13 1/4	1,753	19 1/4	3,008
1 3/8	78	7 3/8	754	13 3/8	1,777	19 3/8	3,036
1 1/2	87	7 1/2	772	13 1/2	1,801	19 1/2	3,064
1 5/8	96	7 5/8	791	13 5/8	1,825	19 5/8	3,092
1 3/4	105	7 3/4	809	13 3/4	1,849	19 3/4	3,121
1 7/8	115	7 7/8	828	13 7/8	1,874	19 7/8	3,149
2	125	8	847	14	1,898	20	3,178
2 1/8	135	8 1/8	866	14 1/8	1,923	20 1/8	3,207
2 1/4	146	8 1/4	885	14 1/4	1,947	20 1/4	3,236
2 3/8	156	8 3/8	904	14 3/8	1,972	20 3/8	3,264
2 1/2	167	8 1/2	924	14 1/2	1,997	20 1/2	3,293
2 5/8	179	8 5/8	944	14 5/8	2,022	20 5/8	3,322
2 3/4	190	8 3/4	963	14 3/4	2,047	20 3/4	3,351
2 7/8	202	8 7/8	983	14 7/8	2,072	20 7/8	3,381
3	214	9	1,003	15	2,097	21	3,410
3 1/8	226	9 1/8	1,023	15 1/8	2,122	21 1/8	3,439
3 1/4	239	9 1/4	1,043	15 1/4	2,148	21 1/4	3,468
3 3/8	251	9 3/8	1,064	15 3/8	2,173	21 3/8	3,498
3 1/2	264	9 1/2	1,084	15 1/2	2,199	21 1/2	3,527
3 5/8	277	9 5/8	1,105	15 5/8	2,225	21 5/8	3,557
3 3/4	290	9 3/4	1,126	15 3/4	2,250	21 3/4	3,587
3 7/8	304	9 7/8	1,146	15 7/8	2,276	21 7/8	3,616
4	318	10	1,167	16	2,302	22	3,646
4 1/8	331	10 1/8	1,188	16 1/8	2,328	22 1/8	3,676
4 1/4	346	10 1/4	1,210	16 1/4	2,354	22 1/4	3,706
4 3/8	360	10 3/8	1,231	16 3/8	2,381	22 3/8	3,736
4 1/2	374	10 1/2	1,252	16 1/2	2,407	22 1/2	3,766
4 5/8	389	10 5/8	1,274	16 5/8	2,433	22 5/8	3,796
4 3/4	404	10 3/4	1,296	16 3/4	2,460	22 3/4	3,826
4 7/8	419	10 7/8	1,318	16 7/8	2,487	22 7/8	3,857
5	434	11	1,339	17	2,513	23	3,887
5 1/8	449	11 1/8	1,361	17 1/8	2,540	23 1/8	3,918
5 1/4	465	11 1/4	1,384	17 1/4	2,567	23 1/4	3,948
5 3/8	481	11 3/8	1,406	17 3/8	2,594	23 3/8	3,979
5 1/2	496	11 1/2	1,428	17 1/2	2,621	23 1/2	4,009
5 5/8	512	11 5/8	1,451	17 5/8	2,648	23 5/8	4,040
5 3/4	529	11 3/4	1,473	17 3/4	2,675	23 3/4	4,071
5 7/8	545	11 7/8	1,496	17 7/8	2,702	23 7/8	4,101
6	562	12	1,519	18	2,730	24	4,132

DWT6 12'-35000 COMPARTMENT
35,456 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	4,163	30 1/8	5,721	36 1/8	7,402	42 1/8	9,180
24 1/4	4,194	30 1/4	5,755	36 1/4	7,438	42 1/4	9,218
24 3/8	4,225	30 3/8	5,789	36 3/8	7,474	42 3/8	9,256
24 1/2	4,257	30 1/2	5,823	36 1/2	7,510	42 1/2	9,294
24 5/8	4,288	30 5/8	5,857	36 5/8	7,547	42 5/8	9,332
24 3/4	4,319	30 3/4	5,891	36 3/4	7,583	42 3/4	9,370
24 7/8	4,350	30 7/8	5,925	36 7/8	7,619	42 7/8	9,408
25	4,382	31	5,960	37	7,656	43	9,447
25 1/8	4,413	31 1/8	5,994	37 1/8	7,692	43 1/8	9,485
25 1/4	4,445	31 1/4	6,028	37 1/4	7,729	43 1/4	9,523
25 3/8	4,477	31 3/8	6,062	37 3/8	7,765	43 3/8	9,561
25 1/2	4,508	31 1/2	6,097	37 1/2	7,802	43 1/2	9,599
25 5/8	4,540	31 5/8	6,131	37 5/8	7,838	43 5/8	9,638
25 3/4	4,572	31 3/4	6,166	37 3/4	7,875	43 3/4	9,676
25 7/8	4,604	31 7/8	6,200	37 7/8	7,911	43 7/8	9,714
26	4,635	32	6,235	38	7,948	44	9,753
26 1/8	4,667	32 1/8	6,269	38 1/8	7,985	44 1/8	9,791
26 1/4	4,699	32 1/4	6,304	38 1/4	8,022	44 1/4	9,830
26 3/8	4,732	32 3/8	6,339	38 3/8	8,058	44 3/8	9,868
26 1/2	4,764	32 1/2	6,373	38 1/2	8,095	44 1/2	9,907
26 5/8	4,796	32 5/8	6,408	38 5/8	8,132	44 5/8	9,945
26 3/4	4,828	32 3/4	6,443	38 3/4	8,169	44 3/4	9,984
26 7/8	4,861	32 7/8	6,478	38 7/8	8,206	44 7/8	10,022
27	4,893	33	6,513	39	8,243	45	10,061
27 1/8	4,925	33 1/8	6,548	39 1/8	8,280	45 1/8	10,100
27 1/4	4,958	33 1/4	6,583	39 1/4	8,317	45 1/4	10,138
27 3/8	4,991	33 3/8	6,618	39 3/8	8,354	45 3/8	10,177
27 1/2	5,023	33 1/2	6,653	39 1/2	8,392	45 1/2	10,216
27 5/8	5,056	33 5/8	6,688	39 5/8	8,429	45 5/8	10,255
27 3/4	5,089	33 3/4	6,724	39 3/4	8,466	45 3/4	10,293
27 7/8	5,121	33 7/8	6,759	39 7/8	8,503	45 7/8	10,332
28	5,154	34	6,794	40	8,541	46	10,371
28 1/8	5,187	34 1/8	6,830	40 1/8	8,578	46 1/8	10,410
28 1/4	5,220	34 1/4	6,865	40 1/4	8,615	46 1/4	10,449
28 3/8	5,253	34 3/8	6,901	40 3/8	8,653	46 3/8	10,488
28 1/2	5,286	34 1/2	6,936	40 1/2	8,690	46 1/2	10,527
28 5/8	5,319	34 5/8	6,972	40 5/8	8,728	46 5/8	10,566
28 3/4	5,353	34 3/4	7,007	40 3/4	8,765	46 3/4	10,605
28 7/8	5,386	34 7/8	7,043	40 7/8	8,803	46 7/8	10,644
29	5,419	35	7,079	41	8,840	47	10,683
29 1/8	5,453	35 1/8	7,114	41 1/8	8,878	47 1/8	10,722
29 1/4	5,486	35 1/4	7,150	41 1/4	8,916	47 1/4	10,761
29 3/8	5,519	35 3/8	7,186	41 3/8	8,953	47 3/8	10,800
29 1/2	5,553	35 1/2	7,222	41 1/2	8,991	47 1/2	10,840
29 5/8	5,587	35 5/8	7,258	41 5/8	9,029	47 5/8	10,879
29 3/4	5,620	35 3/4	7,294	41 3/4	9,067	47 3/4	10,918
29 7/8	5,654	35 7/8	7,330	41 7/8	9,105	47 7/8	10,957
30	5,688	36	7,366	42	9,142	48	10,997

DWT6 12'-35000 COMPARTMENT
35,456 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	11,036	54 1/8	12,949	60 1/8	14,903	66 1/8	16,881
48 1/4	11,075	54 1/4	12,990	60 1/4	14,944	66 1/4	16,922
48 3/8	11,115	54 3/8	13,030	60 3/8	14,985	66 3/8	16,963
48 1/2	11,154	54 1/2	13,071	60 1/2	15,026	66 1/2	17,005
48 5/8	11,193	54 5/8	13,111	60 5/8	15,067	66 5/8	17,046
48 3/4	11,233	54 3/4	13,151	60 3/4	15,109	66 3/4	17,087
48 7/8	11,272	54 7/8	13,192	60 7/8	15,150	66 7/8	17,129
49	11,312	55	13,232	61	15,191	67	17,170
49 1/8	11,351	55 1/8	13,273	61 1/8	15,232	67 1/8	17,211
49 1/4	11,391	55 1/4	13,313	61 1/4	15,273	67 1/4	17,253
49 3/8	11,430	55 3/8	13,354	61 3/8	15,314	67 3/8	17,294
49 1/2	11,470	55 1/2	13,394	61 1/2	15,355	67 1/2	17,335
49 5/8	11,510	55 5/8	13,435	61 5/8	15,396	67 5/8	17,377
49 3/4	11,549	55 3/4	13,475	61 3/4	15,437	67 3/4	17,418
49 7/8	11,589	55 7/8	13,516	61 7/8	15,478	67 7/8	17,459
50	11,628	56	13,557	62	15,520	68	17,501
50 1/8	11,668	56 1/8	13,597	62 1/8	15,561	68 1/8	17,542
50 1/4	11,708	56 1/4	13,638	62 1/4	15,602	68 1/4	17,584
50 3/8	11,748	56 3/8	13,678	62 3/8	15,643	68 3/8	17,625
50 1/2	11,787	56 1/2	13,719	62 1/2	15,684	68 1/2	17,666
50 5/8	11,827	56 5/8	13,760	62 5/8	15,725	68 5/8	17,708
50 3/4	11,867	56 3/4	13,800	62 3/4	15,767	68 3/4	17,749
50 7/8	11,907	56 7/8	13,841	62 7/8	15,808	68 7/8	17,790
51	11,947	57	13,882	63	15,849	69	17,832
51 1/8	11,987	57 1/8	13,922	63 1/8	15,890	69 1/8	17,873
51 1/4	12,026	57 1/4	13,963	63 1/4	15,931	69 1/4	17,914
51 3/8	12,066	57 3/8	14,004	63 3/8	15,973	69 3/8	17,956
51 1/2	12,106	57 1/2	14,045	63 1/2	16,014	69 1/2	17,997
51 5/8	12,146	57 5/8	14,085	63 5/8	16,055	69 5/8	18,038
51 3/4	12,186	57 3/4	14,126	63 3/4	16,096	69 3/4	18,080
51 7/8	12,226	57 7/8	14,167	63 7/8	16,137	69 7/8	18,121
52	12,266	58	14,208	64	16,179	70	18,162
52 1/8	12,306	58 1/8	14,249	64 1/8	16,220	70 1/8	18,204
52 1/4	12,346	58 1/4	14,289	64 1/4	16,261	70 1/4	18,245
52 3/8	12,386	58 3/8	14,330	64 3/8	16,303	70 3/8	18,286
52 1/2	12,426	58 1/2	14,371	64 1/2	16,344	70 1/2	18,328
52 5/8	12,467	58 5/8	14,412	64 5/8	16,385	70 5/8	18,369
52 3/4	12,507	58 3/4	14,453	64 3/4	16,426	70 3/4	18,411
52 7/8	12,547	58 7/8	14,494	64 7/8	16,468	70 7/8	18,452
53	12,587	59	14,535	65	16,509	71	18,493
53 1/8	12,627	59 1/8	14,576	65 1/8	16,550	71 1/8	18,534
53 1/4	12,667	59 1/4	14,617	65 1/4	16,592	71 1/4	18,576
53 3/8	12,708	59 3/8	14,657	65 3/8	16,633	71 3/8	18,617
53 1/2	12,748	59 1/2	14,698	65 1/2	16,674	71 1/2	18,658
53 5/8	12,788	59 5/8	14,739	65 5/8	16,715	71 5/8	18,700
53 3/4	12,828	59 3/4	14,780	65 3/4	16,757	71 3/4	18,741
53 7/8	12,869	59 7/8	14,821	65 7/8	16,798	71 7/8	18,782
54	12,909	60	14,862	66	16,839	72	18,824

DWT6 12'-35000 COMPARTMENT
35,456 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
72 1/8	18,865	78 1/8	20,840	84 1/8	22,789	90 1/8	24,695
72 1/4	18,906	78 1/4	20,881	84 1/4	22,829	90 1/4	24,734
72 3/8	18,948	78 3/8	20,922	84 3/8	22,869	90 3/8	24,774
72 1/2	18,989	78 1/2	20,963	84 1/2	22,910	90 1/2	24,813
72 5/8	19,030	78 5/8	21,004	84 5/8	22,950	90 5/8	24,852
72 3/4	19,071	78 3/4	21,044	84 3/4	22,990	90 3/4	24,891
72 7/8	19,113	78 7/8	21,085	84 7/8	23,030	90 7/8	24,930
73	19,154	79	21,126	85	23,070	91	24,969
73 1/8	19,195	79 1/8	21,167	85 1/8	23,110	91 1/8	25,008
73 1/4	19,237	79 1/4	21,208	85 1/4	23,150	91 1/4	25,047
73 3/8	19,278	79 3/8	21,249	85 3/8	23,190	91 3/8	25,085
73 1/2	19,319	79 1/2	21,290	85 1/2	23,230	91 1/2	25,124
73 5/8	19,360	79 5/8	21,330	85 5/8	23,270	91 5/8	25,163
73 3/4	19,401	79 3/4	21,371	85 3/4	23,310	91 3/4	25,202
73 7/8	19,443	79 7/8	21,412	85 7/8	23,350	91 7/8	25,241
74	19,484	80	21,453	86	23,390	92	25,279
74 1/8	19,525	80 1/8	21,493	86 1/8	23,430	92 1/8	25,318
74 1/4	19,566	80 1/4	21,534	86 1/4	23,470	92 1/4	25,357
74 3/8	19,608	80 3/8	21,575	86 3/8	23,510	92 3/8	25,395
74 1/2	19,649	80 1/2	21,615	86 1/2	23,550	92 1/2	25,434
74 5/8	19,690	80 5/8	21,656	86 5/8	23,590	92 5/8	25,473
74 3/4	19,731	80 3/4	21,697	86 3/4	23,629	92 3/4	25,511
74 7/8	19,772	80 7/8	21,738	86 7/8	23,669	92 7/8	25,550
75	19,814	81	21,778	87	23,709	93	25,588
75 1/8	19,855	81 1/8	21,819	87 1/8	23,749	93 1/8	25,627
75 1/4	19,896	81 1/4	21,859	87 1/4	23,788	93 1/4	25,665
75 3/8	19,937	81 3/8	21,900	87 3/8	23,828	93 3/8	25,704
75 1/2	19,978	81 1/2	21,941	87 1/2	23,868	93 1/2	25,742
75 5/8	20,019	81 5/8	21,981	87 5/8	23,907	93 5/8	25,780
75 3/4	20,060	81 3/4	22,022	87 3/4	23,947	93 3/4	25,819
75 7/8	20,101	81 7/8	22,062	87 7/8	23,987	93 7/8	25,857
76	20,143	82	22,103	88	24,026	94	25,895
76 1/8	20,184	82 1/8	22,143	88 1/8	24,066	94 1/8	25,934
76 1/4	20,225	82 1/4	22,184	88 1/4	24,105	94 1/4	25,972
76 3/8	20,266	82 3/8	22,224	88 3/8	24,145	94 3/8	26,010
76 1/2	20,307	82 1/2	22,265	88 1/2	24,184	94 1/2	26,048
76 5/8	20,348	82 5/8	22,305	88 5/8	24,224	94 5/8	26,086
76 3/4	20,389	82 3/4	22,346	88 3/4	24,263	94 3/4	26,124
76 7/8	20,430	82 7/8	22,386	88 7/8	24,303	94 7/8	26,162
77	20,471	83	22,426	89	24,342	95	26,200
77 1/8	20,512	83 1/8	22,467	89 1/8	24,381	95 1/8	26,238
77 1/4	20,553	83 1/4	22,507	89 1/4	24,421	95 1/4	26,276
77 3/8	20,594	83 3/8	22,547	89 3/8	24,460	95 3/8	26,314
77 1/2	20,635	83 1/2	22,588	89 1/2	24,499	95 1/2	26,352
77 5/8	20,676	83 5/8	22,628	89 5/8	24,538	95 5/8	26,390
77 3/4	20,717	83 3/4	22,668	89 3/4	24,578	95 3/4	26,428
77 7/8	20,758	83 7/8	22,709	89 7/8	24,617	95 7/8	26,465
78	20,799	84	22,749	90	24,656	96	26,503

DWT6 12'-35000 COMPARTMENT
35,456 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
96 1/8	26,541	102 1/8	28,306	108 1/8	29,971	114 1/8	31,509
96 1/4	26,578	102 1/4	28,342	108 1/4	30,004	114 1/4	31,539
96 3/8	26,616	102 3/8	28,378	108 3/8	30,037	114 3/8	31,569
96 1/2	26,654	102 1/2	28,414	108 1/2	30,071	114 1/2	31,600
96 5/8	26,691	102 5/8	28,449	108 5/8	30,104	114 5/8	31,630
96 3/4	26,729	102 3/4	28,485	108 3/4	30,137	114 3/4	31,660
96 7/8	26,766	102 7/8	28,520	108 7/8	30,170	114 7/8	31,690
97	26,804	103	28,556	109	30,203	115	31,721
97 1/8	26,841	103 1/8	28,591	109 1/8	30,236	115 1/8	31,751
97 1/4	26,879	103 1/4	28,627	109 1/4	30,269	115 1/4	31,780
97 3/8	26,916	103 3/8	28,662	109 3/8	30,302	115 3/8	31,810
97 1/2	26,953	103 1/2	28,698	109 1/2	30,335	115 1/2	31,840
97 5/8	26,990	103 5/8	28,733	109 5/8	30,368	115 5/8	31,870
97 3/4	27,028	103 3/4	28,768	109 3/4	30,401	115 3/4	31,900
97 7/8	27,065	103 7/8	28,803	109 7/8	30,433	115 7/8	31,929
98	27,102	104	28,838	110	30,466	116	31,959
98 1/8	27,139	104 1/8	28,873	110 1/8	30,499	116 1/8	31,988
98 1/4	27,176	104 1/4	28,909	110 1/4	30,531	116 1/4	32,017
98 3/8	27,213	104 3/8	28,944	110 3/8	30,564	116 3/8	32,047
98 1/2	27,250	104 1/2	28,979	110 1/2	30,596	116 1/2	32,076
98 5/8	27,287	104 5/8	29,013	110 5/8	30,628	116 5/8	32,105
98 3/4	27,324	104 3/4	29,048	110 3/4	30,661	116 3/4	32,134
98 7/8	27,361	104 7/8	29,083	110 7/8	30,693	116 7/8	32,163
99	27,398	105	29,118	111	30,725	117	32,192
99 1/8	27,435	105 1/8	29,153	111 1/8	30,757	117 1/8	32,221
99 1/4	27,472	105 1/4	29,187	111 1/4	30,789	117 1/4	32,250
99 3/8	27,508	105 3/8	29,222	111 3/8	30,821	117 3/8	32,278
99 1/2	27,545	105 1/2	29,256	111 1/2	30,853	117 1/2	32,307
99 5/8	27,582	105 5/8	29,291	111 5/8	30,885	117 5/8	32,336
99 3/4	27,618	105 3/4	29,325	111 3/4	30,917	117 3/4	32,364
99 7/8	27,655	105 7/8	29,360	111 7/8	30,948	117 7/8	32,392
100	27,691	106	29,394	112	30,980	118	32,421
100 1/8	27,728	106 1/8	29,429	112 1/8	31,012	118 1/8	32,449
100 1/4	27,764	106 1/4	29,463	112 1/4	31,043	118 1/4	32,477
100 3/8	27,801	106 3/8	29,497	112 3/8	31,075	118 3/8	32,505
100 1/2	27,837	106 1/2	29,531	112 1/2	31,106	118 1/2	32,533
100 5/8	27,874	106 5/8	29,565	112 5/8	31,137	118 5/8	32,561
100 3/4	27,910	106 3/4	29,599	112 3/4	31,169	118 3/4	32,589
100 7/8	27,946	106 7/8	29,633	112 7/8	31,200	118 7/8	32,617
101	27,982	107	29,667	113	31,231	119	32,644
101 1/8	28,019	107 1/8	29,701	113 1/8	31,262	119 1/8	32,672
101 1/4	28,055	107 1/4	29,735	113 1/4	31,293	119 1/4	32,699
101 3/8	28,091	107 3/8	29,769	113 3/8	31,324	119 3/8	32,727
101 1/2	28,127	107 1/2	29,803	113 1/2	31,355	119 1/2	32,754
101 5/8	28,163	107 5/8	29,836	113 5/8	31,386	119 5/8	32,782
101 3/4	28,199	107 3/4	29,870	113 3/4	31,417	119 3/4	32,809
101 7/8	28,235	107 7/8	29,904	113 7/8	31,447	119 7/8	32,836
102	28,271	108	29,937	114	31,478	120	32,863

DWT6 12'-35000 COMPARTMENT
35,456 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
120 1/8	32,890	126 1/8	34,073	132 1/8	34,992
120 1/4	32,917	126 1/4	34,095	132 1/4	35,007
120 3/8	32,943	126 3/8	34,117	132 3/8	35,023
120 1/2	32,970	126 1/2	34,139	132 1/2	35,038
120 5/8	32,997	126 5/8	34,161	132 5/8	35,053
120 3/4	33,023	126 3/4	34,182	132 3/4	35,068
120 7/8	33,049	126 7/8	34,204	132 7/8	35,082
121	33,076	127	34,225	133	35,097
121 1/8	33,102	127 1/8	34,247	133 1/8	35,111
121 1/4	33,128	127 1/4	34,268	133 1/4	35,125
121 3/8	33,154	127 3/8	34,289	133 3/8	35,139
121 1/2	33,180	127 1/2	34,310	133 1/2	35,153
121 5/8	33,206	127 5/8	34,331	133 5/8	35,166
121 3/4	33,232	127 3/4	34,352	133 3/4	35,179
121 7/8	33,258	127 7/8	34,372	133 7/8	35,192
122	33,283	128	34,393	134	35,205
122 1/8	33,309	128 1/8	34,413	134 1/8	35,218
122 1/4	33,334	128 1/4	34,433	134 1/4	35,230
122 3/8	33,359	128 3/8	34,453	134 3/8	35,243
122 1/2	33,385	128 1/2	34,473	134 1/2	35,255
122 5/8	33,410	128 5/8	34,493	134 5/8	35,266
122 3/4	33,435	128 3/4	34,513	134 3/4	35,278
122 7/8	33,460	128 7/8	34,533	134 7/8	35,289
123	33,485	129	34,552	135	35,300
123 1/8	33,509	129 1/8	34,571	135 1/8	35,311
123 1/4	33,534	129 1/4	34,591	135 1/4	35,321
123 3/8	33,559	129 3/8	34,610	135 3/8	35,332
123 1/2	33,583	129 1/2	34,629	135 1/2	35,342
123 5/8	33,607	129 5/8	34,647	135 5/8	35,351
123 3/4	33,632	129 3/4	34,666	135 3/4	35,361
123 7/8	33,656	129 7/8	34,684	135 7/8	35,370
124	33,680	130	34,703	136	35,379
124 1/8	33,704	130 1/8	34,721	136 1/8	35,387
124 1/4	33,728	130 1/4	34,739	136 1/4	35,395
124 3/8	33,751	130 3/8	34,757	136 3/8	35,403
124 1/2	33,775	130 1/2	34,775	136 1/2	35,411
124 5/8	33,799	130 5/8	34,792	136 5/8	35,418
124 3/4	33,822	130 3/4	34,810	136 3/4	35,424
124 7/8	33,845	130 7/8	34,827	136 7/8	35,430
125	33,869	131	34,844	137	35,436
125 1/8	33,892	131 1/8	34,861	137 1/8	35,441
125 1/4	33,915	131 1/4	34,878	137 1/4	35,446
125 3/8	33,938	131 3/8	34,895	137 3/8	35,450
125 1/2	33,960	131 1/2	34,911	137 1/2	35,453
125 5/8	33,983	131 5/8	34,928	137 5/8	35,456
125 3/4	34,006	131 3/4	34,944		
125 7/8	34,028	131 7/8	34,960		
126	34,051	132	34,976		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.