

**DWT6 6'-10000 COMPARTMENT
9,792 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	8	6 1/8	426	12 1/8	1,117	18 1/8	1,967
1/4	11	6 1/4	438	12 1/4	1,134	18 1/4	1,985
3/8	15	6 3/8	450	12 3/8	1,150	18 3/8	2,004
1/2	19	6 1/2	463	12 1/2	1,167	18 1/2	2,023
5/8	24	6 5/8	475	12 5/8	1,183	18 5/8	2,042
3/4	29	6 3/4	488	12 3/4	1,200	18 3/4	2,062
7/8	34	6 7/8	501	12 7/8	1,216	18 7/8	2,081
1	40	7	514	13	1,233	19	2,100
1 1/8	46	7 1/8	527	13 1/8	1,250	19 1/8	2,119
1 1/4	52	7 1/4	540	13 1/4	1,267	19 1/4	2,138
1 3/8	58	7 3/8	553	13 3/8	1,284	19 3/8	2,158
1 1/2	65	7 1/2	566	13 1/2	1,301	19 1/2	2,177
1 5/8	71	7 5/8	580	13 5/8	1,318	19 5/8	2,196
1 3/4	78	7 3/4	593	13 3/4	1,335	19 3/4	2,216
1 7/8	85	7 7/8	607	13 7/8	1,352	19 7/8	2,235
2	93	8	620	14	1,369	20	2,255
2 1/8	100	8 1/8	634	14 1/8	1,386	20 1/8	2,274
2 1/4	108	8 1/4	648	14 1/4	1,404	20 1/4	2,294
2 3/8	116	8 3/8	662	14 3/8	1,421	20 3/8	2,313
2 1/2	124	8 1/2	676	14 1/2	1,438	20 1/2	2,333
2 5/8	133	8 5/8	690	14 5/8	1,456	20 5/8	2,353
2 3/4	141	8 3/4	704	14 3/4	1,473	20 3/4	2,373
2 7/8	150	8 7/8	718	14 7/8	1,491	20 7/8	2,392
3	159	9	733	15	1,509	21	2,412
3 1/8	168	9 1/8	747	15 1/8	1,526	21 1/8	2,432
3 1/4	177	9 1/4	762	15 1/4	1,544	21 1/4	2,452
3 3/8	186	9 3/8	776	15 3/8	1,562	21 3/8	2,472
3 1/2	196	9 1/2	791	15 1/2	1,580	21 1/2	2,492
3 5/8	205	9 5/8	806	15 5/8	1,598	21 5/8	2,512
3 3/4	215	9 3/4	821	15 3/4	1,616	21 3/4	2,532
3 7/8	225	9 7/8	836	15 7/8	1,634	21 7/8	2,552
4	235	10	851	16	1,652	22	2,572
4 1/8	245	10 1/8	866	16 1/8	1,670	22 1/8	2,592
4 1/4	256	10 1/4	881	16 1/4	1,688	22 1/4	2,612
4 3/8	266	10 3/8	896	16 3/8	1,706	22 3/8	2,632
4 1/2	277	10 1/2	912	16 1/2	1,725	22 1/2	2,652
4 5/8	287	10 5/8	927	16 5/8	1,743	22 5/8	2,672
4 3/4	298	10 3/4	942	16 3/4	1,761	22 3/4	2,693
4 7/8	309	10 7/8	958	16 7/8	1,780	22 7/8	2,713
5	320	11	974	17	1,798	23	2,733
5 1/8	332	11 1/8	989	17 1/8	1,817	23 1/8	2,754
5 1/4	343	11 1/4	1,005	17 1/4	1,835	23 1/4	2,774
5 3/8	354	11 3/8	1,021	17 3/8	1,854	23 3/8	2,794
5 1/2	366	11 1/2	1,037	17 1/2	1,873	23 1/2	2,815
5 5/8	378	11 5/8	1,053	17 5/8	1,891	23 5/8	2,835
5 3/4	389	11 3/4	1,069	17 3/4	1,910	23 3/4	2,856
5 7/8	401	11 7/8	1,085	17 7/8	1,929	23 7/8	2,876
6	413	12	1,101	18	1,948	24	2,897

DWT6 6'-1000 COMPARTMENT
9,792 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	2,917	30 1/8	3,930	36 1/8	4,972	42 1/8	6,012
24 1/4	2,938	30 1/4	3,952	36 1/4	4,994	42 1/4	6,033
24 3/8	2,959	30 3/8	3,973	36 3/8	5,016	42 3/8	6,055
24 1/2	2,979	30 1/2	3,995	36 1/2	5,038	42 1/2	6,076
24 5/8	3,000	30 5/8	4,017	36 5/8	5,059	42 5/8	6,097
24 3/4	3,021	30 3/4	4,038	36 3/4	5,081	42 3/4	6,119
24 7/8	3,041	30 7/8	4,060	36 7/8	5,103	42 7/8	6,140
25	3,062	31	4,081	37	5,125	43	6,161
25 1/8	3,083	31 1/8	4,103	37 1/8	5,147	43 1/8	6,183
25 1/4	3,104	31 1/4	4,125	37 1/4	5,168	43 1/4	6,204
25 3/8	3,124	31 3/8	4,146	37 3/8	5,190	43 3/8	6,225
25 1/2	3,145	31 1/2	4,168	37 1/2	5,212	43 1/2	6,247
25 5/8	3,166	31 5/8	4,189	37 5/8	5,234	43 5/8	6,268
25 3/4	3,187	31 3/4	4,211	37 3/4	5,255	43 3/4	6,289
25 7/8	3,208	31 7/8	4,233	37 7/8	5,277	43 7/8	6,310
26	3,229	32	4,254	38	5,299	44	6,331
26 1/8	3,250	32 1/8	4,276	38 1/8	5,321	44 1/8	6,353
26 1/4	3,271	32 1/4	4,298	38 1/4	5,342	44 1/4	6,374
26 3/8	3,292	32 3/8	4,319	38 3/8	5,364	44 3/8	6,395
26 1/2	3,313	32 1/2	4,341	38 1/2	5,386	44 1/2	6,416
26 5/8	3,334	32 5/8	4,363	38 5/8	5,407	44 5/8	6,437
26 3/4	3,355	32 3/4	4,385	38 3/4	5,429	44 3/4	6,458
26 7/8	3,376	32 7/8	4,406	38 7/8	5,451	44 7/8	6,479
27	3,397	33	4,428	39	5,473	45	6,500
27 1/8	3,418	33 1/8	4,450	39 1/8	5,494	45 1/8	6,521
27 1/4	3,439	33 1/4	4,471	39 1/4	5,516	45 1/4	6,542
27 3/8	3,461	33 3/8	4,493	39 3/8	5,538	45 3/8	6,563
27 1/2	3,482	33 1/2	4,515	39 1/2	5,559	45 1/2	6,584
27 5/8	3,503	33 5/8	4,537	39 5/8	5,581	45 5/8	6,605
27 3/4	3,524	33 3/4	4,558	39 3/4	5,603	45 3/4	6,626
27 7/8	3,545	33 7/8	4,580	39 7/8	5,624	45 7/8	6,647
28	3,567	34	4,602	40	5,646	46	6,668
28 1/8	3,588	34 1/8	4,624	40 1/8	5,667	46 1/8	6,688
28 1/4	3,609	34 1/4	4,645	40 1/4	5,689	46 1/4	6,709
28 3/8	3,631	34 3/8	4,667	40 3/8	5,711	46 3/8	6,730
28 1/2	3,652	34 1/2	4,689	40 1/2	5,732	46 1/2	6,751
28 5/8	3,673	34 5/8	4,711	40 5/8	5,754	46 5/8	6,771
28 3/4	3,695	34 3/4	4,733	40 3/4	5,775	46 3/4	6,792
28 7/8	3,716	34 7/8	4,754	40 7/8	5,797	46 7/8	6,813
29	3,737	35	4,776	41	5,819	47	6,833
29 1/8	3,759	35 1/8	4,798	41 1/8	5,840	47 1/8	6,854
29 1/4	3,780	35 1/4	4,820	41 1/4	5,862	47 1/4	6,875
29 3/8	3,802	35 3/8	4,842	41 3/8	5,883	47 3/8	6,895
29 1/2	3,823	35 1/2	4,863	41 1/2	5,905	47 1/2	6,916
29 5/8	3,844	35 5/8	4,885	41 5/8	5,926	47 5/8	6,936
29 3/4	3,866	35 3/4	4,907	41 3/4	5,948	47 3/4	6,957
29 7/8	3,887	35 7/8	4,929	41 7/8	5,969	47 7/8	6,977
30	3,909	36	4,950	42	5,990	48	6,998

**DWT6 6'-1000 COMPARTMENT
9,792 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	7,018	54 1/8	7,957	60 1/8	8,787	66 1/8	9,449
48 1/4	7,038	54 1/4	7,975	60 1/4	8,803	66 1/4	9,461
48 3/8	7,059	54 3/8	7,994	60 3/8	8,818	66 3/8	9,472
48 1/2	7,079	54 1/2	8,012	60 1/2	8,834	66 1/2	9,483
48 5/8	7,099	54 5/8	8,031	60 5/8	8,850	66 5/8	9,494
48 3/4	7,120	54 3/4	8,049	60 3/4	8,865	66 3/4	9,505
48 7/8	7,140	54 7/8	8,067	60 7/8	8,880	66 7/8	9,515
49	7,160	55	8,086	61	8,896	67	9,526
49 1/8	7,180	55 1/8	8,104	61 1/8	8,911	67 1/8	9,536
49 1/4	7,200	55 1/4	8,122	61 1/4	8,926	67 1/4	9,547
49 3/8	7,220	55 3/8	8,140	61 3/8	8,941	67 3/8	9,557
49 1/2	7,240	55 1/2	8,158	61 1/2	8,956	67 1/2	9,567
49 5/8	7,260	55 5/8	8,176	61 5/8	8,971	67 5/8	9,577
49 3/4	7,280	55 3/4	8,194	61 3/4	8,986	67 3/4	9,587
49 7/8	7,300	55 7/8	8,212	61 7/8	9,001	67 7/8	9,596
50	7,320	56	8,230	62	9,016	68	9,606
50 1/8	7,340	56 1/8	8,248	62 1/8	9,030	68 1/8	9,615
50 1/4	7,360	56 1/4	8,266	62 1/4	9,045	68 1/4	9,624
50 3/8	7,380	56 3/8	8,283	62 3/8	9,059	68 3/8	9,633
50 1/2	7,400	56 1/2	8,301	62 1/2	9,074	68 1/2	9,642
50 5/8	7,419	56 5/8	8,319	62 5/8	9,088	68 5/8	9,651
50 3/4	7,439	56 3/4	8,336	62 3/4	9,102	68 3/4	9,659
50 7/8	7,459	56 7/8	8,354	62 7/8	9,116	68 7/8	9,668
51	7,479	57	8,371	63	9,130	69	9,676
51 1/8	7,498	57 1/8	8,388	63 1/8	9,144	69 1/8	9,684
51 1/4	7,518	57 1/4	8,406	63 1/4	9,158	69 1/4	9,692
51 3/8	7,537	57 3/8	8,423	63 3/8	9,172	69 3/8	9,699
51 1/2	7,557	57 1/2	8,440	63 1/2	9,185	69 1/2	9,707
51 5/8	7,576	57 5/8	8,457	63 5/8	9,199	69 5/8	9,714
51 3/4	7,596	57 3/4	8,474	63 3/4	9,212	69 3/4	9,721
51 7/8	7,615	57 7/8	8,491	63 7/8	9,226	69 7/8	9,727
52	7,634	58	8,508	64	9,239	70	9,734
52 1/8	7,654	58 1/8	8,525	64 1/8	9,252	70 1/8	9,740
52 1/4	7,673	58 1/4	8,542	64 1/4	9,265	70 1/4	9,746
52 3/8	7,692	58 3/8	8,559	64 3/8	9,278	70 3/8	9,752
52 1/2	7,711	58 1/2	8,576	64 1/2	9,291	70 1/2	9,758
52 5/8	7,730	58 5/8	8,592	64 5/8	9,304	70 5/8	9,763
52 3/4	7,750	58 3/4	8,609	64 3/4	9,317	70 3/4	9,768
52 7/8	7,769	58 7/8	8,625	64 7/8	9,329	70 7/8	9,773
53	7,788	59	8,642	65	9,342	71	9,777
53 1/8	7,807	59 1/8	8,658	65 1/8	9,354	71 1/8	9,781
53 1/4	7,826	59 1/4	8,675	65 1/4	9,366	71 1/4	9,784
53 3/8	7,844	59 3/8	8,691	65 3/8	9,379	71 3/8	9,787
53 1/2	7,863	59 1/2	8,707	65 1/2	9,391	71 1/2	9,790
53 5/8	7,882	59 5/8	8,723	65 5/8	9,403	71 5/8	9,792
53 3/4	7,901	59 3/4	8,739	65 3/4	9,414		
53 7/8	7,919	59 7/8	8,755	65 7/8	9,426		
54	7,938	60	8,771	66	9,438		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.