

DWT6 6'-2500 COMPARTMENT
2,689 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	2	6 1/8	112	12 1/8	298	18 1/8	530
1/4	3	6 1/4	115	12 1/4	302	18 1/4	535
3/8	4	6 3/8	119	12 3/8	307	18 3/8	541
1/2	5	6 1/2	122	12 1/2	311	18 1/2	546
5/8	6	6 5/8	125	12 5/8	316	18 5/8	551
3/4	7	6 3/4	129	12 3/4	320	18 3/4	556
7/8	9	6 7/8	132	12 7/8	325	18 7/8	562
1	10	7	135	13	329	19	567
1 1/8	12	7 1/8	139	13 1/8	334	19 1/8	572
1 1/4	13	7 1/4	142	13 1/4	339	19 1/4	577
1 3/8	15	7 3/8	146	13 3/8	343	19 3/8	583
1 1/2	17	7 1/2	149	13 1/2	348	19 1/2	588
1 5/8	18	7 5/8	153	13 5/8	352	19 5/8	593
1 3/4	20	7 3/4	157	13 3/4	357	19 3/4	599
1 7/8	22	7 7/8	160	13 7/8	362	19 7/8	604
2	24	8	164	14	366	20	609
2 1/8	26	8 1/8	168	14 1/8	371	20 1/8	615
2 1/4	28	8 1/4	171	14 1/4	376	20 1/4	620
2 3/8	30	8 3/8	175	14 3/8	381	20 3/8	626
2 1/2	32	8 1/2	179	14 1/2	385	20 1/2	631
2 5/8	35	8 5/8	183	14 5/8	390	20 5/8	637
2 3/4	37	8 3/4	186	14 3/4	395	20 3/4	642
2 7/8	39	8 7/8	190	14 7/8	400	20 7/8	647
3	41	9	194	15	405	21	653
3 1/8	44	9 1/8	198	15 1/8	409	21 1/8	658
3 1/4	46	9 1/4	202	15 1/4	414	21 1/4	664
3 3/8	49	9 3/8	206	15 3/8	419	21 3/8	669
3 1/2	51	9 1/2	210	15 1/2	424	21 1/2	675
3 5/8	54	9 5/8	214	15 5/8	429	21 5/8	680
3 3/4	56	9 3/4	218	15 3/4	434	21 3/4	686
3 7/8	59	9 7/8	222	15 7/8	439	21 7/8	691
4	61	10	226	16	444	22	697
4 1/8	64	10 1/8	230	16 1/8	449	22 1/8	703
4 1/4	67	10 1/4	234	16 1/4	454	22 1/4	708
4 3/8	70	10 3/8	238	16 3/8	459	22 3/8	714
4 1/2	72	10 1/2	242	16 1/2	464	22 1/2	719
4 5/8	75	10 5/8	246	16 5/8	469	22 5/8	725
4 3/4	78	10 3/4	251	16 3/4	474	22 3/4	731
4 7/8	81	10 7/8	255	16 7/8	479	22 7/8	736
5	84	11	259	17	484	23	742
5 1/8	87	11 1/8	263	17 1/8	489	23 1/8	747
5 1/4	90	11 1/4	268	17 1/4	494	23 1/4	753
5 3/8	93	11 3/8	272	17 3/8	499	23 3/8	759
5 1/2	96	11 1/2	276	17 1/2	504	23 1/2	764
5 5/8	99	11 5/8	281	17 5/8	509	23 5/8	770
5 3/4	102	11 3/4	285	17 3/4	515	23 3/4	776
5 7/8	106	11 7/8	289	17 7/8	520	23 7/8	781
6	109	12	294	18	525	24	787

DWT6 6'-2500 COMPARTMENT
2,689 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	793	30 1/8	1,075	36 1/8	1,366	42 1/8	1,656
24 1/4	799	30 1/4	1,081	36 1/4	1,372	42 1/4	1,662
24 3/8	804	30 3/8	1,087	36 3/8	1,378	42 3/8	1,668
24 1/2	810	30 1/2	1,093	36 1/2	1,384	42 1/2	1,674
24 5/8	816	30 5/8	1,099	36 5/8	1,390	42 5/8	1,680
24 3/4	822	30 3/4	1,105	36 3/4	1,396	42 3/4	1,686
24 7/8	827	30 7/8	1,111	36 7/8	1,402	42 7/8	1,692
25	833	31	1,117	37	1,408	43	1,698
25 1/8	839	31 1/8	1,123	37 1/8	1,415	43 1/8	1,704
25 1/4	845	31 1/4	1,129	37 1/4	1,421	43 1/4	1,710
25 3/8	850	31 3/8	1,135	37 3/8	1,427	43 3/8	1,716
25 1/2	856	31 1/2	1,141	37 1/2	1,433	43 1/2	1,722
25 5/8	862	31 5/8	1,147	37 5/8	1,439	43 5/8	1,727
25 3/4	868	31 3/4	1,153	37 3/4	1,445	43 3/4	1,733
25 7/8	874	31 7/8	1,159	37 7/8	1,451	43 7/8	1,739
26	879	32	1,165	38	1,457	44	1,745
26 1/8	885	32 1/8	1,171	38 1/8	1,463	44 1/8	1,751
26 1/4	891	32 1/4	1,177	38 1/4	1,469	44 1/4	1,757
26 3/8	897	32 3/8	1,183	38 3/8	1,475	44 3/8	1,763
26 1/2	903	32 1/2	1,190	38 1/2	1,481	44 1/2	1,769
26 5/8	909	32 5/8	1,196	38 5/8	1,487	44 5/8	1,775
26 3/4	915	32 3/4	1,202	38 3/4	1,493	44 3/4	1,780
26 7/8	920	32 7/8	1,208	38 7/8	1,500	44 7/8	1,786
27	926	33	1,214	39	1,506	45	1,792
27 1/8	932	33 1/8	1,220	39 1/8	1,512	45 1/8	1,798
27 1/4	938	33 1/4	1,226	39 1/4	1,518	45 1/4	1,804
27 3/8	944	33 3/8	1,232	39 3/8	1,524	45 3/8	1,810
27 1/2	950	33 1/2	1,238	39 1/2	1,530	45 1/2	1,815
27 5/8	956	33 5/8	1,244	39 5/8	1,536	45 5/8	1,821
27 3/4	962	33 3/4	1,250	39 3/4	1,542	45 3/4	1,827
27 7/8	968	33 7/8	1,256	39 7/8	1,548	45 7/8	1,833
28	973	34	1,262	40	1,554	46	1,839
28 1/8	979	34 1/8	1,268	40 1/8	1,560	46 1/8	1,844
28 1/4	985	34 1/4	1,275	40 1/4	1,566	46 1/4	1,850
28 3/8	991	34 3/8	1,281	40 3/8	1,572	46 3/8	1,856
28 1/2	997	34 1/2	1,287	40 1/2	1,578	46 1/2	1,862
28 5/8	1,003	34 5/8	1,293	40 5/8	1,584	46 5/8	1,868
28 3/4	1,009	34 3/4	1,299	40 3/4	1,590	46 3/4	1,873
28 7/8	1,015	34 7/8	1,305	40 7/8	1,596	46 7/8	1,879
29	1,021	35	1,311	41	1,602	47	1,885
29 1/8	1,027	35 1/8	1,317	41 1/8	1,608	47 1/8	1,890
29 1/4	1,033	35 1/4	1,323	41 1/4	1,614	47 1/4	1,896
29 3/8	1,039	35 3/8	1,329	41 3/8	1,620	47 3/8	1,902
29 1/2	1,045	35 1/2	1,335	41 1/2	1,626	47 1/2	1,908
29 5/8	1,051	35 5/8	1,341	41 5/8	1,632	47 5/8	1,913
29 3/4	1,057	35 3/4	1,348	41 3/4	1,638	47 3/4	1,919
29 7/8	1,063	35 7/8	1,354	41 7/8	1,644	47 7/8	1,925
30	1,069	36	1,360	42	1,650	48	1,930

DWT6 6'-2500 COMPARTMENT
2,689 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	1,936	54 1/8	2,195	60 1/8	2,421	66 1/8	2,599
48 1/4	1,942	54 1/4	2,200	60 1/4	2,426	66 1/4	2,602
48 3/8	1,947	54 3/8	2,205	60 3/8	2,430	66 3/8	2,605
48 1/2	1,953	54 1/2	2,210	60 1/2	2,434	66 1/2	2,608
48 5/8	1,958	54 5/8	2,215	60 5/8	2,438	66 5/8	2,611
48 3/4	1,964	54 3/4	2,220	60 3/4	2,443	66 3/4	2,614
48 7/8	1,970	54 7/8	2,225	60 7/8	2,447	66 7/8	2,617
49	1,975	55	2,230	61	2,451	67	2,619
49 1/8	1,981	55 1/8	2,235	61 1/8	2,455	67 1/8	2,622
49 1/4	1,986	55 1/4	2,240	61 1/4	2,459	67 1/4	2,625
49 3/8	1,992	55 3/8	2,245	61 3/8	2,463	67 3/8	2,628
49 1/2	1,998	55 1/2	2,250	61 1/2	2,467	67 1/2	2,630
49 5/8	2,003	55 5/8	2,255	61 5/8	2,471	67 5/8	2,633
49 3/4	2,009	55 3/4	2,260	61 3/4	2,475	67 3/4	2,635
49 7/8	2,014	55 7/8	2,265	61 7/8	2,479	67 7/8	2,638
50	2,020	56	2,270	62	2,483	68	2,640
50 1/8	2,025	56 1/8	2,275	62 1/8	2,487	68 1/8	2,643
50 1/4	2,031	56 1/4	2,280	62 1/4	2,491	68 1/4	2,645
50 3/8	2,036	56 3/8	2,284	62 3/8	2,495	68 3/8	2,648
50 1/2	2,042	56 1/2	2,289	62 1/2	2,499	68 1/2	2,650
50 5/8	2,047	56 5/8	2,294	62 5/8	2,503	68 5/8	2,652
50 3/4	2,053	56 3/4	2,299	62 3/4	2,506	68 3/4	2,655
50 7/8	2,058	56 7/8	2,304	62 7/8	2,510	68 7/8	2,657
51	2,063	57	2,308	63	2,514	69	2,659
51 1/8	2,069	57 1/8	2,313	63 1/8	2,518	69 1/8	2,661
51 1/4	2,074	57 1/4	2,318	63 1/4	2,521	69 1/4	2,663
51 3/8	2,080	57 3/8	2,323	63 3/8	2,525	69 3/8	2,665
51 1/2	2,085	57 1/2	2,327	63 1/2	2,529	69 1/2	2,667
51 5/8	2,090	57 5/8	2,332	63 5/8	2,532	69 5/8	2,669
51 3/4	2,096	57 3/4	2,337	63 3/4	2,536	69 3/4	2,671
51 7/8	2,101	57 7/8	2,341	63 7/8	2,540	69 7/8	2,672
52	2,106	58	2,346	64	2,543	70	2,674
52 1/8	2,112	58 1/8	2,350	64 1/8	2,547	70 1/8	2,676
52 1/4	2,117	58 1/4	2,355	64 1/4	2,550	70 1/4	2,677
52 3/8	2,122	58 3/8	2,360	64 3/8	2,554	70 3/8	2,679
52 1/2	2,128	58 1/2	2,364	64 1/2	2,557	70 1/2	2,680
52 5/8	2,133	58 5/8	2,369	64 5/8	2,560	70 5/8	2,682
52 3/4	2,138	58 3/4	2,373	64 3/4	2,564	70 3/4	2,683
52 7/8	2,143	58 7/8	2,378	64 7/8	2,567	70 7/8	2,684
53	2,149	59	2,382	65	2,571	71	2,685
53 1/8	2,154	59 1/8	2,387	65 1/8	2,574	71 1/8	2,686
53 1/4	2,159	59 1/4	2,391	65 1/4	2,577	71 1/4	2,687
53 3/8	2,164	59 3/8	2,395	65 3/8	2,580	71 3/8	2,688
53 1/2	2,169	59 1/2	2,400	65 1/2	2,584	71 1/2	2,688
53 5/8	2,175	59 5/8	2,404	65 5/8	2,587	71 5/8	2,689
53 3/4	2,180	59 3/4	2,409	65 3/4	2,590		
53 7/8	2,185	59 7/8	2,413	65 7/8	2,593		
54	2,190	60	2,417	66	2,596		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.