

## DWT6 6'-3000 COMPARTMENT 3,323 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	2	6 1/8	140	12 1/8	371	18 1/8	658
1/4	4	6 1/4	144	12 1/4	377	18 1/4	665
3/8	5	6 3/8	148	12 3/8	382	18 3/8	671
1/2	6	6 1/2	152	12 1/2	388	18 1/2	678
5/8	8	6 5/8	156	12 5/8	393	18 5/8	684
3/4	9	6 3/4	161	12 3/4	399	18 3/4	691
7/8	11	6 7/8	165	12 7/8	405	18 7/8	697
1	13	7	169	13	410	19	704
1 1/8	15	7 1/8	174	13 1/8	416	19 1/8	710
1 1/4	17	7 1/4	178	13 1/4	421	19 1/4	717
1 3/8	19	7 3/8	182	13 3/8	427	19 3/8	723
1 1/2	21	7 1/2	187	13 1/2	433	19 1/2	730
1 5/8	23	7 5/8	191	13 5/8	439	19 5/8	737
1 3/4	25	7 3/4	196	13 3/4	444	19 3/4	743
1 7/8	28	7 7/8	200	13 7/8	450	19 7/8	750
2	30	8	205	14	456	20	756
2 1/8	33	8 1/8	209	14 1/8	462	20 1/8	763
2 1/4	35	8 1/4	214	14 1/4	468	20 1/4	770
2 3/8	38	8 3/8	219	14 3/8	474	20 3/8	776
2 1/2	41	8 1/2	223	14 1/2	479	20 1/2	783
2 5/8	43	8 5/8	228	14 5/8	485	20 5/8	790
2 3/4	46	8 3/4	233	14 3/4	491	20 3/4	797
2 7/8	49	8 7/8	237	14 7/8	497	20 7/8	803
3	52	9	242	15	503	21	810
3 1/8	55	9 1/8	247	15 1/8	509	21 1/8	817
3 1/4	58	9 1/4	252	15 1/4	515	21 1/4	824
3 3/8	61	9 3/8	257	15 3/8	521	21 3/8	830
3 1/2	64	9 1/2	262	15 1/2	527	21 1/2	837
3 5/8	67	9 5/8	267	15 5/8	533	21 5/8	844
3 3/4	70	9 3/4	272	15 3/4	539	21 3/4	851
3 7/8	74	9 7/8	277	15 7/8	545	21 7/8	858
4	77	10	282	16	552	22	864
4 1/8	80	10 1/8	287	16 1/8	558	22 1/8	871
4 1/4	84	10 1/4	292	16 1/4	564	22 1/4	878
4 3/8	87	10 3/8	297	16 3/8	570	22 3/8	885
4 1/2	91	10 1/2	302	16 1/2	576	22 1/2	892
4 5/8	94	10 5/8	307	16 5/8	582	22 5/8	899
4 3/4	98	10 3/4	312	16 3/4	589	22 3/4	906
4 7/8	101	10 7/8	318	16 7/8	595	22 7/8	913
5	105	11	323	17	601	23	920
5 1/8	109	11 1/8	328	17 1/8	608	23 1/8	927
5 1/4	113	11 1/4	333	17 1/4	614	23 1/4	934
5 3/8	116	11 3/8	339	17 3/8	620	23 3/8	941
5 1/2	120	11 1/2	344	17 1/2	626	23 1/2	948
5 5/8	124	11 5/8	350	17 5/8	633	23 5/8	955
5 3/4	128	11 3/4	355	17 3/4	639	23 3/4	962
5 7/8	132	11 7/8	360	17 7/8	646	23 7/8	969
6	136	12	366	18	652	24	976

**DWT6 6'-3000 COMPARTMENT**  
**3,323 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	983	30 1/8	1,330	36 1/8	1,688	42 1/8	2,045
24 1/4	990	30 1/4	1,337	36 1/4	1,695	42 1/4	2,052
24 3/8	997	30 3/8	1,345	36 3/8	1,703	42 3/8	2,060
24 1/2	1,004	30 1/2	1,352	36 1/2	1,710	42 1/2	2,067
24 5/8	1,011	30 5/8	1,359	36 5/8	1,718	42 5/8	2,074
24 3/4	1,018	30 3/4	1,367	36 3/4	1,725	42 3/4	2,082
24 7/8	1,025	30 7/8	1,374	36 7/8	1,733	42 7/8	2,089
25	1,032	31	1,382	37	1,740	43	2,096
25 1/8	1,039	31 1/8	1,389	37 1/8	1,748	43 1/8	2,104
25 1/4	1,046	31 1/4	1,397	37 1/4	1,755	43 1/4	2,111
25 3/8	1,053	31 3/8	1,404	37 3/8	1,763	43 3/8	2,118
25 1/2	1,061	31 1/2	1,411	37 1/2	1,770	43 1/2	2,126
25 5/8	1,068	31 5/8	1,419	37 5/8	1,778	43 5/8	2,133
25 3/4	1,075	31 3/4	1,426	37 3/4	1,785	43 3/4	2,140
25 7/8	1,082	31 7/8	1,434	37 7/8	1,793	43 7/8	2,147
26	1,089	32	1,441	38	1,800	44	2,155
26 1/8	1,096	32 1/8	1,449	38 1/8	1,808	44 1/8	2,162
26 1/4	1,104	32 1/4	1,456	38 1/4	1,815	44 1/4	2,169
26 3/8	1,111	32 3/8	1,464	38 3/8	1,823	44 3/8	2,176
26 1/2	1,118	32 1/2	1,471	38 1/2	1,830	44 1/2	2,184
26 5/8	1,125	32 5/8	1,478	38 5/8	1,838	44 5/8	2,191
26 3/4	1,132	32 3/4	1,486	38 3/4	1,845	44 3/4	2,198
26 7/8	1,140	32 7/8	1,493	38 7/8	1,852	44 7/8	2,205
27	1,147	33	1,501	39	1,860	45	2,213
27 1/8	1,154	33 1/8	1,508	39 1/8	1,867	45 1/8	2,220
27 1/4	1,161	33 1/4	1,516	39 1/4	1,875	45 1/4	2,227
27 3/8	1,169	33 3/8	1,523	39 3/8	1,882	45 3/8	2,234
27 1/2	1,176	33 1/2	1,531	39 1/2	1,890	45 1/2	2,241
27 5/8	1,183	33 5/8	1,538	39 5/8	1,897	45 5/8	2,248
27 3/4	1,190	33 3/4	1,546	39 3/4	1,905	45 3/4	2,256
27 7/8	1,198	33 7/8	1,553	39 7/8	1,912	45 7/8	2,263
28	1,205	34	1,561	40	1,919	46	2,270
28 1/8	1,212	34 1/8	1,568	40 1/8	1,927	46 1/8	2,277
28 1/4	1,220	34 1/4	1,576	40 1/4	1,934	46 1/4	2,284
28 3/8	1,227	34 3/8	1,583	40 3/8	1,942	46 3/8	2,291
28 1/2	1,234	34 1/2	1,591	40 1/2	1,949	46 1/2	2,298
28 5/8	1,242	34 5/8	1,598	40 5/8	1,957	46 5/8	2,305
28 3/4	1,249	34 3/4	1,606	40 3/4	1,964	46 3/4	2,313
28 7/8	1,256	34 7/8	1,613	40 7/8	1,971	46 7/8	2,320
29	1,264	35	1,621	41	1,979	47	2,327
29 1/8	1,271	35 1/8	1,628	41 1/8	1,986	47 1/8	2,334
29 1/4	1,278	35 1/4	1,635	41 1/4	1,994	47 1/4	2,341
29 3/8	1,286	35 3/8	1,643	41 3/8	2,001	47 3/8	2,348
29 1/2	1,293	35 1/2	1,650	41 1/2	2,008	47 1/2	2,355
29 5/8	1,300	35 5/8	1,658	41 5/8	2,016	47 5/8	2,362
29 3/4	1,308	35 3/4	1,665	41 3/4	2,023	47 3/4	2,369
29 7/8	1,315	35 7/8	1,673	41 7/8	2,030	47 7/8	2,376
30	1,322	36	1,680	42	2,038	48	2,383

**DWT6 6'-3000 COMPARTMENT**  
**3,323 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	2,390	54 1/8	2,710	60 1/8	2,990	66 1/8	3,211
48 1/4	2,397	54 1/4	2,716	60 1/4	2,995	66 1/4	3,215
48 3/8	2,404	54 3/8	2,722	60 3/8	3,000	66 3/8	3,218
48 1/2	2,411	54 1/2	2,728	60 1/2	3,006	66 1/2	3,222
48 5/8	2,418	54 5/8	2,735	60 5/8	3,011	66 5/8	3,226
48 3/4	2,425	54 3/4	2,741	60 3/4	3,016	66 3/4	3,229
48 7/8	2,431	54 7/8	2,747	60 7/8	3,021	66 7/8	3,233
49	2,438	55	2,753	61	3,026	67	3,236
49 1/8	2,445	55 1/8	2,759	61 1/8	3,032	67 1/8	3,240
49 1/4	2,452	55 1/4	2,766	61 1/4	3,037	67 1/4	3,243
49 3/8	2,459	55 3/8	2,772	61 3/8	3,042	67 3/8	3,246
49 1/2	2,466	55 1/2	2,778	61 1/2	3,047	67 1/2	3,250
49 5/8	2,473	55 5/8	2,784	61 5/8	3,052	67 5/8	3,253
49 3/4	2,479	55 3/4	2,790	61 3/4	3,057	67 3/4	3,256
49 7/8	2,486	55 7/8	2,796	61 7/8	3,062	67 7/8	3,259
50	2,493	56	2,802	62	3,067	68	3,263
50 1/8	2,500	56 1/8	2,808	62 1/8	3,071	68 1/8	3,266
50 1/4	2,507	56 1/4	2,814	62 1/4	3,076	68 1/4	3,269
50 3/8	2,513	56 3/8	2,820	62 3/8	3,081	68 3/8	3,272
50 1/2	2,520	56 1/2	2,826	62 1/2	3,086	68 1/2	3,274
50 5/8	2,527	56 5/8	2,832	62 5/8	3,091	68 5/8	3,277
50 3/4	2,534	56 3/4	2,838	62 3/4	3,095	68 3/4	3,280
50 7/8	2,540	56 7/8	2,844	62 7/8	3,100	68 7/8	3,283
51	2,547	57	2,850	63	3,105	69	3,286
51 1/8	2,554	57 1/8	2,856	63 1/8	3,109	69 1/8	3,288
51 1/4	2,560	57 1/4	2,862	63 1/4	3,114	69 1/4	3,291
51 3/8	2,567	57 3/8	2,867	63 3/8	3,119	69 3/8	3,293
51 1/2	2,574	57 1/2	2,873	63 1/2	3,123	69 1/2	3,296
51 5/8	2,580	57 5/8	2,879	63 5/8	3,128	69 5/8	3,298
51 3/4	2,587	57 3/4	2,885	63 3/4	3,132	69 3/4	3,300
51 7/8	2,593	57 7/8	2,890	63 7/8	3,137	69 7/8	3,302
52	2,600	58	2,896	64	3,141	70	3,305
52 1/8	2,607	58 1/8	2,902	64 1/8	3,146	70 1/8	3,307
52 1/4	2,613	58 1/4	2,908	64 1/4	3,150	70 1/4	3,309
52 3/8	2,620	58 3/8	2,913	64 3/8	3,154	70 3/8	3,310
52 1/2	2,626	58 1/2	2,919	64 1/2	3,158	70 1/2	3,312
52 5/8	2,633	58 5/8	2,924	64 5/8	3,163	70 5/8	3,314
52 3/4	2,639	58 3/4	2,930	64 3/4	3,167	70 3/4	3,316
52 7/8	2,646	58 7/8	2,936	64 7/8	3,171	70 7/8	3,317
53	2,652	59	2,941	65	3,175	71	3,319
53 1/8	2,659	59 1/8	2,947	65 1/8	3,179	71 1/8	3,320
53 1/4	2,665	59 1/4	2,952	65 1/4	3,183	71 1/4	3,321
53 3/8	2,671	59 3/8	2,958	65 3/8	3,187	71 3/8	3,322
53 1/2	2,678	59 1/2	2,963	65 1/2	3,191	71 1/2	3,323
53 5/8	2,684	59 5/8	2,968	65 5/8	3,195	71 5/8	3,323
53 3/4	2,691	59 3/4	2,974	65 3/4	3,199		
53 7/8	2,697	59 7/8	2,979	65 7/8	3,203		
54	2,703	60	2,985	66	3,207		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.