

## 6'-7000 SWT D6 Single-Wall Tank 6928 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	5	6 1/8	299	12 1/8	787	18 1/8	1387	24 1/8	2061
1/4	8	6 1/4	308	12 1/4	799	18 1/4	1401	24 1/4	2075
3/8	11	6 3/8	316	12 3/8	810	18 3/8	1414	24 3/8	2090
1/2	14	6 1/2	325	12 1/2	822	18 1/2	1428	24 1/2	2105
5/8	17	6 5/8	334	12 5/8	834	18 5/8	1441	24 5/8	2119
3/4	20	6 3/4	343	12 3/4	845	18 3/4	1455	24 3/4	2134
7/8	24	6 7/8	352	12 7/8	857	18 7/8	1468	24 7/8	2149
1	28	7	361	13	869	19	1482	25	2163
1 1/8	32	7 1/8	370	13 1/8	881	19 1/8	1495	25 1/8	2178
1 1/4	36	7 1/4	380	13 1/4	893	19 1/4	1509	25 1/4	2193
1 3/8	41	7 3/8	389	13 3/8	904	19 3/8	1523	25 3/8	2208
1 1/2	45	7 1/2	398	13 1/2	916	19 1/2	1536	25 1/2	2222
1 5/8	50	7 5/8	408	13 5/8	928	19 5/8	1550	25 5/8	2237
1 3/4	55	7 3/4	417	13 3/4	941	19 3/4	1564	25 3/4	2252
1 7/8	60	7 7/8	427	13 7/8	953	19 7/8	1578	25 7/8	2267
2	65	8	436	14	965	20	1591	26	2282
2 1/8	70	8 1/8	446	14 1/8	977	20 1/8	1605	26 1/8	2297
2 1/4	76	8 1/4	456	14 1/4	989	20 1/4	1619	26 1/4	2311
2 3/8	82	8 3/8	466	14 3/8	1,002	20 3/8	1633	26 3/8	2326
2 1/2	87	8 1/2	475	14 1/2	1,014	20 1/2	1647	26 1/2	2341
2 5/8	93	8 5/8	485	14 5/8	1,026	20 5/8	1661	26 5/8	2356
2 3/4	99	8 3/4	495	14 3/4	1,039	20 3/4	1675	26 3/4	2371
2 7/8	105	8 7/8	506	14 7/8	1,051	20 7/8	1689	26 7/8	2386
3	111	9	516	15	1064	21	1703	27	2401
3 1/8	118	9 1/8	526	15 1/8	1,076	21 1/8	1717	27 1/8	2416
3 1/4	124	9 1/4	536	15 1/4	1,089	21 1/4	1731	27 1/4	2431
3 3/8	131	9 3/8	546	15 3/8	1,101	21 3/8	1745	27 3/8	2446
3 1/2	137	9 1/2	557	15 1/2	1,114	21 1/2	1759	27 1/2	2461
3 5/8	144	9 5/8	567	15 5/8	1,127	21 5/8	1773	27 5/8	2476
3 3/4	151	9 3/4	578	15 3/4	1,139	21 3/4	1787	27 3/4	2491
3 7/8	158	9 7/8	588	15 7/8	1,152	21 7/8	1802	27 7/8	2506
4	165	10	599	16	1,165	22	1816	28	2521
4 1/8	172	10 1/8	609	16 1/8	1,178	22 1/8	1830	28 1/8	2536
4 1/4	179	10 1/4	620	16 1/4	1,190	22 1/4	1844	28 1/4	2551
4 3/8	187	10 3/8	631	16 3/8	1,203	22 3/8	1859	28 3/8	2566
4 1/2	194	10 1/2	642	16 1/2	1,216	22 1/2	1873	28 1/2	2582
4 5/8	202	10 5/8	653	16 5/8	1,229	22 5/8	1887	28 5/8	2597
4 3/4	209	10 3/4	664	16 3/4	1,242	22 3/4	1902	28 3/4	2612
4 7/8	217	10 7/8	675	16 7/8	1,255	22 7/8	1916	28 7/8	2627
5	225	11	686	17	1,268	23	1930	29	2642
5 1/8	233	11 1/8	697	17 1/8	1,281	23 1/8	1945	29 1/8	2657
5 1/4	241	11 1/4	708	17 1/4	1,295	23 1/4	1959	29 1/4	2673
5 3/8	249	11 3/8	719	17 3/8	1,308	23 3/8	1974	29 3/8	2688
5 1/2	257	11 1/2	730	17 1/2	1,321	23 1/2	1988	29 1/2	2703
5 5/8	265	11 5/8	741	17 5/8	1,334	23 5/8	2003	29 5/8	2718
5 3/4	274	11 3/4	753	17 3/4	1,347	23 3/4	2017	29 3/4	2733
5 7/8	282	11 7/8	764	17 7/8	1,361	23 7/8	2032	29 7/8	2749
6	291	12	776	18	1,374	24	2046	30	2764

## 6'-7000 SWT D6 Single-Wall Tank 6928 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	2779	36 1/8	3518	42 1/8	4256	48 1/8	4969	54 1/8	5634
30 1/4	2794	36 1/4	3534	42 1/4	4271	48 1/4	4984	54 1/4	5647
30 3/8	2810	36 3/8	3549	42 3/8	4286	48 3/8	4998	54 3/8	5660
30 1/2	2825	36 1/2	3565	42 1/2	4301	48 1/2	5012	54 1/2	5673
30 5/8	2840	36 5/8	3580	42 5/8	4316	48 5/8	5027	54 5/8	5686
30 3/4	2856	36 3/4	3596	42 3/4	4332	48 3/4	5041	54 3/4	5699
30 7/8	2871	36 7/8	3611	42 7/8	4347	48 7/8	5055	54 7/8	5712
31	2886	37	3626	43	4362	49	5070	55	5725
31 1/8	2902	37 1/8	3642	43 1/8	4377	49 1/8	5084	55 1/8	5738
31 1/4	2917	37 1/4	3657	43 1/4	4392	49 1/4	5098	55 1/4	5751
31 3/8	2932	37 3/8	3673	43 3/8	4407	49 3/8	5112	55 3/8	5764
31 1/2	2948	37 1/2	3688	43 1/2	4422	49 1/2	5127	55 1/2	5776
31 5/8	2963	37 5/8	3704	43 5/8	4437	49 5/8	5141	55 5/8	5789
31 3/4	2978	37 3/4	3719	43 3/4	4452	49 3/4	5155	55 3/4	5802
31 7/8	2994	37 7/8	3735	43 7/8	4467	49 7/8	5169	55 7/8	5815
32	3009	38	3750	44	4482	50	5183	56	5827
32 1/8	3024	38 1/8	3765	44 1/8	4497	50 1/8	5197	56 1/8	5840
32 1/4	3040	38 1/4	3781	44 1/4	4512	50 1/4	5211	56 1/4	5852
32 3/8	3055	38 3/8	3796	44 3/8	4527	50 3/8	5226	56 3/8	5865
32 1/2	3071	38 1/2	3812	44 1/2	4542	50 1/2	5240	56 1/2	5877
32 5/8	3086	38 5/8	3827	44 5/8	4557	50 5/8	5254	56 5/8	5890
32 3/4	3101	38 3/4	3842	44 3/4	4572	50 3/4	5267	56 3/4	5902
32 7/8	3117	38 7/8	3858	44 7/8	4587	50 7/8	5281	56 7/8	5915
33	3132	39	3873	45	4602	51	5295	57	5927
33 1/8	3148	39 1/8	3889	45 1/8	4617	51 1/8	5309	57 1/8	5939
33 1/4	3163	39 1/4	3904	45 1/4	4632	51 1/4	5323	57 1/4	5951
33 3/8	3178	39 3/8	3919	45 3/8	4647	51 3/8	5337	57 3/8	5964
33 1/2	3194	39 1/2	3935	45 1/2	4662	51 1/2	5351	57 1/2	5976
33 5/8	3209	39 5/8	3950	45 5/8	4676	51 5/8	5364	57 5/8	5988
33 3/4	3225	39 3/4	3965	45 3/4	4691	51 3/4	5378	57 3/4	6000
33 7/8	3240	39 7/8	3981	45 7/8	4706	51 7/8	5392	57 7/8	6012
34	3256	40	3996	46	4721	52	5406	58	6024
34 1/8	3271	40 1/8	4012	46 1/8	4735	52 1/8	5419	58 1/8	6036
34 1/4	3286	40 1/4	4027	46 1/4	4750	52 1/4	5433	58 1/4	6048
34 3/8	3302	40 3/8	4042	46 3/8	4765	52 3/8	5447	58 3/8	6060
34 1/2	3317	40 1/2	4057	46 1/2	4780	52 1/2	5460	58 1/2	6071
34 5/8	3333	40 5/8	4073	46 5/8	4794	52 5/8	5474	58 5/8	6083
34 3/4	3348	40 3/4	4088	46 3/4	4809	52 3/4	5487	58 3/4	6095
34 7/8	3364	40 7/8	4103	46 7/8	4824	52 7/8	5501	58 7/8	6107
35	3379	41	4119	47	4838	53	5514	59	6118
35 1/8	3395	41 1/8	4134	47 1/8	4853	53 1/8	5528	59 1/8	6130
35 1/4	3410	41 1/4	4149	47 1/4	4867	53 1/4	5541	59 1/4	6141
35 3/8	3426	41 3/8	4164	47 3/8	4882	53 3/8	5554	59 3/8	6153
35 1/2	3441	41 1/2	4180	47 1/2	4897	53 1/2	5568	59 1/2	6164
35 5/8	3456	41 5/8	4195	47 5/8	4911	53 5/8	5581	59 5/8	6176
35 3/4	3472	41 3/4	4210	47 3/4	4926	53 3/4	5594	59 3/4	6187
35 7/8	3487	41 7/8	4225	47 7/8	4940	53 7/8	5607	59 7/8	6198
36	3503	42	4241	48	4955	54	5621	60	6209

## 6'-7000 SWT D6 Single-Wall Tank 6928 Gals



**CONTAINMENT  
SOLUTIONS®**

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	6221	66 1/8	6687
60 1/4	6232	66 1/4	6695
60 3/8	6243	66 3/8	6703
60 1/2	6254	66 1/2	6711
60 5/8	6265	66 5/8	6719
60 3/4	6276	66 3/4	6727
60 7/8	6287	66 7/8	6734
61	6297	67	6742
61 1/8	6308	67 1/8	6749
61 1/4	6319	67 1/4	6756
61 3/8	6330	67 3/8	6763
61 1/2	6340	67 1/2	6770
61 5/8	6351	67 5/8	6777
61 3/4	6361	67 3/4	6784
61 7/8	6372	67 7/8	6791
62	6382	68	6798
62 1/8	6392	68 1/8	6804
62 1/4	6403	68 1/4	6811
62 3/8	6413	68 3/8	6817
62 1/2	6423	68 1/2	6823
62 5/8	6433	68 5/8	6829
62 3/4	6443	68 3/4	6835
62 7/8	6453	68 7/8	6841
63	6463	69	6847
63 1/8	6473	69 1/8	6852
63 1/4	6482	69 1/4	6858
63 3/8	6492	69 3/8	6863
63 1/2	6502	69 1/2	6868
63 5/8	6511	69 5/8	6873
63 3/4	6521	69 3/4	6878
63 7/8	6530	69 7/8	6883
64	6540	70	6888
64 1/8	6549	70 1/8	6892
64 1/4	6558	70 1/4	6896
64 3/8	6567	70 3/8	6900
64 1/2	6576	70 1/2	6904
64 5/8	6585	70 5/8	6908
64 3/4	6594	70 3/4	6912
64 7/8	6603	70 7/8	6915
65	6612	71	6918
65 1/8	6621	71 1/8	6921
65 1/4	6629	71 1/4	6923
65 3/8	6638	71 3/8	6925
65 1/2	6646	71 1/2	6927
65 5/8	6655	71 5/8	6928
65 3/4	6663		
65 7/8	6671		
66	6679		

### HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

### Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870  
DAYCO/NATIONAL  
DAYTON, OH  
TEL: 1-800-283-2926  
FAX: 1-800-688-4854

### Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
333 North Rivershire Dr., Suite 190  
Conroe, TX 77304  
Tel: 936-756-7731  
Fax: 936-756-7766

**Note:** Calibration chart is based on the fluid level above a 5/16" deflector plate.