

DWT6 10'-35000 COMPARTMENT
34,835 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	12	6 1/8	674	12 1/8	1,813	18 1/8	3,260	24 1/8	4,939
1/4	17	6 1/4	694	12 1/4	1,841	18 1/4	3,293	24 1/4	4,976
3/8	23	6 3/8	714	12 3/8	1,868	18 3/8	3,326	24 3/8	5,013
1/2	30	6 1/2	734	12 1/2	1,896	18 1/2	3,359	24 1/2	5,050
5/8	37	6 5/8	755	12 5/8	1,924	18 5/8	3,392	24 5/8	5,087
3/4	45	6 3/4	775	12 3/4	1,951	18 3/4	3,425	24 3/4	5,125
7/8	53	6 7/8	796	12 7/8	1,979	18 7/8	3,459	24 7/8	5,162
1	61	7	817	13	2,008	19	3,492	25	5,199
1 1/8	70	7 1/8	838	13 1/8	2,036	19 1/8	3,525	25 1/8	5,237
1 1/4	80	7 1/4	859	13 1/4	2,064	19 1/4	3,559	25 1/4	5,275
1 3/8	90	7 3/8	881	13 3/8	2,093	19 3/8	3,593	25 3/8	5,312
1 1/2	100	7 1/2	902	13 1/2	2,121	19 1/2	3,627	25 1/2	5,350
1 5/8	110	7 5/8	924	13 5/8	2,150	19 5/8	3,660	25 5/8	5,388
1 3/4	121	7 3/4	946	13 3/4	2,179	19 3/4	3,694	25 3/4	5,426
1 7/8	132	7 7/8	968	13 7/8	2,208	19 7/8	3,728	25 7/8	5,464
2	144	8	991	14	2,237	20	3,763	26	5,502
2 1/8	156	8 1/8	1,013	14 1/8	2,266	20 1/8	3,797	26 1/8	5,540
2 1/4	168	8 1/4	1,036	14 1/4	2,295	20 1/4	3,831	26 1/4	5,578
2 3/8	181	8 3/8	1,059	14 3/8	2,325	20 3/8	3,866	26 3/8	5,617
2 1/2	193	8 1/2	1,082	14 1/2	2,354	20 1/2	3,900	26 1/2	5,655
2 5/8	207	8 5/8	1,105	14 5/8	2,384	20 5/8	3,935	26 5/8	5,694
2 3/4	220	8 3/4	1,128	14 3/4	2,414	20 3/4	3,969	26 3/4	5,732
2 7/8	234	8 7/8	1,151	14 7/8	2,444	20 7/8	4,004	26 7/8	5,771
3	248	9	1,175	15	2,474	21	4,039	27	5,809
3 1/8	262	9 1/8	1,199	15 1/8	2,504	21 1/8	4,074	27 1/8	5,848
3 1/4	276	9 1/4	1,223	15 1/4	2,534	21 1/4	4,109	27 1/4	5,887
3 3/8	291	9 3/8	1,247	15 3/8	2,565	21 3/8	4,144	27 3/8	5,926
3 1/2	306	9 1/2	1,271	15 1/2	2,595	21 1/2	4,179	27 1/2	5,965
3 5/8	321	9 5/8	1,296	15 5/8	2,626	21 5/8	4,215	27 5/8	6,004
3 3/4	337	9 3/4	1,320	15 3/4	2,656	21 3/4	4,250	27 3/4	6,043
3 7/8	353	9 7/8	1,345	15 7/8	2,687	21 7/8	4,286	27 7/8	6,082
4	369	10	1,370	16	2,718	22	4,321	28	6,121
4 1/8	385	10 1/8	1,395	16 1/8	2,749	22 1/8	4,357	28 1/8	6,160
4 1/4	401	10 1/4	1,420	16 1/4	2,780	22 1/4	4,393	28 1/4	6,200
4 3/8	418	10 3/8	1,445	16 3/8	2,812	22 3/8	4,428	28 3/8	6,239
4 1/2	435	10 1/2	1,470	16 1/2	2,843	22 1/2	4,464	28 1/2	6,279
4 5/8	452	10 5/8	1,496	16 5/8	2,874	22 5/8	4,500	28 5/8	6,318
4 3/4	469	10 3/4	1,522	16 3/4	2,906	22 3/4	4,536	28 3/4	6,358
4 7/8	487	10 7/8	1,547	16 7/8	2,938	22 7/8	4,573	28 7/8	6,397
5	505	11	1,573	17	2,970	23	4,609	29	6,437
5 1/8	523	11 1/8	1,600	17 1/8	3,001	23 1/8	4,645	29 1/8	6,477
5 1/4	541	11 1/4	1,626	17 1/4	3,033	23 1/4	4,682	29 1/4	6,517
5 3/8	559	11 3/8	1,652	17 3/8	3,066	23 3/8	4,718	29 3/8	6,557
5 1/2	578	11 1/2	1,679	17 1/2	3,098	23 1/2	4,755	29 1/2	6,597
5 5/8	597	11 5/8	1,705	17 5/8	3,130	23 5/8	4,791	29 5/8	6,637
5 3/4	616	11 3/4	1,732	17 3/4	3,162	23 3/4	4,828	29 3/4	6,677
5 7/8	635	11 7/8	1,759	17 7/8	3,195	23 7/8	4,865	29 7/8	6,717
6	655	12	1,786	18	3,228	24	4,902	30	6,757

DWT6 10'-35000 COMPARTMENT
34,835 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	6,797	36 1/8	8,797	42 1/8	10,904	48 1/8	13,089	54 1/8	15,324
30 1/4	6,838	36 1/4	8,840	42 1/4	10,949	48 1/4	13,135	54 1/4	15,371
30 3/8	6,878	36 3/8	8,883	42 3/8	10,994	48 3/8	13,181	54 3/8	15,418
30 1/2	6,919	36 1/2	8,926	42 1/2	11,039	48 1/2	13,228	54 1/2	15,465
30 5/8	6,959	36 5/8	8,969	42 5/8	11,084	48 5/8	13,274	54 5/8	15,512
30 3/4	7,000	36 3/4	9,012	42 3/4	11,129	48 3/4	13,320	54 3/4	15,559
30 7/8	7,040	36 7/8	9,055	42 7/8	11,174	48 7/8	13,366	54 7/8	15,606
31	7,081	37	9,099	43	11,219	49	13,413	55	15,653
31 1/8	7,122	37 1/8	9,142	43 1/8	11,264	49 1/8	13,459	55 1/8	15,700
31 1/4	7,163	37 1/4	9,185	43 1/4	11,309	49 1/4	13,505	55 1/4	15,747
31 3/8	7,204	37 3/8	9,228	43 3/8	11,354	49 3/8	13,552	55 3/8	15,794
31 1/2	7,245	37 1/2	9,272	43 1/2	11,399	49 1/2	13,598	55 1/2	15,841
31 5/8	7,286	37 5/8	9,315	43 5/8	11,444	49 5/8	13,644	55 5/8	15,888
31 3/4	7,327	37 3/4	9,359	43 3/4	11,490	49 3/4	13,691	55 3/4	15,935
31 7/8	7,368	37 7/8	9,402	43 7/8	11,535	49 7/8	13,737	55 7/8	15,982
32	7,409	38	9,446	44	11,580	50	13,783	56	16,029
32 1/8	7,450	38 1/8	9,489	44 1/8	11,625	50 1/8	13,830	56 1/8	16,076
32 1/4	7,491	38 1/4	9,533	44 1/4	11,671	50 1/4	13,876	56 1/4	16,123
32 3/8	7,533	38 3/8	9,576	44 3/8	11,716	50 3/8	13,923	56 3/8	16,170
32 1/2	7,574	38 1/2	9,620	44 1/2	11,761	50 1/2	13,969	56 1/2	16,217
32 5/8	7,616	38 5/8	9,664	44 5/8	11,807	50 5/8	14,016	56 5/8	16,264
32 3/4	7,657	38 3/4	9,708	44 3/4	11,852	50 3/4	14,062	56 3/4	16,311
32 7/8	7,699	38 7/8	9,751	44 7/8	11,898	50 7/8	14,109	56 7/8	16,358
33	7,740	39	9,795	45	11,943	51	14,155	57	16,405
33 1/8	7,782	39 1/8	9,839	45 1/8	11,989	51 1/8	14,202	57 1/8	16,452
33 1/4	7,824	39 1/4	9,883	45 1/4	12,034	51 1/4	14,249	57 1/4	16,499
33 3/8	7,865	39 3/8	9,927	45 3/8	12,080	51 3/8	14,295	57 3/8	16,546
33 1/2	7,907	39 1/2	9,971	45 1/2	12,126	51 1/2	14,342	57 1/2	16,593
33 5/8	7,949	39 5/8	10,015	45 5/8	12,171	51 5/8	14,388	57 5/8	16,640
33 3/4	7,991	39 3/4	10,059	45 3/4	12,217	51 3/4	14,435	57 3/4	16,688
33 7/8	8,033	39 7/8	10,104	45 7/8	12,263	51 7/8	14,482	57 7/8	16,735
34	8,075	40	10,148	46	12,308	52	14,528	58	16,782
34 1/8	8,117	40 1/8	10,192	46 1/8	12,354	52 1/8	14,575	58 1/8	16,829
34 1/4	8,159	40 1/4	10,236	46 1/4	12,400	52 1/4	14,622	58 1/4	16,876
34 3/8	8,201	40 3/8	10,280	46 3/8	12,446	52 3/8	14,669	58 3/8	16,923
34 1/2	8,244	40 1/2	10,325	46 1/2	12,491	52 1/2	14,715	58 1/2	16,970
34 5/8	8,286	40 5/8	10,369	46 5/8	12,537	52 5/8	14,762	58 5/8	17,017
34 3/4	8,328	40 3/4	10,414	46 3/4	12,583	52 3/4	14,809	58 3/4	17,064
34 7/8	8,371	40 7/8	10,458	46 7/8	12,629	52 7/8	14,856	58 7/8	17,112
35	8,413	41	10,502	47	12,675	53	14,902	59	17,159
35 1/8	8,456	41 1/8	10,547	47 1/8	12,721	53 1/8	14,949	59 1/8	17,206
35 1/4	8,498	41 1/4	10,592	47 1/4	12,767	53 1/4	14,996	59 1/4	17,253
35 3/8	8,541	41 3/8	10,636	47 3/8	12,813	53 3/8	15,043	59 3/8	17,300
35 1/2	8,583	41 1/2	10,681	47 1/2	12,859	53 1/2	15,090	59 1/2	17,347
35 5/8	8,626	41 5/8	10,725	47 5/8	12,905	53 5/8	15,137	59 5/8	17,394
35 3/4	8,669	41 3/4	10,770	47 3/4	12,951	53 3/4	15,183	59 3/4	17,441
35 7/8	8,711	41 7/8	10,815	47 7/8	12,997	53 7/8	15,230	59 7/8	17,489
36	8,754	42	10,860	48	13,043	54	15,277	60	17,536

DWT6 10'-35000 COMPARTMENT
34,835 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	17,583	66 1/8	19,840	72 1/8	22,069	78 1/8	24,244	84 1/8	26,338
60 1/4	17,630	66 1/4	19,886	72 1/4	22,115	78 1/4	24,289	84 1/4	26,380
60 3/8	17,677	66 3/8	19,933	72 3/8	22,161	78 3/8	24,333	84 3/8	26,423
60 1/2	17,724	66 1/2	19,980	72 1/2	22,207	78 1/2	24,378	84 1/2	26,465
60 5/8	17,771	66 5/8	20,027	72 5/8	22,253	78 5/8	24,422	84 5/8	26,507
60 3/4	17,818	66 3/4	20,074	72 3/4	22,298	78 3/4	24,467	84 3/4	26,550
60 7/8	17,866	66 7/8	20,120	72 7/8	22,344	78 7/8	24,511	84 7/8	26,592
61	17,913	67	20,167	73	22,390	79	24,555	85	26,634
61 1/8	17,960	67 1/8	20,214	73 1/8	22,436	79 1/8	24,599	85 1/8	26,676
61 1/4	18,007	67 1/4	20,261	73 1/4	22,482	79 1/4	24,644	85 1/4	26,719
61 3/8	18,054	67 3/8	20,307	73 3/8	22,527	79 3/8	24,688	85 3/8	26,761
61 1/2	18,101	67 1/2	20,354	73 1/2	22,573	79 1/2	24,732	85 1/2	26,803
61 5/8	18,148	67 5/8	20,401	73 5/8	22,619	79 5/8	24,776	85 5/8	26,845
61 3/4	18,195	67 3/4	20,447	73 3/4	22,664	79 3/4	24,820	85 3/4	26,887
61 7/8	18,242	67 7/8	20,494	73 7/8	22,710	79 7/8	24,864	85 7/8	26,928
62	18,289	68	20,540	74	22,756	80	24,908	86	26,970
62 1/8	18,337	68 1/8	20,587	74 1/8	22,801	80 1/8	24,952	86 1/8	27,012
62 1/4	18,384	68 1/4	20,634	74 1/4	22,847	80 1/4	24,996	86 1/4	27,054
62 3/8	18,431	68 3/8	20,680	74 3/8	22,892	80 3/8	25,040	86 3/8	27,095
62 1/2	18,478	68 1/2	20,727	74 1/2	22,938	80 1/2	25,084	86 1/2	27,137
62 5/8	18,525	68 5/8	20,773	74 5/8	22,983	80 5/8	25,128	86 5/8	27,179
62 3/4	18,572	68 3/4	20,820	74 3/4	23,029	80 3/4	25,172	86 3/4	27,220
62 7/8	18,619	68 7/8	20,866	74 7/8	23,074	80 7/8	25,216	86 7/8	27,262
63	18,666	69	20,913	75	23,120	81	25,259	87	27,303
63 1/8	18,713	69 1/8	20,959	75 1/8	23,165	81 1/8	25,303	87 1/8	27,344
63 1/4	18,760	69 1/4	21,006	75 1/4	23,210	81 1/4	25,347	87 1/4	27,386
63 3/8	18,807	69 3/8	21,052	75 3/8	23,256	81 3/8	25,390	87 3/8	27,427
63 1/2	18,854	69 1/2	21,099	75 1/2	23,301	81 1/2	25,434	87 1/2	27,468
63 5/8	18,901	69 5/8	21,145	75 5/8	23,346	81 5/8	25,477	87 5/8	27,509
63 3/4	18,948	69 3/4	21,191	75 3/4	23,391	81 3/4	25,521	87 3/4	27,550
63 7/8	18,995	69 7/8	21,238	75 7/8	23,436	81 7/8	25,564	87 7/8	27,591
64	19,042	70	21,284	76	23,482	82	25,607	88	27,632
64 1/8	19,089	70 1/8	21,330	76 1/8	23,527	82 1/8	25,651	88 1/8	27,673
64 1/4	19,136	70 1/4	21,377	76 1/4	23,572	82 1/4	25,694	88 1/4	27,714
64 3/8	19,183	70 3/8	21,423	76 3/8	23,617	82 3/8	25,737	88 3/8	27,755
64 1/2	19,230	70 1/2	21,469	76 1/2	23,662	82 1/2	25,780	88 1/2	27,795
64 5/8	19,277	70 5/8	21,516	76 5/8	23,707	82 5/8	25,823	88 5/8	27,836
64 3/4	19,324	70 3/4	21,562	76 3/4	23,752	82 3/4	25,867	88 3/4	27,876
64 7/8	19,371	70 7/8	21,608	76 7/8	23,797	82 7/8	25,910	88 7/8	27,917
65	19,418	71	21,654	77	23,842	83	25,953	89	27,957
65 1/8	19,465	71 1/8	21,700	77 1/8	23,886	83 1/8	25,996	89 1/8	27,998
65 1/4	19,512	71 1/4	21,747	77 1/4	23,931	83 1/4	26,038	89 1/4	28,038
65 3/8	19,559	71 3/8	21,793	77 3/8	23,976	83 3/8	26,081	89 3/8	28,079
65 1/2	19,605	71 1/2	21,839	77 1/2	24,021	83 1/2	26,124	89 1/2	28,119
65 5/8	19,652	71 5/8	21,885	77 5/8	24,066	83 5/8	26,167	89 5/8	28,159
65 3/4	19,699	71 3/4	21,931	77 3/4	24,110	83 3/4	26,210	89 3/4	28,199
65 7/8	19,746	71 7/8	21,977	77 7/8	24,155	83 7/8	26,252	89 7/8	28,239
66	19,793	72	22,023	78	24,200	84	26,295	90	28,279

DWT6 10'-35000 COMPARTMENT
34,835 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	28,319	96 1/8	30,154	102 1/8	31,802	108 1/8	33,210	114 1/8	34,295
90 1/4	28,359	96 1/4	30,191	102 1/4	31,834	108 1/4	33,236	114 1/4	34,313
90 3/8	28,399	96 3/8	30,227	102 3/8	31,866	108 3/8	33,262	114 3/8	34,331
90 1/2	28,438	96 1/2	30,263	102 1/2	31,898	108 1/2	33,288	114 1/2	34,349
90 5/8	28,478	96 5/8	30,299	102 5/8	31,930	108 5/8	33,314	114 5/8	34,366
90 3/4	28,518	96 3/4	30,335	102 3/4	31,961	108 3/4	33,340	114 3/4	34,384
90 7/8	28,557	96 7/8	30,371	102 7/8	31,993	108 7/8	33,365	114 7/8	34,401
91	28,597	97	30,407	103	32,024	109	33,391	115	34,418
91 1/8	28,636	97 1/8	30,443	103 1/8	32,055	109 1/8	33,416	115 1/8	34,434
91 1/4	28,675	97 1/4	30,479	103 1/4	32,086	109 1/4	33,441	115 1/4	34,451
91 3/8	28,715	97 3/8	30,514	103 3/8	32,117	109 3/8	33,466	115 3/8	34,467
91 1/2	28,754	97 1/2	30,550	103 1/2	32,148	109 1/2	33,491	115 1/2	34,483
91 5/8	28,793	97 5/8	30,586	103 5/8	32,179	109 5/8	33,516	115 5/8	34,499
91 3/4	28,832	97 3/4	30,621	103 3/4	32,210	109 3/4	33,540	115 3/4	34,514
91 7/8	28,871	97 7/8	30,656	103 7/8	32,241	109 7/8	33,565	115 7/8	34,530
92	28,910	98	30,691	104	32,271	110	33,589	116	34,545
92 1/8	28,949	98 1/8	30,727	104 1/8	32,301	110 1/8	33,613	116 1/8	34,559
92 1/4	28,988	98 1/4	30,762	104 1/4	32,332	110 1/4	33,637	116 1/4	34,574
92 3/8	29,026	98 3/8	30,797	104 3/8	32,362	110 3/8	33,661	116 3/8	34,588
92 1/2	29,065	98 1/2	30,832	104 1/2	32,392	110 1/2	33,684	116 1/2	34,602
92 5/8	29,104	98 5/8	30,866	104 5/8	32,422	110 5/8	33,708	116 5/8	34,616
92 3/4	29,142	98 3/4	30,901	104 3/4	32,452	110 3/4	33,731	116 3/4	34,629
92 7/8	29,181	98 7/8	30,936	104 7/8	32,481	110 7/8	33,754	116 7/8	34,642
93	29,219	99	30,970	105	32,511	111	33,777	117	34,655
93 1/8	29,257	99 1/8	31,005	105 1/8	32,540	111 1/8	33,800	117 1/8	34,668
93 1/4	29,295	99 1/4	31,039	105 1/4	32,570	111 1/4	33,823	117 1/4	34,680
93 3/8	29,334	99 3/8	31,073	105 3/8	32,599	111 3/8	33,845	117 3/8	34,692
93 1/2	29,372	99 1/2	31,107	105 1/2	32,628	111 1/2	33,867	117 1/2	34,703
93 5/8	29,410	99 5/8	31,141	105 5/8	32,657	111 5/8	33,889	117 5/8	34,714
93 3/4	29,448	99 3/4	31,175	105 3/4	32,686	111 3/4	33,911	117 3/4	34,725
93 7/8	29,485	99 7/8	31,209	105 7/8	32,714	111 7/8	33,933	117 7/8	34,736
94	29,523	100	31,243	106	32,743	112	33,955	118	34,746
94 1/8	29,561	100 1/8	31,277	106 1/8	32,772	112 1/8	33,976	118 1/8	34,756
94 1/4	29,599	100 1/4	31,310	106 1/4	32,800	112 1/4	33,998	118 1/4	34,765
94 3/8	29,636	100 3/8	31,344	106 3/8	32,828	112 3/8	34,019	118 3/8	34,774
94 1/2	29,674	100 1/2	31,377	106 1/2	32,856	112 1/2	34,040	118 1/2	34,783
94 5/8	29,711	100 5/8	31,410	106 5/8	32,884	112 5/8	34,060	118 5/8	34,791
94 3/4	29,748	100 3/4	31,444	106 3/4	32,912	112 3/4	34,081	118 3/4	34,799
94 7/8	29,786	100 7/8	31,477	106 7/8	32,940	112 7/8	34,101	118 7/8	34,806
95	29,823	101	31,510	107	32,967	113	34,122	119	34,812
95 1/8	29,860	101 1/8	31,543	107 1/8	32,995	113 1/8	34,142	119 1/8	34,818
95 1/4	29,897	101 1/4	31,575	107 1/4	33,022	113 1/4	34,161	119 1/4	34,824
95 3/8	29,934	101 3/8	31,608	107 3/8	33,049	113 3/8	34,181	119 3/8	34,828
95 1/2	29,971	101 1/2	31,641	107 1/2	33,076	113 1/2	34,200	119 1/2	34,832
95 5/8	30,008	101 5/8	31,673	107 5/8	33,103	113 5/8	34,220	119 5/8	34,835
95 3/4	30,044	101 3/4	31,706	107 3/4	33,130	113 3/4	34,239		
95 7/8	30,081	101 7/8	31,738	107 7/8	33,157	113 7/8	34,258		
96	30,118	102	31,770	108	33,183	114	34,276		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.