

**10'-8000 DWT6 DWB2 Compartment Extension
8531 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	3	6 1/8	177	12 1/8	468	18 1/8	831	24 1/8	1246	30 1/8	1702
1/4	5	6 1/4	182	12 1/4	475	18 1/4	839	24 1/4	1256	30 1/4	1712
3/8	6	6 3/8	187	12 3/8	482	18 3/8	847	24 3/8	1265	30 3/8	1722
1/2	8	6 1/2	193	12 1/2	489	18 1/2	855	24 1/2	1274	30 1/2	1732
5/8	10	6 5/8	198	12 5/8	496	18 5/8	864	24 5/8	1283	30 5/8	1742
3/4	12	6 3/4	203	12 3/4	503	18 3/4	872	24 3/4	1292	30 3/4	1752
7/8	14	6 7/8	208	12 7/8	510	18 7/8	880	24 7/8	1301	30 7/8	1762
1	17	7	214	13	517	19	889	25	1311	31	1772
1 1/8	19	7 1/8	219	13 1/8	524	19 1/8	897	25 1/8	1320	31 1/8	1781
1 1/4	21	7 1/4	225	13 1/4	531	19 1/4	905	25 1/4	1329	31 1/4	1791
1 3/8	24	7 3/8	230	13 3/8	538	19 3/8	914	25 3/8	1338	31 3/8	1801
1 1/2	27	7 1/2	236	13 1/2	546	19 1/2	922	25 1/2	1348	31 1/2	1811
1 5/8	30	7 5/8	241	13 5/8	553	19 5/8	930	25 5/8	1357	31 5/8	1821
1 3/4	32	7 3/4	247	13 3/4	560	19 3/4	939	25 3/4	1366	31 3/4	1831
1 7/8	35	7 7/8	253	13 7/8	567	19 7/8	947	25 7/8	1376	31 7/8	1841
2	39	8	259	14	575	20	956	26	1385	32	1851
2 1/8	42	8 1/8	264	14 1/8	582	20 1/8	964	26 1/8	1394	32 1/8	1861
2 1/4	45	8 1/4	270	14 1/4	589	20 1/4	973	26 1/4	1404	32 1/4	1872
2 3/8	48	8 3/8	276	14 3/8	597	20 3/8	981	26 3/8	1413	32 3/8	1882
2 1/2	52	8 1/2	282	14 1/2	604	20 1/2	990	26 1/2	1423	32 1/2	1892
2 5/8	55	8 5/8	288	14 5/8	612	20 5/8	998	26 5/8	1432	32 5/8	1902
2 3/4	59	8 3/4	294	14 3/4	619	20 3/4	1007	26 3/4	1442	32 3/4	1912
2 7/8	62	8 7/8	300	14 7/8	627	20 7/8	1016	26 7/8	1451	32 7/8	1922
3	66	9	306	15	634	21	1024	27	1460	33	1932
3 1/8	70	9 1/8	312	15 1/8	642	21 1/8	1033	27 1/8	1470	33 1/8	1942
3 1/4	73	9 1/4	318	15 1/4	649	21 1/4	1042	27 1/4	1479	33 1/4	1952
3 3/8	77	9 3/8	324	15 3/8	657	21 3/8	1050	27 3/8	1489	33 3/8	1963
3 1/2	81	9 1/2	330	15 1/2	665	21 1/2	1059	27 1/2	1499	33 1/2	1973
3 5/8	85	9 5/8	336	15 5/8	672	21 5/8	1068	27 5/8	1508	33 5/8	1983
3 3/4	89	9 3/4	343	15 3/4	680	21 3/4	1077	27 3/4	1518	33 3/4	1993
3 7/8	93	9 7/8	349	15 7/8	688	21 7/8	1085	27 7/8	1527	33 7/8	2003
4	98	10	355	16	696	22	1094	28	1537	34	2014
4 1/8	102	10 1/8	362	16 1/8	703	22 1/8	1103	28 1/8	1546	34 1/8	2024
4 1/4	106	10 1/4	368	16 1/4	711	22 1/4	1112	28 1/4	1556	34 1/4	2034
4 3/8	111	10 3/8	375	16 3/8	719	22 3/8	1121	28 3/8	1566	34 3/8	2044
4 1/2	115	10 1/2	381	16 1/2	727	22 1/2	1129	28 1/2	1575	34 1/2	2055
4 5/8	119	10 5/8	387	16 5/8	735	22 5/8	1138	28 5/8	1585	34 5/8	2065
4 3/4	124	10 3/4	394	16 3/4	743	22 3/4	1147	28 3/4	1595	34 3/4	2075
4 7/8	128	10 7/8	401	16 7/8	750	22 7/8	1156	28 7/8	1604	34 7/8	2085
5	133	11	407	17	758	23	1165	29	1614	35	2096
5 1/8	138	11 1/8	414	17 1/8	766	23 1/8	1174	29 1/8	1624	35 1/8	2106
5 1/4	143	11 1/4	420	17 1/4	774	23 1/4	1183	29 1/4	1634	35 1/4	2116
5 3/8	147	11 3/8	427	17 3/8	782	23 3/8	1192	29 3/8	1643	35 3/8	2127
5 1/2	152	11 1/2	434	17 1/2	790	23 1/2	1201	29 1/2	1653	35 1/2	2137
5 5/8	157	11 5/8	441	17 5/8	798	23 5/8	1210	29 5/8	1663	35 5/8	2147
5 3/4	162	11 3/4	447	17 3/4	807	23 3/4	1219	29 3/4	1673	35 3/4	2158
5 7/8	167	11 7/8	454	17 7/8	815	23 7/8	1228	29 7/8	1683	35 7/8	2168
6	172	12	461	18	823	24	1237	30	1692	36	2179

**10'-8000 DWT6 DWB2 Compartment Extension
8531 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	2189	42 1/8	2699	48 1/8	3226	54 1/8	3763	60 1/8	4305	66 1/8	4847
36 1/4	2199	42 1/4	2710	48 1/4	3237	54 1/4	3774	60 1/4	4317	66 1/4	4858
36 3/8	2210	42 3/8	2721	48 3/8	3248	54 3/8	3785	60 3/8	4328	66 3/8	4870
36 1/2	2220	42 1/2	2731	48 1/2	3259	54 1/2	3797	60 1/2	4339	66 1/2	4881
36 5/8	2231	42 5/8	2742	48 5/8	3270	54 5/8	3808	60 5/8	4350	66 5/8	4892
36 3/4	2241	42 3/4	2753	48 3/4	3281	54 3/4	3819	60 3/4	4362	66 3/4	4903
36 7/8	2252	42 7/8	2764	48 7/8	3292	54 7/8	3830	60 7/8	4373	66 7/8	4915
37	2262	43	2775	49	3303	55	3842	61	4384	67	4926
37 1/8	2273	43 1/8	2786	49 1/8	3314	55 1/8	3853	61 1/8	4396	67 1/8	4937
37 1/4	2283	43 1/4	2797	49 1/4	3326	55 1/4	3864	61 1/4	4407	67 1/4	4948
37 3/8	2293	43 3/8	2807	49 3/8	3337	55 3/8	3876	61 3/8	4418	67 3/8	4960
37 1/2	2304	43 1/2	2818	49 1/2	3348	55 1/2	3887	61 1/2	4430	67 1/2	4971
37 5/8	2315	43 5/8	2829	49 5/8	3359	55 5/8	3898	61 5/8	4441	67 5/8	4982
37 3/4	2325	43 3/4	2840	49 3/4	3370	55 3/4	3909	61 3/4	4452	67 3/4	4993
37 7/8	2336	43 7/8	2851	49 7/8	3381	55 7/8	3921	61 7/8	4464	67 7/8	5004
38	2346	44	2862	50	3393	56	3932	62	4475	68	5016
38 1/8	2357	44 1/8	2873	50 1/8	3404	56 1/8	3943	62 1/8	4486	68 1/8	5027
38 1/4	2367	44 1/4	2884	50 1/4	3415	56 1/4	3955	62 1/4	4498	68 1/4	5038
38 3/8	2378	44 3/8	2895	50 3/8	3426	56 3/8	3966	62 3/8	4509	68 3/8	5049
38 1/2	2388	44 1/2	2906	50 1/2	3437	56 1/2	3977	62 1/2	4520	68 1/2	5060
38 5/8	2399	44 5/8	2917	50 5/8	3448	56 5/8	3989	62 5/8	4531	68 5/8	5072
38 3/4	2410	44 3/4	2928	50 3/4	3460	56 3/4	4000	62 3/4	4543	68 3/4	5083
38 7/8	2420	44 7/8	2939	50 7/8	3471	56 7/8	4011	62 7/8	4554	68 7/8	5094
39	2431	45	2950	51	3482	57	4022	63	4565	69	5105
39 1/8	2441	45 1/8	2961	51 1/8	3493	57 1/8	4034	63 1/8	4577	69 1/8	5116
39 1/4	2452	45 1/4	2971	51 1/4	3504	57 1/4	4045	63 1/4	4588	69 1/4	5128
39 3/8	2463	45 3/8	2982	51 3/8	3516	57 3/8	4056	63 3/8	4599	69 3/8	5139
39 1/2	2473	45 1/2	2993	51 1/2	3527	57 1/2	4068	63 1/2	4611	69 1/2	5150
39 5/8	2484	45 5/8	3004	51 5/8	3538	57 5/8	4079	63 5/8	4622	69 5/8	5161
39 3/4	2495	45 3/4	3015	51 3/4	3549	57 3/4	4090	63 3/4	4633	69 3/4	5172
39 7/8	2505	45 7/8	3026	51 7/8	3560	57 7/8	4102	63 7/8	4644	69 7/8	5183
40	2516	46	3037	52	3572	58	4113	64	4656	70	5195
40 1/8	2527	46 1/8	3049	52 1/8	3583	58 1/8	4124	64 1/8	4667	70 1/8	5206
40 1/4	2537	46 1/4	3060	52 1/4	3594	58 1/4	4136	64 1/4	4678	70 1/4	5217
40 3/8	2548	46 3/8	3071	52 3/8	3605	58 3/8	4147	64 3/8	4690	70 3/8	5228
40 1/2	2559	46 1/2	3082	52 1/2	3617	58 1/2	4158	64 1/2	4701	70 1/2	5239
40 5/8	2570	46 5/8	3093	52 5/8	3628	58 5/8	4169	64 5/8	4712	70 5/8	5250
40 3/4	2580	46 3/4	3104	52 3/4	3639	58 3/4	4181	64 3/4	4723	70 3/4	5261
40 7/8	2591	46 7/8	3115	52 7/8	3650	58 7/8	4192	64 7/8	4735	70 7/8	5272
41	2602	47	3126	53	3662	59	4203	65	4746	71	5284
41 1/8	2613	47 1/8	3137	53 1/8	3673	59 1/8	4215	65 1/8	4757	71 1/8	5295
41 1/4	2623	47 1/4	3148	53 1/4	3684	59 1/4	4226	65 1/4	4768	71 1/4	5306
41 3/8	2634	47 3/8	3159	53 3/8	3695	59 3/8	4237	65 3/8	4780	71 3/8	5317
41 1/2	2645	47 1/2	3170	53 1/2	3707	59 1/2	4249	65 1/2	4791	71 1/2	5328
41 5/8	2656	47 5/8	3181	53 5/8	3718	59 5/8	4260	65 5/8	4802	71 5/8	5339
41 3/4	2666	47 3/4	3192	53 3/4	3729	59 3/4	4271	65 3/4	4813	71 3/4	5350
41 7/8	2677	47 7/8	3203	53 7/8	3740	59 7/8	4283	65 7/8	4825	71 7/8	5361
42	2688	48	3214	54	3752	60	4294	66	4836	72	5372

**10'-8000 DWT6 DWB2 Compartment Extension
8531 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	5383	78 1/8	5908	84 1/8	6415	90 1/8	6898	96 1/8	7348	102 1/8	7757
72 1/4	5394	78 1/4	5919	84 1/4	6425	90 1/4	6907	96 1/4	7357	102 1/4	7765
72 3/8	5405	78 3/8	5929	84 3/8	6436	90 3/8	6917	96 3/8	7366	102 3/8	7773
72 1/2	5417	78 1/2	5940	84 1/2	6446	90 1/2	6927	96 1/2	7375	102 1/2	7781
72 5/8	5428	78 5/8	5951	84 5/8	6456	90 5/8	6937	96 5/8	7384	102 5/8	7789
72 3/4	5439	78 3/4	5962	84 3/4	6466	90 3/4	6946	96 3/4	7393	102 3/4	7797
72 7/8	5450	78 7/8	5972	84 7/8	6477	90 7/8	6956	96 7/8	7402	102 7/8	7805
73	5461	79	5983	85	6487	91	6966	97	7411	103	7812
73 1/8	5472	79 1/8	5994	85 1/8	6497	91 1/8	6975	97 1/8	7420	103 1/8	7820
73 1/4	5483	79 1/4	6005	85 1/4	6508	91 1/4	6985	97 1/4	7428	103 1/4	7828
73 3/8	5494	79 3/8	6015	85 3/8	6518	91 3/8	6994	97 3/8	7437	103 3/8	7836
73 1/2	5505	79 1/2	6026	85 1/2	6528	91 1/2	7004	97 1/2	7446	103 1/2	7843
73 5/8	5516	79 5/8	6037	85 5/8	6538	91 5/8	7014	97 5/8	7455	103 5/8	7851
73 3/4	5527	79 3/4	6047	85 3/4	6548	91 3/4	7023	97 3/4	7463	103 3/4	7859
73 7/8	5538	79 7/8	6058	85 7/8	6559	91 7/8	7033	97 7/8	7472	103 7/8	7867
74	5549	80	6069	86	6569	92	7042	98	7481	104	7874
74 1/8	5560	80 1/8	6079	86 1/8	6579	92 1/8	7052	98 1/8	7490	104 1/8	7882
74 1/4	5571	80 1/4	6090	86 1/4	6589	92 1/4	7061	98 1/4	7498	104 1/4	7889
74 3/8	5582	80 3/8	6100	86 3/8	6599	92 3/8	7071	98 3/8	7507	104 3/8	7897
74 1/2	5593	80 1/2	6111	86 1/2	6609	92 1/2	7080	98 1/2	7516	104 1/2	7905
74 5/8	5604	80 5/8	6122	86 5/8	6619	92 5/8	7090	98 5/8	7524	104 5/8	7912
74 3/4	5615	80 3/4	6132	86 3/4	6630	92 3/4	7099	98 3/4	7533	104 3/4	7920
74 7/8	5626	80 7/8	6143	86 7/8	6640	92 7/8	7109	98 7/8	7541	104 7/8	7927
75	5637	81	6153	87	6650	93	7118	99	7550	105	7934
75 1/8	5647	81 1/8	6164	87 1/8	6660	93 1/8	7127	99 1/8	7558	105 1/8	7942
75 1/4	5658	81 1/4	6175	87 1/4	6670	93 1/4	7137	99 1/4	7567	105 1/4	7949
75 3/8	5669	81 3/8	6185	87 3/8	6680	93 3/8	7146	99 3/8	7576	105 3/8	7957
75 1/2	5680	81 1/2	6196	87 1/2	6690	93 1/2	7156	99 1/2	7584	105 1/2	7964
75 5/8	5691	81 5/8	6206	87 5/8	6700	93 5/8	7165	99 5/8	7592	105 5/8	7971
75 3/4	5702	81 3/4	6217	87 3/4	6710	93 3/4	7174	99 3/4	7601	105 3/4	7978
75 7/8	5713	81 7/8	6227	87 7/8	6720	93 7/8	7184	99 7/8	7609	105 7/8	7986
76	5724	82	6238	88	6730	94	7193	100	7618	106	7993
76 1/8	5735	82 1/8	6248	88 1/8	6740	94 1/8	7202	100 1/8	7626	106 1/8	8000
76 1/4	5746	82 1/4	6259	88 1/4	6750	94 1/4	7211	100 1/4	7634	106 1/4	8007
76 3/8	5756	82 3/8	6269	88 3/8	6760	94 3/8	7221	100 3/8	7643	106 3/8	8014
76 1/2	5767	82 1/2	6280	88 1/2	6770	94 1/2	7230	100 1/2	7651	106 1/2	8021
76 5/8	5778	82 5/8	6290	88 5/8	6780	94 5/8	7239	100 5/8	7659	106 5/8	8028
76 3/4	5789	82 3/4	6301	88 3/4	6790	94 3/4	7248	100 3/4	7668	106 3/4	8035
76 7/8	5800	82 7/8	6311	88 7/8	6799	94 7/8	7257	100 7/8	7676	106 7/8	8042
77	5811	83	6322	89	6809	95	7267	101	7684	107	8049
77 1/8	5822	83 1/8	6332	89 1/8	6819	95 1/8	7276	101 1/8	7692	107 1/8	8056
77 1/4	5832	83 1/4	6342	89 1/4	6829	95 1/4	7285	101 1/4	7700	107 1/4	8063
77 3/8	5843	83 3/8	6353	89 3/8	6839	95 3/8	7294	101 3/8	7709	107 3/8	8070
77 1/2	5854	83 1/2	6363	89 1/2	6849	95 1/2	7303	101 1/2	7717	107 1/2	8077
77 5/8	5865	83 5/8	6374	89 5/8	6858	95 5/8	7312	101 5/8	7725	107 5/8	8084
77 3/4	5876	83 3/4	6384	89 3/4	6868	95 3/4	7321	101 3/4	7733	107 3/4	8091
77 7/8	5886	83 7/8	6394	89 7/8	6878	95 7/8	7330	101 7/8	7741	107 7/8	8097
78	5897	84	6405	90	6888	96	7339	102	7749	108	8104

**10'-8000 DWT6 DWB2 Compartment Extension
8531 Gals**



**CONTAINMENT
SOLUTIONS®**

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	8111	114 1/8	8389
108 1/4	8117	114 1/4	8393
108 3/8	8124	114 3/8	8398
108 1/2	8131	114 1/2	8403
108 5/8	8137	114 5/8	8407
108 3/4	8144	114 3/4	8412
108 7/8	8150	114 7/8	8416
109	8157	115	8421
109 1/8	8163	115 1/8	8425
109 1/4	8170	115 1/4	8429
109 3/8	8176	115 3/8	8434
109 1/2	8182	115 1/2	8438
109 5/8	8189	115 5/8	8442
109 3/4	8195	115 3/4	8446
109 7/8	8201	115 7/8	8450
110	8207	116	8454
110 1/8	8213	116 1/8	8458
110 1/4	8219	116 1/4	8462
110 3/8	8226	116 3/8	8465
110 1/2	8232	116 1/2	8469
110 5/8	8238	116 5/8	8473
110 3/4	8244	116 3/4	8476
110 7/8	8249	116 7/8	8480
111	8255	117	8483
111 1/8	8261	117 1/8	8486
111 1/4	8267	117 1/4	8490
111 3/8	8273	117 3/8	8493
111 1/2	8278	117 1/2	8496
111 5/8	8284	117 5/8	8499
111 3/4	8290	117 3/4	8502
111 7/8	8295	117 7/8	8504
112	8301	118	8507
112 1/8	8307	118 1/8	8510
112 1/4	8312	118 1/4	8512
112 3/8	8317	118 3/8	8515
112 1/2	8323	118 1/2	8517
112 5/8	8328	118 5/8	8519
112 3/4	8333	118 3/4	8521
112 7/8	8339	118 7/8	8523
113	8344	119	8525
113 1/8	8349	119 1/8	8527
113 1/4	8354	119 1/4	8528
113 3/8	8359	119 3/8	8529
113 1/2	8364	119 1/2	8530
113 5/8	8369	119 5/8	8531
113 3/4	8374		
113 7/8	8379		
114	8384		

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoila Water Finding Paste
Federal Process Corp.
800-846-7325
www.gasoila.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 409-756-7731
Fax: 409-756-7766