

10'-9000 Double-Wall Compartment Tank Extension 9340 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	4	6 1/8	194	12 1/8	512	18 1/8	910	24 1/8	1365	30 1/8	1864
1/4	5	6 1/4	199	12 1/4	520	18 1/4	919	24 1/4	1375	30 1/4	1875
3/8	7	6 3/8	205	12 3/8	528	18 3/8	928	24 3/8	1385	30 3/8	1885
1/2	9	6 1/2	211	12 1/2	535	18 1/2	937	24 1/2	1395	30 1/2	1896
5/8	11	6 5/8	217	12 5/8	543	18 5/8	946	24 5/8	1405	30 5/8	1907
3/4	13	6 3/4	222	12 3/4	551	18 3/4	955	24 3/4	1415	30 3/4	1918
7/8	16	6 7/8	228	12 7/8	558	18 7/8	964	24 7/8	1425	30 7/8	1929
1	18	7	234	13	566	19	973	25	1435	31	1940
1 1/8	21	7 1/8	240	13 1/8	574	19 1/8	982	25 1/8	1445	31 1/8	1950
1 1/4	23	7 1/4	246	13 1/4	582	19 1/4	991	25 1/4	1455	31 1/4	1961
1 3/8	26	7 3/8	252	13 3/8	590	19 3/8	1000	25 3/8	1465	31 3/8	1972
1 1/2	29	7 1/2	258	13 1/2	597	19 1/2	1009	25 1/2	1476	31 1/2	1983
1 5/8	32	7 5/8	264	13 5/8	605	19 5/8	1019	25 5/8	1486	31 5/8	1994
1 3/4	36	7 3/4	271	13 3/4	613	19 3/4	1028	25 3/4	1496	31 3/4	2005
1 7/8	39	7 7/8	277	13 7/8	621	19 7/8	1037	25 7/8	1506	31 7/8	2016
2	42	8	283	14	629	20	1046	26	1516	32	2027
2 1/8	46	8 1/8	289	14 1/8	637	20 1/8	1056	26 1/8	1527	32 1/8	2038
2 1/4	49	8 1/4	296	14 1/4	645	20 1/4	1065	26 1/4	1537	32 1/4	2049
2 3/8	53	8 3/8	302	14 3/8	654	20 3/8	1074	26 3/8	1547	32 3/8	2060
2 1/2	57	8 1/2	309	14 1/2	662	20 1/2	1084	26 1/2	1558	32 1/2	2071
2 5/8	60	8 5/8	315	14 5/8	670	20 5/8	1093	26 5/8	1568	32 5/8	2082
2 3/4	64	8 3/4	322	14 3/4	678	20 3/4	1103	26 3/4	1578	32 3/4	2093
2 7/8	68	8 7/8	328	14 7/8	686	20 7/8	1112	26 7/8	1589	32 7/8	2104
3	72	9	335	15	694	21	1121	27	1599	33	2115
3 1/8	76	9 1/8	341	15 1/8	703	21 1/8	1131	27 1/8	1609	33 1/8	2126
3 1/4	80	9 1/4	348	15 1/4	711	21 1/4	1140	27 1/4	1620	33 1/4	2138
3 3/8	85	9 3/8	355	15 3/8	719	21 3/8	1150	27 3/8	1630	33 3/8	2149
3 1/2	89	9 1/2	362	15 1/2	728	21 1/2	1160	27 1/2	1641	33 1/2	2160
3 5/8	93	9 5/8	368	15 5/8	736	21 5/8	1169	27 5/8	1651	33 5/8	2171
3 3/4	98	9 3/4	375	15 3/4	745	21 3/4	1179	27 3/4	1662	33 3/4	2182
3 7/8	102	9 7/8	382	15 7/8	753	21 7/8	1188	27 7/8	1672	33 7/8	2193
4	107	10	389	16	762	22	1198	28	1683	34	2205
4 1/8	112	10 1/8	396	16 1/8	770	22 1/8	1208	28 1/8	1693	34 1/8	2216
4 1/4	116	10 1/4	403	16 1/4	779	22 1/4	1217	28 1/4	1704	34 1/4	2227
4 3/8	121	10 3/8	410	16 3/8	787	22 3/8	1227	28 3/8	1714	34 3/8	2238
4 1/2	126	10 1/2	417	16 1/2	796	22 1/2	1237	28 1/2	1725	34 1/2	2249
4 5/8	131	10 5/8	424	16 5/8	804	22 5/8	1246	28 5/8	1735	34 5/8	2261
4 3/4	136	10 3/4	431	16 3/4	813	22 3/4	1256	28 3/4	1746	34 3/4	2272
4 7/8	141	10 7/8	439	16 7/8	822	22 7/8	1266	28 7/8	1757	34 7/8	2283
5	146	11	446	17	830	23	1276	29	1767	35	2295
5 1/8	151	11 1/8	453	17 1/8	839	23 1/8	1286	29 1/8	1778	35 1/8	2306
5 1/4	156	11 1/4	460	17 1/4	848	23 1/4	1295	29 1/4	1789	35 1/4	2317
5 3/8	161	11 3/8	468	17 3/8	857	23 3/8	1305	29 3/8	1799	35 3/8	2328
5 1/2	167	11 1/2	475	17 1/2	865	23 1/2	1315	29 1/2	1810	35 1/2	2340
5 5/8	172	11 5/8	482	17 5/8	874	23 5/8	1325	29 5/8	1821	35 5/8	2351
5 3/4	177	11 3/4	490	17 3/4	883	23 3/4	1335	29 3/4	1831	35 3/4	2362
5 7/8	183	11 7/8	497	17 7/8	892	23 7/8	1345	29 7/8	1842	35 7/8	2374
6	188	12	505	18	901	24	1355	30	1853	36	2385

10'-9000 Double-Wall Compartment Tank Extension

9340 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	2397	42 1/8	2955	48 1/8	3532	54 1/8	4120	60 1/8	4714	66 1/8	5307
36 1/4	2408	42 1/4	2967	48 1/4	3544	54 1/4	4132	60 1/4	4726	66 1/4	5319
36 3/8	2419	42 3/8	2979	48 3/8	3556	54 3/8	4144	60 3/8	4738	66 3/8	5332
36 1/2	2431	42 1/2	2990	48 1/2	3568	54 1/2	4157	60 1/2	4751	66 1/2	5344
36 5/8	2442	42 5/8	3002	48 5/8	3580	54 5/8	4169	60 5/8	4763	66 5/8	5356
36 3/4	2454	42 3/4	3014	48 3/4	3592	54 3/4	4182	60 3/4	4776	66 3/4	5369
36 7/8	2465	42 7/8	3026	48 7/8	3605	54 7/8	4194	60 7/8	4788	66 7/8	5381
37	2477	43	3038	49	3617	55	4206	61	4800	67	5393
37 1/8	2488	43 1/8	3050	49 1/8	3629	55 1/8	4219	61 1/8	4813	67 1/8	5406
37 1/4	2500	43 1/4	3062	49 1/4	3641	55 1/4	4231	61 1/4	4825	67 1/4	5418
37 3/8	2511	43 3/8	3074	49 3/8	3653	55 3/8	4243	61 3/8	4838	67 3/8	5430
37 1/2	2523	43 1/2	3086	49 1/2	3666	55 1/2	4256	61 1/2	4850	67 1/2	5442
37 5/8	2534	43 5/8	3098	49 5/8	3678	55 5/8	4268	61 5/8	4862	67 5/8	5455
37 3/4	2546	43 3/4	3110	49 3/4	3690	55 3/4	4280	61 3/4	4875	67 3/4	5467
37 7/8	2557	43 7/8	3122	49 7/8	3702	55 7/8	4293	61 7/8	4887	67 7/8	5479
38	2569	44	3133	50	3714	56	4305	62	4899	68	5491
38 1/8	2580	44 1/8	3145	50 1/8	3727	56 1/8	4317	62 1/8	4912	68 1/8	5504
38 1/4	2592	44 1/4	3157	50 1/4	3739	56 1/4	4330	62 1/4	4924	68 1/4	5516
38 3/8	2603	44 3/8	3169	50 3/8	3751	56 3/8	4342	62 3/8	4937	68 3/8	5528
38 1/2	2615	44 1/2	3181	50 1/2	3763	56 1/2	4355	62 1/2	4949	68 1/2	5541
38 5/8	2627	44 5/8	3193	50 5/8	3776	56 5/8	4367	62 5/8	4961	68 5/8	5553
38 3/4	2638	44 3/4	3205	50 3/4	3788	56 3/4	4379	62 3/4	4974	68 3/4	5565
38 7/8	2650	44 7/8	3217	50 7/8	3800	56 7/8	4392	62 7/8	4986	68 7/8	5577
39	2661	45	3229	51	3812	57	4404	63	4998	69	5590
39 1/8	2673	45 1/8	3241	51 1/8	3825	57 1/8	4416	63 1/8	5011	69 1/8	5602
39 1/4	2685	45 1/4	3253	51 1/4	3837	57 1/4	4429	63 1/4	5023	69 1/4	5614
39 3/8	2696	45 3/8	3265	51 3/8	3849	57 3/8	4441	63 3/8	5036	69 3/8	5626
39 1/2	2708	45 1/2	3277	51 1/2	3861	57 1/2	4454	63 1/2	5048	69 1/2	5638
39 5/8	2720	45 5/8	3289	51 5/8	3874	57 5/8	4466	63 5/8	5060	69 5/8	5651
39 3/4	2731	45 3/4	3302	51 3/4	3886	57 3/4	4478	63 3/4	5073	69 3/4	5663
39 7/8	2743	45 7/8	3314	51 7/8	3898	57 7/8	4491	63 7/8	5085	69 7/8	5675
40	2755	46	3326	52	3911	58	4503	64	5097	70	5687
40 1/8	2766	46 1/8	3338	52 1/8	3923	58 1/8	4515	64 1/8	5110	70 1/8	5699
40 1/4	2778	46 1/4	3350	52 1/4	3935	58 1/4	4528	64 1/4	5122	70 1/4	5712
40 3/8	2790	46 3/8	3362	52 3/8	3947	58 3/8	4540	64 3/8	5134	70 3/8	5724
40 1/2	2802	46 1/2	3374	52 1/2	3960	58 1/2	4553	64 1/2	5147	70 1/2	5736
40 5/8	2813	46 5/8	3386	52 5/8	3972	58 5/8	4565	64 5/8	5159	70 5/8	5748
40 3/4	2825	46 3/4	3398	52 3/4	3984	58 3/4	4577	64 3/4	5171	70 3/4	5760
40 7/8	2837	46 7/8	3410	52 7/8	3997	58 7/8	4590	64 7/8	5184	70 7/8	5773
41	2849	47	3422	53	4009	59	4602	65	5196	71	5785
41 1/8	2860	47 1/8	3434	53 1/8	4021	59 1/8	4615	65 1/8	5208	71 1/8	5797
41 1/4	2872	47 1/4	3447	53 1/4	4034	59 1/4	4627	65 1/4	5221	71 1/4	5809
41 3/8	2884	47 3/8	3459	53 3/8	4046	59 3/8	4639	65 3/8	5233	71 3/8	5821
41 1/2	2896	47 1/2	3471	53 1/2	4058	59 1/2	4652	65 1/2	5245	71 1/2	5833
41 5/8	2908	47 5/8	3483	53 5/8	4070	59 5/8	4664	65 5/8	5258	71 5/8	5846
41 3/4	2919	47 3/4	3495	53 3/4	4083	59 3/4	4676	65 3/4	5270	71 3/4	5858
41 7/8	2931	47 7/8	3507	53 7/8	4095	59 7/8	4689	65 7/8	5282	71 7/8	5870
42	2943	48	3519	54	4107	60	4701	66	5295	72	5882

10'-9000 Double-Wall Compartment Tank Extension 9340 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	5894	78 1/8	6468	84 1/8	7023	90 1/8	7552	96 1/8	8045	102 1/8	8493
72 1/4	5906	78 1/4	6480	84 1/4	7035	90 1/4	7563	96 1/4	8055	102 1/4	8502
72 3/8	5918	78 3/8	6492	84 3/8	7046	90 3/8	7573	96 3/8	8065	102 3/8	8510
72 1/2	5930	78 1/2	6504	84 1/2	7057	90 1/2	7584	96 1/2	8075	102 1/2	8519
72 5/8	5942	78 5/8	6515	84 5/8	7069	90 5/8	7595	96 5/8	8084	102 5/8	8528
72 3/4	5955	78 3/4	6527	84 3/4	7080	90 3/4	7605	96 3/4	8094	102 3/4	8536
72 7/8	5967	78 7/8	6539	84 7/8	7091	90 7/8	7616	96 7/8	8104	102 7/8	8545
73	5979	79	6551	85	7102	91	7626	97	8114	103	8553
73 1/8	5991	79 1/8	6562	85 1/8	7114	91 1/8	7637	97 1/8	8123	103 1/8	8562
73 1/4	6003	79 1/4	6574	85 1/4	7125	91 1/4	7647	97 1/4	8133	103 1/4	8571
73 3/8	6015	79 3/8	6586	85 3/8	7136	91 3/8	7658	97 3/8	8143	103 3/8	8579
73 1/2	6027	79 1/2	6598	85 1/2	7147	91 1/2	7668	97 1/2	8152	103 1/2	8588
73 5/8	6039	79 5/8	6609	85 5/8	7158	91 5/8	7679	97 5/8	8162	103 5/8	8596
73 3/4	6051	79 3/4	6621	85 3/4	7170	91 3/4	7689	97 3/4	8171	103 3/4	8604
73 7/8	6063	79 7/8	6633	85 7/8	7181	91 7/8	7700	97 7/8	8181	103 7/8	8613
74	6075	80	6644	86	7192	92	7710	98	8191	104	8621
74 1/8	6087	80 1/8	6656	86 1/8	7203	92 1/8	7721	98 1/8	8200	104 1/8	8630
74 1/4	6099	80 1/4	6668	86 1/4	7214	92 1/4	7731	98 1/4	8210	104 1/4	8638
74 3/8	6111	80 3/8	6679	86 3/8	7225	92 3/8	7742	98 3/8	8219	104 3/8	8646
74 1/2	6123	80 1/2	6691	86 1/2	7236	92 1/2	7752	98 1/2	8229	104 1/2	8654
74 5/8	6135	80 5/8	6702	86 5/8	7247	92 5/8	7762	98 5/8	8238	104 5/8	8663
74 3/4	6147	80 3/4	6714	86 3/4	7258	92 3/4	7773	98 3/4	8247	104 3/4	8671
74 7/8	6159	80 7/8	6726	86 7/8	7269	92 7/8	7783	98 7/8	8257	104 7/8	8679
75	6171	81	6737	87	7281	93	7793	99	8266	105	8687
75 1/8	6183	81 1/8	6749	87 1/8	7292	93 1/8	7804	99 1/8	8276	105 1/8	8695
75 1/4	6195	81 1/4	6760	87 1/4	7303	93 1/4	7814	99 1/4	8285	105 1/4	8703
75 3/8	6207	81 3/8	6772	87 3/8	7314	93 3/8	7824	99 3/8	8294	105 3/8	8711
75 1/2	6219	81 1/2	6783	87 1/2	7325	93 1/2	7834	99 1/2	8303	105 1/2	8719
75 5/8	6231	81 5/8	6795	87 5/8	7335	93 5/8	7845	99 5/8	8313	105 5/8	8727
75 3/4	6243	81 3/4	6807	87 3/4	7346	93 3/4	7855	99 3/4	8322	105 3/4	8735
75 7/8	6255	81 7/8	6818	87 7/8	7357	93 7/8	7865	99 7/8	8331	105 7/8	8743
76	6267	82	6830	88	7368	94	7875	100	8340	106	8751
76 1/8	6279	82 1/8	6841	88 1/8	7379	94 1/8	7885	100 1/8	8349	106 1/8	8759
76 1/4	6291	82 1/4	6853	88 1/4	7390	94 1/4	7895	100 1/4	8359	106 1/4	8767
76 3/8	6303	82 3/8	6864	88 3/8	7401	94 3/8	7906	100 3/8	8368	106 3/8	8775
76 1/2	6314	82 1/2	6875	88 1/2	7412	94 1/2	7916	100 1/2	8377	106 1/2	8782
76 5/8	6326	82 5/8	6887	88 5/8	7423	94 5/8	7926	100 5/8	8386	106 5/8	8790
76 3/4	6338	82 3/4	6898	88 3/4	7434	94 3/4	7936	100 3/4	8395	106 3/4	8798
76 7/8	6350	82 7/8	6910	88 7/8	7444	94 7/8	7946	100 7/8	8404	106 7/8	8805
77	6362	83	6921	89	7455	95	7956	101	8413	107	8813
77 1/8	6374	83 1/8	6933	89 1/8	7466	95 1/8	7966	101 1/8	8422	107 1/8	8821
77 1/4	6386	83 1/4	6944	89 1/4	7477	95 1/4	7976	101 1/4	8431	107 1/4	8828
77 3/8	6398	83 3/8	6955	89 3/8	7488	95 3/8	7986	101 3/8	8440	107 3/8	8836
77 1/2	6409	83 1/2	6967	89 1/2	7498	95 1/2	7996	101 1/2	8449	107 1/2	8843
77 5/8	6421	83 5/8	6978	89 5/8	7509	95 5/8	8006	101 5/8	8458	107 5/8	8851
77 3/4	6433	83 3/4	6989	89 3/4	7520	95 3/4	8016	101 3/4	8466	107 3/4	8858
77 7/8	6445	83 7/8	7001	89 7/8	7531	95 7/8	8026	101 7/8	8475	107 7/8	8866
78	6457	84	7012	90	7541	96	8035	102	8484	108	8873

10'-9000 Double-Wall Compartment Tank Extension 9340 Gals



**CONTAINMENT
SOLUTIONS®**

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	8880	114 1/8	9185
108 1/4	8888	114 1/4	9190
108 3/8	8895	114 3/8	9195
108 1/2	8902	114 1/2	9200
108 5/8	8909	114 5/8	9205
108 3/4	8916	114 3/4	9210
108 7/8	8923	114 7/8	9215
109	8931	115	9220
109 1/8	8938	115 1/8	9224
109 1/4	8945	115 1/4	9229
109 3/8	8952	115 3/8	9234
109 1/2	8958	115 1/2	9238
109 5/8	8965	115 5/8	9243
109 3/4	8972	115 3/4	9247
109 7/8	8979	115 7/8	9252
110	8986	116	9256
110 1/8	8993	116 1/8	9260
110 1/4	8999	116 1/4	9264
110 3/8	9006	116 3/8	9268
110 1/2	9012	116 1/2	9272
110 5/8	9019	116 5/8	9276
110 3/4	9026	116 3/4	9280
110 7/8	9032	116 7/8	9284
111	9038	117	9288
111 1/8	9045	117 1/8	9291
111 1/4	9051	117 1/4	9295
111 3/8	9058	117 3/8	9298
111 1/2	9064	117 1/2	9302
111 5/8	9070	117 5/8	9305
111 3/4	9076	117 3/4	9308
111 7/8	9082	117 7/8	9311
112	9088	118	9314
112 1/8	9095	118 1/8	9317
112 1/4	9100	118 1/4	9320
112 3/8	9106	118 3/8	9322
112 1/2	9112	118 1/2	9325
112 5/8	9118	118 5/8	9327
112 3/4	9124	118 3/4	9330
112 7/8	9130	118 7/8	9332
113	9135	119	9334
113 1/8	9141	119 1/8	9335
113 1/4	9147	119 1/4	9337
113 3/8	9152	119 3/8	9338
113 1/2	9158	119 1/2	9340
113 5/8	9163	119 5/8	9340
113 3/4	9169		
113 7/8	9174		
114	9179		

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoila Water Finding Paste
Federal Process Corp.
800-846-7325
www.gasoila.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 409-756-7731
Fax: 409-756-7766