

DWT6 12'-25000 COMPARTMENT
25,485 Gallons

06/22/2023

| DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) |
|------------------|-----------------|------------------|-----------------|------------------|-----------------|------------------|-----------------|
| 1/8 | 7 | 6 1/8 | 410 | 12 1/8 | 1,096 | 18 1/8 | 1,964 |
| 1/4 | 11 | 6 1/4 | 422 | 12 1/4 | 1,113 | 18 1/4 | 1,984 |
| 3/8 | 14 | 6 3/8 | 434 | 12 3/8 | 1,129 | 18 3/8 | 2,004 |
| 1/2 | 18 | 6 1/2 | 446 | 12 1/2 | 1,146 | 18 1/2 | 2,024 |
| 5/8 | 23 | 6 5/8 | 459 | 12 5/8 | 1,162 | 18 5/8 | 2,043 |
| 3/4 | 27 | 6 3/4 | 471 | 12 3/4 | 1,179 | 18 3/4 | 2,063 |
| 7/8 | 32 | 6 7/8 | 484 | 12 7/8 | 1,196 | 18 7/8 | 2,083 |
| 1 | 38 | 7 | 496 | 13 | 1,213 | 19 | 2,103 |
| 1 1/8 | 43 | 7 1/8 | 509 | 13 1/8 | 1,230 | 19 1/8 | 2,123 |
| 1 1/4 | 49 | 7 1/4 | 522 | 13 1/4 | 1,247 | 19 1/4 | 2,144 |
| 1 3/8 | 55 | 7 3/8 | 535 | 13 3/8 | 1,264 | 19 3/8 | 2,164 |
| 1 1/2 | 61 | 7 1/2 | 548 | 13 1/2 | 1,281 | 19 1/2 | 2,184 |
| 1 5/8 | 68 | 7 5/8 | 561 | 13 5/8 | 1,298 | 19 5/8 | 2,204 |
| 1 3/4 | 74 | 7 3/4 | 574 | 13 3/4 | 1,316 | 19 3/4 | 2,225 |
| 1 7/8 | 81 | 7 7/8 | 588 | 13 7/8 | 1,333 | 19 7/8 | 2,245 |
| 2 | 88 | 8 | 601 | 14 | 1,351 | 20 | 2,266 |
| 2 1/8 | 95 | 8 1/8 | 615 | 14 1/8 | 1,368 | 20 1/8 | 2,286 |
| 2 1/4 | 103 | 8 1/4 | 628 | 14 1/4 | 1,386 | 20 1/4 | 2,307 |
| 2 3/8 | 111 | 8 3/8 | 642 | 14 3/8 | 1,403 | 20 3/8 | 2,327 |
| 2 1/2 | 118 | 8 1/2 | 656 | 14 1/2 | 1,421 | 20 1/2 | 2,348 |
| 2 5/8 | 126 | 8 5/8 | 670 | 14 5/8 | 1,439 | 20 5/8 | 2,369 |
| 2 3/4 | 135 | 8 3/4 | 684 | 14 3/4 | 1,457 | 20 3/4 | 2,390 |
| 2 7/8 | 143 | 8 7/8 | 698 | 14 7/8 | 1,475 | 20 7/8 | 2,410 |
| 3 | 151 | 9 | 712 | 15 | 1,493 | 21 | 2,431 |
| 3 1/8 | 160 | 9 1/8 | 727 | 15 1/8 | 1,511 | 21 1/8 | 2,452 |
| 3 1/4 | 169 | 9 1/4 | 741 | 15 1/4 | 1,529 | 21 1/4 | 2,473 |
| 3 3/8 | 178 | 9 3/8 | 756 | 15 3/8 | 1,547 | 21 3/8 | 2,494 |
| 3 1/2 | 187 | 9 1/2 | 770 | 15 1/2 | 1,565 | 21 1/2 | 2,516 |
| 3 5/8 | 196 | 9 5/8 | 785 | 15 5/8 | 1,584 | 21 5/8 | 2,537 |
| 3 3/4 | 206 | 9 3/4 | 800 | 15 3/4 | 1,602 | 21 3/4 | 2,558 |
| 3 7/8 | 215 | 9 7/8 | 815 | 15 7/8 | 1,621 | 21 7/8 | 2,579 |
| 4 | 225 | 10 | 829 | 16 | 1,639 | 22 | 2,601 |
| 4 1/8 | 235 | 10 1/8 | 844 | 16 1/8 | 1,658 | 22 1/8 | 2,622 |
| 4 1/4 | 245 | 10 1/4 | 860 | 16 1/4 | 1,677 | 22 1/4 | 2,644 |
| 4 3/8 | 255 | 10 3/8 | 875 | 16 3/8 | 1,695 | 22 3/8 | 2,665 |
| 4 1/2 | 265 | 10 1/2 | 890 | 16 1/2 | 1,714 | 22 1/2 | 2,687 |
| 4 5/8 | 276 | 10 5/8 | 905 | 16 5/8 | 1,733 | 22 5/8 | 2,708 |
| 4 3/4 | 286 | 10 3/4 | 921 | 16 3/4 | 1,752 | 22 3/4 | 2,730 |
| 4 7/8 | 297 | 10 7/8 | 936 | 16 7/8 | 1,771 | 22 7/8 | 2,752 |
| 5 | 308 | 11 | 952 | 17 | 1,790 | 23 | 2,773 |
| 5 1/8 | 318 | 11 1/8 | 968 | 17 1/8 | 1,809 | 23 1/8 | 2,795 |
| 5 1/4 | 330 | 11 1/4 | 984 | 17 1/4 | 1,828 | 23 1/4 | 2,817 |
| 5 3/8 | 341 | 11 3/8 | 999 | 17 3/8 | 1,848 | 23 3/8 | 2,839 |
| 5 1/2 | 352 | 11 1/2 | 1,015 | 17 1/2 | 1,867 | 23 1/2 | 2,861 |
| 5 5/8 | 363 | 11 5/8 | 1,031 | 17 5/8 | 1,886 | 23 5/8 | 2,883 |
| 5 3/4 | 375 | 11 3/4 | 1,048 | 17 3/4 | 1,906 | 23 3/4 | 2,905 |
| 5 7/8 | 387 | 11 7/8 | 1,064 | 17 7/8 | 1,925 | 23 7/8 | 2,927 |
| 6 | 398 | 12 | 1,080 | 18 | 1,945 | 24 | 2,949 |

DWT6 12'-25000 COMPARTMENT
25,485 Gallons

06/22/2023

| DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) |
|------------------|-----------------|------------------|-----------------|------------------|-----------------|------------------|-----------------|
| 24 1/8 | 2,971 | 30 1/8 | 4,089 | 36 1/8 | 5,297 | 42 1/8 | 6,577 |
| 24 1/4 | 2,993 | 30 1/4 | 4,113 | 36 1/4 | 5,323 | 42 1/4 | 6,604 |
| 24 3/8 | 3,016 | 30 3/8 | 4,138 | 36 3/8 | 5,349 | 42 3/8 | 6,631 |
| 24 1/2 | 3,038 | 30 1/2 | 4,162 | 36 1/2 | 5,375 | 42 1/2 | 6,659 |
| 24 5/8 | 3,060 | 30 5/8 | 4,187 | 36 5/8 | 5,401 | 42 5/8 | 6,686 |
| 24 3/4 | 3,083 | 30 3/4 | 4,211 | 36 3/4 | 5,427 | 42 3/4 | 6,714 |
| 24 7/8 | 3,105 | 30 7/8 | 4,236 | 36 7/8 | 5,453 | 42 7/8 | 6,741 |
| 25 | 3,128 | 31 | 4,260 | 37 | 5,479 | 43 | 6,769 |
| 25 1/8 | 3,150 | 31 1/8 | 4,285 | 37 1/8 | 5,506 | 43 1/8 | 6,796 |
| 25 1/4 | 3,173 | 31 1/4 | 4,309 | 37 1/4 | 5,532 | 43 1/4 | 6,824 |
| 25 3/8 | 3,196 | 31 3/8 | 4,334 | 37 3/8 | 5,558 | 43 3/8 | 6,851 |
| 25 1/2 | 3,218 | 31 1/2 | 4,359 | 37 1/2 | 5,584 | 43 1/2 | 6,879 |
| 25 5/8 | 3,241 | 31 5/8 | 4,383 | 37 5/8 | 5,611 | 43 5/8 | 6,906 |
| 25 3/4 | 3,264 | 31 3/4 | 4,408 | 37 3/4 | 5,637 | 43 3/4 | 6,934 |
| 25 7/8 | 3,287 | 31 7/8 | 4,433 | 37 7/8 | 5,663 | 43 7/8 | 6,961 |
| 26 | 3,310 | 32 | 4,458 | 38 | 5,690 | 44 | 6,989 |
| 26 1/8 | 3,333 | 32 1/8 | 4,483 | 38 1/8 | 5,716 | 44 1/8 | 7,017 |
| 26 1/4 | 3,356 | 32 1/4 | 4,508 | 38 1/4 | 5,743 | 44 1/4 | 7,044 |
| 26 3/8 | 3,379 | 32 3/8 | 4,532 | 38 3/8 | 5,769 | 44 3/8 | 7,072 |
| 26 1/2 | 3,402 | 32 1/2 | 4,557 | 38 1/2 | 5,796 | 44 1/2 | 7,100 |
| 26 5/8 | 3,425 | 32 5/8 | 4,582 | 38 5/8 | 5,822 | 44 5/8 | 7,128 |
| 26 3/4 | 3,448 | 32 3/4 | 4,607 | 38 3/4 | 5,849 | 44 3/4 | 7,156 |
| 26 7/8 | 3,471 | 32 7/8 | 4,633 | 38 7/8 | 5,875 | 44 7/8 | 7,183 |
| 27 | 3,494 | 33 | 4,658 | 39 | 5,902 | 45 | 7,211 |
| 27 1/8 | 3,518 | 33 1/8 | 4,683 | 39 1/8 | 5,929 | 45 1/8 | 7,239 |
| 27 1/4 | 3,541 | 33 1/4 | 4,708 | 39 1/4 | 5,955 | 45 1/4 | 7,267 |
| 27 3/8 | 3,564 | 33 3/8 | 4,733 | 39 3/8 | 5,982 | 45 3/8 | 7,295 |
| 27 1/2 | 3,588 | 33 1/2 | 4,759 | 39 1/2 | 6,009 | 45 1/2 | 7,323 |
| 27 5/8 | 3,611 | 33 5/8 | 4,784 | 39 5/8 | 6,036 | 45 5/8 | 7,351 |
| 27 3/4 | 3,635 | 33 3/4 | 4,809 | 39 3/4 | 6,062 | 45 3/4 | 7,379 |
| 27 7/8 | 3,658 | 33 7/8 | 4,835 | 39 7/8 | 6,089 | 45 7/8 | 7,407 |
| 28 | 3,682 | 34 | 4,860 | 40 | 6,116 | 46 | 7,435 |
| 28 1/8 | 3,706 | 34 1/8 | 4,885 | 40 1/8 | 6,143 | 46 1/8 | 7,463 |
| 28 1/4 | 3,729 | 34 1/4 | 4,911 | 40 1/4 | 6,170 | 46 1/4 | 7,491 |
| 28 3/8 | 3,753 | 34 3/8 | 4,936 | 40 3/8 | 6,197 | 46 3/8 | 7,519 |
| 28 1/2 | 3,777 | 34 1/2 | 4,962 | 40 1/2 | 6,224 | 46 1/2 | 7,547 |
| 28 5/8 | 3,800 | 34 5/8 | 4,987 | 40 5/8 | 6,251 | 46 5/8 | 7,575 |
| 28 3/4 | 3,824 | 34 3/4 | 5,013 | 40 3/4 | 6,278 | 46 3/4 | 7,603 |
| 28 7/8 | 3,848 | 34 7/8 | 5,039 | 40 7/8 | 6,305 | 46 7/8 | 7,631 |
| 29 | 3,872 | 35 | 5,064 | 41 | 6,332 | 47 | 7,659 |
| 29 1/8 | 3,896 | 35 1/8 | 5,090 | 41 1/8 | 6,359 | 47 1/8 | 7,688 |
| 29 1/4 | 3,920 | 35 1/4 | 5,116 | 41 1/4 | 6,386 | 47 1/4 | 7,716 |
| 29 3/8 | 3,944 | 35 3/8 | 5,142 | 41 3/8 | 6,413 | 47 3/8 | 7,744 |
| 29 1/2 | 3,968 | 35 1/2 | 5,167 | 41 1/2 | 6,441 | 47 1/2 | 7,772 |
| 29 5/8 | 3,992 | 35 5/8 | 5,193 | 41 5/8 | 6,468 | 47 5/8 | 7,800 |
| 29 3/4 | 4,016 | 35 3/4 | 5,219 | 41 3/4 | 6,495 | 47 3/4 | 7,829 |
| 29 7/8 | 4,041 | 35 7/8 | 5,245 | 41 7/8 | 6,522 | 47 7/8 | 7,857 |
| 30 | 4,065 | 36 | 5,271 | 42 | 6,549 | 48 | 7,885 |

DWT6 12'-25000 COMPARTMENT
25,485 Gallons

06/22/2023

| DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) |
|------------------|-----------------|------------------|-----------------|------------------|-----------------|------------------|-----------------|
| 48 1/8 | 7,914 | 54 1/8 | 9,294 | 60 1/8 | 10,704 | 66 1/8 | 12,131 |
| 48 1/4 | 7,942 | 54 1/4 | 9,323 | 60 1/4 | 10,733 | 66 1/4 | 12,161 |
| 48 3/8 | 7,970 | 54 3/8 | 9,352 | 60 3/8 | 10,763 | 66 3/8 | 12,191 |
| 48 1/2 | 7,999 | 54 1/2 | 9,381 | 60 1/2 | 10,792 | 66 1/2 | 12,220 |
| 48 5/8 | 8,027 | 54 5/8 | 9,410 | 60 5/8 | 10,822 | 66 5/8 | 12,250 |
| 48 3/4 | 8,056 | 54 3/4 | 9,439 | 60 3/4 | 10,852 | 66 3/4 | 12,280 |
| 48 7/8 | 8,084 | 54 7/8 | 9,469 | 60 7/8 | 10,881 | 66 7/8 | 12,310 |
| 49 | 8,113 | 55 | 9,498 | 61 | 10,911 | 67 | 12,340 |
| 49 1/8 | 8,141 | 55 1/8 | 9,527 | 61 1/8 | 10,941 | 67 1/8 | 12,370 |
| 49 1/4 | 8,170 | 55 1/4 | 9,556 | 61 1/4 | 10,970 | 67 1/4 | 12,400 |
| 49 3/8 | 8,198 | 55 3/8 | 9,585 | 61 3/8 | 11,000 | 67 3/8 | 12,429 |
| 49 1/2 | 8,227 | 55 1/2 | 9,615 | 61 1/2 | 11,030 | 67 1/2 | 12,459 |
| 49 5/8 | 8,255 | 55 5/8 | 9,644 | 61 5/8 | 11,059 | 67 5/8 | 12,489 |
| 49 3/4 | 8,284 | 55 3/4 | 9,673 | 61 3/4 | 11,089 | 67 3/4 | 12,519 |
| 49 7/8 | 8,312 | 55 7/8 | 9,702 | 61 7/8 | 11,119 | 67 7/8 | 12,549 |
| 50 | 8,341 | 56 | 9,732 | 62 | 11,148 | 68 | 12,579 |
| 50 1/8 | 8,370 | 56 1/8 | 9,761 | 62 1/8 | 11,178 | 68 1/8 | 12,609 |
| 50 1/4 | 8,398 | 56 1/4 | 9,790 | 62 1/4 | 11,208 | 68 1/4 | 12,638 |
| 50 3/8 | 8,427 | 56 3/8 | 9,820 | 62 3/8 | 11,238 | 68 3/8 | 12,668 |
| 50 1/2 | 8,456 | 56 1/2 | 9,849 | 62 1/2 | 11,267 | 68 1/2 | 12,698 |
| 50 5/8 | 8,484 | 56 5/8 | 9,878 | 62 5/8 | 11,297 | 68 5/8 | 12,728 |
| 50 3/4 | 8,513 | 56 3/4 | 9,908 | 62 3/4 | 11,327 | 68 3/4 | 12,758 |
| 50 7/8 | 8,542 | 56 7/8 | 9,937 | 62 7/8 | 11,356 | 68 7/8 | 12,788 |
| 51 | 8,570 | 57 | 9,966 | 63 | 11,386 | 69 | 12,817 |
| 51 1/8 | 8,599 | 57 1/8 | 9,996 | 63 1/8 | 11,416 | 69 1/8 | 12,847 |
| 51 1/4 | 8,628 | 57 1/4 | 10,025 | 63 1/4 | 11,446 | 69 1/4 | 12,877 |
| 51 3/8 | 8,657 | 57 3/8 | 10,055 | 63 3/8 | 11,475 | 69 3/8 | 12,907 |
| 51 1/2 | 8,686 | 57 1/2 | 10,084 | 63 1/2 | 11,505 | 69 1/2 | 12,937 |
| 51 5/8 | 8,714 | 57 5/8 | 10,113 | 63 5/8 | 11,535 | 69 5/8 | 12,967 |
| 51 3/4 | 8,743 | 57 3/4 | 10,143 | 63 3/4 | 11,565 | 69 3/4 | 12,997 |
| 51 7/8 | 8,772 | 57 7/8 | 10,172 | 63 7/8 | 11,594 | 69 7/8 | 13,026 |
| 52 | 8,801 | 58 | 10,202 | 64 | 11,624 | 70 | 13,056 |
| 52 1/8 | 8,830 | 58 1/8 | 10,231 | 64 1/8 | 11,654 | 70 1/8 | 13,086 |
| 52 1/4 | 8,859 | 58 1/4 | 10,261 | 64 1/4 | 11,684 | 70 1/4 | 13,116 |
| 52 3/8 | 8,888 | 58 3/8 | 10,290 | 64 3/8 | 11,714 | 70 3/8 | 13,146 |
| 52 1/2 | 8,916 | 58 1/2 | 10,320 | 64 1/2 | 11,743 | 70 1/2 | 13,176 |
| 52 5/8 | 8,945 | 58 5/8 | 10,349 | 64 5/8 | 11,773 | 70 5/8 | 13,206 |
| 52 3/4 | 8,974 | 58 3/4 | 10,379 | 64 3/4 | 11,803 | 70 3/4 | 13,235 |
| 52 7/8 | 9,003 | 58 7/8 | 10,408 | 64 7/8 | 11,833 | 70 7/8 | 13,265 |
| 53 | 9,032 | 59 | 10,438 | 65 | 11,863 | 71 | 13,295 |
| 53 1/8 | 9,061 | 59 1/8 | 10,467 | 65 1/8 | 11,892 | 71 1/8 | 13,325 |
| 53 1/4 | 9,090 | 59 1/4 | 10,497 | 65 1/4 | 11,922 | 71 1/4 | 13,355 |
| 53 3/8 | 9,119 | 59 3/8 | 10,526 | 65 3/8 | 11,952 | 71 3/8 | 13,385 |
| 53 1/2 | 9,148 | 59 1/2 | 10,556 | 65 1/2 | 11,982 | 71 1/2 | 13,414 |
| 53 5/8 | 9,177 | 59 5/8 | 10,585 | 65 5/8 | 12,012 | 71 5/8 | 13,444 |
| 53 3/4 | 9,206 | 59 3/4 | 10,615 | 65 3/4 | 12,041 | 71 3/4 | 13,474 |
| 53 7/8 | 9,236 | 59 7/8 | 10,644 | 65 7/8 | 12,071 | 71 7/8 | 13,504 |
| 54 | 9,265 | 60 | 10,674 | 66 | 12,101 | 72 | 13,534 |

DWT6 12'-25000 COMPARTMENT
25,485 Gallons

06/22/2023

| DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) |
|------------------|-----------------|------------------|-----------------|------------------|-----------------|------------------|-----------------|
| 72 1/8 | 13,564 | 78 1/8 | 14,989 | 84 1/8 | 16,395 | 90 1/8 | 17,770 |
| 72 1/4 | 13,593 | 78 1/4 | 15,019 | 84 1/4 | 16,424 | 90 1/4 | 17,798 |
| 72 3/8 | 13,623 | 78 3/8 | 15,048 | 84 3/8 | 16,453 | 90 3/8 | 17,826 |
| 72 1/2 | 13,653 | 78 1/2 | 15,078 | 84 1/2 | 16,482 | 90 1/2 | 17,855 |
| 72 5/8 | 13,683 | 78 5/8 | 15,107 | 84 5/8 | 16,511 | 90 5/8 | 17,883 |
| 72 3/4 | 13,713 | 78 3/4 | 15,137 | 84 3/4 | 16,540 | 90 3/4 | 17,911 |
| 72 7/8 | 13,742 | 78 7/8 | 15,166 | 84 7/8 | 16,569 | 90 7/8 | 17,939 |
| 73 | 13,772 | 79 | 15,196 | 85 | 16,598 | 91 | 17,967 |
| 73 1/8 | 13,802 | 79 1/8 | 15,225 | 85 1/8 | 16,627 | 91 1/8 | 17,995 |
| 73 1/4 | 13,832 | 79 1/4 | 15,255 | 85 1/4 | 16,656 | 91 1/4 | 18,023 |
| 73 3/8 | 13,861 | 79 3/8 | 15,284 | 85 3/8 | 16,685 | 91 3/8 | 18,051 |
| 73 1/2 | 13,891 | 79 1/2 | 15,314 | 85 1/2 | 16,714 | 91 1/2 | 18,079 |
| 73 5/8 | 13,921 | 79 5/8 | 15,343 | 85 5/8 | 16,743 | 91 5/8 | 18,107 |
| 73 3/4 | 13,951 | 79 3/4 | 15,372 | 85 3/4 | 16,771 | 91 3/4 | 18,135 |
| 73 7/8 | 13,981 | 79 7/8 | 15,402 | 85 7/8 | 16,800 | 91 7/8 | 18,163 |
| 74 | 14,010 | 80 | 15,431 | 86 | 16,829 | 92 | 18,191 |
| 74 1/8 | 14,040 | 80 1/8 | 15,461 | 86 1/8 | 16,858 | 92 1/8 | 18,219 |
| 74 1/4 | 14,070 | 80 1/4 | 15,490 | 86 1/4 | 16,887 | 92 1/4 | 18,247 |
| 74 3/8 | 14,100 | 80 3/8 | 15,519 | 86 3/8 | 16,915 | 92 3/8 | 18,275 |
| 74 1/2 | 14,129 | 80 1/2 | 15,549 | 86 1/2 | 16,944 | 92 1/2 | 18,302 |
| 74 5/8 | 14,159 | 80 5/8 | 15,578 | 86 5/8 | 16,973 | 92 5/8 | 18,330 |
| 74 3/4 | 14,189 | 80 3/4 | 15,607 | 86 3/4 | 17,001 | 92 3/4 | 18,358 |
| 74 7/8 | 14,218 | 80 7/8 | 15,637 | 86 7/8 | 17,030 | 92 7/8 | 18,386 |
| 75 | 14,248 | 81 | 15,666 | 87 | 17,059 | 93 | 18,414 |
| 75 1/8 | 14,278 | 81 1/8 | 15,695 | 87 1/8 | 17,087 | 93 1/8 | 18,441 |
| 75 1/4 | 14,308 | 81 1/4 | 15,725 | 87 1/4 | 17,116 | 93 1/4 | 18,469 |
| 75 3/8 | 14,337 | 81 3/8 | 15,754 | 87 3/8 | 17,145 | 93 3/8 | 18,497 |
| 75 1/2 | 14,367 | 81 1/2 | 15,783 | 87 1/2 | 17,173 | 93 1/2 | 18,524 |
| 75 5/8 | 14,397 | 81 5/8 | 15,813 | 87 5/8 | 17,202 | 93 5/8 | 18,552 |
| 75 3/4 | 14,426 | 81 3/4 | 15,842 | 87 3/4 | 17,231 | 93 3/4 | 18,579 |
| 75 7/8 | 14,456 | 81 7/8 | 15,871 | 87 7/8 | 17,259 | 93 7/8 | 18,607 |
| 76 | 14,486 | 82 | 15,900 | 88 | 17,288 | 94 | 18,635 |
| 76 1/8 | 14,515 | 82 1/8 | 15,930 | 88 1/8 | 17,316 | 94 1/8 | 18,662 |
| 76 1/4 | 14,545 | 82 1/4 | 15,959 | 88 1/4 | 17,345 | 94 1/4 | 18,690 |
| 76 3/8 | 14,575 | 82 3/8 | 15,988 | 88 3/8 | 17,373 | 94 3/8 | 18,717 |
| 76 1/2 | 14,604 | 82 1/2 | 16,017 | 88 1/2 | 17,402 | 94 1/2 | 18,745 |
| 76 5/8 | 14,634 | 82 5/8 | 16,046 | 88 5/8 | 17,430 | 94 5/8 | 18,772 |
| 76 3/4 | 14,664 | 82 3/4 | 16,075 | 88 3/4 | 17,458 | 94 3/4 | 18,800 |
| 76 7/8 | 14,693 | 82 7/8 | 16,105 | 88 7/8 | 17,487 | 94 7/8 | 18,827 |
| 77 | 14,723 | 83 | 16,134 | 89 | 17,515 | 95 | 18,854 |
| 77 1/8 | 14,752 | 83 1/8 | 16,163 | 89 1/8 | 17,544 | 95 1/8 | 18,882 |
| 77 1/4 | 14,782 | 83 1/4 | 16,192 | 89 1/4 | 17,572 | 95 1/4 | 18,909 |
| 77 3/8 | 14,812 | 83 3/8 | 16,221 | 89 3/8 | 17,600 | 95 3/8 | 18,936 |
| 77 1/2 | 14,841 | 83 1/2 | 16,250 | 89 1/2 | 17,629 | 95 1/2 | 18,964 |
| 77 5/8 | 14,871 | 83 5/8 | 16,279 | 89 5/8 | 17,657 | 95 5/8 | 18,991 |
| 77 3/4 | 14,900 | 83 3/4 | 16,308 | 89 3/4 | 17,685 | 95 3/4 | 19,018 |
| 77 7/8 | 14,930 | 83 7/8 | 16,337 | 89 7/8 | 17,714 | 95 7/8 | 19,045 |
| 78 | 14,960 | 84 | 16,366 | 90 | 17,742 | 96 | 19,072 |

DWT6 12'-25000 COMPARTMENT
25,485 Gallons

06/22/2023

| DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) |
|------------------|-----------------|------------------|-----------------|------------------|-----------------|------------------|-----------------|
| 96 1/8 | 19,100 | 102 1/8 | 20,370 | 108 1/8 | 21,566 | 114 1/8 | 22,669 |
| 96 1/4 | 19,127 | 102 1/4 | 20,396 | 108 1/4 | 21,590 | 114 1/4 | 22,691 |
| 96 3/8 | 19,154 | 102 3/8 | 20,421 | 108 3/8 | 21,614 | 114 3/8 | 22,712 |
| 96 1/2 | 19,181 | 102 1/2 | 20,447 | 108 1/2 | 21,638 | 114 1/2 | 22,734 |
| 96 5/8 | 19,208 | 102 5/8 | 20,473 | 108 5/8 | 21,661 | 114 5/8 | 22,756 |
| 96 3/4 | 19,235 | 102 3/4 | 20,498 | 108 3/4 | 21,685 | 114 3/4 | 22,778 |
| 96 7/8 | 19,262 | 102 7/8 | 20,524 | 108 7/8 | 21,709 | 114 7/8 | 22,799 |
| 97 | 19,289 | 103 | 20,549 | 109 | 21,733 | 115 | 22,821 |
| 97 1/8 | 19,316 | 103 1/8 | 20,575 | 109 1/8 | 21,757 | 115 1/8 | 22,842 |
| 97 1/4 | 19,343 | 103 1/4 | 20,600 | 109 1/4 | 21,780 | 115 1/4 | 22,864 |
| 97 3/8 | 19,370 | 103 3/8 | 20,626 | 109 3/8 | 21,804 | 115 3/8 | 22,885 |
| 97 1/2 | 19,396 | 103 1/2 | 20,651 | 109 1/2 | 21,827 | 115 1/2 | 22,906 |
| 97 5/8 | 19,423 | 103 5/8 | 20,677 | 109 5/8 | 21,851 | 115 5/8 | 22,928 |
| 97 3/4 | 19,450 | 103 3/4 | 20,702 | 109 3/4 | 21,874 | 115 3/4 | 22,949 |
| 97 7/8 | 19,477 | 103 7/8 | 20,727 | 109 7/8 | 21,898 | 115 7/8 | 22,970 |
| 98 | 19,504 | 104 | 20,752 | 110 | 21,921 | 116 | 22,991 |
| 98 1/8 | 19,530 | 104 1/8 | 20,778 | 110 1/8 | 21,945 | 116 1/8 | 23,012 |
| 98 1/4 | 19,557 | 104 1/4 | 20,803 | 110 1/4 | 21,968 | 116 1/4 | 23,033 |
| 98 3/8 | 19,584 | 104 3/8 | 20,828 | 110 3/8 | 21,991 | 116 3/8 | 23,054 |
| 98 1/2 | 19,610 | 104 1/2 | 20,853 | 110 1/2 | 22,015 | 116 1/2 | 23,075 |
| 98 5/8 | 19,637 | 104 5/8 | 20,878 | 110 5/8 | 22,038 | 116 5/8 | 23,096 |
| 98 3/4 | 19,663 | 104 3/4 | 20,903 | 110 3/4 | 22,061 | 116 3/4 | 23,117 |
| 98 7/8 | 19,690 | 104 7/8 | 20,928 | 110 7/8 | 22,084 | 116 7/8 | 23,138 |
| 99 | 19,717 | 105 | 20,953 | 111 | 22,107 | 117 | 23,158 |
| 99 1/8 | 19,743 | 105 1/8 | 20,978 | 111 1/8 | 22,130 | 117 1/8 | 23,179 |
| 99 1/4 | 19,770 | 105 1/4 | 21,003 | 111 1/4 | 22,153 | 117 1/4 | 23,200 |
| 99 3/8 | 19,796 | 105 3/8 | 21,028 | 111 3/8 | 22,176 | 117 3/8 | 23,220 |
| 99 1/2 | 19,822 | 105 1/2 | 21,053 | 111 1/2 | 22,199 | 117 1/2 | 23,241 |
| 99 5/8 | 19,849 | 105 5/8 | 21,078 | 111 5/8 | 22,222 | 117 5/8 | 23,261 |
| 99 3/4 | 19,875 | 105 3/4 | 21,102 | 111 3/4 | 22,245 | 117 3/4 | 23,281 |
| 99 7/8 | 19,901 | 105 7/8 | 21,127 | 111 7/8 | 22,267 | 117 7/8 | 23,302 |
| 100 | 19,928 | 106 | 21,152 | 112 | 22,290 | 118 | 23,322 |
| 100 1/8 | 19,954 | 106 1/8 | 21,176 | 112 1/8 | 22,313 | 118 1/8 | 23,342 |
| 100 1/4 | 19,980 | 106 1/4 | 21,201 | 112 1/4 | 22,335 | 118 1/4 | 23,362 |
| 100 3/8 | 20,006 | 106 3/8 | 21,226 | 112 3/8 | 22,358 | 118 3/8 | 23,382 |
| 100 1/2 | 20,033 | 106 1/2 | 21,250 | 112 1/2 | 22,380 | 118 1/2 | 23,402 |
| 100 5/8 | 20,059 | 106 5/8 | 21,275 | 112 5/8 | 22,403 | 118 5/8 | 23,422 |
| 100 3/4 | 20,085 | 106 3/4 | 21,299 | 112 3/4 | 22,425 | 118 3/4 | 23,442 |
| 100 7/8 | 20,111 | 106 7/8 | 21,324 | 112 7/8 | 22,448 | 118 7/8 | 23,462 |
| 101 | 20,137 | 107 | 21,348 | 113 | 22,470 | 119 | 23,482 |
| 101 1/8 | 20,163 | 107 1/8 | 21,372 | 113 1/8 | 22,492 | 119 1/8 | 23,502 |
| 101 1/4 | 20,189 | 107 1/4 | 21,397 | 113 1/4 | 22,514 | 119 1/4 | 23,521 |
| 101 3/8 | 20,215 | 107 3/8 | 21,421 | 113 3/8 | 22,537 | 119 3/8 | 23,541 |
| 101 1/2 | 20,241 | 107 1/2 | 21,445 | 113 1/2 | 22,559 | 119 1/2 | 23,561 |
| 101 5/8 | 20,267 | 107 5/8 | 21,469 | 113 5/8 | 22,581 | 119 5/8 | 23,580 |
| 101 3/4 | 20,293 | 107 3/4 | 21,493 | 113 3/4 | 22,603 | 119 3/4 | 23,599 |
| 101 7/8 | 20,318 | 107 7/8 | 21,518 | 113 7/8 | 22,625 | 119 7/8 | 23,619 |
| 102 | 20,344 | 108 | 21,542 | 114 | 22,647 | 120 | 23,638 |

DWT6 12'-25000 COMPARTMENT
25,485 Gallons

06/22/2023

| DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) | DIPSTICK (in) | VOLUME (gal) |
|------------------|-----------------|------------------|-----------------|------------------|-----------------|
| 120 1/8 | 23,657 | 126 1/8 | 24,502 | 132 1/8 | 25,156 |
| 120 1/4 | 23,677 | 126 1/4 | 24,518 | 132 1/4 | 25,167 |
| 120 3/8 | 23,696 | 126 3/8 | 24,534 | 132 3/8 | 25,178 |
| 120 1/2 | 23,715 | 126 1/2 | 24,549 | 132 1/2 | 25,189 |
| 120 5/8 | 23,734 | 126 5/8 | 24,565 | 132 5/8 | 25,200 |
| 120 3/4 | 23,753 | 126 3/4 | 24,580 | 132 3/4 | 25,210 |
| 120 7/8 | 23,772 | 126 7/8 | 24,596 | 132 7/8 | 25,221 |
| 121 | 23,790 | 127 | 24,611 | 133 | 25,231 |
| 121 1/8 | 23,809 | 127 1/8 | 24,626 | 133 1/8 | 25,241 |
| 121 1/4 | 23,828 | 127 1/4 | 24,641 | 133 1/4 | 25,251 |
| 121 3/8 | 23,846 | 127 3/8 | 24,656 | 133 3/8 | 25,261 |
| 121 1/2 | 23,865 | 127 1/2 | 24,671 | 133 1/2 | 25,270 |
| 121 5/8 | 23,883 | 127 5/8 | 24,686 | 133 5/8 | 25,280 |
| 121 3/4 | 23,902 | 127 3/4 | 24,701 | 133 3/4 | 25,289 |
| 121 7/8 | 23,920 | 127 7/8 | 24,716 | 133 7/8 | 25,299 |
| 122 | 23,939 | 128 | 24,730 | 134 | 25,308 |
| 122 1/8 | 23,957 | 128 1/8 | 24,745 | 134 1/8 | 25,317 |
| 122 1/4 | 23,975 | 128 1/4 | 24,759 | 134 1/4 | 25,326 |
| 122 3/8 | 23,993 | 128 3/8 | 24,773 | 134 3/8 | 25,334 |
| 122 1/2 | 24,011 | 128 1/2 | 24,788 | 134 1/2 | 25,343 |
| 122 5/8 | 24,029 | 128 5/8 | 24,802 | 134 5/8 | 25,351 |
| 122 3/4 | 24,047 | 128 3/4 | 24,816 | 134 3/4 | 25,359 |
| 122 7/8 | 24,065 | 128 7/8 | 24,830 | 134 7/8 | 25,367 |
| 123 | 24,082 | 129 | 24,844 | 135 | 25,375 |
| 123 1/8 | 24,100 | 129 1/8 | 24,857 | 135 1/8 | 25,383 |
| 123 1/4 | 24,118 | 129 1/4 | 24,871 | 135 1/4 | 25,390 |
| 123 3/8 | 24,135 | 129 3/8 | 24,884 | 135 3/8 | 25,398 |
| 123 1/2 | 24,153 | 129 1/2 | 24,898 | 135 1/2 | 25,405 |
| 123 5/8 | 24,170 | 129 5/8 | 24,911 | 135 5/8 | 25,411 |
| 123 3/4 | 24,187 | 129 3/4 | 24,925 | 135 3/4 | 25,418 |
| 123 7/8 | 24,205 | 129 7/8 | 24,938 | 135 7/8 | 25,425 |
| 124 | 24,222 | 130 | 24,951 | 136 | 25,431 |
| 124 1/8 | 24,239 | 130 1/8 | 24,964 | 136 1/8 | 25,437 |
| 124 1/4 | 24,256 | 130 1/4 | 24,977 | 136 1/4 | 25,443 |
| 124 3/8 | 24,273 | 130 3/8 | 24,989 | 136 3/8 | 25,448 |
| 124 1/2 | 24,290 | 130 1/2 | 25,002 | 136 1/2 | 25,453 |
| 124 5/8 | 24,307 | 130 5/8 | 25,015 | 136 5/8 | 25,458 |
| 124 3/4 | 24,323 | 130 3/4 | 25,027 | 136 3/4 | 25,463 |
| 124 7/8 | 24,340 | 130 7/8 | 25,039 | 136 7/8 | 25,467 |
| 125 | 24,356 | 131 | 25,051 | 137 | 25,471 |
| 125 1/8 | 24,373 | 131 1/8 | 25,064 | 137 1/8 | 25,475 |
| 125 1/4 | 24,389 | 131 1/4 | 25,076 | 137 1/4 | 25,478 |
| 125 3/8 | 24,406 | 131 3/8 | 25,087 | 137 3/8 | 25,481 |
| 125 1/2 | 24,422 | 131 1/2 | 25,099 | 137 1/2 | 25,484 |
| 125 5/8 | 24,438 | 131 5/8 | 25,111 | 137 5/8 | 25,485 |
| 125 3/4 | 24,454 | 131 3/4 | 25,122 | | |
| 125 7/8 | 24,470 | 131 7/8 | 25,134 | | |
| 126 | 24,486 | 132 | 25,145 | | |

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.