

DWT6 12'-4000 COMPARTMENT
40,118 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	12	6 1/8	657	12 1/8	1,750	18 1/8	3,128
1/4	17	6 1/4	676	12 1/4	1,776	18 1/4	3,159
3/8	23	6 3/8	695	12 3/8	1,802	18 3/8	3,190
1/2	30	6 1/2	715	12 1/2	1,829	18 1/2	3,221
5/8	37	6 5/8	735	12 5/8	1,855	18 5/8	3,253
3/4	44	6 3/4	754	12 3/4	1,882	18 3/4	3,284
7/8	52	6 7/8	774	12 7/8	1,908	18 7/8	3,316
1	61	7	795	13	1,935	19	3,348
1 1/8	70	7 1/8	815	13 1/8	1,962	19 1/8	3,380
1 1/4	79	7 1/4	835	13 1/4	1,989	19 1/4	3,412
1 3/8	88	7 3/8	856	13 3/8	2,016	19 3/8	3,443
1 1/2	98	7 1/2	877	13 1/2	2,044	19 1/2	3,476
1 5/8	109	7 5/8	898	13 5/8	2,071	19 5/8	3,508
1 3/4	119	7 3/4	919	13 3/4	2,099	19 3/4	3,540
1 7/8	131	7 7/8	940	13 7/8	2,126	19 7/8	3,572
2	142	8	962	14	2,154	20	3,605
2 1/8	154	8 1/8	983	14 1/8	2,182	20 1/8	3,637
2 1/4	165	8 1/4	1,005	14 1/4	2,210	20 1/4	3,670
2 3/8	178	8 3/8	1,027	14 3/8	2,238	20 3/8	3,703
2 1/2	190	8 1/2	1,049	14 1/2	2,266	20 1/2	3,735
2 5/8	203	8 5/8	1,071	14 5/8	2,294	20 5/8	3,768
2 3/4	216	8 3/4	1,094	14 3/4	2,323	20 3/4	3,801
2 7/8	229	8 7/8	1,116	14 7/8	2,351	20 7/8	3,834
3	243	9	1,139	15	2,380	21	3,867
3 1/8	257	9 1/8	1,162	15 1/8	2,408	21 1/8	3,900
3 1/4	271	9 1/4	1,185	15 1/4	2,437	21 1/4	3,934
3 3/8	285	9 3/8	1,208	15 3/8	2,466	21 3/8	3,967
3 1/2	300	9 1/2	1,231	15 1/2	2,495	21 1/2	4,000
3 5/8	315	9 5/8	1,254	15 5/8	2,524	21 5/8	4,034
3 3/4	330	9 3/4	1,278	15 3/4	2,554	21 3/4	4,068
3 7/8	345	9 7/8	1,302	15 7/8	2,583	21 7/8	4,101
4	361	10	1,325	16	2,612	22	4,135
4 1/8	377	10 1/8	1,349	16 1/8	2,642	22 1/8	4,169
4 1/4	393	10 1/4	1,373	16 1/4	2,671	22 1/4	4,203
4 3/8	409	10 3/8	1,398	16 3/8	2,701	22 3/8	4,237
4 1/2	425	10 1/2	1,422	16 1/2	2,731	22 1/2	4,271
4 5/8	442	10 5/8	1,446	16 5/8	2,761	22 5/8	4,305
4 3/4	459	10 3/4	1,471	16 3/4	2,791	22 3/4	4,339
4 7/8	476	10 7/8	1,496	16 7/8	2,821	22 7/8	4,373
5	493	11	1,521	17	2,851	23	4,408
5 1/8	510	11 1/8	1,546	17 1/8	2,882	23 1/8	4,442
5 1/4	528	11 1/4	1,571	17 1/4	2,912	23 1/4	4,477
5 3/8	546	11 3/8	1,596	17 3/8	2,943	23 3/8	4,511
5 1/2	564	11 1/2	1,621	17 1/2	2,973	23 1/2	4,546
5 5/8	582	11 5/8	1,647	17 5/8	3,004	23 5/8	4,581
5 3/4	601	11 3/4	1,672	17 3/4	3,035	23 3/4	4,616
5 7/8	619	11 7/8	1,698	17 7/8	3,066	23 7/8	4,651
6	638	12	1,724	18	3,097	24	4,686

DWT6 12'-40000 COMPARTMENT
40,118 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	4,721	30 1/8	6,485	36 1/8	8,386	42 1/8	10,398
24 1/4	4,756	30 1/4	6,523	36 1/4	8,427	42 1/4	10,441
24 3/8	4,791	30 3/8	6,561	36 3/8	8,468	42 3/8	10,484
24 1/2	4,826	30 1/2	6,600	36 1/2	8,509	42 1/2	10,526
24 5/8	4,862	30 5/8	6,638	36 5/8	8,550	42 5/8	10,570
24 3/4	4,897	30 3/4	6,677	36 3/4	8,591	42 3/4	10,613
24 7/8	4,933	30 7/8	6,715	36 7/8	8,632	42 7/8	10,656
25	4,968	31	6,754	37	8,673	43	10,699
25 1/8	5,004	31 1/8	6,793	37 1/8	8,714	43 1/8	10,742
25 1/4	5,040	31 1/4	6,832	37 1/4	8,756	43 1/4	10,785
25 3/8	5,075	31 3/8	6,870	37 3/8	8,797	43 3/8	10,828
25 1/2	5,111	31 1/2	6,909	37 1/2	8,838	43 1/2	10,872
25 5/8	5,147	31 5/8	6,948	37 5/8	8,880	43 5/8	10,915
25 3/4	5,183	31 3/4	6,987	37 3/4	8,921	43 3/4	10,958
25 7/8	5,219	31 7/8	7,026	37 7/8	8,963	43 7/8	11,002
26	5,255	32	7,065	38	9,004	44	11,045
26 1/8	5,292	32 1/8	7,105	38 1/8	9,046	44 1/8	11,088
26 1/4	5,328	32 1/4	7,144	38 1/4	9,087	44 1/4	11,132
26 3/8	5,364	32 3/8	7,183	38 3/8	9,129	44 3/8	11,175
26 1/2	5,401	32 1/2	7,223	38 1/2	9,171	44 1/2	11,219
26 5/8	5,437	32 5/8	7,262	38 5/8	9,212	44 5/8	11,263
26 3/4	5,474	32 3/4	7,301	38 3/4	9,254	44 3/4	11,306
26 7/8	5,510	32 7/8	7,341	38 7/8	9,296	44 7/8	11,350
27	5,547	33	7,380	39	9,338	45	11,394
27 1/8	5,584	33 1/8	7,420	39 1/8	9,380	45 1/8	11,437
27 1/4	5,620	33 1/4	7,460	39 1/4	9,422	45 1/4	11,481
27 3/8	5,657	33 3/8	7,499	39 3/8	9,464	45 3/8	11,525
27 1/2	5,694	33 1/2	7,539	39 1/2	9,506	45 1/2	11,569
27 5/8	5,731	33 5/8	7,579	39 5/8	9,548	45 5/8	11,612
27 3/4	5,768	33 3/4	7,619	39 3/4	9,590	45 3/4	11,656
27 7/8	5,805	33 7/8	7,659	39 7/8	9,632	45 7/8	11,700
28	5,843	34	7,699	40	9,674	46	11,744
28 1/8	5,880	34 1/8	7,739	40 1/8	9,716	46 1/8	11,788
28 1/4	5,917	34 1/4	7,779	40 1/4	9,759	46 1/4	11,832
28 3/8	5,955	34 3/8	7,819	40 3/8	9,801	46 3/8	11,876
28 1/2	5,992	34 1/2	7,859	40 1/2	9,843	46 1/2	11,920
28 5/8	6,030	34 5/8	7,899	40 5/8	9,886	46 5/8	11,964
28 3/4	6,067	34 3/4	7,940	40 3/4	9,928	46 3/4	12,008
28 7/8	6,105	34 7/8	7,980	40 7/8	9,971	46 7/8	12,053
29	6,143	35	8,020	41	10,013	47	12,097
29 1/8	6,180	35 1/8	8,061	41 1/8	10,056	47 1/8	12,141
29 1/4	6,218	35 1/4	8,101	41 1/4	10,098	47 1/4	12,185
29 3/8	6,256	35 3/8	8,142	41 3/8	10,141	47 3/8	12,229
29 1/2	6,294	35 1/2	8,182	41 1/2	10,184	47 1/2	12,274
29 5/8	6,332	35 5/8	8,223	41 5/8	10,226	47 5/8	12,318
29 3/4	6,370	35 3/4	8,264	41 3/4	10,269	47 3/4	12,362
29 7/8	6,408	35 7/8	8,305	41 7/8	10,312	47 7/8	12,407
30	6,446	36	8,345	42	10,355	48	12,451

DWT6 12'-40000 COMPARTMENT
40,118 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	12,496	54 1/8	14,659	60 1/8	16,867	66 1/8	19,101
48 1/4	12,540	54 1/4	14,704	60 1/4	16,913	66 1/4	19,148
48 3/8	12,585	54 3/8	14,750	60 3/8	16,960	66 3/8	19,195
48 1/2	12,629	54 1/2	14,796	60 1/2	17,006	66 1/2	19,242
48 5/8	12,674	54 5/8	14,841	60 5/8	17,052	66 5/8	19,288
48 3/4	12,718	54 3/4	14,887	60 3/4	17,099	66 3/4	19,335
48 7/8	12,763	54 7/8	14,933	60 7/8	17,145	66 7/8	19,382
49	12,808	55	14,978	61	17,192	67	19,428
49 1/8	12,852	55 1/8	15,024	61 1/8	17,238	67 1/8	19,475
49 1/4	12,897	55 1/4	15,070	61 1/4	17,285	67 1/4	19,522
49 3/8	12,942	55 3/8	15,116	61 3/8	17,331	67 3/8	19,569
49 1/2	12,986	55 1/2	15,162	61 1/2	17,377	67 1/2	19,615
49 5/8	13,031	55 5/8	15,207	61 5/8	17,424	67 5/8	19,662
49 3/4	13,076	55 3/4	15,253	61 3/4	17,470	67 3/4	19,709
49 7/8	13,121	55 7/8	15,299	61 7/8	17,517	67 7/8	19,755
50	13,166	56	15,345	62	17,563	68	19,802
50 1/8	13,210	56 1/8	15,391	62 1/8	17,610	68 1/8	19,849
50 1/4	13,255	56 1/4	15,437	62 1/4	17,656	68 1/4	19,896
50 3/8	13,300	56 3/8	15,483	62 3/8	17,703	68 3/8	19,942
50 1/2	13,345	56 1/2	15,529	62 1/2	17,749	68 1/2	19,989
50 5/8	13,390	56 5/8	15,574	62 5/8	17,796	68 5/8	20,036
50 3/4	13,435	56 3/4	15,620	62 3/4	17,842	68 3/4	20,083
50 7/8	13,480	56 7/8	15,666	62 7/8	17,889	68 7/8	20,129
51	13,525	57	15,712	63	17,936	69	20,176
51 1/8	13,570	57 1/8	15,758	63 1/8	17,982	69 1/8	20,223
51 1/4	13,615	57 1/4	15,804	63 1/4	18,029	69 1/4	20,270
51 3/8	13,661	57 3/8	15,850	63 3/8	18,075	69 3/8	20,316
51 1/2	13,706	57 1/2	15,897	63 1/2	18,122	69 1/2	20,363
51 5/8	13,751	57 5/8	15,943	63 5/8	18,168	69 5/8	20,410
51 3/4	13,796	57 3/4	15,989	63 3/4	18,215	69 3/4	20,456
51 7/8	13,841	57 7/8	16,035	63 7/8	18,262	69 7/8	20,503
52	13,886	58	16,081	64	18,308	70	20,550
52 1/8	13,932	58 1/8	16,127	64 1/8	18,355	70 1/8	20,597
52 1/4	13,977	58 1/4	16,173	64 1/4	18,402	70 1/4	20,643
52 3/8	14,022	58 3/8	16,219	64 3/8	18,448	70 3/8	20,690
52 1/2	14,068	58 1/2	16,266	64 1/2	18,495	70 1/2	20,737
52 5/8	14,113	58 5/8	16,312	64 5/8	18,541	70 5/8	20,783
52 3/4	14,158	58 3/4	16,358	64 3/4	18,588	70 3/4	20,830
52 7/8	14,204	58 7/8	16,404	64 7/8	18,635	70 7/8	20,877
53	14,249	59	16,450	65	18,681	71	20,924
53 1/8	14,295	59 1/8	16,497	65 1/8	18,728	71 1/8	20,970
53 1/4	14,340	59 1/4	16,543	65 1/4	18,775	71 1/4	21,017
53 3/8	14,385	59 3/8	16,589	65 3/8	18,821	71 3/8	21,064
53 1/2	14,431	59 1/2	16,635	65 1/2	18,868	71 1/2	21,110
53 5/8	14,476	59 5/8	16,682	65 5/8	18,915	71 5/8	21,157
53 3/4	14,522	59 3/4	16,728	65 3/4	18,961	71 3/4	21,204
53 7/8	14,568	59 7/8	16,774	65 7/8	19,008	71 7/8	21,250
54	14,613	60	16,821	66	19,055	72	21,297

DWT6 12'-40000 COMPARTMENT
40,118 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
72 1/8	21,344	78 1/8	23,576	84 1/8	25,778	90 1/8	27,933
72 1/4	21,390	78 1/4	23,622	84 1/4	25,824	90 1/4	27,978
72 3/8	21,437	78 3/8	23,668	84 3/8	25,869	90 3/8	28,022
72 1/2	21,484	78 1/2	23,714	84 1/2	25,915	90 1/2	28,066
72 5/8	21,530	78 5/8	23,761	84 5/8	25,960	90 5/8	28,110
72 3/4	21,577	78 3/4	23,807	84 3/4	26,005	90 3/4	28,154
72 7/8	21,624	78 7/8	23,853	84 7/8	26,051	90 7/8	28,198
73	21,670	79	23,899	85	26,096	91	28,242
73 1/8	21,717	79 1/8	23,945	85 1/8	26,141	91 1/8	28,286
73 1/4	21,764	79 1/4	23,991	85 1/4	26,187	91 1/4	28,330
73 3/8	21,810	79 3/8	24,038	85 3/8	26,232	91 3/8	28,374
73 1/2	21,857	79 1/2	24,084	85 1/2	26,277	91 1/2	28,418
73 5/8	21,903	79 5/8	24,130	85 5/8	26,322	91 5/8	28,462
73 3/4	21,950	79 3/4	24,176	85 3/4	26,368	91 3/4	28,506
73 7/8	21,997	79 7/8	24,222	85 7/8	26,413	91 7/8	28,550
74	22,043	80	24,268	86	26,458	92	28,594
74 1/8	22,090	80 1/8	24,314	86 1/8	26,503	92 1/8	28,637
74 1/4	22,136	80 1/4	24,360	86 1/4	26,548	92 1/4	28,681
74 3/8	22,183	80 3/8	24,406	86 3/8	26,593	92 3/8	28,725
74 1/2	22,229	80 1/2	24,452	86 1/2	26,638	92 1/2	28,769
74 5/8	22,276	80 5/8	24,498	86 5/8	26,683	92 5/8	28,812
74 3/4	22,323	80 3/4	24,544	86 3/4	26,728	92 3/4	28,856
74 7/8	22,369	80 7/8	24,590	86 7/8	26,773	92 7/8	28,899
75	22,416	81	24,636	87	26,818	93	28,943
75 1/8	22,462	81 1/8	24,682	87 1/8	26,863	93 1/8	28,987
75 1/4	22,509	81 1/4	24,728	87 1/4	26,908	93 1/4	29,030
75 3/8	22,555	81 3/8	24,774	87 3/8	26,953	93 3/8	29,073
75 1/2	22,602	81 1/2	24,819	87 1/2	26,998	93 1/2	29,117
75 5/8	22,648	81 5/8	24,865	87 5/8	27,043	93 5/8	29,160
75 3/4	22,695	81 3/4	24,911	87 3/4	27,087	93 3/4	29,204
75 7/8	22,741	81 7/8	24,957	87 7/8	27,132	93 7/8	29,247
76	22,788	82	25,003	88	27,177	94	29,290
76 1/8	22,834	82 1/8	25,049	88 1/8	27,222	94 1/8	29,333
76 1/4	22,880	82 1/4	25,094	88 1/4	27,266	94 1/4	29,377
76 3/8	22,927	82 3/8	25,140	88 3/8	27,311	94 3/8	29,420
76 1/2	22,973	82 1/2	25,186	88 1/2	27,356	94 1/2	29,463
76 5/8	23,020	82 5/8	25,231	88 5/8	27,400	94 5/8	29,506
76 3/4	23,066	82 3/4	25,277	88 3/4	27,445	94 3/4	29,549
76 7/8	23,112	82 7/8	25,323	88 7/8	27,489	94 7/8	29,592
77	23,159	83	25,368	89	27,534	95	29,635
77 1/8	23,205	83 1/8	25,414	89 1/8	27,578	95 1/8	29,678
77 1/4	23,251	83 1/4	25,460	89 1/4	27,623	95 1/4	29,721
77 3/8	23,298	83 3/8	25,505	89 3/8	27,667	95 3/8	29,764
77 1/2	23,344	83 1/2	25,551	89 1/2	27,712	95 1/2	29,807
77 5/8	23,390	83 5/8	25,596	89 5/8	27,756	95 5/8	29,849
77 3/4	23,437	83 3/4	25,642	89 3/4	27,800	95 3/4	29,892
77 7/8	23,483	83 7/8	25,687	89 7/8	27,845	95 7/8	29,935
78	23,529	84	25,733	90	27,889	96	29,977

DWT6 12'-40000 COMPARTMENT
40,118 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
96 1/8	30,020	102 1/8	32,017	108 1/8	33,900	114 1/8	35,642
96 1/4	30,063	102 1/4	32,058	108 1/4	33,938	114 1/4	35,676
96 3/8	30,105	102 3/8	32,098	108 3/8	33,976	114 3/8	35,711
96 1/2	30,148	102 1/2	32,138	108 1/2	34,014	114 1/2	35,745
96 5/8	30,190	102 5/8	32,179	108 5/8	34,051	114 5/8	35,779
96 3/4	30,233	102 3/4	32,219	108 3/4	34,089	114 3/4	35,814
96 7/8	30,275	102 7/8	32,259	108 7/8	34,126	114 7/8	35,848
97	30,317	103	32,299	109	34,164	115	35,882
97 1/8	30,360	103 1/8	32,340	109 1/8	34,201	115 1/8	35,916
97 1/4	30,402	103 1/4	32,380	109 1/4	34,239	115 1/4	35,950
97 3/8	30,444	103 3/8	32,420	109 3/8	34,276	115 3/8	35,983
97 1/2	30,486	103 1/2	32,460	109 1/2	34,313	115 1/2	36,017
97 5/8	30,529	103 5/8	32,500	109 5/8	34,350	115 5/8	36,051
97 3/4	30,571	103 3/4	32,539	109 3/4	34,387	115 3/4	36,085
97 7/8	30,613	103 7/8	32,579	109 7/8	34,424	115 7/8	36,118
98	30,655	104	32,619	110	34,461	116	36,151
98 1/8	30,697	104 1/8	32,659	110 1/8	34,498	116 1/8	36,185
98 1/4	30,739	104 1/4	32,698	110 1/4	34,535	116 1/4	36,218
98 3/8	30,781	104 3/8	32,738	110 3/8	34,572	116 3/8	36,251
98 1/2	30,823	104 1/2	32,778	110 1/2	34,608	116 1/2	36,284
98 5/8	30,864	104 5/8	32,817	110 5/8	34,645	116 5/8	36,317
98 3/4	30,906	104 3/4	32,857	110 3/4	34,681	116 3/4	36,350
98 7/8	30,948	104 7/8	32,896	110 7/8	34,718	116 7/8	36,383
99	30,990	105	32,935	111	34,754	117	36,416
99 1/8	31,031	105 1/8	32,975	111 1/8	34,791	117 1/8	36,449
99 1/4	31,073	105 1/4	33,014	111 1/4	34,827	117 1/4	36,481
99 3/8	31,114	105 3/8	33,053	111 3/8	34,863	117 3/8	36,514
99 1/2	31,156	105 1/2	33,092	111 1/2	34,899	117 1/2	36,546
99 5/8	31,197	105 5/8	33,131	111 5/8	34,935	117 5/8	36,578
99 3/4	31,239	105 3/4	33,170	111 3/4	34,971	117 3/4	36,611
99 7/8	31,280	105 7/8	33,209	111 7/8	35,007	117 7/8	36,643
100	31,322	106	33,248	112	35,043	118	36,675
100 1/8	31,363	106 1/8	33,287	112 1/8	35,079	118 1/8	36,707
100 1/4	31,404	106 1/4	33,326	112 1/4	35,115	118 1/4	36,739
100 3/8	31,445	106 3/8	33,364	112 3/8	35,150	118 3/8	36,771
100 1/2	31,486	106 1/2	33,403	112 1/2	35,186	118 1/2	36,802
100 5/8	31,528	106 5/8	33,442	112 5/8	35,221	118 5/8	36,834
100 3/4	31,569	106 3/4	33,480	112 3/4	35,257	118 3/4	36,866
100 7/8	31,610	106 7/8	33,519	112 7/8	35,292	118 7/8	36,897
101	31,651	107	33,557	113	35,327	119	36,928
101 1/8	31,692	107 1/8	33,595	113 1/8	35,363	119 1/8	36,960
101 1/4	31,732	107 1/4	33,634	113 1/4	35,398	119 1/4	36,991
101 3/8	31,773	107 3/8	33,672	113 3/8	35,433	119 3/8	37,022
101 1/2	31,814	107 1/2	33,710	113 1/2	35,468	119 1/2	37,053
101 5/8	31,855	107 5/8	33,748	113 5/8	35,503	119 5/8	37,084
101 3/4	31,895	107 3/4	33,786	113 3/4	35,538	119 3/4	37,115
101 7/8	31,936	107 7/8	33,824	113 7/8	35,572	119 7/8	37,145
102	31,977	108	33,862	114	35,607	120	37,176

DWT6 12'-40000 COMPARTMENT
40,118 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
120 1/8	37,206	126 1/8	38,548	132 1/8	39,590
120 1/4	37,237	126 1/4	38,573	132 1/4	39,608
120 3/8	37,267	126 3/8	38,598	132 3/8	39,625
120 1/2	37,297	126 1/2	38,623	132 1/2	39,643
120 5/8	37,328	126 5/8	38,647	132 5/8	39,660
120 3/4	37,358	126 3/4	38,672	132 3/4	39,677
120 7/8	37,387	126 7/8	38,697	132 7/8	39,693
121	37,417	127	38,721	133	39,710
121 1/8	37,447	127 1/8	38,745	133 1/8	39,726
121 1/4	37,477	127 1/4	38,769	133 1/4	39,742
121 3/8	37,506	127 3/8	38,793	133 3/8	39,758
121 1/2	37,536	127 1/2	38,817	133 1/2	39,773
121 5/8	37,565	127 5/8	38,841	133 5/8	39,788
121 3/4	37,594	127 3/4	38,864	133 3/4	39,804
121 7/8	37,623	127 7/8	38,887	133 7/8	39,818
122	37,652	128	38,911	134	39,833
122 1/8	37,681	128 1/8	38,934	134 1/8	39,847
122 1/4	37,710	128 1/4	38,957	134 1/4	39,861
122 3/8	37,739	128 3/8	38,980	134 3/8	39,875
122 1/2	37,767	128 1/2	39,002	134 1/2	39,889
122 5/8	37,796	128 5/8	39,025	134 5/8	39,902
122 3/4	37,824	128 3/4	39,047	134 3/4	39,915
122 7/8	37,852	128 7/8	39,069	134 7/8	39,928
123	37,881	129	39,091	135	39,941
123 1/8	37,909	129 1/8	39,113	135 1/8	39,953
123 1/4	37,937	129 1/4	39,135	135 1/4	39,965
123 3/8	37,965	129 3/8	39,157	135 3/8	39,977
123 1/2	37,992	129 1/2	39,178	135 1/2	39,988
123 5/8	38,020	129 5/8	39,199	135 5/8	39,999
123 3/4	38,047	129 3/4	39,221	135 3/4	40,010
123 7/8	38,075	129 7/8	39,242	135 7/8	40,020
124	38,102	130	39,262	136	40,030
124 1/8	38,129	130 1/8	39,283	136 1/8	40,040
124 1/4	38,156	130 1/4	39,304	136 1/4	40,049
124 3/8	38,183	130 3/8	39,324	136 3/8	40,058
124 1/2	38,210	130 1/2	39,344	136 1/2	40,066
124 5/8	38,237	130 5/8	39,364	136 5/8	40,074
124 3/4	38,263	130 3/4	39,384	136 3/4	40,082
124 7/8	38,290	130 7/8	39,404	136 7/8	40,089
125	38,316	131	39,423	137	40,095
125 1/8	38,342	131 1/8	39,442	137 1/8	40,101
125 1/4	38,368	131 1/4	39,462	137 1/4	40,107
125 3/8	38,394	131 3/8	39,480	137 3/8	40,111
125 1/2	38,420	131 1/2	39,499	137 1/2	40,115
125 5/8	38,446	131 5/8	39,518	137 5/8	40,118
125 3/4	38,472	131 3/4	39,536		
125 7/8	38,497	131 7/8	39,554		
126	38,523	132	39,573		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.