

8'-4000 SWT G6 Single-Wall Tank 3998 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	2	6 1/8	103	12 1/8	282	18 1/8	516	24 1/8	794
1/4	3	6 1/4	106	12 1/4	286	18 1/4	522	24 1/4	801
3/8	3	6 3/8	109	12 3/8	290	18 3/8	527	24 3/8	807
1/2	4	6 1/2	112	12 1/2	295	18 1/2	532	24 1/2	813
5/8	6	6 5/8	115	12 5/8	299	18 5/8	538	24 5/8	819
3/4	7	6 3/4	118	12 3/4	304	18 3/4	543	24 3/4	826
7/8	8	6 7/8	122	12 7/8	308	18 7/8	549	24 7/8	832
1	9	7	125	13	313	19	554	25	838
1 1/8	11	7 1/8	128	13 1/8	317	19 1/8	560	25 1/8	844
1 1/4	12	7 1/4	131	13 1/4	322	19 1/4	565	25 1/4	851
1 3/8	13	7 3/8	135	13 3/8	326	19 3/8	571	25 3/8	857
1 1/2	15	7 1/2	138	13 1/2	331	19 1/2	577	25 1/2	863
1 5/8	17	7 5/8	141	13 5/8	336	19 5/8	582	25 5/8	870
1 3/4	18	7 3/4	145	13 3/4	340	19 3/4	588	25 3/4	876
1 7/8	20	7 7/8	148	13 7/8	345	19 7/8	593	25 7/8	882
2	22	8	152	14	350	20	599	26	889
2 1/8	23	8 1/8	155	14 1/8	354	20 1/8	605	26 1/8	895
2 1/4	25	8 1/4	159	14 1/4	359	20 1/4	610	26 1/4	901
2 3/8	27	8 3/8	162	14 3/8	364	20 3/8	616	26 3/8	908
2 1/2	29	8 1/2	166	14 1/2	369	20 1/2	622	26 1/2	914
2 5/8	31	8 5/8	170	14 5/8	373	20 5/8	628	26 5/8	921
2 3/4	33	8 3/4	173	14 3/4	378	20 3/4	633	26 3/4	927
2 7/8	35	8 7/8	177	14 7/8	383	20 7/8	639	26 7/8	934
3	37	9	181	15	388	21	645	27	940
3 1/8	40	9 1/8	184	15 1/8	393	21 1/8	651	27 1/8	947
3 1/4	42	9 1/4	188	15 1/4	398	21 1/4	656	27 1/4	953
3 3/8	44	9 3/8	192	15 3/8	403	21 3/8	662	27 3/8	960
3 1/2	46	9 1/2	196	15 1/2	408	21 1/2	668	27 1/2	966
3 5/8	49	9 5/8	200	15 5/8	413	21 5/8	674	27 5/8	973
3 3/4	51	9 3/4	203	15 3/4	418	21 3/4	680	27 3/4	979
3 7/8	53	9 7/8	207	15 7/8	423	21 7/8	686	27 7/8	986
4	56	10	211	16	428	22	692	28	992
4 1/8	58	10 1/8	215	16 1/8	433	22 1/8	698	28 1/8	999
4 1/4	61	10 1/4	219	16 1/4	438	22 1/4	704	28 1/4	1005
4 3/8	63	10 3/8	223	16 3/8	443	22 3/8	709	28 3/8	1012
4 1/2	66	10 1/2	227	16 1/2	448	22 1/2	715	28 1/2	1019
4 5/8	69	10 5/8	231	16 5/8	453	22 5/8	721	28 5/8	1025
4 3/4	71	10 3/4	235	16 3/4	458	22 3/4	727	28 3/4	1032
4 7/8	74	10 7/8	239	16 7/8	463	22 7/8	733	28 7/8	1039
5	77	11	243	17	469	23	739	29	1045
5 1/8	79	11 1/8	248	17 1/8	474	23 1/8	746	29 1/8	1052
5 1/4	82	11 1/4	252	17 1/4	479	23 1/4	752	29 1/4	1059
5 3/8	85	11 3/8	256	17 3/8	484	23 3/8	758	29 3/8	1065
5 1/2	88	11 1/2	260	17 1/2	490	23 1/2	764	29 1/2	1072
5 5/8	91	11 5/8	264	17 5/8	495	23 5/8	770	29 5/8	1079
5 3/4	94	11 3/4	269	17 3/4	500	23 3/4	776	29 3/4	1085
5 7/8	97	11 7/8	273	17 7/8	506	23 7/8	782	29 7/8	1092
6	100	12	277	18	511	24	788	30	1099

8'-4000 SWT G6 Single-Wall Tank 3998 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	1106	36 1/8	1440	42 1/8	1789	48 1/8	2143	54 1/8	2493
30 1/4	1112	36 1/4	1447	42 1/4	1796	48 1/4	2150	54 1/4	2500
30 3/8	1119	36 3/8	1455	42 3/8	1804	48 3/8	2158	54 3/8	2508
30 1/2	1126	36 1/2	1462	42 1/2	1811	48 1/2	2165	54 1/2	2515
30 5/8	1133	36 5/8	1469	42 5/8	1818	48 5/8	2172	54 5/8	2522
30 3/4	1140	36 3/4	1476	42 3/4	1826	48 3/4	2180	54 3/4	2529
30 7/8	1146	36 7/8	1483	42 7/8	1833	48 7/8	2187	54 7/8	2536
31	1153	37	1490	43	1840	49	2194	55	2544
31 1/8	1160	37 1/8	1498	43 1/8	1848	49 1/8	2202	55 1/8	2551
31 1/4	1167	37 1/4	1505	43 1/4	1855	49 1/4	2209	55 1/4	2558
31 3/8	1174	37 3/8	1512	43 3/8	1863	49 3/8	2216	55 3/8	2565
31 1/2	1181	37 1/2	1519	43 1/2	1870	49 1/2	2224	55 1/2	2572
31 5/8	1187	37 5/8	1526	43 5/8	1877	49 5/8	2231	55 5/8	2579
31 3/4	1194	37 3/4	1534	43 3/4	1885	49 3/4	2239	55 3/4	2586
31 7/8	1201	37 7/8	1541	43 7/8	1892	49 7/8	2246	55 7/8	2593
32	1208	38	1548	44	1899	50	2253	56	2601
32 1/8	1215	38 1/8	1555	44 1/8	1907	50 1/8	2261	56 1/8	2608
32 1/4	1222	38 1/4	1563	44 1/4	1914	50 1/4	2268	56 1/4	2615
32 3/8	1229	38 3/8	1570	44 3/8	1922	50 3/8	2275	56 3/8	2622
32 1/2	1236	38 1/2	1577	44 1/2	1929	50 1/2	2282	56 1/2	2629
32 5/8	1243	38 5/8	1584	44 5/8	1936	50 5/8	2290	56 5/8	2636
32 3/4	1250	38 3/4	1592	44 3/4	1944	50 3/4	2297	56 3/4	2643
32 7/8	1257	38 7/8	1599	44 7/8	1951	50 7/8	2304	56 7/8	2650
33	1264	39	1606	45	1958	51	2312	57	2657
33 1/8	1271	39 1/8	1613	45 1/8	1966	51 1/8	2319	57 1/8	2664
33 1/4	1278	39 1/4	1621	45 1/4	1973	51 1/4	2326	57 1/4	2671
33 3/8	1285	39 3/8	1628	45 3/8	1981	51 3/8	2334	57 3/8	2678
33 1/2	1292	39 1/2	1635	45 1/2	1988	51 1/2	2341	57 1/2	2685
33 5/8	1299	39 5/8	1642	45 5/8	1995	51 5/8	2348	57 5/8	2692
33 3/4	1306	39 3/4	1650	45 3/4	2003	51 3/4	2356	57 3/4	2699
33 7/8	1313	39 7/8	1657	45 7/8	2010	51 7/8	2363	57 7/8	2706
34	1320	40	1664	46	2017	52	2370	58	2713
34 1/8	1327	40 1/8	1672	46 1/8	2025	52 1/8	2377	58 1/8	2720
34 1/4	1334	40 1/4	1679	46 1/4	2032	52 1/4	2385	58 1/4	2727
34 3/8	1341	40 3/8	1686	46 3/8	2040	52 3/8	2392	58 3/8	2734
34 1/2	1348	40 1/2	1694	46 1/2	2047	52 1/2	2399	58 1/2	2741
34 5/8	1355	40 5/8	1701	46 5/8	2054	52 5/8	2406	58 5/8	2748
34 3/4	1362	40 3/4	1708	46 3/4	2062	52 3/4	2414	58 3/4	2755
34 7/8	1369	40 7/8	1716	46 7/8	2069	52 7/8	2421	58 7/8	2762
35	1376	41	1723	47	2077	53	2428	59	2769
35 1/8	1383	41 1/8	1730	47 1/8	2084	53 1/8	2435	59 1/8	2776
35 1/4	1390	41 1/4	1738	47 1/4	2091	53 1/4	2443	59 1/4	2783
35 3/8	1397	41 3/8	1745	47 3/8	2099	53 3/8	2450	59 3/8	2790
35 1/2	1405	41 1/2	1752	47 1/2	2106	53 1/2	2457	59 1/2	2797
35 5/8	1412	41 5/8	1760	47 5/8	2113	53 5/8	2464	59 5/8	2804
35 3/4	1419	41 3/4	1767	47 3/4	2121	53 3/4	2472	59 3/4	2811
35 7/8	1426	41 7/8	1774	47 7/8	2128	53 7/8	2479	59 7/8	2817
36	1433	42	1782	48	2136	54	2486	60	2824

8'-4000 SWT G6 Single-Wall Tank 3998 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	2831	66 1/8	3147	72 1/8	3433	78 1/8	3676	84 1/8	3867
60 1/4	2838	66 1/4	3154	72 1/4	3438	78 1/4	3681	84 1/4	3870
60 3/8	2845	66 3/8	3160	72 3/8	3444	78 3/8	3685	84 3/8	3873
60 1/2	2852	66 1/2	3166	72 1/2	3449	78 1/2	3690	84 1/2	3876
60 5/8	2858	66 5/8	3173	72 5/8	3455	78 5/8	3694	84 5/8	3880
60 3/4	2865	66 3/4	3179	72 3/4	3460	78 3/4	3699	84 3/4	3883
60 7/8	2872	66 7/8	3185	72 7/8	3466	78 7/8	3703	84 7/8	3886
61	2879	67	3191	73	3471	79	3708	85	3889
61 1/8	2886	67 1/8	3197	73 1/8	3476	79 1/8	3712	85 1/8	3892
61 1/4	2892	67 1/4	3204	73 1/4	3482	79 1/4	3716	85 1/4	3895
61 3/8	2899	67 3/8	3210	73 3/8	3487	79 3/8	3721	85 3/8	3898
61 1/2	2906	67 1/2	3216	73 1/2	3493	79 1/2	3725	85 1/2	3901
61 5/8	2913	67 5/8	3222	73 5/8	3498	79 5/8	3729	85 5/8	3904
61 3/4	2919	67 3/4	3228	73 3/4	3503	79 3/4	3734	85 3/4	3907
61 7/8	2926	67 7/8	3234	73 7/8	3508	79 7/8	3738	85 7/8	3910
62	2933	68	3240	74	3514	80	3742	86	3913
62 1/8	2939	68 1/8	3246	74 1/8	3519	80 1/8	3746	86 1/8	3916
62 1/4	2946	68 1/4	3253	74 1/4	3524	80 1/4	3750	86 1/4	3919
62 3/8	2953	68 3/8	3259	74 3/8	3529	80 3/8	3755	86 3/8	3921
62 1/2	2959	68 1/2	3265	74 1/2	3535	80 1/2	3759	86 1/2	3924
62 5/8	2966	68 5/8	3271	74 5/8	3540	80 5/8	3763	86 5/8	3927
62 3/4	2973	68 3/4	3277	74 3/4	3545	80 3/4	3767	86 3/4	3929
62 7/8	2979	68 7/8	3283	74 7/8	3550	80 7/8	3771	86 7/8	3932
63	2986	69	3289	75	3555	81	3775	87	3935
63 1/8	2993	69 1/8	3295	75 1/8	3560	81 1/8	3779	87 1/8	3937
63 1/4	2999	69 1/4	3300	75 1/4	3565	81 1/4	3783	87 1/4	3940
63 3/8	3006	69 3/8	3306	75 3/8	3570	81 3/8	3787	87 3/8	3942
63 1/2	3012	69 1/2	3312	75 1/2	3575	81 1/2	3791	87 1/2	3945
63 5/8	3019	69 5/8	3318	75 5/8	3580	81 5/8	3795	87 5/8	3947
63 3/4	3025	69 3/4	3324	75 3/4	3585	81 3/4	3798	87 3/4	3949
63 7/8	3032	69 7/8	3330	75 7/8	3590	81 7/8	3802	87 7/8	3952
64	3038	70	3336	76	3595	82	3806	88	3954
64 1/8	3045	70 1/8	3342	76 1/8	3600	82 1/8	3810	88 1/8	3956
64 1/4	3051	70 1/4	3347	76 1/4	3605	82 1/4	3814	88 1/4	3958
64 3/8	3058	70 3/8	3353	76 3/8	3610	82 3/8	3817	88 3/8	3961
64 1/2	3064	70 1/2	3359	76 1/2	3615	82 1/2	3821	88 1/2	3963
64 5/8	3071	70 5/8	3365	76 5/8	3620	82 5/8	3825	88 5/8	3965
64 3/4	3077	70 3/4	3371	76 3/4	3625	82 3/4	3828	88 3/4	3967
64 7/8	3084	70 7/8	3376	76 7/8	3629	82 7/8	3832	88 7/8	3969
65	3090	71	3382	77	3634	83	3836	89	3971
65 1/8	3097	71 1/8	3388	77 1/8	3639	83 1/8	3839	89 1/8	3973
65 1/4	3103	71 1/4	3393	77 1/4	3644	83 1/4	3843	89 1/4	3975
65 3/8	3109	71 3/8	3399	77 3/8	3648	83 3/8	3846	89 3/8	3976
65 1/2	3116	71 1/2	3405	77 1/2	3653	83 1/2	3850	89 1/2	3978
65 5/8	3122	71 5/8	3410	77 5/8	3658	83 5/8	3853	89 5/8	3980
65 3/4	3128	71 3/4	3416	77 3/4	3662	83 3/4	3857	89 3/4	3981
65 7/8	3135	71 7/8	3421	77 7/8	3667	83 7/8	3860	89 7/8	3983
66	3141	72	3427	78	3672	84	3863	90	3985

8'-4000 SWT G6 Single-Wall Tank 3998 Gals

DIPSTICK	GALLONS
90 1/8	3986
90 1/4	3987
90 3/8	3989
90 1/2	3990
90 5/8	3991
90 3/4	3993
90 7/8	3994
91	3995
91 1/8	3995
91 1/4	3996
91 3/8	3997
91 1/2	3998
91 5/8	3998



CONTAINMENT SOLUTIONS[®]

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
 DAYCO/NATIONAL
 DAYTON, OH
 TEL: 1-800-283-2926
 FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled.

Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

Containment Solutions, Inc.
 333 North Rivershire Dr., Suite 190
 Conroe, TX 77304
 Tel: 936-756-7731
 Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.