

**10'-10000 DWT6 Double-Wall Tank  
10257 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	3	6 1/8	164	12 1/8	465	18 1/8	866	24 1/8	1348	30 1/8	1893
1/4	4	6 1/4	169	12 1/4	473	18 1/4	876	24 1/4	1358	30 1/4	1905
3/8	5	6 3/8	174	12 3/8	480	18 3/8	885	24 3/8	1369	30 3/8	1917
1/2	7	6 1/2	180	12 1/2	488	18 1/2	894	24 1/2	1380	30 1/2	1929
5/8	8	6 5/8	185	12 5/8	495	18 5/8	904	24 5/8	1391	30 5/8	1941
3/4	10	6 3/4	190	12 3/4	503	18 3/4	913	24 3/4	1402	30 3/4	1953
7/8	12	6 7/8	195	12 7/8	510	18 7/8	923	24 7/8	1412	30 7/8	1965
1	14	7	201	13	518	19	932	25	1423	31	1977
1 1/8	16	7 1/8	206	13 1/8	526	19 1/8	942	25 1/8	1434	31 1/8	1990
1 1/4	18	7 1/4	212	13 1/4	534	19 1/4	951	25 1/4	1445	31 1/4	2002
1 3/8	20	7 3/8	217	13 3/8	541	19 3/8	961	25 3/8	1456	31 3/8	2014
1 1/2	23	7 1/2	223	13 1/2	549	19 1/2	970	25 1/2	1467	31 1/2	2026
1 5/8	25	7 5/8	229	13 5/8	557	19 5/8	980	25 5/8	1478	31 5/8	2038
1 3/4	28	7 3/4	234	13 3/4	565	19 3/4	990	25 3/4	1489	31 3/4	2050
1 7/8	30	7 7/8	240	13 7/8	573	19 7/8	999	25 7/8	1501	31 7/8	2063
2	33	8	246	14	581	20	1009	26	1512	32	2075
2 1/8	36	8 1/8	252	14 1/8	589	20 1/8	1019	26 1/8	1523	32 1/8	2087
2 1/4	39	8 1/4	258	14 1/4	597	20 1/4	1029	26 1/4	1534	32 1/4	2100
2 3/8	42	8 3/8	264	14 3/8	605	20 3/8	1038	26 3/8	1545	32 3/8	2112
2 1/2	45	8 1/2	270	14 1/2	613	20 1/2	1048	26 1/2	1557	32 1/2	2124
2 5/8	48	8 5/8	276	14 5/8	622	20 5/8	1058	26 5/8	1568	32 5/8	2137
2 3/4	51	8 3/4	282	14 3/4	630	20 3/4	1068	26 3/4	1579	32 3/4	2149
2 7/8	54	8 7/8	288	14 7/8	638	20 7/8	1078	26 7/8	1590	32 7/8	2161
3	58	9	294	15	646	21	1088	27	1602	33	2174
3 1/8	61	9 1/8	301	15 1/8	655	21 1/8	1098	27 1/8	1613	33 1/8	2186
3 1/4	65	9 1/4	307	15 1/4	663	21 1/4	1108	27 1/4	1625	33 1/4	2199
3 3/8	68	9 3/8	313	15 3/8	672	21 3/8	1118	27 3/8	1636	33 3/8	2211
3 1/2	72	9 1/2	320	15 1/2	680	21 1/2	1128	27 1/2	1647	33 1/2	2224
3 5/8	76	9 5/8	326	15 5/8	689	21 5/8	1138	27 5/8	1659	33 5/8	2236
3 3/4	80	9 3/4	333	15 3/4	697	21 3/4	1149	27 3/4	1670	33 3/4	2249
3 7/8	83	9 7/8	339	15 7/8	706	21 7/8	1159	27 7/8	1682	33 7/8	2261
4	87	10	346	16	714	22	1169	28	1693	34	2274
4 1/8	91	10 1/8	353	16 1/8	723	22 1/8	1179	28 1/8	1705	34 1/8	2287
4 1/4	95	10 1/4	359	16 1/4	732	22 1/4	1190	28 1/4	1717	34 1/4	2299
4 3/8	100	10 3/8	366	16 3/8	740	22 3/8	1200	28 3/8	1728	34 3/8	2312
4 1/2	104	10 1/2	373	16 1/2	749	22 1/2	1210	28 1/2	1740	34 1/2	2325
4 5/8	108	10 5/8	380	16 5/8	758	22 5/8	1221	28 5/8	1751	34 5/8	2337
4 3/4	112	10 3/4	387	16 3/4	767	22 3/4	1231	28 3/4	1763	34 3/4	2350
4 7/8	117	10 7/8	393	16 7/8	776	22 7/8	1242	28 7/8	1775	34 7/8	2363
5	121	11	400	17	785	23	1252	29	1787	35	2375
5 1/8	126	11 1/8	407	17 1/8	794	23 1/8	1262	29 1/8	1798	35 1/8	2388
5 1/4	130	11 1/4	415	17 1/4	803	23 1/4	1273	29 1/4	1810	35 1/4	2401
5 3/8	135	11 3/8	422	17 3/8	812	23 3/8	1284	29 3/8	1822	35 3/8	2414
5 1/2	140	11 1/2	429	17 1/2	821	23 1/2	1294	29 1/2	1834	35 1/2	2427
5 5/8	145	11 5/8	436	17 5/8	830	23 5/8	1305	29 5/8	1846	35 5/8	2439
5 3/4	149	11 3/4	443	17 3/4	839	23 3/4	1315	29 3/4	1857	35 3/4	2452
5 7/8	154	11 7/8	451	17 7/8	848	23 7/8	1326	29 7/8	1869	35 7/8	2465
6	159	12	458	18	857	24	1337	30	1881	36	2478

## 10'-10000 DWT6 Double-Wall Tank 10257 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	2491	42 1/8	3129	48 1/8	3797	54 1/8	4483	60 1/8	5179	66 1/8	5875
36 1/4	2504	42 1/4	3143	48 1/4	3811	54 1/4	4498	60 1/4	5194	66 1/4	5889
36 3/8	2517	42 3/8	3156	48 3/8	3825	54 3/8	4512	60 3/8	5209	66 3/8	5904
36 1/2	2530	42 1/2	3170	48 1/2	3839	54 1/2	4527	60 1/2	5223	66 1/2	5918
36 5/8	2543	42 5/8	3184	48 5/8	3853	54 5/8	4541	60 5/8	5238	66 5/8	5932
36 3/4	2556	42 3/4	3197	48 3/4	3867	54 3/4	4556	60 3/4	5252	66 3/4	5947
36 7/8	2569	42 7/8	3211	48 7/8	3882	54 7/8	4570	60 7/8	5267	66 7/8	5961
37	2582	43	3225	49	3896	55	4585	61	5281	67	5976
37 1/8	2595	43 1/8	3238	49 1/8	3910	55 1/8	4599	61 1/8	5296	67 1/8	5990
37 1/4	2608	43 1/4	3252	49 1/4	3924	55 1/4	4613	61 1/4	5310	67 1/4	6004
37 3/8	2621	43 3/8	3266	49 3/8	3938	55 3/8	4628	61 3/8	5325	67 3/8	6019
37 1/2	2634	43 1/2	3280	49 1/2	3953	55 1/2	4642	61 1/2	5339	67 1/2	6033
37 5/8	2647	43 5/8	3293	49 5/8	3967	55 5/8	4657	61 5/8	5354	67 5/8	6047
37 3/4	2660	43 3/4	3307	49 3/4	3981	55 3/4	4671	61 3/4	5368	67 3/4	6062
37 7/8	2673	43 7/8	3321	49 7/8	3995	55 7/8	4686	61 7/8	5383	67 7/8	6076
38	2686	44	3335	50	4010	56	4700	62	5397	68	6090
38 1/8	2700	44 1/8	3349	50 1/8	4024	56 1/8	4715	62 1/8	5412	68 1/8	6105
38 1/4	2713	44 1/4	3363	50 1/4	4038	56 1/4	4729	62 1/4	5426	68 1/4	6119
38 3/8	2726	44 3/8	3376	50 3/8	4052	56 3/8	4744	62 3/8	5441	68 3/8	6133
38 1/2	2739	44 1/2	3390	50 1/2	4067	56 1/2	4758	62 1/2	5455	68 1/2	6148
38 5/8	2752	44 5/8	3404	50 5/8	4081	56 5/8	4773	62 5/8	5470	68 5/8	6162
38 3/4	2766	44 3/4	3418	50 3/4	4095	56 3/4	4787	62 3/4	5484	68 3/4	6176
38 7/8	2779	44 7/8	3432	50 7/8	4110	56 7/8	4802	62 7/8	5499	68 7/8	6191
39	2792	45	3446	51	4124	57	4816	63	5513	69	6205
39 1/8	2806	45 1/8	3460	51 1/8	4138	57 1/8	4831	63 1/8	5528	69 1/8	6219
39 1/4	2819	45 1/4	3474	51 1/4	4152	57 1/4	4845	63 1/4	5542	69 1/4	6233
39 3/8	2832	45 3/8	3488	51 3/8	4167	57 3/8	4860	63 3/8	5557	69 3/8	6248
39 1/2	2846	45 1/2	3501	51 1/2	4181	57 1/2	4874	63 1/2	5571	69 1/2	6262
39 5/8	2859	45 5/8	3515	51 5/8	4195	57 5/8	4889	63 5/8	5586	69 5/8	6276
39 3/4	2872	45 3/4	3529	51 3/4	4210	57 3/4	4903	63 3/4	5600	69 3/4	6290
39 7/8	2886	45 7/8	3543	51 7/8	4224	57 7/8	4918	63 7/8	5615	69 7/8	6305
40	2899	46	3557	52	4239	58	4933	64	5629	70	6319
40 1/8	2912	46 1/8	3571	52 1/8	4253	58 1/8	4947	64 1/8	5644	70 1/8	6333
40 1/4	2926	46 1/4	3585	52 1/4	4267	58 1/4	4962	64 1/4	5658	70 1/4	6347
40 3/8	2939	46 3/8	3599	52 3/8	4282	58 3/8	4976	64 3/8	5673	70 3/8	6362
40 1/2	2953	46 1/2	3613	52 1/2	4296	58 1/2	4991	64 1/2	5687	70 1/2	6376
40 5/8	2966	46 5/8	3627	52 5/8	4310	58 5/8	5005	64 5/8	5702	70 5/8	6390
40 3/4	2980	46 3/4	3641	52 3/4	4325	58 3/4	5020	64 3/4	5716	70 3/4	6404
40 7/8	2993	46 7/8	3655	52 7/8	4339	58 7/8	5034	64 7/8	5731	70 7/8	6418
41	3007	47	3670	53	4354	59	5049	65	5745	71	6432
41 1/8	3020	47 1/8	3684	53 1/8	4368	59 1/8	5063	65 1/8	5759	71 1/8	6447
41 1/4	3034	47 1/4	3698	53 1/4	4382	59 1/4	5078	65 1/4	5774	71 1/4	6461
41 3/8	3047	47 3/8	3712	53 3/8	4397	59 3/8	5092	65 3/8	5788	71 3/8	6475
41 1/2	3061	47 1/2	3726	53 1/2	4411	59 1/2	5107	65 1/2	5803	71 1/2	6489
41 5/8	3074	47 5/8	3740	53 5/8	4426	59 5/8	5121	65 5/8	5817	71 5/8	6503
41 3/4	3088	47 3/4	3754	53 3/4	4440	59 3/4	5136	65 3/4	5832	71 3/4	6517
41 7/8	3102	47 7/8	3768	53 7/8	4455	59 7/8	5150	65 7/8	5846	71 7/8	6531
42	3115	48	3782	54	4469	60	5165	66	5860	72	6545

**10'-10000 DWT6 Double-Wall Tank  
10257 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	6560	78 1/8	7223	84 1/8	7856	90 1/8	8447	96 1/8	8984	102 1/8	9455
72 1/4	6574	78 1/4	7237	84 1/4	7869	90 1/4	8459	96 1/4	8995	102 1/4	9464
72 3/8	6588	78 3/8	7251	84 3/8	7882	90 3/8	8471	96 3/8	9005	102 3/8	9473
72 1/2	6602	78 1/2	7264	84 1/2	7895	90 1/2	8482	96 1/2	9016	102 1/2	9482
72 5/8	6616	78 5/8	7278	84 5/8	7907	90 5/8	8494	96 5/8	9026	102 5/8	9490
72 3/4	6630	78 3/4	7291	84 3/4	7920	90 3/4	8506	96 3/4	9037	102 3/4	9499
72 7/8	6644	78 7/8	7305	84 7/8	7933	90 7/8	8517	96 7/8	9047	102 7/8	9508
73	6658	79	7318	85	7945	91	8529	97	9057	103	9517
73 1/8	6672	79 1/8	7331	85 1/8	7958	91 1/8	8541	97 1/8	9068	103 1/8	9526
73 1/4	6686	79 1/4	7345	85 1/4	7971	91 1/4	8552	97 1/4	9078	103 1/4	9534
73 3/8	6700	79 3/8	7358	85 3/8	7983	91 3/8	8564	97 3/8	9088	103 3/8	9543
73 1/2	6714	79 1/2	7372	85 1/2	7996	91 1/2	8575	97 1/2	9098	103 1/2	9551
73 5/8	6728	79 5/8	7385	85 5/8	8008	91 5/8	8587	97 5/8	9109	103 5/8	9560
73 3/4	6742	79 3/4	7398	85 3/4	8021	91 3/4	8598	97 3/4	9119	103 3/4	9569
73 7/8	6756	79 7/8	7412	85 7/8	8033	91 7/8	8610	97 7/8	9129	103 7/8	9577
74	6770	80	7425	86	8046	92	8621	98	9139	104	9586
74 1/8	6784	80 1/8	7438	86 1/8	8058	92 1/8	8633	98 1/8	9149	104 1/8	9594
74 1/4	6798	80 1/4	7452	86 1/4	8071	92 1/4	8644	98 1/4	9159	104 1/4	9602
74 3/8	6812	80 3/8	7465	86 3/8	8083	92 3/8	8655	98 3/8	9169	104 3/8	9611
74 1/2	6825	80 1/2	7478	86 1/2	8096	92 1/2	8667	98 1/2	9179	104 1/2	9619
74 5/8	6839	80 5/8	7492	86 5/8	8108	92 5/8	8678	98 5/8	9189	104 5/8	9627
74 3/4	6853	80 3/4	7505	86 3/4	8121	92 3/4	8689	98 3/4	9199	104 3/4	9636
74 7/8	6867	80 7/8	7518	86 7/8	8133	92 7/8	8701	98 7/8	9209	104 7/8	9644
75	6881	81	7531	87	8145	93	8712	99	9219	105	9652
75 1/8	6895	81 1/8	7544	87 1/8	8158	93 1/8	8723	99 1/8	9229	105 1/8	9660
75 1/4	6909	81 1/4	7558	87 1/4	8170	93 1/4	8734	99 1/4	9238	105 1/4	9668
75 3/8	6922	81 3/8	7571	87 3/8	8182	93 3/8	8746	99 3/8	9248	105 3/8	9676
75 1/2	6936	81 1/2	7584	87 1/2	8195	93 1/2	8757	99 1/2	9258	105 1/2	9684
75 5/8	6950	81 5/8	7597	87 5/8	8207	93 5/8	8768	99 5/8	9268	105 5/8	9692
75 3/4	6964	81 3/4	7610	87 3/4	8219	93 3/4	8779	99 3/4	9277	105 3/4	9700
75 7/8	6978	81 7/8	7623	87 7/8	8231	93 7/8	8790	99 7/8	9287	105 7/8	9708
76	6991	82	7636	88	8243	94	8801	100	9297	106	9716
76 1/8	7005	82 1/8	7649	88 1/8	8256	94 1/8	8812	100 1/8	9306	106 1/8	9724
76 1/4	7019	82 1/4	7663	88 1/4	8268	94 1/4	8823	100 1/4	9316	106 1/4	9731
76 3/8	7033	82 3/8	7676	88 3/8	8280	94 3/8	8834	100 3/8	9325	106 3/8	9739
76 1/2	7046	82 1/2	7689	88 1/2	8292	94 1/2	8845	100 1/2	9335	106 1/2	9747
76 5/8	7060	82 5/8	7702	88 5/8	8304	94 5/8	8856	100 5/8	9344	106 5/8	9754
76 3/4	7074	82 3/4	7715	88 3/4	8316	94 3/4	8867	100 3/4	9354	106 3/4	9762
76 7/8	7087	82 7/8	7728	88 7/8	8328	94 7/8	8877	100 7/8	9363	106 7/8	9770
77	7101	83	7741	89	8340	95	8888	101	9372	107	9777
77 1/8	7115	83 1/8	7753	89 1/8	8352	95 1/8	8899	101 1/8	9382	107 1/8	9785
77 1/4	7128	83 1/4	7766	89 1/4	8364	95 1/4	8910	101 1/4	9391	107 1/4	9792
77 3/8	7142	83 3/8	7779	89 3/8	8376	95 3/8	8920	101 3/8	9400	107 3/8	9799
77 1/2	7156	83 1/2	7792	89 1/2	8388	95 1/2	8931	101 1/2	9409	107 1/2	9807
77 5/8	7169	83 5/8	7805	89 5/8	8400	95 5/8	8942	101 5/8	9418	107 5/8	9814
77 3/4	7183	83 3/4	7818	89 3/4	8412	95 3/4	8952	101 3/4	9427	107 3/4	9821
77 7/8	7196	83 7/8	7831	89 7/8	8423	95 7/8	8963	101 7/8	9437	107 7/8	9828
78	7210	84	7844	90	8435	96	8974	102	9446	108	9836

## 10'-10000 DWT6 Double-Wall Tank 10257 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	9843	114 1/8	10127
108 1/4	9850	114 1/4	10131
108 3/8	9857	114 3/8	10136
108 1/2	9864	114 1/2	10140
108 5/8	9871	114 5/8	10145
108 3/4	9878	114 3/4	10149
108 7/8	9884	114 7/8	10153
109	9891	115	10158
109 1/8	9898	115 1/8	10162
109 1/4	9905	115 1/4	10166
109 3/8	9911	115 3/8	10170
109 1/2	9918	115 1/2	10174
109 5/8	9925	115 5/8	10178
109 3/4	9931	115 3/4	10182
109 7/8	9938	115 7/8	10185
110	9944	116	10189
110 1/8	9950	116 1/8	10193
110 1/4	9957	116 1/4	10196
110 3/8	9963	116 3/8	10199
110 1/2	9969	116 1/2	10203
110 5/8	9975	116 5/8	10206
110 3/4	9981	116 3/4	10209
110 7/8	9988	116 7/8	10213
111	9994	117	10216
111 1/8	10000	117 1/8	10219
111 1/4	10005	117 1/4	10221
111 3/8	10011	117 3/8	10224
111 1/2	10017	117 1/2	10227
111 5/8	10023	117 5/8	10230
111 3/4	10029	117 3/4	10232
111 7/8	10034	117 7/8	10235
112	10040	118	10237
112 1/8	10045	118 1/8	10239
112 1/4	10051	118 1/4	10241
112 3/8	10056	118 3/8	10244
112 1/2	10062	118 1/2	10246
112 5/8	10067	118 5/8	10247
112 3/4	10072	118 3/4	10249
112 7/8	10078	118 7/8	10251
113	10083	119	10252
113 1/8	10088	119 1/8	10254
113 1/4	10093	119 1/4	10255
113 3/8	10098	119 3/8	10256
113 1/2	10103	119 1/2	10257
113 5/8	10108	119 5/8	10257
113 3/4	10113		
113 7/8	10117		
114	10122		



**CONTAINMENT**  
SOLUTIONS®

### How To Properly Gauge Your Tank

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

### Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoila Water Finding Paste

Federal Process Corp.

800-846-7325

[www.gasoila.com](http://www.gasoila.com)

### Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled.

**Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**

**5150 Jefferson Chemical Road**

**Conroe, TX 77301**

**Tel: 936-756-7731**

**Fax: 936-756-7766**

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**