

10'-12000 DWT6 Double-Wall Tank

11873 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	3	6 1/8	198	12 1/8	554	18 1/8	1024	24 1/8	1584	30 1/8	2216
1/4	5	6 1/4	204	12 1/4	563	18 1/4	1035	24 1/4	1596	30 1/4	2229
3/8	6	6 3/8	210	12 3/8	571	18 3/8	1046	24 3/8	1609	30 3/8	2243
1/2	8	6 1/2	216	12 1/2	580	18 1/2	1056	24 1/2	1621	30 1/2	2257
5/8	10	6 5/8	222	12 5/8	589	18 5/8	1067	24 5/8	1634	30 5/8	2271
3/4	12	6 3/4	229	12 3/4	598	18 3/4	1078	24 3/4	1646	30 3/4	2285
7/8	14	6 7/8	235	12 7/8	607	18 7/8	1089	24 7/8	1659	30 7/8	2299
1	17	7	241	13	616	19	1100	25	1672	31	2313
1 1/8	19	7 1/8	248	13 1/8	625	19 1/8	1111	25 1/8	1684	31 1/8	2327
1 1/4	22	7 1/4	254	13 1/4	634	19 1/4	1123	25 1/4	1697	31 1/4	2341
1 3/8	25	7 3/8	261	13 3/8	643	19 3/8	1134	25 3/8	1710	31 3/8	2355
1 1/2	28	7 1/2	268	13 1/2	653	19 1/2	1145	25 1/2	1723	31 1/2	2369
1 5/8	31	7 5/8	274	13 5/8	662	19 5/8	1156	25 5/8	1735	31 5/8	2383
1 3/4	34	7 3/4	281	13 3/4	671	19 3/4	1167	25 3/4	1748	31 3/4	2397
1 7/8	37	7 7/8	288	13 7/8	680	19 7/8	1179	25 7/8	1761	31 7/8	2411
2	40	8	295	14	690	20	1190	26	1774	32	2426
2 1/8	44	8 1/8	302	14 1/8	699	20 1/8	1201	26 1/8	1787	32 1/8	2440
2 1/4	47	8 1/4	309	14 1/4	709	20 1/4	1213	26 1/4	1800	32 1/4	2454
2 3/8	51	8 3/8	316	14 3/8	718	20 3/8	1224	26 3/8	1813	32 3/8	2468
2 1/2	54	8 1/2	323	14 1/2	728	20 1/2	1236	26 1/2	1826	32 1/2	2483
2 5/8	58	8 5/8	330	14 5/8	737	20 5/8	1247	26 5/8	1839	32 5/8	2497
2 3/4	62	8 3/4	338	14 3/4	747	20 3/4	1259	26 3/4	1852	32 3/4	2511
2 7/8	66	8 7/8	345	14 7/8	757	20 7/8	1270	26 7/8	1865	32 7/8	2525
3	70	9	352	15	767	21	1282	27	1878	33	2540
3 1/8	74	9 1/8	360	15 1/8	776	21 1/8	1294	27 1/8	1892	33 1/8	2554
3 1/4	79	9 1/4	367	15 1/4	786	21 1/4	1305	27 1/4	1905	33 1/4	2569
3 3/8	83	9 3/8	375	15 3/8	796	21 3/8	1317	27 3/8	1918	33 3/8	2583
3 1/2	87	9 1/2	382	15 1/2	806	21 1/2	1329	27 1/2	1931	33 1/2	2597
3 5/8	92	9 5/8	390	15 5/8	816	21 5/8	1341	27 5/8	1944	33 5/8	2612
3 3/4	96	9 3/4	398	15 3/4	826	21 3/4	1352	27 3/4	1958	33 3/4	2626
3 7/8	101	9 7/8	405	15 7/8	836	21 7/8	1364	27 7/8	1971	33 7/8	2641
4	106	10	413	16	846	22	1376	28	1984	34	2655
4 1/8	111	10 1/8	421	16 1/8	856	22 1/8	1388	28 1/8	1998	34 1/8	2670
4 1/4	116	10 1/4	429	16 1/4	866	22 1/4	1400	28 1/4	2011	34 1/4	2684
4 3/8	121	10 3/8	437	16 3/8	877	22 3/8	1412	28 3/8	2025	34 3/8	2699
4 1/2	126	10 1/2	445	16 1/2	887	22 1/2	1424	28 1/2	2038	34 1/2	2714
4 5/8	131	10 5/8	453	16 5/8	897	22 5/8	1436	28 5/8	2052	34 5/8	2728
4 3/4	136	10 3/4	461	16 3/4	907	22 3/4	1448	28 3/4	2065	34 3/4	2743
4 7/8	141	10 7/8	469	16 7/8	918	22 7/8	1460	28 7/8	2079	34 7/8	2758
5	146	11	478	17	928	23	1473	29	2092	35	2772
5 1/8	152	11 1/8	486	17 1/8	939	23 1/8	1485	29 1/8	2106	35 1/8	2787
5 1/4	157	11 1/4	494	17 1/4	949	23 1/4	1497	29 1/4	2120	35 1/4	2802
5 3/8	163	11 3/8	503	17 3/8	960	23 3/8	1509	29 3/8	2133	35 3/8	2817
5 1/2	169	11 1/2	511	17 1/2	970	23 1/2	1522	29 1/2	2147	35 1/2	2831
5 5/8	174	11 5/8	519	17 5/8	981	23 5/8	1534	29 5/8	2161	35 5/8	2846
5 3/4	180	11 3/4	528	17 3/4	992	23 3/4	1546	29 3/4	2174	35 3/4	2861
5 7/8	186	11 7/8	537	17 7/8	1002	23 7/8	1559	29 7/8	2188	35 7/8	2876
6	192	12	545	18	1013	24	1571	30	2202	36	2891

10'-12000 DWT6 Double-Wall Tank 11873 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	2905	42 1/8	3640	48 1/8	4407	54 1/8	5196	60 1/8	5995	66 1/8	6793
36 1/4	2920	42 1/4	3656	48 1/4	4424	54 1/4	5213	60 1/4	6011	66 1/4	6809
36 3/8	2935	42 3/8	3671	48 3/8	4440	54 3/8	5229	60 3/8	6028	66 3/8	6826
36 1/2	2950	42 1/2	3687	48 1/2	4456	54 1/2	5246	60 1/2	6045	66 1/2	6842
36 5/8	2965	42 5/8	3703	48 5/8	4472	54 5/8	5262	60 5/8	6062	66 5/8	6859
36 3/4	2980	42 3/4	3719	48 3/4	4489	54 3/4	5279	60 3/4	6078	66 3/4	6875
36 7/8	2995	42 7/8	3734	48 7/8	4505	54 7/8	5296	60 7/8	6095	66 7/8	6892
37	3010	43	3750	49	4521	55	5312	61	6112	67	6908
37 1/8	3025	43 1/8	3766	49 1/8	4538	55 1/8	5329	61 1/8	6128	67 1/8	6925
37 1/4	3040	43 1/4	3782	49 1/4	4554	55 1/4	5345	61 1/4	6145	67 1/4	6941
37 3/8	3055	43 3/8	3798	49 3/8	4570	55 3/8	5362	61 3/8	6162	67 3/8	6958
37 1/2	3070	43 1/2	3813	49 1/2	4587	55 1/2	5379	61 1/2	6178	67 1/2	6974
37 5/8	3085	43 5/8	3829	49 5/8	4603	55 5/8	5395	61 5/8	6195	67 5/8	6991
37 3/4	3100	43 3/4	3845	49 3/4	4619	55 3/4	5412	61 3/4	6211	67 3/4	7007
37 7/8	3116	43 7/8	3861	49 7/8	4636	55 7/8	5428	61 7/8	6228	67 7/8	7024
38	3131	44	3877	50	4652	56	5445	62	6245	68	7040
38 1/8	3146	44 1/8	3893	50 1/8	4668	56 1/8	5462	62 1/8	6261	68 1/8	7057
38 1/4	3161	44 1/4	3909	50 1/4	4685	56 1/4	5478	62 1/4	6278	68 1/4	7073
38 3/8	3176	44 3/8	3925	50 3/8	4701	56 3/8	5495	62 3/8	6295	68 3/8	7090
38 1/2	3192	44 1/2	3940	50 1/2	4718	56 1/2	5512	62 1/2	6311	68 1/2	7106
38 5/8	3207	44 5/8	3956	50 5/8	4734	56 5/8	5528	62 5/8	6328	68 5/8	7122
38 3/4	3222	44 3/4	3972	50 3/4	4750	56 3/4	5545	62 3/4	6345	68 3/4	7139
38 7/8	3237	44 7/8	3988	50 7/8	4767	56 7/8	5562	62 7/8	6361	68 7/8	7155
39	3253	45	4004	51	4783	57	5578	63	6378	69	7172
39 1/8	3268	45 1/8	4020	51 1/8	4800	57 1/8	5595	63 1/8	6395	69 1/8	7188
39 1/4	3283	45 1/4	4036	51 1/4	4816	57 1/4	5611	63 1/4	6411	69 1/4	7204
39 3/8	3299	45 3/8	4052	51 3/8	4833	57 3/8	5628	63 3/8	6428	69 3/8	7221
39 1/2	3314	45 1/2	4068	51 1/2	4849	57 1/2	5645	63 1/2	6445	69 1/2	7237
39 5/8	3329	45 5/8	4084	51 5/8	4866	57 5/8	5661	63 5/8	6461	69 5/8	7254
39 3/4	3345	45 3/4	4100	51 3/4	4882	57 3/4	5678	63 3/4	6478	69 3/4	7270
39 7/8	3360	45 7/8	4117	51 7/8	4898	57 7/8	5695	63 7/8	6494	69 7/8	7286
40	3376	46	4133	52	4915	58	5711	64	6511	70	7303
40 1/8	3391	46 1/8	4149	52 1/8	4931	58 1/8	5728	64 1/8	6528	70 1/8	7319
40 1/4	3406	46 1/4	4165	52 1/4	4948	58 1/4	5745	64 1/4	6544	70 1/4	7335
40 3/8	3422	46 3/8	4181	52 3/8	4964	58 3/8	5761	64 3/8	6561	70 3/8	7352
40 1/2	3437	46 1/2	4197	52 1/2	4981	58 1/2	5778	64 1/2	6577	70 1/2	7368
40 5/8	3453	46 5/8	4213	52 5/8	4997	58 5/8	5795	64 5/8	6594	70 5/8	7384
40 3/4	3468	46 3/4	4229	52 3/4	5014	58 3/4	5811	64 3/4	6611	70 3/4	7401
40 7/8	3484	46 7/8	4245	52 7/8	5030	58 7/8	5828	64 7/8	6627	70 7/8	7417
41	3499	47	4262	53	5047	59	5845	65	6644	71	7433
41 1/8	3515	47 1/8	4278	53 1/8	5064	59 1/8	5861	65 1/8	6660	71 1/8	7449
41 1/4	3531	47 1/4	4294	53 1/4	5080	59 1/4	5878	65 1/4	6677	71 1/4	7466
41 3/8	3546	47 3/8	4310	53 3/8	5097	59 3/8	5895	65 3/8	6694	71 3/8	7482
41 1/2	3562	47 1/2	4326	53 1/2	5113	59 1/2	5911	65 1/2	6710	71 1/2	7498
41 5/8	3577	47 5/8	4342	53 5/8	5130	59 5/8	5928	65 5/8	6727	71 5/8	7514
41 3/4	3593	47 3/4	4359	53 3/4	5146	59 3/4	5945	65 3/4	6743	71 3/4	7530
41 7/8	3609	47 7/8	4375	53 7/8	5163	59 7/8	5961	65 7/8	6760	71 7/8	7547
42	3624	48	4391	54	5179	60	5978	66	6776	72	7563

**10'-12000 DWT6 Double-Wall Tank
11873 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	7579	78 1/8	8342	84 1/8	9071	90 1/8	9753	96 1/8	10376	102 1/8	10924
72 1/4	7595	78 1/4	8358	84 1/4	9086	90 1/4	9767	96 1/4	10388	102 1/4	10934
72 3/8	7611	78 3/8	8373	84 3/8	9101	90 3/8	9781	96 3/8	10400	102 3/8	10945
72 1/2	7628	78 1/2	8389	84 1/2	9115	90 1/2	9794	96 1/2	10412	102 1/2	10955
72 5/8	7644	78 5/8	8405	84 5/8	9130	90 5/8	9808	96 5/8	10425	102 5/8	10965
72 3/4	7660	78 3/4	8420	84 3/4	9145	90 3/4	9821	96 3/4	10437	102 3/4	10976
72 7/8	7676	78 7/8	8436	84 7/8	9159	90 7/8	9835	96 7/8	10449	102 7/8	10986
73	7692	79	8451	85	9174	91	9848	97	10461	103	10996
73 1/8	7708	79 1/8	8467	85 1/8	9188	91 1/8	9862	97 1/8	10473	103 1/8	11007
73 1/4	7724	79 1/4	8482	85 1/4	9203	91 1/4	9875	97 1/4	10485	103 1/4	11017
73 3/8	7740	79 3/8	8497	85 3/8	9218	91 3/8	9888	97 3/8	10497	103 3/8	11027
73 1/2	7756	79 1/2	8513	85 1/2	9232	91 1/2	9902	97 1/2	10509	103 1/2	11037
73 5/8	7772	79 5/8	8528	85 5/8	9247	91 5/8	9915	97 5/8	10520	103 5/8	11047
73 3/4	7789	79 3/4	8544	85 3/4	9261	91 3/4	9928	97 3/4	10532	103 3/4	11057
73 7/8	7805	79 7/8	8559	85 7/8	9276	91 7/8	9942	97 7/8	10544	103 7/8	11067
74	7821	80	8574	86	9290	92	9955	98	10556	104	11077
74 1/8	7837	80 1/8	8590	86 1/8	9304	92 1/8	9968	98 1/8	10568	104 1/8	11087
74 1/4	7853	80 1/4	8605	86 1/4	9319	92 1/4	9981	98 1/4	10579	104 1/4	11097
74 3/8	7869	80 3/8	8620	86 3/8	9333	92 3/8	9995	98 3/8	10591	104 3/8	11106
74 1/2	7885	80 1/2	8636	86 1/2	9348	92 1/2	10008	98 1/2	10603	104 1/2	11116
74 5/8	7901	80 5/8	8651	86 5/8	9362	92 5/8	10021	98 5/8	10614	104 5/8	11126
74 3/4	7916	80 3/4	8666	86 3/4	9376	92 3/4	10034	98 3/4	10626	104 3/4	11135
74 7/8	7932	80 7/8	8681	86 7/8	9390	92 7/8	10047	98 7/8	10637	104 7/8	11145
75	7948	81	8697	87	9405	93	10060	99	10649	105	11155
75 1/8	7964	81 1/8	8712	87 1/8	9419	93 1/8	10073	99 1/8	10660	105 1/8	11164
75 1/4	7980	81 1/4	8727	87 1/4	9433	93 1/4	10086	99 1/4	10672	105 1/4	11174
75 3/8	7996	81 3/8	8742	87 3/8	9447	93 3/8	10099	99 3/8	10683	105 3/8	11183
75 1/2	8012	81 1/2	8757	87 1/2	9461	93 1/2	10112	99 1/2	10694	105 1/2	11192
75 5/8	8028	81 5/8	8772	87 5/8	9476	93 5/8	10125	99 5/8	10706	105 5/8	11202
75 3/4	8044	81 3/4	8788	87 3/4	9490	93 3/4	10138	99 3/4	10717	105 3/4	11211
75 7/8	8060	81 7/8	8803	87 7/8	9504	93 7/8	10150	99 7/8	10728	105 7/8	11220
76	8075	82	8818	88	9518	94	10163	100	10739	106	11230
76 1/8	8091	82 1/8	8833	88 1/8	9532	94 1/8	10176	100 1/8	10750	106 1/8	11239
76 1/4	8107	82 1/4	8848	88 1/4	9546	94 1/4	10189	100 1/4	10762	106 1/4	11248
76 3/8	8123	82 3/8	8863	88 3/8	9560	94 3/8	10201	100 3/8	10773	106 3/8	11257
76 1/2	8139	82 1/2	8878	88 1/2	9574	94 1/2	10214	100 1/2	10784	106 1/2	11266
76 5/8	8154	82 5/8	8893	88 5/8	9588	94 5/8	10227	100 5/8	10795	106 5/8	11275
76 3/4	8170	82 3/4	8908	88 3/4	9602	94 3/4	10239	100 3/4	10806	106 3/4	11284
76 7/8	8186	82 7/8	8923	88 7/8	9616	94 7/8	10252	100 7/8	10817	106 7/8	11293
77	8202	83	8938	89	9630	95	10264	101	10827	107	11302
77 1/8	8217	83 1/8	8953	89 1/8	9643	95 1/8	10277	101 1/8	10838	107 1/8	11310
77 1/4	8233	83 1/4	8967	89 1/4	9657	95 1/4	10289	101 1/4	10849	107 1/4	11319
77 3/8	8249	83 3/8	8982	89 3/8	9671	95 3/8	10302	101 3/8	10860	107 3/8	11328
77 1/2	8264	83 1/2	8997	89 1/2	9685	95 1/2	10314	101 1/2	10871	107 1/2	11336
77 5/8	8280	83 5/8	9012	89 5/8	9699	95 5/8	10327	101 5/8	10881	107 5/8	11345
77 3/4	8296	83 3/4	9027	89 3/4	9712	95 3/4	10339	101 3/4	10892	107 3/4	11353
77 7/8	8311	83 7/8	9042	89 7/8	9726	95 7/8	10351	101 7/8	10903	107 7/8	11362
78	8327	84	9056	90	9740	96	10364	102	10913	108	11370

10'-12000 DWT6 Double-Wall Tank

11873 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	11379	114 1/8	11716
108 1/4	11387	114 1/4	11721
108 3/8	11395	114 3/8	11726
108 1/2	11404	114 1/2	11732
108 5/8	11412	114 5/8	11737
108 3/4	11420	114 3/4	11742
108 7/8	11428	114 7/8	11747
109	11436	115	11752
109 1/8	11444	115 1/8	11757
109 1/4	11452	115 1/4	11762
109 3/8	11460	115 3/8	11767
109 1/2	11468	115 1/2	11772
109 5/8	11475	115 5/8	11776
109 3/4	11483	115 3/4	11781
109 7/8	11491	115 7/8	11786
110	11498	116	11790
110 1/8	11506	116 1/8	11794
110 1/4	11513	116 1/4	11799
110 3/8	11521	116 3/8	11803
110 1/2	11528	116 1/2	11807
110 5/8	11535	116 5/8	11811
110 3/4	11543	116 3/4	11815
110 7/8	11550	116 7/8	11818
111	11557	117	11822
111 1/8	11564	117 1/8	11826
111 1/4	11571	117 1/4	11829
111 3/8	11578	117 3/8	11833
111 1/2	11585	117 1/2	11836
111 5/8	11592	117 5/8	11839
111 3/4	11599	117 3/4	11842
111 7/8	11605	117 7/8	11845
112	11612	118	11848
112 1/8	11619	118 1/8	11851
112 1/4	11625	118 1/4	11854
112 3/8	11632	118 3/8	11856
112 1/2	11638	118 1/2	11859
112 5/8	11644	118 5/8	11861
112 3/4	11651	118 3/4	11863
112 7/8	11657	118 7/8	11865
113	11663	119	11867
113 1/8	11669	119 1/8	11868
113 1/4	11675	119 1/4	11870
113 3/8	11681	119 3/8	11871
113 1/2	11687	119 1/2	11872
113 5/8	11693	119 5/8	11873
113 3/4	11699		
113 7/8	11704		
114	11710		



CONTAINMENT
SOLUTIONS®

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
 DAYCO/NATIONAL
 DAYTON, OH
 TEL: 1-800-283-2926
 FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.