

**DWT6 10'-14000 COMPARTMENT**  
**14,296 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	4	6 1/8	248	12 1/8	687	18 1/8	1,260	24 1/8	1,938
1/4	6	6 1/4	256	12 1/4	698	18 1/4	1,273	24 1/4	1,953
3/8	8	6 3/8	263	12 3/8	708	18 3/8	1,286	24 3/8	1,968
1/2	10	6 1/2	271	12 1/2	719	18 1/2	1,299	24 1/2	1,983
5/8	13	6 5/8	278	12 5/8	730	18 5/8	1,313	24 5/8	1,998
3/4	16	6 3/4	286	12 3/4	741	18 3/4	1,326	24 3/4	2,013
7/8	18	6 7/8	294	12 7/8	752	18 7/8	1,339	24 7/8	2,029
1	22	7	302	13	763	19	1,353	25	2,044
1 1/8	25	7 1/8	310	13 1/8	774	19 1/8	1,366	25 1/8	2,059
1 1/4	28	7 1/4	318	13 1/4	785	19 1/4	1,380	25 1/4	2,075
1 3/8	32	7 3/8	326	13 3/8	796	19 3/8	1,393	25 3/8	2,090
1 1/2	35	7 1/2	335	13 1/2	808	19 1/2	1,407	25 1/2	2,105
1 5/8	39	7 5/8	343	13 5/8	819	19 5/8	1,420	25 5/8	2,121
1 3/4	43	7 3/4	351	13 3/4	830	19 3/4	1,434	25 3/4	2,136
1 7/8	47	7 7/8	360	13 7/8	842	19 7/8	1,448	25 7/8	2,152
2	51	8	368	14	853	20	1,462	26	2,168
2 1/8	56	8 1/8	377	14 1/8	865	20 1/8	1,475	26 1/8	2,183
2 1/4	60	8 1/4	386	14 1/4	876	20 1/4	1,489	26 1/4	2,199
2 3/8	64	8 3/8	394	14 3/8	888	20 3/8	1,503	26 3/8	2,214
2 1/2	69	8 1/2	403	14 1/2	900	20 1/2	1,517	26 1/2	2,230
2 5/8	74	8 5/8	412	14 5/8	911	20 5/8	1,531	26 5/8	2,246
2 3/4	79	8 3/4	421	14 3/4	923	20 3/4	1,545	26 3/4	2,262
2 7/8	84	8 7/8	430	14 7/8	935	20 7/8	1,559	26 7/8	2,277
3	89	9	439	15	947	21	1,573	27	2,293
3 1/8	94	9 1/8	448	15 1/8	959	21 1/8	1,587	27 1/8	2,309
3 1/4	100	9 1/4	457	15 1/4	971	21 1/4	1,601	27 1/4	2,325
3 3/8	105	9 3/8	467	15 3/8	983	21 3/8	1,615	27 3/8	2,341
3 1/2	110	9 1/2	476	15 1/2	995	21 1/2	1,630	27 1/2	2,357
3 5/8	116	9 5/8	485	15 5/8	1,007	21 5/8	1,644	27 5/8	2,373
3 3/4	122	9 3/4	495	15 3/4	1,019	21 3/4	1,658	27 3/4	2,389
3 7/8	128	9 7/8	505	15 7/8	1,031	21 7/8	1,673	27 7/8	2,405
4	134	10	514	16	1,044	22	1,687	28	2,421
4 1/8	140	10 1/8	524	16 1/8	1,056	22 1/8	1,701	28 1/8	2,437
4 1/4	146	10 1/4	534	16 1/4	1,068	22 1/4	1,716	28 1/4	2,453
4 3/8	152	10 3/8	543	16 3/8	1,081	22 3/8	1,730	28 3/8	2,469
4 1/2	158	10 1/2	553	16 1/2	1,093	22 1/2	1,745	28 1/2	2,486
4 5/8	165	10 5/8	563	16 5/8	1,106	22 5/8	1,760	28 5/8	2,502
4 3/4	171	10 3/4	573	16 3/4	1,118	22 3/4	1,774	28 3/4	2,518
4 7/8	178	10 7/8	583	16 7/8	1,131	22 7/8	1,789	28 7/8	2,535
5	184	11	593	17	1,144	23	1,804	29	2,551
5 1/8	191	11 1/8	603	17 1/8	1,156	23 1/8	1,818	29 1/8	2,567
5 1/4	198	11 1/4	614	17 1/4	1,169	23 1/4	1,833	29 1/4	2,584
5 3/8	205	11 3/8	624	17 3/8	1,182	23 3/8	1,848	29 3/8	2,600
5 1/2	212	11 1/2	634	17 1/2	1,195	23 1/2	1,863	29 1/2	2,616
5 5/8	219	11 5/8	645	17 5/8	1,208	23 5/8	1,878	29 5/8	2,633
5 3/4	226	11 3/4	655	17 3/4	1,221	23 3/4	1,893	29 3/4	2,649
5 7/8	233	11 7/8	666	17 7/8	1,234	23 7/8	1,908	29 7/8	2,666
6	241	12	676	18	1,247	24	1,923	30	2,683

**DWT6 10'-14000 COMPARTMENT**  
**14,296 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	2,699	36 1/8	3,527	42 1/8	4,407	48 1/8	5,324	54 1/8	6,265
30 1/4	2,716	36 1/4	3,545	42 1/4	4,425	48 1/4	5,343	54 1/4	6,285
30 3/8	2,732	36 3/8	3,563	42 3/8	4,444	48 3/8	5,362	54 3/8	6,304
30 1/2	2,749	36 1/2	3,581	42 1/2	4,463	48 1/2	5,382	54 1/2	6,324
30 5/8	2,766	36 5/8	3,599	42 5/8	4,482	48 5/8	5,401	54 5/8	6,344
30 3/4	2,783	36 3/4	3,617	42 3/4	4,501	48 3/4	5,421	54 3/4	6,364
30 7/8	2,799	36 7/8	3,635	42 7/8	4,520	48 7/8	5,440	54 7/8	6,384
31	2,816	37	3,653	43	4,538	49	5,460	55	6,403
31 1/8	2,833	37 1/8	3,671	43 1/8	4,557	49 1/8	5,479	55 1/8	6,423
31 1/4	2,850	37 1/4	3,689	43 1/4	4,576	49 1/4	5,499	55 1/4	6,443
31 3/8	2,867	37 3/8	3,707	43 3/8	4,595	49 3/8	5,518	55 3/8	6,463
31 1/2	2,884	37 1/2	3,725	43 1/2	4,614	49 1/2	5,538	55 1/2	6,483
31 5/8	2,901	37 5/8	3,743	43 5/8	4,633	49 5/8	5,557	55 5/8	6,503
31 3/4	2,918	37 3/4	3,761	43 3/4	4,652	49 3/4	5,577	55 3/4	6,522
31 7/8	2,935	37 7/8	3,779	43 7/8	4,671	49 7/8	5,596	55 7/8	6,542
32	2,952	38	3,797	44	4,690	50	5,616	56	6,562
32 1/8	2,969	38 1/8	3,815	44 1/8	4,709	50 1/8	5,635	56 1/8	6,582
32 1/4	2,986	38 1/4	3,834	44 1/4	4,728	50 1/4	5,655	56 1/4	6,602
32 3/8	3,003	38 3/8	3,852	44 3/8	4,747	50 3/8	5,674	56 3/8	6,622
32 1/2	3,020	38 1/2	3,870	44 1/2	4,766	50 1/2	5,694	56 1/2	6,641
32 5/8	3,037	38 5/8	3,888	44 5/8	4,785	50 5/8	5,714	56 5/8	6,661
32 3/4	3,054	38 3/4	3,907	44 3/4	4,804	50 3/4	5,733	56 3/4	6,681
32 7/8	3,071	38 7/8	3,925	44 7/8	4,823	50 7/8	5,753	56 7/8	6,701
33	3,089	39	3,943	45	4,842	51	5,772	57	6,721
33 1/8	3,106	39 1/8	3,961	45 1/8	4,861	51 1/8	5,792	57 1/8	6,741
33 1/4	3,123	39 1/4	3,980	45 1/4	4,880	51 1/4	5,812	57 1/4	6,761
33 3/8	3,140	39 3/8	3,998	45 3/8	4,900	51 3/8	5,831	57 3/8	6,780
33 1/2	3,158	39 1/2	4,017	45 1/2	4,919	51 1/2	5,851	57 1/2	6,800
33 5/8	3,175	39 5/8	4,035	45 5/8	4,938	51 5/8	5,871	57 5/8	6,820
33 3/4	3,193	39 3/4	4,053	45 3/4	4,957	51 3/4	5,890	57 3/4	6,840
33 7/8	3,210	39 7/8	4,072	45 7/8	4,976	51 7/8	5,910	57 7/8	6,860
34	3,227	40	4,090	46	4,995	52	5,930	58	6,880
34 1/8	3,245	40 1/8	4,109	46 1/8	5,015	52 1/8	5,949	58 1/8	6,900
34 1/4	3,262	40 1/4	4,127	46 1/4	5,034	52 1/4	5,969	58 1/4	6,920
34 3/8	3,280	40 3/8	4,146	46 3/8	5,053	52 3/8	5,989	58 3/8	6,939
34 1/2	3,297	40 1/2	4,164	46 1/2	5,072	52 1/2	6,008	58 1/2	6,959
34 5/8	3,315	40 5/8	4,183	46 5/8	5,092	52 5/8	6,028	58 5/8	6,979
34 3/4	3,332	40 3/4	4,201	46 3/4	5,111	52 3/4	6,048	58 3/4	6,999
34 7/8	3,350	40 7/8	4,220	46 7/8	5,130	52 7/8	6,067	58 7/8	7,019
35	3,368	41	4,239	47	5,149	53	6,087	59	7,039
35 1/8	3,385	41 1/8	4,257	47 1/8	5,169	53 1/8	6,107	59 1/8	7,059
35 1/4	3,403	41 1/4	4,276	47 1/4	5,188	53 1/4	6,127	59 1/4	7,079
35 3/8	3,421	41 3/8	4,294	47 3/8	5,207	53 3/8	6,146	59 3/8	7,099
35 1/2	3,438	41 1/2	4,313	47 1/2	5,227	53 1/2	6,166	59 1/2	7,118
35 5/8	3,456	41 5/8	4,332	47 5/8	5,246	53 5/8	6,186	59 5/8	7,138
35 3/4	3,474	41 3/4	4,351	47 3/4	5,266	53 3/4	6,206	59 3/4	7,158
35 7/8	3,492	41 7/8	4,369	47 7/8	5,285	53 7/8	6,225	59 7/8	7,178
36	3,509	42	4,388	48	5,304	54	6,245	60	7,198

**DWT6 10'-14000 COMPARTMENT**  
**14,296 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	7,218	66 1/8	8,170	72 1/8	9,108	78 1/8	10,021	84 1/8	10,893
60 1/4	7,238	66 1/4	8,190	72 1/4	9,128	78 1/4	10,039	84 1/4	10,911
60 3/8	7,258	66 3/8	8,209	72 3/8	9,147	78 3/8	10,058	84 3/8	10,929
60 1/2	7,277	66 1/2	8,229	72 1/2	9,166	78 1/2	10,076	84 1/2	10,946
60 5/8	7,297	66 5/8	8,249	72 5/8	9,186	78 5/8	10,095	84 5/8	10,964
60 3/4	7,317	66 3/4	8,268	72 3/4	9,205	78 3/4	10,114	84 3/4	10,982
60 7/8	7,337	66 7/8	8,288	72 7/8	9,224	78 7/8	10,132	84 7/8	10,999
61	7,357	67	8,308	73	9,243	79	10,151	85	11,017
61 1/8	7,377	67 1/8	8,328	73 1/8	9,263	79 1/8	10,169	85 1/8	11,034
61 1/4	7,397	67 1/4	8,347	73 1/4	9,282	79 1/4	10,188	85 1/4	11,052
61 3/8	7,417	67 3/8	8,367	73 3/8	9,301	79 3/8	10,206	85 3/8	11,069
61 1/2	7,437	67 1/2	8,387	73 1/2	9,320	79 1/2	10,225	85 1/2	11,087
61 5/8	7,456	67 5/8	8,406	73 5/8	9,339	79 5/8	10,243	85 5/8	11,104
61 3/4	7,476	67 3/4	8,426	73 3/4	9,359	79 3/4	10,262	85 3/4	11,121
61 7/8	7,496	67 7/8	8,446	73 7/8	9,378	79 7/8	10,280	85 7/8	11,139
62	7,516	68	8,465	74	9,397	80	10,298	86	11,156
62 1/8	7,536	68 1/8	8,485	74 1/8	9,416	80 1/8	10,317	86 1/8	11,173
62 1/4	7,556	68 1/4	8,504	74 1/4	9,435	80 1/4	10,335	86 1/4	11,191
62 3/8	7,576	68 3/8	8,524	74 3/8	9,454	80 3/8	10,353	86 3/8	11,208
62 1/2	7,595	68 1/2	8,544	74 1/2	9,473	80 1/2	10,372	86 1/2	11,225
62 5/8	7,615	68 5/8	8,563	74 5/8	9,492	80 5/8	10,390	86 5/8	11,242
62 3/4	7,635	68 3/4	8,583	74 3/4	9,511	80 3/4	10,408	86 3/4	11,259
62 7/8	7,655	68 7/8	8,602	74 7/8	9,531	80 7/8	10,426	86 7/8	11,277
63	7,675	69	8,622	75	9,550	81	10,445	87	11,294
63 1/8	7,695	69 1/8	8,642	75 1/8	9,569	81 1/8	10,463	87 1/8	11,311
63 1/4	7,715	69 1/4	8,661	75 1/4	9,588	81 1/4	10,481	87 1/4	11,328
63 3/8	7,734	69 3/8	8,681	75 3/8	9,607	81 3/8	10,499	87 3/8	11,345
63 1/2	7,754	69 1/2	8,700	75 1/2	9,626	81 1/2	10,517	87 1/2	11,362
63 5/8	7,774	69 5/8	8,720	75 5/8	9,645	81 5/8	10,535	87 5/8	11,379
63 3/4	7,794	69 3/4	8,739	75 3/4	9,663	81 3/4	10,554	87 3/4	11,396
63 7/8	7,814	69 7/8	8,759	75 7/8	9,682	81 7/8	10,572	87 7/8	11,413
64	7,834	70	8,778	76	9,701	82	10,590	88	11,430
64 1/8	7,853	70 1/8	8,798	76 1/8	9,720	82 1/8	10,608	88 1/8	11,447
64 1/4	7,873	70 1/4	8,817	76 1/4	9,739	82 1/4	10,626	88 1/4	11,463
64 3/8	7,893	70 3/8	8,837	76 3/8	9,758	82 3/8	10,644	88 3/8	11,480
64 1/2	7,913	70 1/2	8,856	76 1/2	9,777	82 1/2	10,662	88 1/2	11,497
64 5/8	7,933	70 5/8	8,876	76 5/8	9,796	82 5/8	10,680	88 5/8	11,514
64 3/4	7,952	70 3/4	8,895	76 3/4	9,815	82 3/4	10,698	88 3/4	11,531
64 7/8	7,972	70 7/8	8,915	76 7/8	9,833	82 7/8	10,716	88 7/8	11,547
65	7,992	71	8,934	77	9,852	83	10,733	89	11,564
65 1/8	8,012	71 1/8	8,953	77 1/8	9,871	83 1/8	10,751	89 1/8	11,581
65 1/4	8,032	71 1/4	8,973	77 1/4	9,890	83 1/4	10,769	89 1/4	11,597
65 3/8	8,051	71 3/8	8,992	77 3/8	9,908	83 3/8	10,787	89 3/8	11,614
65 1/2	8,071	71 1/2	9,012	77 1/2	9,927	83 1/2	10,805	89 1/2	11,630
65 5/8	8,091	71 5/8	9,031	77 5/8	9,946	83 5/8	10,823	89 5/8	11,647
65 3/4	8,111	71 3/4	9,050	77 3/4	9,965	83 3/4	10,840	89 3/4	11,663
65 7/8	8,130	71 7/8	9,070	77 7/8	9,983	83 7/8	10,858	89 7/8	11,680
66	8,150	72	9,089	78	10,002	84	10,876	90	11,696

**DWT6 10'-14000 COMPARTMENT**  
**14,296 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	11,713	96 1/8	12,463	102 1/8	13,127	108 1/8	13,683	114 1/8	14,099
90 1/4	11,729	96 1/4	12,478	102 1/4	13,140	108 1/4	13,693	114 1/4	14,105
90 3/8	11,746	96 3/8	12,493	102 3/8	13,153	108 3/8	13,703	114 3/8	14,112
90 1/2	11,762	96 1/2	12,508	102 1/2	13,165	108 1/2	13,713	114 1/2	14,119
90 5/8	11,778	96 5/8	12,522	102 5/8	13,178	108 5/8	13,723	114 5/8	14,125
90 3/4	11,795	96 3/4	12,537	102 3/4	13,191	108 3/4	13,733	114 3/4	14,132
90 7/8	11,811	96 7/8	12,551	102 7/8	13,203	108 7/8	13,743	114 7/8	14,138
91	11,827	97	12,566	103	13,216	109	13,753	115	14,145
91 1/8	11,843	97 1/8	12,580	103 1/8	13,228	109 1/8	13,763	115 1/8	14,151
91 1/4	11,859	97 1/4	12,595	103 1/4	13,240	109 1/4	13,773	115 1/4	14,157
91 3/8	11,875	97 3/8	12,609	103 3/8	13,253	109 3/8	13,782	115 3/8	14,163
91 1/2	11,891	97 1/2	12,624	103 1/2	13,265	109 1/2	13,792	115 1/2	14,169
91 5/8	11,908	97 5/8	12,638	103 5/8	13,277	109 5/8	13,801	115 5/8	14,175
91 3/4	11,924	97 3/4	12,652	103 3/4	13,289	109 3/4	13,811	115 3/4	14,180
91 7/8	11,940	97 7/8	12,667	103 7/8	13,302	109 7/8	13,820	115 7/8	14,186
92	11,956	98	12,681	104	13,314	110	13,830	116	14,192
92 1/8	11,971	98 1/8	12,695	104 1/8	13,326	110 1/8	13,839	116 1/8	14,197
92 1/4	11,987	98 1/4	12,709	104 1/4	13,338	110 1/4	13,848	116 1/4	14,202
92 3/8	12,003	98 3/8	12,723	104 3/8	13,350	110 3/8	13,857	116 3/8	14,207
92 1/2	12,019	98 1/2	12,738	104 1/2	13,362	110 1/2	13,866	116 1/2	14,213
92 5/8	12,035	98 5/8	12,752	104 5/8	13,373	110 5/8	13,875	116 5/8	14,218
92 3/4	12,051	98 3/4	12,766	104 3/4	13,385	110 3/4	13,884	116 3/4	14,223
92 7/8	12,066	98 7/8	12,780	104 7/8	13,397	110 7/8	13,893	116 7/8	14,227
93	12,082	99	12,793	105	13,409	111	13,902	117	14,232
93 1/8	12,098	99 1/8	12,807	105 1/8	13,420	111 1/8	13,911	117 1/8	14,237
93 1/4	12,113	99 1/4	12,821	105 1/4	13,432	111 1/4	13,920	117 1/4	14,241
93 3/8	12,129	99 3/8	12,835	105 3/8	13,443	111 3/8	13,928	117 3/8	14,245
93 1/2	12,145	99 1/2	12,849	105 1/2	13,455	111 1/2	13,937	117 1/2	14,249
93 5/8	12,160	99 5/8	12,862	105 5/8	13,466	111 5/8	13,945	117 5/8	14,253
93 3/4	12,176	99 3/4	12,876	105 3/4	13,478	111 3/4	13,954	117 3/4	14,257
93 7/8	12,191	99 7/8	12,890	105 7/8	13,489	111 7/8	13,962	117 7/8	14,261
94	12,206	100	12,903	106	13,500	112	13,970	118	14,265
94 1/8	12,222	100 1/8	12,917	106 1/8	13,511	112 1/8	13,978	118 1/8	14,268
94 1/4	12,237	100 1/4	12,930	106 1/4	13,522	112 1/4	13,986	118 1/4	14,272
94 3/8	12,253	100 3/8	12,944	106 3/8	13,534	112 3/8	13,994	118 3/8	14,275
94 1/2	12,268	100 1/2	12,957	106 1/2	13,545	112 1/2	14,002	118 1/2	14,278
94 5/8	12,283	100 5/8	12,970	106 5/8	13,556	112 5/8	14,010	118 5/8	14,281
94 3/4	12,298	100 3/4	12,984	106 3/4	13,566	112 3/4	14,018	118 3/4	14,284
94 7/8	12,313	100 7/8	12,997	106 7/8	13,577	112 7/8	14,026	118 7/8	14,286
95	12,329	101	13,010	107	13,588	113	14,033	119	14,288
95 1/8	12,344	101 1/8	13,023	107 1/8	13,599	113 1/8	14,041	119 1/8	14,291
95 1/4	12,359	101 1/4	13,037	107 1/4	13,610	113 1/4	14,048	119 1/4	14,292
95 3/8	12,374	101 3/8	13,050	107 3/8	13,620	113 3/8	14,056	119 3/8	14,294
95 1/2	12,389	101 1/2	13,063	107 1/2	13,631	113 1/2	14,063	119 1/2	14,295
95 5/8	12,404	101 5/8	13,076	107 5/8	13,641	113 5/8	14,070	119 5/8	14,296
95 3/4	12,419	101 3/4	13,089	107 3/4	13,652	113 3/4	14,078		
95 7/8	12,434	101 7/8	13,102	107 7/8	13,662	113 7/8	14,085		
96	12,448	102	13,114	108	13,673	114	14,092		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.