

10'-15000 DWT6 Double-Wall Tank 15104 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	4	6 1/8	265	12 1/8	731	18 1/8	1339	24 1/8	2056	30 1/8	2860
1/4	6	6 1/4	273	12 1/4	743	18 1/4	1352	24 1/4	2072	30 1/4	2878
3/8	9	6 3/8	281	12 3/8	754	18 3/8	1366	24 3/8	2088	30 3/8	2896
1/2	11	6 1/2	289	12 1/2	765	18 1/2	1380	24 1/2	2104	30 1/2	2913
5/8	14	6 5/8	297	12 5/8	777	18 5/8	1394	24 5/8	2120	30 5/8	2931
3/4	17	6 3/4	305	12 3/4	789	18 3/4	1409	24 3/4	2136	30 3/4	2948
7/8	20	6 7/8	314	12 7/8	800	18 7/8	1423	24 7/8	2152	30 7/8	2966
1	23	7	322	13	812	19	1437	25	2168	31	2984
1 1/8	27	7 1/8	331	13 1/8	824	19 1/8	1451	25 1/8	2184	31 1/8	3002
1 1/4	30	7 1/4	339	13 1/4	835	19 1/4	1465	25 1/4	2200	31 1/4	3020
1 3/8	34	7 3/8	348	13 3/8	847	19 3/8	1480	25 3/8	2217	31 3/8	3037
1 1/2	38	7 1/2	357	13 1/2	859	19 1/2	1494	25 1/2	2233	31 1/2	3055
1 5/8	42	7 5/8	366	13 5/8	871	19 5/8	1509	25 5/8	2249	31 5/8	3073
1 3/4	46	7 3/4	375	13 3/4	883	19 3/4	1523	25 3/4	2266	31 3/4	3091
1 7/8	50	7 7/8	384	13 7/8	895	19 7/8	1537	25 7/8	2282	31 7/8	3109
2	55	8	393	14	908	20	1552	26	2299	32	3127
2 1/8	59	8 1/8	402	14 1/8	920	20 1/8	1567	26 1/8	2315	32 1/8	3145
2 1/4	64	8 1/4	411	14 1/4	932	20 1/4	1581	26 1/4	2332	32 1/4	3163
2 3/8	69	8 3/8	420	14 3/8	944	20 3/8	1596	26 3/8	2348	32 3/8	3181
2 1/2	74	8 1/2	430	14 1/2	957	20 1/2	1611	26 1/2	2365	32 1/2	3199
2 5/8	79	8 5/8	439	14 5/8	969	20 5/8	1625	26 5/8	2381	32 5/8	3217
2 3/4	84	8 3/4	449	14 3/4	982	20 3/4	1640	26 3/4	2398	32 3/4	3235
2 7/8	90	8 7/8	458	14 7/8	994	20 7/8	1655	26 7/8	2415	32 7/8	3253
3	95	9	468	15	1007	21	1670	27	2432	33	3272
3 1/8	101	9 1/8	478	15 1/8	1020	21 1/8	1685	27 1/8	2448	33 1/8	3290
3 1/4	106	9 1/4	488	15 1/4	1032	21 1/4	1700	27 1/4	2465	33 1/4	3308
3 3/8	112	9 3/8	497	15 3/8	1045	21 3/8	1715	27 3/8	2482	33 3/8	3326
3 1/2	118	9 1/2	507	15 1/2	1058	21 1/2	1730	27 1/2	2499	33 1/2	3345
3 5/8	124	9 5/8	517	15 5/8	1071	21 5/8	1745	27 5/8	2516	33 5/8	3363
3 3/4	130	9 3/4	527	15 3/4	1084	21 3/4	1760	27 3/4	2533	33 3/4	3381
3 7/8	137	9 7/8	538	15 7/8	1097	21 7/8	1775	27 7/8	2550	33 7/8	3400
4	143	10	548	16	1110	22	1791	28	2567	34	3418
4 1/8	149	10 1/8	558	16 1/8	1123	22 1/8	1806	28 1/8	2584	34 1/8	3436
4 1/4	156	10 1/4	568	16 1/4	1136	22 1/4	1821	28 1/4	2601	34 1/4	3455
4 3/8	162	10 3/8	579	16 3/8	1149	22 3/8	1837	28 3/8	2618	34 3/8	3473
4 1/2	169	10 1/2	589	16 1/2	1162	22 1/2	1852	28 1/2	2635	34 1/2	3492
4 5/8	176	10 5/8	600	16 5/8	1175	22 5/8	1867	28 5/8	2652	34 5/8	3510
4 3/4	183	10 3/4	610	16 3/4	1189	22 3/4	1883	28 3/4	2669	34 3/4	3529
4 7/8	190	10 7/8	621	16 7/8	1202	22 7/8	1898	28 7/8	2686	34 7/8	3548
5	197	11	632	17	1216	23	1914	29	2704	35	3566
5 1/8	204	11 1/8	643	17 1/8	1229	23 1/8	1930	29 1/8	2721	35 1/8	3585
5 1/4	211	11 1/4	653	17 1/4	1243	23 1/4	1945	29 1/4	2738	35 1/4	3603
5 3/8	219	11 3/8	664	17 3/8	1256	23 3/8	1961	29 3/8	2756	35 3/8	3622
5 1/2	226	11 1/2	675	17 1/2	1270	23 1/2	1977	29 1/2	2773	35 1/2	3641
5 5/8	234	11 5/8	686	17 5/8	1283	23 5/8	1992	29 5/8	2790	35 5/8	3659
5 3/4	241	11 3/4	697	17 3/4	1297	23 3/4	2008	29 3/4	2808	35 3/4	3678
5 7/8	249	11 7/8	709	17 7/8	1311	23 7/8	2024	29 7/8	2825	35 7/8	3697
6	257	12	720	18	1325	24	2040	30	2843	36	3716

10'-15000 DWT6 Double-Wall Tank 15104 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	3735	42 1/8	4662	48 1/8	5629	54 1/8	6621	60 1/8	7626	66 1/8	8629
36 1/4	3753	42 1/4	4682	48 1/4	5650	54 1/4	6642	60 1/4	7646	66 1/4	8650
36 3/8	3772	42 3/8	4702	48 3/8	5670	54 3/8	6663	60 3/8	7667	66 3/8	8670
36 1/2	3791	42 1/2	4722	48 1/2	5690	54 1/2	6684	60 1/2	7688	66 1/2	8691
36 5/8	3810	42 5/8	4742	48 5/8	5711	54 5/8	6705	60 5/8	7709	66 5/8	8712
36 3/4	3829	42 3/4	4761	48 3/4	5731	54 3/4	6726	60 3/4	7730	66 3/4	8733
36 7/8	3848	42 7/8	4781	48 7/8	5752	54 7/8	6746	60 7/8	7751	66 7/8	8754
37	3867	43	4801	49	5773	55	6767	61	7772	67	8774
37 1/8	3886	43 1/8	4821	49 1/8	5793	55 1/8	6788	61 1/8	7793	67 1/8	8795
37 1/4	3905	43 1/4	4841	49 1/4	5814	55 1/4	6809	61 1/4	7814	67 1/4	8816
37 3/8	3924	43 3/8	4861	49 3/8	5834	55 3/8	6830	61 3/8	7835	67 3/8	8836
37 1/2	3943	43 1/2	4881	49 1/2	5855	55 1/2	6851	61 1/2	7856	67 1/2	8857
37 5/8	3962	43 5/8	4901	49 5/8	5875	55 5/8	6872	61 5/8	7877	67 5/8	8878
37 3/4	3981	43 3/4	4921	49 3/4	5896	55 3/4	6893	61 3/4	7898	67 3/4	8899
37 7/8	4000	43 7/8	4941	49 7/8	5916	55 7/8	6913	61 7/8	7919	67 7/8	8919
38	4019	44	4961	50	5937	56	6934	62	7940	68	8940
38 1/8	4039	44 1/8	4981	50 1/8	5958	56 1/8	6955	62 1/8	7961	68 1/8	8961
38 1/4	4058	44 1/4	5001	50 1/4	5978	56 1/4	6976	62 1/4	7982	68 1/4	8981
38 3/8	4077	44 3/8	5021	50 3/8	5999	56 3/8	6997	62 3/8	8003	68 3/8	9002
38 1/2	4096	44 1/2	5041	50 1/2	6020	56 1/2	7018	62 1/2	8023	68 1/2	9023
38 5/8	4115	44 5/8	5061	50 5/8	6040	56 5/8	7039	62 5/8	8044	68 5/8	9043
38 3/4	4135	44 3/4	5081	50 3/4	6061	56 3/4	7060	62 3/4	8065	68 3/4	9064
38 7/8	4154	44 7/8	5101	50 7/8	6081	56 7/8	7081	62 7/8	8086	68 7/8	9085
39	4173	45	5122	51	6102	57	7102	63	8107	69	9105
39 1/8	4193	45 1/8	5142	51 1/8	6123	57 1/8	7123	63 1/8	8128	69 1/8	9126
39 1/4	4212	45 1/4	5162	51 1/4	6144	57 1/4	7144	63 1/4	8149	69 1/4	9147
39 3/8	4231	45 3/8	5182	51 3/8	6164	57 3/8	7165	63 3/8	8170	69 3/8	9167
39 1/2	4251	45 1/2	5202	51 1/2	6185	57 1/2	7185	63 1/2	8191	69 1/2	9188
39 5/8	4270	45 5/8	5222	51 5/8	6206	57 5/8	7206	63 5/8	8212	69 5/8	9208
39 3/4	4290	45 3/4	5243	51 3/4	6226	57 3/4	7227	63 3/4	8233	69 3/4	9229
39 7/8	4309	45 7/8	5263	51 7/8	6247	57 7/8	7248	63 7/8	8254	69 7/8	9250
40	4329	46	5283	52	6268	58	7269	64	8274	70	9270
40 1/8	4348	46 1/8	5303	52 1/8	6289	58 1/8	7290	64 1/8	8295	70 1/8	9291
40 1/4	4367	46 1/4	5324	52 1/4	6309	58 1/4	7311	64 1/4	8316	70 1/4	9311
40 3/8	4387	46 3/8	5344	52 3/8	6330	58 3/8	7332	64 3/8	8337	70 3/8	9332
40 1/2	4407	46 1/2	5364	52 1/2	6351	58 1/2	7353	64 1/2	8358	70 1/2	9352
40 5/8	4426	46 5/8	5384	52 5/8	6372	58 5/8	7374	64 5/8	8379	70 5/8	9373
40 3/4	4446	46 3/4	5405	52 3/4	6392	58 3/4	7395	64 3/4	8400	70 3/4	9393
40 7/8	4465	46 7/8	5425	52 7/8	6413	58 7/8	7416	64 7/8	8421	70 7/8	9414
41	4485	47	5445	53	6434	59	7437	65	8441	71	9434
41 1/8	4505	47 1/8	5466	53 1/8	6455	59 1/8	7458	65 1/8	8462	71 1/8	9455
41 1/4	4524	47 1/4	5486	53 1/4	6475	59 1/4	7479	65 1/4	8483	71 1/4	9475
41 3/8	4544	47 3/8	5507	53 3/8	6496	59 3/8	7500	65 3/8	8504	71 3/8	9496
41 1/2	4564	47 1/2	5527	53 1/2	6517	59 1/2	7521	65 1/2	8525	71 1/2	9516
41 5/8	4583	47 5/8	5547	53 5/8	6538	59 5/8	7542	65 5/8	8546	71 5/8	9537
41 3/4	4603	47 3/4	5568	53 3/4	6559	59 3/4	7563	65 3/4	8566	71 3/4	9557
41 7/8	4623	47 7/8	5588	53 7/8	6580	59 7/8	7584	65 7/8	8587	71 7/8	9577
42	4643	48	5609	54	6600	60	7605	66	8608	72	9598

**10'-15000 DWT6 Double-Wall Tank
15104 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	9618	78 1/8	10580	84 1/8	11501	90 1/8	12366	96 1/8	13159	102 1/8	13862
72 1/4	9638	78 1/4	10600	84 1/4	11520	90 1/4	12383	96 1/4	13175	102 1/4	13875
72 3/8	9659	78 3/8	10619	84 3/8	11538	90 3/8	12401	96 3/8	13190	102 3/8	13889
72 1/2	9679	78 1/2	10639	84 1/2	11557	90 1/2	12418	96 1/2	13206	102 1/2	13902
72 5/8	9699	78 5/8	10659	84 5/8	11575	90 5/8	12435	96 5/8	13221	102 5/8	13916
72 3/4	9720	78 3/4	10678	84 3/4	11594	90 3/4	12452	96 3/4	13237	102 3/4	13929
72 7/8	9740	78 7/8	10698	84 7/8	11612	90 7/8	12469	96 7/8	13252	102 7/8	13942
73	9760	79	10717	85	11631	91	12487	97	13268	103	13955
73 1/8	9781	79 1/8	10737	85 1/8	11649	91 1/8	12504	97 1/8	13283	103 1/8	13969
73 1/4	9801	79 1/4	10756	85 1/4	11668	91 1/4	12521	97 1/4	13298	103 1/4	13982
73 3/8	9821	79 3/8	10776	85 3/8	11686	91 3/8	12538	97 3/8	13314	103 3/8	13995
73 1/2	9841	79 1/2	10795	85 1/2	11705	91 1/2	12555	97 1/2	13329	103 1/2	14008
73 5/8	9862	79 5/8	10815	85 5/8	11723	91 5/8	12572	97 5/8	13344	103 5/8	14021
73 3/4	9882	79 3/4	10834	85 3/4	11741	91 3/4	12589	97 3/4	13359	103 3/4	14034
73 7/8	9902	79 7/8	10854	85 7/8	11760	91 7/8	12606	97 7/8	13374	103 7/8	14047
74	9922	80	10873	86	11778	92	12622	98	13389	104	14059
74 1/8	9942	80 1/8	10892	86 1/8	11796	92 1/8	12639	98 1/8	13404	104 1/8	14072
74 1/4	9963	80 1/4	10912	86 1/4	11814	92 1/4	12656	98 1/4	13419	104 1/4	14085
74 3/8	9983	80 3/8	10931	86 3/8	11833	92 3/8	12673	98 3/8	13434	104 3/8	14097
74 1/2	10003	80 1/2	10950	86 1/2	11851	92 1/2	12689	98 1/2	13449	104 1/2	14110
74 5/8	10023	80 5/8	10970	86 5/8	11869	92 5/8	12706	98 5/8	13464	104 5/8	14123
74 3/4	10043	80 3/4	10989	86 3/4	11887	92 3/4	12723	98 3/4	13479	104 3/4	14135
74 7/8	10063	80 7/8	11008	86 7/8	11905	92 7/8	12739	98 7/8	13494	104 7/8	14148
75	10083	81	11027	87	11923	93	12756	99	13508	105	14160
75 1/8	10103	81 1/8	11047	87 1/8	11941	93 1/8	12773	99 1/8	13523	105 1/8	14172
75 1/4	10123	81 1/4	11066	87 1/4	11959	93 1/4	12789	99 1/4	13538	105 1/4	14185
75 3/8	10143	81 3/8	11085	87 3/8	11977	93 3/8	12806	99 3/8	13552	105 3/8	14197
75 1/2	10163	81 1/2	11104	87 1/2	11995	93 1/2	12822	99 1/2	13567	105 1/2	14209
75 5/8	10183	81 5/8	11123	87 5/8	12013	93 5/8	12838	99 5/8	13581	105 5/8	14221
75 3/4	10203	81 3/4	11142	87 3/4	12031	93 3/4	12855	99 3/4	13596	105 3/4	14233
75 7/8	10223	81 7/8	11161	87 7/8	12049	93 7/8	12871	99 7/8	13610	105 7/8	14245
76	10243	82	11180	88	12067	94	12888	100	13625	106	14257
76 1/8	10263	82 1/8	11199	88 1/8	12085	94 1/8	12904	100 1/8	13639	106 1/8	14269
76 1/4	10283	82 1/4	11218	88 1/4	12103	94 1/4	12920	100 1/4	13653	106 1/4	14281
76 3/8	10303	82 3/8	11237	88 3/8	12120	94 3/8	12936	100 3/8	13667	106 3/8	14292
76 1/2	10323	82 1/2	11256	88 1/2	12138	94 1/2	12952	100 1/2	13682	106 1/2	14304
76 5/8	10343	82 5/8	11275	88 5/8	12156	94 5/8	12969	100 5/8	13696	106 5/8	14316
76 3/4	10363	82 3/4	11294	88 3/4	12173	94 3/4	12985	100 3/4	13710	106 3/4	14327
76 7/8	10383	82 7/8	11313	88 7/8	12191	94 7/8	13001	100 7/8	13724	106 7/8	14339
77	10402	83	11332	89	12209	95	13017	101	13738	107	14350
77 1/8	10422	83 1/8	11351	89 1/8	12226	95 1/8	13033	101 1/8	13752	107 1/8	14362
77 1/4	10442	83 1/4	11370	89 1/4	12244	95 1/4	13049	101 1/4	13766	107 1/4	14373
77 3/8	10462	83 3/8	11389	89 3/8	12261	95 3/8	13065	101 3/8	13780	107 3/8	14384
77 1/2	10482	83 1/2	11407	89 1/2	12279	95 1/2	13080	101 1/2	13793	107 1/2	14396
77 5/8	10501	83 5/8	11426	89 5/8	12296	95 5/8	13096	101 5/8	13807	107 5/8	14407
77 3/4	10521	83 3/4	11445	89 3/4	12314	95 3/4	13112	101 3/4	13821	107 3/4	14418
77 7/8	10541	83 7/8	11464	89 7/8	12331	95 7/8	13128	101 7/8	13835	107 7/8	14429
78	10560	84	11482	90	12349	96	13143	102	13848	108	14440

10'-15000 DWT6 Double-Wall Tank 15104 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	14451	114 1/8	14893
108 1/4	14462	114 1/4	14900
108 3/8	14473	114 3/8	14907
108 1/2	14483	114 1/2	14914
108 5/8	14494	114 5/8	14921
108 3/4	14505	114 3/4	14928
108 7/8	14515	114 7/8	14935
109	14526	115	14942
109 1/8	14536	115 1/8	14949
109 1/4	14546	115 1/4	14955
109 3/8	14557	115 3/8	14961
109 1/2	14567	115 1/2	14968
109 5/8	14577	115 5/8	14974
109 3/4	14587	115 3/4	14980
109 7/8	14597	115 7/8	14986
110	14607	116	14992
110 1/8	14617	116 1/8	14998
110 1/4	14627	116 1/4	15004
110 3/8	14636	116 3/8	15009
110 1/2	14646	116 1/2	15015
110 5/8	14656	116 5/8	15020
110 3/4	14665	116 3/4	15025
110 7/8	14674	116 7/8	15030
111	14684	117	15035
111 1/8	14693	117 1/8	15040
111 1/4	14702	117 1/4	15045
111 3/8	14712	117 3/8	15049
111 1/2	14721	117 1/2	15054
111 5/8	14730	117 5/8	15058
111 3/4	14739	117 3/4	15062
111 7/8	14747	117 7/8	15067
112	14756	118	15070
112 1/8	14765	118 1/8	15074
112 1/4	14773	118 1/4	15078
112 3/8	14782	118 3/8	15081
112 1/2	14790	118 1/2	15084
112 5/8	14799	118 5/8	15088
112 3/4	14807	118 3/4	15090
112 7/8	14815	118 7/8	15093
113	14823	119	15096
113 1/8	14832	119 1/8	15098
113 1/4	14840	119 1/4	15100
113 3/8	14847	119 3/8	15102
113 1/2	14855	119 1/2	15103
113 5/8	14863	119 5/8	15104
113 3/4	14871		
113 7/8	14878		
114	14886		



**CONTAINMENT
SOLUTIONS®**

How To Properly Gauge Your Tank

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gauging or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled.

Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.