

DWT6 10'-17000 COMPARTMENT
17,528 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	5	6 1/8	315	12 1/8	864	18 1/8	1,575	24 1/8	2,410
1/4	8	6 1/4	325	12 1/4	877	18 1/4	1,591	24 1/4	2,428
3/8	10	6 3/8	334	12 3/8	891	18 3/8	1,607	24 3/8	2,447
1/2	13	6 1/2	344	12 1/2	904	18 1/2	1,623	24 1/2	2,466
5/8	17	6 5/8	353	12 5/8	918	18 5/8	1,640	24 5/8	2,484
3/4	20	6 3/4	363	12 3/4	931	18 3/4	1,656	24 3/4	2,503
7/8	24	6 7/8	373	12 7/8	945	18 7/8	1,673	24 7/8	2,522
1	28	7	383	13	959	19	1,689	25	2,540
1 1/8	32	7 1/8	393	13 1/8	973	19 1/8	1,706	25 1/8	2,559
1 1/4	36	7 1/4	403	13 1/4	986	19 1/4	1,723	25 1/4	2,578
1 3/8	41	7 3/8	414	13 3/8	1,000	19 3/8	1,739	25 3/8	2,597
1 1/2	45	7 1/2	424	13 1/2	1,014	19 1/2	1,756	25 1/2	2,616
1 5/8	50	7 5/8	434	13 5/8	1,028	19 5/8	1,773	25 5/8	2,635
1 3/4	55	7 3/4	445	13 3/4	1,042	19 3/4	1,790	25 3/4	2,654
1 7/8	60	7 7/8	456	13 7/8	1,057	19 7/8	1,807	25 7/8	2,673
2	66	8	466	14	1,071	20	1,824	26	2,692
2 1/8	71	8 1/8	477	14 1/8	1,085	20 1/8	1,841	26 1/8	2,711
2 1/4	77	8 1/4	488	14 1/4	1,100	20 1/4	1,858	26 1/4	2,731
2 3/8	83	8 3/8	499	14 3/8	1,114	20 3/8	1,875	26 3/8	2,750
2 1/2	89	8 1/2	510	14 1/2	1,128	20 1/2	1,892	26 1/2	2,769
2 5/8	95	8 5/8	521	14 5/8	1,143	20 5/8	1,909	26 5/8	2,788
2 3/4	101	8 3/4	532	14 3/4	1,158	20 3/4	1,926	26 3/4	2,808
2 7/8	107	8 7/8	544	14 7/8	1,172	20 7/8	1,944	26 7/8	2,827
3	114	9	555	15	1,187	21	1,961	27	2,847
3 1/8	121	9 1/8	566	15 1/8	1,202	21 1/8	1,978	27 1/8	2,866
3 1/4	127	9 1/4	578	15 1/4	1,217	21 1/4	1,996	27 1/4	2,885
3 3/8	134	9 3/8	589	15 3/8	1,232	21 3/8	2,013	27 3/8	2,905
3 1/2	141	9 1/2	601	15 1/2	1,247	21 1/2	2,031	27 1/2	2,925
3 5/8	148	9 5/8	613	15 5/8	1,262	21 5/8	2,048	27 5/8	2,944
3 3/4	156	9 3/4	625	15 3/4	1,277	21 3/4	2,066	27 3/4	2,964
3 7/8	163	9 7/8	637	15 7/8	1,292	21 7/8	2,084	27 7/8	2,984
4	171	10	649	16	1,307	22	2,102	28	3,003
4 1/8	178	10 1/8	661	16 1/8	1,322	22 1/8	2,119	28 1/8	3,023
4 1/4	186	10 1/4	673	16 1/4	1,338	22 1/4	2,137	28 1/4	3,043
4 3/8	194	10 3/8	685	16 3/8	1,353	22 3/8	2,155	28 3/8	3,063
4 1/2	202	10 1/2	698	16 1/2	1,369	22 1/2	2,173	28 1/2	3,083
4 5/8	210	10 5/8	710	16 5/8	1,384	22 5/8	2,191	28 5/8	3,102
4 3/4	218	10 3/4	722	16 3/4	1,400	22 3/4	2,209	28 3/4	3,122
4 7/8	226	10 7/8	735	16 7/8	1,415	22 7/8	2,227	28 7/8	3,142
5	235	11	747	17	1,431	23	2,245	29	3,162
5 1/8	243	11 1/8	760	17 1/8	1,447	23 1/8	2,263	29 1/8	3,182
5 1/4	252	11 1/4	773	17 1/4	1,463	23 1/4	2,281	29 1/4	3,202
5 3/8	261	11 3/8	786	17 3/8	1,478	23 3/8	2,300	29 3/8	3,223
5 1/2	269	11 1/2	799	17 1/2	1,494	23 1/2	2,318	29 1/2	3,243
5 5/8	278	11 5/8	812	17 5/8	1,510	23 5/8	2,336	29 5/8	3,263
5 3/4	287	11 3/4	825	17 3/4	1,526	23 3/4	2,355	29 3/4	3,283
5 7/8	297	11 7/8	838	17 7/8	1,542	23 7/8	2,373	29 7/8	3,303
6	306	12	851	18	1,558	24	2,391	30	3,324

DWT6 10'-17000 COMPARTMENT
17,528 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	3,344	36 1/8	4,356	42 1/8	5,429	48 1/8	6,546	54 1/8	7,690
30 1/4	3,364	36 1/4	4,378	42 1/4	5,452	48 1/4	6,569	54 1/4	7,714
30 3/8	3,385	36 3/8	4,400	42 3/8	5,475	48 3/8	6,593	54 3/8	7,738
30 1/2	3,405	36 1/2	4,422	42 1/2	5,498	48 1/2	6,616	54 1/2	7,763
30 5/8	3,426	36 5/8	4,444	42 5/8	5,521	48 5/8	6,640	54 5/8	7,787
30 3/4	3,446	36 3/4	4,466	42 3/4	5,544	48 3/4	6,664	54 3/4	7,811
30 7/8	3,467	36 7/8	4,488	42 7/8	5,567	48 7/8	6,687	54 7/8	7,835
31	3,487	37	4,510	43	5,590	49	6,711	55	7,859
31 1/8	3,508	37 1/8	4,532	43 1/8	5,613	49 1/8	6,735	55 1/8	7,883
31 1/4	3,528	37 1/4	4,554	43 1/4	5,636	49 1/4	6,759	55 1/4	7,907
31 3/8	3,549	37 3/8	4,576	43 3/8	5,659	49 3/8	6,782	55 3/8	7,931
31 1/2	3,570	37 1/2	4,598	43 1/2	5,682	49 1/2	6,806	55 1/2	7,955
31 5/8	3,591	37 5/8	4,620	43 5/8	5,705	49 5/8	6,830	55 5/8	7,979
31 3/4	3,611	37 3/4	4,642	43 3/4	5,728	49 3/4	6,853	55 3/4	8,003
31 7/8	3,632	37 7/8	4,664	43 7/8	5,751	49 7/8	6,877	55 7/8	8,027
32	3,653	38	4,686	44	5,774	50	6,901	56	8,052
32 1/8	3,674	38 1/8	4,708	44 1/8	5,797	50 1/8	6,925	56 1/8	8,076
32 1/4	3,695	38 1/4	4,730	44 1/4	5,820	50 1/4	6,949	56 1/4	8,100
32 3/8	3,716	38 3/8	4,753	44 3/8	5,843	50 3/8	6,972	56 3/8	8,124
32 1/2	3,737	38 1/2	4,775	44 1/2	5,867	50 1/2	6,996	56 1/2	8,148
32 5/8	3,757	38 5/8	4,797	44 5/8	5,890	50 5/8	7,020	56 5/8	8,172
32 3/4	3,778	38 3/4	4,819	44 3/4	5,913	50 3/4	7,044	56 3/4	8,196
32 7/8	3,800	38 7/8	4,842	44 7/8	5,936	50 7/8	7,068	56 7/8	8,221
33	3,821	39	4,864	45	5,960	51	7,092	57	8,245
33 1/8	3,842	39 1/8	4,886	45 1/8	5,983	51 1/8	7,115	57 1/8	8,269
33 1/4	3,863	39 1/4	4,909	45 1/4	6,006	51 1/4	7,139	57 1/4	8,293
33 3/8	3,884	39 3/8	4,931	45 3/8	6,029	51 3/8	7,163	57 3/8	8,317
33 1/2	3,905	39 1/2	4,954	45 1/2	6,053	51 1/2	7,187	57 1/2	8,341
33 5/8	3,926	39 5/8	4,976	45 5/8	6,076	51 5/8	7,211	57 5/8	8,365
33 3/4	3,948	39 3/4	4,998	45 3/4	6,099	51 3/4	7,235	57 3/4	8,390
33 7/8	3,969	39 7/8	5,021	45 7/8	6,123	51 7/8	7,259	57 7/8	8,414
34	3,990	40	5,043	46	6,146	52	7,283	58	8,438
34 1/8	4,011	40 1/8	5,066	46 1/8	6,170	52 1/8	7,307	58 1/8	8,462
34 1/4	4,033	40 1/4	5,088	46 1/4	6,193	52 1/4	7,330	58 1/4	8,486
34 3/8	4,054	40 3/8	5,111	46 3/8	6,216	52 3/8	7,354	58 3/8	8,510
34 1/2	4,076	40 1/2	5,134	46 1/2	6,240	52 1/2	7,378	58 1/2	8,535
34 5/8	4,097	40 5/8	5,156	46 5/8	6,263	52 5/8	7,402	58 5/8	8,559
34 3/4	4,119	40 3/4	5,179	46 3/4	6,287	52 3/4	7,426	58 3/4	8,583
34 7/8	4,140	40 7/8	5,202	46 7/8	6,310	52 7/8	7,450	58 7/8	8,607
35	4,162	41	5,224	47	6,334	53	7,474	59	8,631
35 1/8	4,183	41 1/8	5,247	47 1/8	6,357	53 1/8	7,498	59 1/8	8,655
35 1/4	4,205	41 1/4	5,270	47 1/4	6,381	53 1/4	7,522	59 1/4	8,680
35 3/8	4,226	41 3/8	5,292	47 3/8	6,404	53 3/8	7,546	59 3/8	8,704
35 1/2	4,248	41 1/2	5,315	47 1/2	6,428	53 1/2	7,570	59 1/2	8,728
35 5/8	4,270	41 5/8	5,338	47 5/8	6,451	53 5/8	7,594	59 5/8	8,752
35 3/4	4,291	41 3/4	5,361	47 3/4	6,475	53 3/4	7,618	59 3/4	8,776
35 7/8	4,313	41 7/8	5,383	47 7/8	6,498	53 7/8	7,642	59 7/8	8,800
36	4,335	42	5,406	48	6,522	54	7,666	60	8,825

DWT6 10'-17000 COMPARTMENT
17,528 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	8,849	66 1/8	10,006	72 1/8	11,148	78 1/8	12,259	84 1/8	13,324
60 1/4	8,873	66 1/4	10,030	72 1/4	11,171	78 1/4	12,281	84 1/4	13,345
60 3/8	8,897	66 3/8	10,054	72 3/8	11,195	78 3/8	12,304	84 3/8	13,367
60 1/2	8,921	66 1/2	10,078	72 1/2	11,218	78 1/2	12,327	84 1/2	13,388
60 5/8	8,945	66 5/8	10,102	72 5/8	11,242	78 5/8	12,349	84 5/8	13,410
60 3/4	8,970	66 3/4	10,126	72 3/4	11,265	78 3/4	12,372	84 3/4	13,431
60 7/8	8,994	66 7/8	10,150	72 7/8	11,289	78 7/8	12,395	84 7/8	13,453
61	9,018	67	10,174	73	11,312	79	12,417	85	13,474
61 1/8	9,042	67 1/8	10,198	73 1/8	11,335	79 1/8	12,440	85 1/8	13,495
61 1/4	9,066	67 1/4	10,222	73 1/4	11,359	79 1/4	12,462	85 1/4	13,517
61 3/8	9,090	67 3/8	10,246	73 3/8	11,382	79 3/8	12,485	85 3/8	13,538
61 1/2	9,115	67 1/2	10,270	73 1/2	11,406	79 1/2	12,507	85 1/2	13,559
61 5/8	9,139	67 5/8	10,294	73 5/8	11,429	79 5/8	12,530	85 5/8	13,581
61 3/4	9,163	67 3/4	10,317	73 3/4	11,452	79 3/4	12,552	85 3/4	13,602
61 7/8	9,187	67 7/8	10,341	73 7/8	11,476	79 7/8	12,575	85 7/8	13,623
62	9,211	68	10,365	74	11,499	80	12,597	86	13,644
62 1/8	9,235	68 1/8	10,389	74 1/8	11,522	80 1/8	12,620	86 1/8	13,666
62 1/4	9,260	68 1/4	10,413	74 1/4	11,545	80 1/4	12,642	86 1/4	13,687
62 3/8	9,284	68 3/8	10,437	74 3/8	11,569	80 3/8	12,664	86 3/8	13,708
62 1/2	9,308	68 1/2	10,461	74 1/2	11,592	80 1/2	12,687	86 1/2	13,729
62 5/8	9,332	68 5/8	10,484	74 5/8	11,615	80 5/8	12,709	86 5/8	13,750
62 3/4	9,356	68 3/4	10,508	74 3/4	11,638	80 3/4	12,731	86 3/4	13,771
62 7/8	9,380	68 7/8	10,532	74 7/8	11,662	80 7/8	12,753	86 7/8	13,792
63	9,404	69	10,556	75	11,685	81	12,776	87	13,813
63 1/8	9,428	69 1/8	10,580	75 1/8	11,708	81 1/8	12,798	87 1/8	13,834
63 1/4	9,453	69 1/4	10,604	75 1/4	11,731	81 1/4	12,820	87 1/4	13,855
63 3/8	9,477	69 3/8	10,627	75 3/8	11,754	81 3/8	12,842	87 3/8	13,875
63 1/2	9,501	69 1/2	10,651	75 1/2	11,777	81 1/2	12,864	87 1/2	13,896
63 5/8	9,525	69 5/8	10,675	75 5/8	11,800	81 5/8	12,887	87 5/8	13,917
63 3/4	9,549	69 3/4	10,699	75 3/4	11,824	81 3/4	12,909	87 3/4	13,938
63 7/8	9,573	69 7/8	10,722	75 7/8	11,847	81 7/8	12,931	87 7/8	13,958
64	9,597	70	10,746	76	11,870	82	12,953	88	13,979
64 1/8	9,621	70 1/8	10,770	76 1/8	11,893	82 1/8	12,975	88 1/8	14,000
64 1/4	9,645	70 1/4	10,794	76 1/4	11,916	82 1/4	12,997	88 1/4	14,020
64 3/8	9,669	70 3/8	10,817	76 3/8	11,939	82 3/8	13,019	88 3/8	14,041
64 1/2	9,694	70 1/2	10,841	76 1/2	11,962	82 1/2	13,041	88 1/2	14,062
64 5/8	9,718	70 5/8	10,865	76 5/8	11,985	82 5/8	13,063	88 5/8	14,082
64 3/4	9,742	70 3/4	10,888	76 3/4	12,008	82 3/4	13,085	88 3/4	14,103
64 7/8	9,766	70 7/8	10,912	76 7/8	12,031	82 7/8	13,106	88 7/8	14,123
65	9,790	71	10,936	77	12,053	83	13,128	89	14,143
65 1/8	9,814	71 1/8	10,959	77 1/8	12,076	83 1/8	13,150	89 1/8	14,164
65 1/4	9,838	71 1/4	10,983	77 1/4	12,099	83 1/4	13,172	89 1/4	14,184
65 3/8	9,862	71 3/8	11,006	77 3/8	12,122	83 3/8	13,194	89 3/8	14,205
65 1/2	9,886	71 1/2	11,030	77 1/2	12,145	83 1/2	13,215	89 1/2	14,225
65 5/8	9,910	71 5/8	11,054	77 5/8	12,168	83 5/8	13,237	89 5/8	14,245
65 3/4	9,934	71 3/4	11,077	77 3/4	12,190	83 3/4	13,259	89 3/4	14,265
65 7/8	9,958	71 7/8	11,101	77 7/8	12,213	83 7/8	13,280	89 7/8	14,286
66	9,982	72	11,124	78	12,236	84	13,302	90	14,306

DWT6 10'-17000 COMPARTMENT
17,528 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	14,326	96 1/8	15,247	102 1/8	16,066	108 1/8	16,755	114 1/8	17,276
90 1/4	14,346	96 1/4	15,265	102 1/4	16,082	108 1/4	16,768	114 1/4	17,285
90 3/8	14,366	96 3/8	15,283	102 3/8	16,097	108 3/8	16,781	114 3/8	17,294
90 1/2	14,386	96 1/2	15,301	102 1/2	16,113	108 1/2	16,793	114 1/2	17,302
90 5/8	14,406	96 5/8	15,319	102 5/8	16,129	108 5/8	16,806	114 5/8	17,310
90 3/4	14,426	96 3/4	15,337	102 3/4	16,144	108 3/4	16,818	114 3/4	17,318
90 7/8	14,446	96 7/8	15,355	102 7/8	16,160	108 7/8	16,831	114 7/8	17,327
91	14,466	97	15,373	103	16,175	109	16,843	115	17,335
91 1/8	14,486	97 1/8	15,391	103 1/8	16,191	109 1/8	16,855	115 1/8	17,342
91 1/4	14,505	97 1/4	15,409	103 1/4	16,206	109 1/4	16,868	115 1/4	17,350
91 3/8	14,525	97 3/8	15,427	103 3/8	16,221	109 3/8	16,880	115 3/8	17,358
91 1/2	14,545	97 1/2	15,444	103 1/2	16,236	109 1/2	16,892	115 1/2	17,365
91 5/8	14,564	97 5/8	15,462	103 5/8	16,252	109 5/8	16,904	115 5/8	17,373
91 3/4	14,584	97 3/4	15,480	103 3/4	16,267	109 3/4	16,915	115 3/4	17,380
91 7/8	14,604	97 7/8	15,497	103 7/8	16,282	109 7/8	16,927	115 7/8	17,387
92	14,623	98	15,515	104	16,297	110	16,939	116	17,394
92 1/8	14,643	98 1/8	15,532	104 1/8	16,312	110 1/8	16,950	116 1/8	17,401
92 1/4	14,662	98 1/4	15,550	104 1/4	16,326	110 1/4	16,962	116 1/4	17,408
92 3/8	14,682	98 3/8	15,567	104 3/8	16,341	110 3/8	16,973	116 3/8	17,414
92 1/2	14,701	98 1/2	15,585	104 1/2	16,356	110 1/2	16,985	116 1/2	17,421
92 5/8	14,721	98 5/8	15,602	104 5/8	16,371	110 5/8	16,996	116 5/8	17,427
92 3/4	14,740	98 3/4	15,619	104 3/4	16,385	110 3/4	17,007	116 3/4	17,434
92 7/8	14,759	98 7/8	15,636	104 7/8	16,400	110 7/8	17,018	116 7/8	17,440
93	14,779	99	15,654	105	16,414	111	17,029	117	17,446
93 1/8	14,798	99 1/8	15,671	105 1/8	16,429	111 1/8	17,040	117 1/8	17,451
93 1/4	14,817	99 1/4	15,688	105 1/4	16,443	111 1/4	17,051	117 1/4	17,457
93 3/8	14,836	99 3/8	15,705	105 3/8	16,457	111 3/8	17,062	117 3/8	17,463
93 1/2	14,855	99 1/2	15,722	105 1/2	16,472	111 1/2	17,073	117 1/2	17,468
93 5/8	14,874	99 5/8	15,739	105 5/8	16,486	111 5/8	17,083	117 5/8	17,473
93 3/4	14,893	99 3/4	15,755	105 3/4	16,500	111 3/4	17,094	117 3/4	17,478
93 7/8	14,912	99 7/8	15,772	105 7/8	16,514	111 7/8	17,104	117 7/8	17,483
94	14,931	100	15,789	106	16,528	112	17,115	118	17,488
94 1/8	14,950	100 1/8	15,806	106 1/8	16,542	112 1/8	17,125	118 1/8	17,492
94 1/4	14,969	100 1/4	15,822	106 1/4	16,556	112 1/4	17,135	118 1/4	17,496
94 3/8	14,988	100 3/8	15,839	106 3/8	16,570	112 3/8	17,145	118 3/8	17,501
94 1/2	15,007	100 1/2	15,855	106 1/2	16,583	112 1/2	17,155	118 1/2	17,504
94 5/8	15,025	100 5/8	15,872	106 5/8	16,597	112 5/8	17,165	118 5/8	17,508
94 3/4	15,044	100 3/4	15,888	106 3/4	16,611	112 3/4	17,175	118 3/4	17,512
94 7/8	15,063	100 7/8	15,905	106 7/8	16,624	112 7/8	17,185	118 7/8	17,515
95	15,081	101	15,921	107	16,637	113	17,194	119	17,518
95 1/8	15,100	101 1/8	15,937	107 1/8	16,651	113 1/8	17,204	119 1/8	17,521
95 1/4	15,118	101 1/4	15,954	107 1/4	16,664	113 1/4	17,213	119 1/4	17,523
95 3/8	15,137	101 3/8	15,970	107 3/8	16,677	113 3/8	17,223	119 3/8	17,525
95 1/2	15,155	101 1/2	15,986	107 1/2	16,691	113 1/2	17,232	119 1/2	17,527
95 5/8	15,174	101 5/8	16,002	107 5/8	16,704	113 5/8	17,241	119 5/8	17,528
95 3/4	15,192	101 3/4	16,018	107 3/4	16,717	113 3/4	17,250		
95 7/8	15,210	101 7/8	16,034	107 7/8	16,730	113 7/8	17,259		
96	15,229	102	16,050	108	16,743	114	17,268		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.