

DWT6 10'-19000 COMPARTMENT
19,143 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	6	6 1/8	349	12 1/8	953	18 1/8	1,732	24 1/8	2,646
1/4	9	6 1/4	359	12 1/4	967	18 1/4	1,750	24 1/4	2,666
3/8	12	6 3/8	370	12 3/8	982	18 3/8	1,768	24 3/8	2,686
1/2	15	6 1/2	380	12 1/2	997	18 1/2	1,785	24 1/2	2,707
5/8	19	6 5/8	391	12 5/8	1,012	18 5/8	1,803	24 5/8	2,727
3/4	22	6 3/4	402	12 3/4	1,027	18 3/4	1,821	24 3/4	2,748
7/8	27	6 7/8	413	12 7/8	1,042	18 7/8	1,839	24 7/8	2,768
1	31	7	424	13	1,057	19	1,858	25	2,789
1 1/8	35	7 1/8	435	13 1/8	1,072	19 1/8	1,876	25 1/8	2,809
1 1/4	40	7 1/4	446	13 1/4	1,087	19 1/4	1,894	25 1/4	2,830
1 3/8	45	7 3/8	457	13 3/8	1,102	19 3/8	1,912	25 3/8	2,850
1 1/2	50	7 1/2	469	13 1/2	1,118	19 1/2	1,931	25 1/2	2,871
1 5/8	56	7 5/8	480	13 5/8	1,133	19 5/8	1,949	25 5/8	2,892
1 3/4	61	7 3/4	492	13 3/4	1,149	19 3/4	1,967	25 3/4	2,913
1 7/8	67	7 7/8	503	13 7/8	1,164	19 7/8	1,986	25 7/8	2,934
2	73	8	515	14	1,180	20	2,005	26	2,954
2 1/8	79	8 1/8	527	14 1/8	1,195	20 1/8	2,023	26 1/8	2,975
2 1/4	85	8 1/4	539	14 1/4	1,211	20 1/4	2,042	26 1/4	2,996
2 3/8	92	8 3/8	551	14 3/8	1,227	20 3/8	2,061	26 3/8	3,017
2 1/2	98	8 1/2	563	14 1/2	1,243	20 1/2	2,079	26 1/2	3,038
2 5/8	105	8 5/8	575	14 5/8	1,259	20 5/8	2,098	26 5/8	3,059
2 3/4	112	8 3/4	588	14 3/4	1,275	20 3/4	2,117	26 3/4	3,081
2 7/8	119	8 7/8	600	14 7/8	1,291	20 7/8	2,136	26 7/8	3,102
3	126	9	613	15	1,307	21	2,155	27	3,123
3 1/8	134	9 1/8	625	15 1/8	1,323	21 1/8	2,174	27 1/8	3,144
3 1/4	141	9 1/4	638	15 1/4	1,340	21 1/4	2,193	27 1/4	3,166
3 3/8	149	9 3/8	651	15 3/8	1,356	21 3/8	2,212	27 3/8	3,187
3 1/2	157	9 1/2	664	15 1/2	1,372	21 1/2	2,231	27 1/2	3,208
3 5/8	165	9 5/8	677	15 5/8	1,389	21 5/8	2,251	27 5/8	3,230
3 3/4	173	9 3/4	690	15 3/4	1,406	21 3/4	2,270	27 3/4	3,251
3 7/8	181	9 7/8	703	15 7/8	1,422	21 7/8	2,289	27 7/8	3,273
4	189	10	716	16	1,439	22	2,309	28	3,294
4 1/8	197	10 1/8	729	16 1/8	1,456	22 1/8	2,328	28 1/8	3,316
4 1/4	206	10 1/4	743	16 1/4	1,472	22 1/4	2,348	28 1/4	3,337
4 3/8	215	10 3/8	756	16 3/8	1,489	22 3/8	2,367	28 3/8	3,359
4 1/2	224	10 1/2	770	16 1/2	1,506	22 1/2	2,387	28 1/2	3,381
4 5/8	232	10 5/8	783	16 5/8	1,523	22 5/8	2,406	28 5/8	3,403
4 3/4	241	10 3/4	797	16 3/4	1,540	22 3/4	2,426	28 3/4	3,424
4 7/8	251	10 7/8	811	16 7/8	1,557	22 7/8	2,446	28 7/8	3,446
5	260	11	825	17	1,575	23	2,466	29	3,468
5 1/8	269	11 1/8	838	17 1/8	1,592	23 1/8	2,485	29 1/8	3,490
5 1/4	279	11 1/4	853	17 1/4	1,609	23 1/4	2,505	29 1/4	3,512
5 3/8	288	11 3/8	867	17 3/8	1,627	23 3/8	2,525	29 3/8	3,534
5 1/2	298	11 1/2	881	17 1/2	1,644	23 1/2	2,545	29 1/2	3,556
5 5/8	308	11 5/8	895	17 5/8	1,661	23 5/8	2,565	29 5/8	3,578
5 3/4	318	11 3/4	909	17 3/4	1,679	23 3/4	2,585	29 3/4	3,600
5 7/8	328	11 7/8	924	17 7/8	1,697	23 7/8	2,605	29 7/8	3,622
6	338	12	938	18	1,714	24	2,626	30	3,644

DWT6 10'-19000 COMPARTMENT
19,143 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	3,666	36 1/8	4,771	42 1/8	5,940	48 1/8	7,156	54 1/8	8,403
30 1/4	3,689	36 1/4	4,795	42 1/4	5,965	48 1/4	7,182	54 1/4	8,429
30 3/8	3,711	36 3/8	4,818	42 3/8	5,990	48 3/8	7,208	54 3/8	8,455
30 1/2	3,733	36 1/2	4,842	42 1/2	6,015	48 1/2	7,233	54 1/2	8,481
30 5/8	3,755	36 5/8	4,866	42 5/8	6,040	48 5/8	7,259	54 5/8	8,508
30 3/4	3,778	36 3/4	4,890	42 3/4	6,065	48 3/4	7,285	54 3/4	8,534
30 7/8	3,800	36 7/8	4,914	42 7/8	6,090	48 7/8	7,311	54 7/8	8,560
31	3,823	37	4,938	43	6,115	49	7,337	55	8,586
31 1/8	3,845	37 1/8	4,962	43 1/8	6,140	49 1/8	7,362	55 1/8	8,612
31 1/4	3,868	37 1/4	4,986	43 1/4	6,165	49 1/4	7,388	55 1/4	8,639
31 3/8	3,890	37 3/8	5,010	43 3/8	6,190	49 3/8	7,414	55 3/8	8,665
31 1/2	3,913	37 1/2	5,034	43 1/2	6,215	49 1/2	7,440	55 1/2	8,691
31 5/8	3,935	37 5/8	5,058	43 5/8	6,240	49 5/8	7,466	55 5/8	8,717
31 3/4	3,958	37 3/4	5,082	43 3/4	6,266	49 3/4	7,492	55 3/4	8,744
31 7/8	3,981	37 7/8	5,106	43 7/8	6,291	49 7/8	7,517	55 7/8	8,770
32	4,003	38	5,130	44	6,316	50	7,543	56	8,796
32 1/8	4,026	38 1/8	5,154	44 1/8	6,341	50 1/8	7,569	56 1/8	8,822
32 1/4	4,049	38 1/4	5,179	44 1/4	6,366	50 1/4	7,595	56 1/4	8,849
32 3/8	4,072	38 3/8	5,203	44 3/8	6,392	50 3/8	7,621	56 3/8	8,875
32 1/2	4,095	38 1/2	5,227	44 1/2	6,417	50 1/2	7,647	56 1/2	8,901
32 5/8	4,118	38 5/8	5,251	44 5/8	6,442	50 5/8	7,673	56 5/8	8,927
32 3/4	4,140	38 3/4	5,276	44 3/4	6,467	50 3/4	7,699	56 3/4	8,954
32 7/8	4,163	38 7/8	5,300	44 7/8	6,493	50 7/8	7,725	56 7/8	8,980
33	4,186	39	5,324	45	6,518	51	7,751	57	9,006
33 1/8	4,209	39 1/8	5,349	45 1/8	6,543	51 1/8	7,777	57 1/8	9,032
33 1/4	4,232	39 1/4	5,373	45 1/4	6,569	51 1/4	7,803	57 1/4	9,059
33 3/8	4,256	39 3/8	5,397	45 3/8	6,594	51 3/8	7,829	57 3/8	9,085
33 1/2	4,279	39 1/2	5,422	45 1/2	6,619	51 1/2	7,855	57 1/2	9,111
33 5/8	4,302	39 5/8	5,446	45 5/8	6,645	51 5/8	7,881	57 5/8	9,138
33 3/4	4,325	39 3/4	5,471	45 3/4	6,670	51 3/4	7,907	57 3/4	9,164
33 7/8	4,348	39 7/8	5,495	45 7/8	6,696	51 7/8	7,933	57 7/8	9,190
34	4,371	40	5,520	46	6,721	52	7,959	58	9,217
34 1/8	4,395	40 1/8	5,544	46 1/8	6,747	52 1/8	7,985	58 1/8	9,243
34 1/4	4,418	40 1/4	5,569	46 1/4	6,772	52 1/4	8,011	58 1/4	9,269
34 3/8	4,441	40 3/8	5,593	46 3/8	6,798	52 3/8	8,037	58 3/8	9,295
34 1/2	4,465	40 1/2	5,618	46 1/2	6,823	52 1/2	8,063	58 1/2	9,322
34 5/8	4,488	40 5/8	5,643	46 5/8	6,849	52 5/8	8,089	58 5/8	9,348
34 3/4	4,511	40 3/4	5,667	46 3/4	6,874	52 3/4	8,115	58 3/4	9,374
34 7/8	4,535	40 7/8	5,692	46 7/8	6,900	52 7/8	8,141	58 7/8	9,401
35	4,558	41	5,717	47	6,925	53	8,167	59	9,427
35 1/8	4,582	41 1/8	5,742	47 1/8	6,951	53 1/8	8,194	59 1/8	9,453
35 1/4	4,605	41 1/4	5,766	47 1/4	6,977	53 1/4	8,220	59 1/4	9,480
35 3/8	4,629	41 3/8	5,791	47 3/8	7,002	53 3/8	8,246	59 3/8	9,506
35 1/2	4,653	41 1/2	5,816	47 1/2	7,028	53 1/2	8,272	59 1/2	9,532
35 5/8	4,676	41 5/8	5,841	47 5/8	7,054	53 5/8	8,298	59 5/8	9,559
35 3/4	4,700	41 3/4	5,865	47 3/4	7,079	53 3/4	8,324	59 3/4	9,585
35 7/8	4,723	41 7/8	5,890	47 7/8	7,105	53 7/8	8,350	59 7/8	9,611
36	4,747	42	5,915	48	7,131	54	8,377	60	9,638

DWT6 10'-19000 COMPARTMENT
19,143 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	9,664	66 1/8	10,924	72 1/8	12,167	78 1/8	13,377	84 1/8	14,538
60 1/4	9,690	66 1/4	10,950	72 1/4	12,193	78 1/4	13,402	84 1/4	14,562
60 3/8	9,716	66 3/8	10,976	72 3/8	12,218	78 3/8	13,427	84 3/8	14,585
60 1/2	9,743	66 1/2	11,002	72 1/2	12,244	78 1/2	13,451	84 1/2	14,609
60 5/8	9,769	66 5/8	11,028	72 5/8	12,269	78 5/8	13,476	84 5/8	14,632
60 3/4	9,795	66 3/4	11,054	72 3/4	12,295	78 3/4	13,501	84 3/4	14,656
60 7/8	9,822	66 7/8	11,080	72 7/8	12,320	78 7/8	13,525	84 7/8	14,679
61	9,848	67	11,106	73	12,346	79	13,550	85	14,702
61 1/8	9,874	67 1/8	11,133	73 1/8	12,371	79 1/8	13,575	85 1/8	14,726
61 1/4	9,901	67 1/4	11,159	73 1/4	12,397	79 1/4	13,599	85 1/4	14,749
61 3/8	9,927	67 3/8	11,185	73 3/8	12,422	79 3/8	13,624	85 3/8	14,772
61 1/2	9,953	67 1/2	11,211	73 1/2	12,448	79 1/2	13,648	85 1/2	14,795
61 5/8	9,980	67 5/8	11,237	73 5/8	12,473	79 5/8	13,673	85 5/8	14,819
61 3/4	10,006	67 3/4	11,263	73 3/4	12,499	79 3/4	13,697	85 3/4	14,842
61 7/8	10,032	67 7/8	11,289	73 7/8	12,524	79 7/8	13,722	85 7/8	14,865
62	10,058	68	11,315	74	12,549	80	13,746	86	14,888
62 1/8	10,085	68 1/8	11,341	74 1/8	12,575	80 1/8	13,771	86 1/8	14,911
62 1/4	10,111	68 1/4	11,367	74 1/4	12,600	80 1/4	13,795	86 1/4	14,934
62 3/8	10,137	68 3/8	11,393	74 3/8	12,625	80 3/8	13,819	86 3/8	14,957
62 1/2	10,164	68 1/2	11,419	74 1/2	12,651	80 1/2	13,844	86 1/2	14,980
62 5/8	10,190	68 5/8	11,445	74 5/8	12,676	80 5/8	13,868	86 5/8	15,003
62 3/4	10,216	68 3/4	11,471	74 3/4	12,701	80 3/4	13,892	86 3/4	15,026
62 7/8	10,242	68 7/8	11,497	74 7/8	12,727	80 7/8	13,917	86 7/8	15,049
63	10,269	69	11,523	75	12,752	81	13,941	87	15,072
63 1/8	10,295	69 1/8	11,548	75 1/8	12,777	81 1/8	13,965	87 1/8	15,095
63 1/4	10,321	69 1/4	11,574	75 1/4	12,802	81 1/4	13,989	87 1/4	15,117
63 3/8	10,347	69 3/8	11,600	75 3/8	12,828	81 3/8	14,013	87 3/8	15,140
63 1/2	10,374	69 1/2	11,626	75 1/2	12,853	81 1/2	14,037	87 1/2	15,163
63 5/8	10,400	69 5/8	11,652	75 5/8	12,878	81 5/8	14,062	87 5/8	15,185
63 3/4	10,426	69 3/4	11,678	75 3/4	12,903	81 3/4	14,086	87 3/4	15,208
63 7/8	10,452	69 7/8	11,704	75 7/8	12,928	81 7/8	14,110	87 7/8	15,231
64	10,479	70	11,730	76	12,953	82	14,134	88	15,253
64 1/8	10,505	70 1/8	11,755	76 1/8	12,978	82 1/8	14,158	88 1/8	15,276
64 1/4	10,531	70 1/4	11,781	76 1/4	13,004	82 1/4	14,182	88 1/4	15,298
64 3/8	10,557	70 3/8	11,807	76 3/8	13,029	82 3/8	14,206	88 3/8	15,321
64 1/2	10,584	70 1/2	11,833	76 1/2	13,054	82 1/2	14,230	88 1/2	15,343
64 5/8	10,610	70 5/8	11,859	76 5/8	13,079	82 5/8	14,254	88 5/8	15,366
64 3/4	10,636	70 3/4	11,884	76 3/4	13,104	82 3/4	14,277	88 3/4	15,388
64 7/8	10,662	70 7/8	11,910	76 7/8	13,129	82 7/8	14,301	88 7/8	15,410
65	10,688	71	11,936	77	13,154	83	14,325	89	15,433
65 1/8	10,715	71 1/8	11,962	77 1/8	13,178	83 1/8	14,349	89 1/8	15,455
65 1/4	10,741	71 1/4	11,987	77 1/4	13,203	83 1/4	14,373	89 1/4	15,477
65 3/8	10,767	71 3/8	12,013	77 3/8	13,228	83 3/8	14,396	89 3/8	15,499
65 1/2	10,793	71 1/2	12,039	77 1/2	13,253	83 1/2	14,420	89 1/2	15,522
65 5/8	10,819	71 5/8	12,064	77 5/8	13,278	83 5/8	14,444	89 5/8	15,544
65 3/4	10,845	71 3/4	12,090	77 3/4	13,303	83 3/4	14,467	89 3/4	15,566
65 7/8	10,872	71 7/8	12,116	77 7/8	13,328	83 7/8	14,491	89 7/8	15,588
66	10,898	72	12,141	78	13,352	84	14,515	90	15,610

DWT6 10'-19000 COMPARTMENT
19,143 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	15,632	96 1/8	16,638	102 1/8	17,534	108 1/8	18,291	114 1/8	18,865
90 1/4	15,654	96 1/4	16,658	102 1/4	17,552	108 1/4	18,305	114 1/4	18,874
90 3/8	15,676	96 3/8	16,678	102 3/8	17,569	108 3/8	18,319	114 3/8	18,884
90 1/2	15,697	96 1/2	16,698	102 1/2	17,586	108 1/2	18,333	114 1/2	18,893
90 5/8	15,719	96 5/8	16,717	102 5/8	17,603	108 5/8	18,347	114 5/8	18,902
90 3/4	15,741	96 3/4	16,737	102 3/4	17,620	108 3/4	18,360	114 3/4	18,911
90 7/8	15,763	96 7/8	16,757	102 7/8	17,637	108 7/8	18,374	114 7/8	18,920
91	15,784	97	16,776	103	17,654	109	18,387	115	18,929
91 1/8	15,806	97 1/8	16,796	103 1/8	17,671	109 1/8	18,401	115 1/8	18,937
91 1/4	15,828	97 1/4	16,815	103 1/4	17,688	109 1/4	18,414	115 1/4	18,946
91 3/8	15,849	97 3/8	16,835	103 3/8	17,705	109 3/8	18,428	115 3/8	18,954
91 1/2	15,871	97 1/2	16,854	103 1/2	17,721	109 1/2	18,441	115 1/2	18,963
91 5/8	15,892	97 5/8	16,874	103 5/8	17,738	109 5/8	18,454	115 5/8	18,971
91 3/4	15,914	97 3/4	16,893	103 3/4	17,755	109 3/4	18,467	115 3/4	18,979
91 7/8	15,935	97 7/8	16,912	103 7/8	17,771	109 7/8	18,480	115 7/8	18,987
92	15,957	98	16,931	104	17,787	110	18,493	116	18,995
92 1/8	15,978	98 1/8	16,950	104 1/8	17,804	110 1/8	18,505	116 1/8	19,002
92 1/4	15,999	98 1/4	16,970	104 1/4	17,820	110 1/4	18,518	116 1/4	19,010
92 3/8	16,020	98 3/8	16,989	104 3/8	17,836	110 3/8	18,531	116 3/8	19,017
92 1/2	16,042	98 1/2	17,008	104 1/2	17,852	110 1/2	18,543	116 1/2	19,024
92 5/8	16,063	98 5/8	17,026	104 5/8	17,869	110 5/8	18,556	116 5/8	19,031
92 3/4	16,084	98 3/4	17,045	104 3/4	17,885	110 3/4	18,568	116 3/4	19,038
92 7/8	16,105	98 7/8	17,064	104 7/8	17,901	110 7/8	18,580	116 7/8	19,045
93	16,126	99	17,083	105	17,917	111	18,592	117	19,052
93 1/8	16,147	99 1/8	17,102	105 1/8	17,932	111 1/8	18,604	117 1/8	19,058
93 1/4	16,168	99 1/4	17,120	105 1/4	17,948	111 1/4	18,616	117 1/4	19,064
93 3/8	16,189	99 3/8	17,139	105 3/8	17,964	111 3/8	18,628	117 3/8	19,070
93 1/2	16,210	99 1/2	17,158	105 1/2	17,979	111 1/2	18,640	117 1/2	19,076
93 5/8	16,231	99 5/8	17,176	105 5/8	17,995	111 5/8	18,652	117 5/8	19,082
93 3/4	16,252	99 3/4	17,194	105 3/4	18,010	111 3/4	18,663	117 3/4	19,088
93 7/8	16,272	99 7/8	17,213	105 7/8	18,026	111 7/8	18,675	117 7/8	19,093
94	16,293	100	17,231	106	18,041	112	18,686	118	19,098
94 1/8	16,314	100 1/8	17,250	106 1/8	18,057	112 1/8	18,698	118 1/8	19,103
94 1/4	16,334	100 1/4	17,268	106 1/4	18,072	112 1/4	18,709	118 1/4	19,108
94 3/8	16,355	100 3/8	17,286	106 3/8	18,087	112 3/8	18,720	118 3/8	19,113
94 1/2	16,375	100 1/2	17,304	106 1/2	18,102	112 1/2	18,731	118 1/2	19,117
94 5/8	16,396	100 5/8	17,322	106 5/8	18,117	112 5/8	18,742	118 5/8	19,121
94 3/4	16,416	100 3/4	17,340	106 3/4	18,132	112 3/4	18,753	118 3/4	19,125
94 7/8	16,437	100 7/8	17,358	106 7/8	18,147	112 7/8	18,763	118 7/8	19,129
95	16,457	101	17,376	107	18,161	113	18,774	119	19,132
95 1/8	16,477	101 1/8	17,394	107 1/8	18,176	113 1/8	18,784	119 1/8	19,135
95 1/4	16,498	101 1/4	17,412	107 1/4	18,191	113 1/4	18,795	119 1/4	19,138
95 3/8	16,518	101 3/8	17,429	107 3/8	18,205	113 3/8	18,805	119 3/8	19,140
95 1/2	16,538	101 1/2	17,447	107 1/2	18,220	113 1/2	18,815	119 1/2	19,142
95 5/8	16,558	101 5/8	17,465	107 5/8	18,234	113 5/8	18,825	119 5/8	19,143
95 3/4	16,578	101 3/4	17,482	107 3/4	18,249	113 3/4	18,835		
95 7/8	16,598	101 7/8	17,500	107 7/8	18,263	113 7/8	18,845		
96	16,618	102	17,517	108	18,277	114	18,855		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
 7915 East Elm Street
 Houston, TX 77012
 Phone (713) 926-4780
 E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
 Conroe, TX 77303
 Tel: 936-756-7731
 Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.