

DWT6 10'-21000 COMPARTMENT
20,759 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	7	6 1/8	382	12 1/8	1,041	18 1/8	1,889	24 1/8	2,882
1/4	9	6 1/4	393	12 1/4	1,057	18 1/4	1,909	24 1/4	2,904
3/8	13	6 3/8	405	12 3/8	1,073	18 3/8	1,928	24 3/8	2,926
1/2	16	6 1/2	417	12 1/2	1,089	18 1/2	1,947	24 1/2	2,948
5/8	20	6 5/8	428	12 5/8	1,106	18 5/8	1,967	24 5/8	2,970
3/4	25	6 3/4	440	12 3/4	1,122	18 3/4	1,987	24 3/4	2,992
7/8	29	6 7/8	452	12 7/8	1,138	18 7/8	2,006	24 7/8	3,015
1	34	7	464	13	1,155	19	2,026	25	3,037
1 1/8	39	7 1/8	476	13 1/8	1,171	19 1/8	2,046	25 1/8	3,059
1 1/4	44	7 1/4	488	13 1/4	1,188	19 1/4	2,065	25 1/4	3,082
1 3/8	50	7 3/8	501	13 3/8	1,204	19 3/8	2,085	25 3/8	3,104
1 1/2	56	7 1/2	513	13 1/2	1,221	19 1/2	2,105	25 1/2	3,126
1 5/8	61	7 5/8	526	13 5/8	1,238	19 5/8	2,125	25 5/8	3,149
1 3/4	68	7 3/4	538	13 3/4	1,255	19 3/4	2,145	25 3/4	3,171
1 7/8	74	7 7/8	551	13 7/8	1,272	19 7/8	2,165	25 7/8	3,194
2	80	8	564	14	1,289	20	2,186	26	3,217
2 1/8	87	8 1/8	577	14 1/8	1,306	20 1/8	2,206	26 1/8	3,239
2 1/4	94	8 1/4	590	14 1/4	1,323	20 1/4	2,226	26 1/4	3,262
2 3/8	101	8 3/8	603	14 3/8	1,340	20 3/8	2,246	26 3/8	3,285
2 1/2	108	8 1/2	617	14 1/2	1,357	20 1/2	2,267	26 1/2	3,308
2 5/8	116	8 5/8	630	14 5/8	1,375	20 5/8	2,287	26 5/8	3,331
2 3/4	123	8 3/4	643	14 3/4	1,392	20 3/4	2,308	26 3/4	3,354
2 7/8	131	8 7/8	657	14 7/8	1,410	20 7/8	2,328	26 7/8	3,377
3	139	9	671	15	1,427	21	2,349	27	3,400
3 1/8	147	9 1/8	684	15 1/8	1,445	21 1/8	2,370	27 1/8	3,423
3 1/4	155	9 1/4	698	15 1/4	1,463	21 1/4	2,390	27 1/4	3,446
3 3/8	163	9 3/8	712	15 3/8	1,481	21 3/8	2,411	27 3/8	3,469
3 1/2	172	9 1/2	726	15 1/2	1,498	21 1/2	2,432	27 1/2	3,492
3 5/8	181	9 5/8	740	15 5/8	1,516	21 5/8	2,453	27 5/8	3,515
3 3/4	189	9 3/4	755	15 3/4	1,534	21 3/4	2,474	27 3/4	3,539
3 7/8	198	9 7/8	769	15 7/8	1,552	21 7/8	2,495	27 7/8	3,562
4	208	10	783	16	1,571	22	2,516	28	3,585
4 1/8	217	10 1/8	798	16 1/8	1,589	22 1/8	2,537	28 1/8	3,609
4 1/4	226	10 1/4	812	16 1/4	1,607	22 1/4	2,558	28 1/4	3,632
4 3/8	236	10 3/8	827	16 3/8	1,625	22 3/8	2,579	28 3/8	3,656
4 1/2	245	10 1/2	842	16 1/2	1,644	22 1/2	2,601	28 1/2	3,679
4 5/8	255	10 5/8	857	16 5/8	1,662	22 5/8	2,622	28 5/8	3,703
4 3/4	265	10 3/4	872	16 3/4	1,681	22 3/4	2,643	28 3/4	3,726
4 7/8	275	10 7/8	887	16 7/8	1,700	22 7/8	2,665	28 7/8	3,750
5	285	11	902	17	1,718	23	2,686	29	3,774
5 1/8	295	11 1/8	917	17 1/8	1,737	23 1/8	2,708	29 1/8	3,797
5 1/4	306	11 1/4	932	17 1/4	1,756	23 1/4	2,729	29 1/4	3,821
5 3/8	316	11 3/8	947	17 3/8	1,775	23 3/8	2,751	29 3/8	3,845
5 1/2	327	11 1/2	963	17 1/2	1,794	23 1/2	2,773	29 1/2	3,869
5 5/8	338	11 5/8	978	17 5/8	1,813	23 5/8	2,794	29 5/8	3,893
5 3/4	349	11 3/4	994	17 3/4	1,832	23 3/4	2,816	29 3/4	3,917
5 7/8	360	11 7/8	1,010	17 7/8	1,851	23 7/8	2,838	29 7/8	3,941
6	371	12	1,026	18	1,870	24	2,860	30	3,965

DWT6 10'-21000 COMPARTMENT
20,759 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	3,989	36 1/8	5,185	42 1/8	6,451	48 1/8	7,767	54 1/8	9,115
30 1/4	4,013	36 1/4	5,211	42 1/4	6,478	48 1/4	7,795	54 1/4	9,144
30 3/8	4,037	36 3/8	5,237	42 3/8	6,505	48 3/8	7,823	54 3/8	9,172
30 1/2	4,061	36 1/2	5,263	42 1/2	6,532	48 1/2	7,851	54 1/2	9,200
30 5/8	4,085	36 5/8	5,289	42 5/8	6,559	48 5/8	7,878	54 5/8	9,229
30 3/4	4,110	36 3/4	5,314	42 3/4	6,586	48 3/4	7,906	54 3/4	9,257
30 7/8	4,134	36 7/8	5,340	42 7/8	6,613	48 7/8	7,934	54 7/8	9,285
31	4,158	37	5,366	43	6,640	49	7,962	55	9,314
31 1/8	4,183	37 1/8	5,392	43 1/8	6,668	49 1/8	7,990	55 1/8	9,342
31 1/4	4,207	37 1/4	5,418	43 1/4	6,695	49 1/4	8,018	55 1/4	9,370
31 3/8	4,231	37 3/8	5,444	43 3/8	6,722	49 3/8	8,046	55 3/8	9,399
31 1/2	4,256	37 1/2	5,470	43 1/2	6,749	49 1/2	8,074	55 1/2	9,427
31 5/8	4,280	37 5/8	5,496	43 5/8	6,776	49 5/8	8,102	55 5/8	9,456
31 3/4	4,305	37 3/4	5,522	43 3/4	6,803	49 3/4	8,130	55 3/4	9,484
31 7/8	4,329	37 7/8	5,548	43 7/8	6,831	49 7/8	8,158	55 7/8	9,512
32	4,354	38	5,575	44	6,858	50	8,186	56	9,541
32 1/8	4,379	38 1/8	5,601	44 1/8	6,885	50 1/8	8,214	56 1/8	9,569
32 1/4	4,403	38 1/4	5,627	44 1/4	6,912	50 1/4	8,242	56 1/4	9,598
32 3/8	4,428	38 3/8	5,653	44 3/8	6,940	50 3/8	8,270	56 3/8	9,626
32 1/2	4,453	38 1/2	5,679	44 1/2	6,967	50 1/2	8,298	56 1/2	9,654
32 5/8	4,478	38 5/8	5,706	44 5/8	6,994	50 5/8	8,326	56 5/8	9,683
32 3/4	4,503	38 3/4	5,732	44 3/4	7,022	50 3/4	8,354	56 3/4	9,711
32 7/8	4,527	38 7/8	5,758	44 7/8	7,049	50 7/8	8,382	56 7/8	9,740
33	4,552	39	5,785	45	7,077	51	8,410	57	9,768
33 1/8	4,577	39 1/8	5,811	45 1/8	7,104	51 1/8	8,438	57 1/8	9,796
33 1/4	4,602	39 1/4	5,837	45 1/4	7,131	51 1/4	8,466	57 1/4	9,825
33 3/8	4,627	39 3/8	5,864	45 3/8	7,159	51 3/8	8,495	57 3/8	9,853
33 1/2	4,652	39 1/2	5,890	45 1/2	7,186	51 1/2	8,523	57 1/2	9,882
33 5/8	4,677	39 5/8	5,917	45 5/8	7,214	51 5/8	8,551	57 5/8	9,910
33 3/4	4,702	39 3/4	5,943	45 3/4	7,241	51 3/4	8,579	57 3/4	9,939
33 7/8	4,728	39 7/8	5,970	45 7/8	7,269	51 7/8	8,607	57 7/8	9,967
34	4,753	40	5,996	46	7,296	52	8,635	58	9,995
34 1/8	4,778	40 1/8	6,023	46 1/8	7,324	52 1/8	8,663	58 1/8	10,024
34 1/4	4,803	40 1/4	6,049	46 1/4	7,352	52 1/4	8,692	58 1/4	10,052
34 3/8	4,828	40 3/8	6,076	46 3/8	7,379	52 3/8	8,720	58 3/8	10,081
34 1/2	4,854	40 1/2	6,103	46 1/2	7,407	52 1/2	8,748	58 1/2	10,109
34 5/8	4,879	40 5/8	6,129	46 5/8	7,434	52 5/8	8,776	58 5/8	10,138
34 3/4	4,904	40 3/4	6,156	46 3/4	7,462	52 3/4	8,804	58 3/4	10,166
34 7/8	4,930	40 7/8	6,183	46 7/8	7,490	52 7/8	8,833	58 7/8	10,195
35	4,955	41	6,210	47	7,517	53	8,861	59	10,223
35 1/8	4,981	41 1/8	6,236	47 1/8	7,545	53 1/8	8,889	59 1/8	10,252
35 1/4	5,006	41 1/4	6,263	47 1/4	7,573	53 1/4	8,917	59 1/4	10,280
35 3/8	5,032	41 3/8	6,290	47 3/8	7,600	53 3/8	8,946	59 3/8	10,308
35 1/2	5,057	41 1/2	6,317	47 1/2	7,628	53 1/2	8,974	59 1/2	10,337
35 5/8	5,083	41 5/8	6,344	47 5/8	7,656	53 5/8	9,002	59 5/8	10,365
35 3/4	5,108	41 3/4	6,370	47 3/4	7,684	53 3/4	9,031	59 3/4	10,394
35 7/8	5,134	41 7/8	6,397	47 7/8	7,712	53 7/8	9,059	59 7/8	10,422
36	5,160	42	6,424	48	7,739	54	9,087	60	10,451

DWT6 10'-21000 COMPARTMENT
20,759 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	10,479	66 1/8	11,842	72 1/8	13,186	78 1/8	14,496	84 1/8	15,753
60 1/4	10,508	66 1/4	11,870	72 1/4	13,214	78 1/4	14,523	84 1/4	15,779
60 3/8	10,536	66 3/8	11,898	72 3/8	13,242	78 3/8	14,550	84 3/8	15,804
60 1/2	10,565	66 1/2	11,926	72 1/2	13,269	78 1/2	14,576	84 1/2	15,829
60 5/8	10,593	66 5/8	11,955	72 5/8	13,297	78 5/8	14,603	84 5/8	15,855
60 3/4	10,621	66 3/4	11,983	72 3/4	13,325	78 3/4	14,630	84 3/4	15,880
60 7/8	10,650	66 7/8	12,011	72 7/8	13,352	78 7/8	14,656	84 7/8	15,905
61	10,678	67	12,039	73	13,380	79	14,683	85	15,931
61 1/8	10,707	67 1/8	12,068	73 1/8	13,408	79 1/8	14,710	85 1/8	15,956
61 1/4	10,735	67 1/4	12,096	73 1/4	13,435	79 1/4	14,736	85 1/4	15,981
61 3/8	10,764	67 3/8	12,124	73 3/8	13,463	79 3/8	14,763	85 3/8	16,006
61 1/2	10,792	67 1/2	12,152	73 1/2	13,490	79 1/2	14,789	85 1/2	16,032
61 5/8	10,821	67 5/8	12,180	73 5/8	13,518	79 5/8	14,816	85 5/8	16,057
61 3/4	10,849	67 3/4	12,208	73 3/4	13,545	79 3/4	14,842	85 3/4	16,082
61 7/8	10,877	67 7/8	12,237	73 7/8	13,573	79 7/8	14,869	85 7/8	16,107
62	10,906	68	12,265	74	13,600	80	14,895	86	16,132
62 1/8	10,934	68 1/8	12,293	74 1/8	13,628	80 1/8	14,922	86 1/8	16,157
62 1/4	10,963	68 1/4	12,321	74 1/4	13,655	80 1/4	14,948	86 1/4	16,182
62 3/8	10,991	68 3/8	12,349	74 3/8	13,683	80 3/8	14,975	86 3/8	16,207
62 1/2	11,020	68 1/2	12,377	74 1/2	13,710	80 1/2	15,001	86 1/2	16,232
62 5/8	11,048	68 5/8	12,405	74 5/8	13,737	80 5/8	15,027	86 5/8	16,257
62 3/4	11,076	68 3/4	12,433	74 3/4	13,765	80 3/4	15,054	86 3/4	16,281
62 7/8	11,105	68 7/8	12,461	74 7/8	13,792	80 7/8	15,080	86 7/8	16,306
63	11,133	69	12,489	75	13,819	81	15,106	87	16,331
63 1/8	11,162	69 1/8	12,517	75 1/8	13,847	81 1/8	15,132	87 1/8	16,356
63 1/4	11,190	69 1/4	12,545	75 1/4	13,874	81 1/4	15,159	87 1/4	16,380
63 3/8	11,218	69 3/8	12,573	75 3/8	13,901	81 3/8	15,185	87 3/8	16,405
63 1/2	11,247	69 1/2	12,601	75 1/2	13,929	81 1/2	15,211	87 1/2	16,430
63 5/8	11,275	69 5/8	12,629	75 5/8	13,956	81 5/8	15,237	87 5/8	16,454
63 3/4	11,304	69 3/4	12,657	75 3/4	13,983	81 3/4	15,263	87 3/4	16,479
63 7/8	11,332	69 7/8	12,685	75 7/8	14,010	81 7/8	15,289	87 7/8	16,503
64	11,360	70	12,713	76	14,037	82	15,315	88	16,528
64 1/8	11,389	70 1/8	12,741	76 1/8	14,065	82 1/8	15,341	88 1/8	16,552
64 1/4	11,417	70 1/4	12,769	76 1/4	14,092	82 1/4	15,367	88 1/4	16,577
64 3/8	11,445	70 3/8	12,797	76 3/8	14,119	82 3/8	15,393	88 3/8	16,601
64 1/2	11,474	70 1/2	12,825	76 1/2	14,146	82 1/2	15,419	88 1/2	16,625
64 5/8	11,502	70 5/8	12,853	76 5/8	14,173	82 5/8	15,445	88 5/8	16,650
64 3/4	11,530	70 3/4	12,881	76 3/4	14,200	82 3/4	15,471	88 3/4	16,674
64 7/8	11,559	70 7/8	12,909	76 7/8	14,227	82 7/8	15,496	88 7/8	16,698
65	11,587	71	12,936	77	14,254	83	15,522	89	16,722
65 1/8	11,615	71 1/8	12,964	77 1/8	14,281	83 1/8	15,548	89 1/8	16,746
65 1/4	11,644	71 1/4	12,992	77 1/4	14,308	83 1/4	15,574	89 1/4	16,770
65 3/8	11,672	71 3/8	13,020	77 3/8	14,335	83 3/8	15,599	89 3/8	16,795
65 1/2	11,700	71 1/2	13,048	77 1/2	14,362	83 1/2	15,625	89 1/2	16,819
65 5/8	11,729	71 5/8	13,075	77 5/8	14,389	83 5/8	15,651	89 5/8	16,842
65 3/4	11,757	71 3/4	13,103	77 3/4	14,416	83 3/4	15,676	89 3/4	16,866
65 7/8	11,785	71 7/8	13,131	77 7/8	14,442	83 7/8	15,702	89 7/8	16,890
66	11,813	72	13,159	78	14,469	84	15,727	90	16,914

DWT6 10'-21000 COMPARTMENT
20,759 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	16,938	96 1/8	18,030	102 1/8	19,003	108 1/8	19,827	114 1/8	20,453
90 1/4	16,962	96 1/4	18,051	102 1/4	19,022	108 1/4	19,842	114 1/4	20,464
90 3/8	16,986	96 3/8	18,073	102 3/8	19,041	108 3/8	19,858	114 3/8	20,474
90 1/2	17,009	96 1/2	18,094	102 1/2	19,060	108 1/2	19,873	114 1/2	20,484
90 5/8	17,033	96 5/8	18,116	102 5/8	19,078	108 5/8	19,888	114 5/8	20,494
90 3/4	17,056	96 3/4	18,137	102 3/4	19,097	108 3/4	19,903	114 3/4	20,504
90 7/8	17,080	96 7/8	18,159	102 7/8	19,115	108 7/8	19,917	114 7/8	20,514
91	17,104	97	18,180	103	19,134	109	19,932	115	20,524
91 1/8	17,127	97 1/8	18,201	103 1/8	19,152	109 1/8	19,947	115 1/8	20,533
91 1/4	17,150	97 1/4	18,222	103 1/4	19,170	109 1/4	19,961	115 1/4	20,542
91 3/8	17,174	97 3/8	18,243	103 3/8	19,189	109 3/8	19,976	115 3/8	20,552
91 1/2	17,197	97 1/2	18,264	103 1/2	19,207	109 1/2	19,990	115 1/2	20,561
91 5/8	17,221	97 5/8	18,285	103 5/8	19,225	109 5/8	20,005	115 5/8	20,570
91 3/4	17,244	97 3/4	18,306	103 3/4	19,243	109 3/4	20,019	115 3/4	20,578
91 7/8	17,267	97 7/8	18,327	103 7/8	19,261	109 7/8	20,033	115 7/8	20,587
92	17,290	98	18,348	104	19,279	110	20,047	116	20,596
92 1/8	17,313	98 1/8	18,369	104 1/8	19,296	110 1/8	20,061	116 1/8	20,604
92 1/4	17,337	98 1/4	18,390	104 1/4	19,314	110 1/4	20,075	116 1/4	20,612
92 3/8	17,360	98 3/8	18,410	104 3/8	19,332	110 3/8	20,089	116 3/8	20,620
92 1/2	17,383	98 1/2	18,431	104 1/2	19,349	110 1/2	20,102	116 1/2	20,628
92 5/8	17,406	98 5/8	18,451	104 5/8	19,367	110 5/8	20,116	116 5/8	20,636
92 3/4	17,428	98 3/4	18,472	104 3/4	19,384	110 3/4	20,129	116 3/4	20,644
92 7/8	17,451	98 7/8	18,492	104 7/8	19,402	110 7/8	20,143	116 7/8	20,651
93	17,474	99	18,513	105	19,419	111	20,156	117	20,658
93 1/8	17,497	99 1/8	18,533	105 1/8	19,436	111 1/8	20,169	117 1/8	20,665
93 1/4	17,520	99 1/4	18,553	105 1/4	19,454	111 1/4	20,182	117 1/4	20,672
93 3/8	17,542	99 3/8	18,574	105 3/8	19,471	111 3/8	20,195	117 3/8	20,679
93 1/2	17,565	99 1/2	18,594	105 1/2	19,488	111 1/2	20,208	117 1/2	20,685
93 5/8	17,588	99 5/8	18,614	105 5/8	19,505	111 5/8	20,221	117 5/8	20,692
93 3/4	17,610	99 3/4	18,634	105 3/4	19,521	111 3/4	20,233	117 3/4	20,698
93 7/8	17,633	99 7/8	18,654	105 7/8	19,538	111 7/8	20,246	117 7/8	20,704
94	17,655	100	18,674	106	19,555	112	20,258	118	20,709
94 1/8	17,678	100 1/8	18,694	106 1/8	19,572	112 1/8	20,271	118 1/8	20,715
94 1/4	17,700	100 1/4	18,714	106 1/4	19,588	112 1/4	20,283	118 1/4	20,720
94 3/8	17,722	100 3/8	18,733	106 3/8	19,605	112 3/8	20,295	118 3/8	20,725
94 1/2	17,745	100 1/2	18,753	106 1/2	19,621	112 1/2	20,307	118 1/2	20,730
94 5/8	17,767	100 5/8	18,773	106 5/8	19,637	112 5/8	20,319	118 5/8	20,734
94 3/4	17,789	100 3/4	18,792	106 3/4	19,654	112 3/4	20,331	118 3/4	20,739
94 7/8	17,811	100 7/8	18,812	106 7/8	19,670	112 7/8	20,343	118 7/8	20,743
95	17,833	101	18,831	107	19,686	113	20,354	119	20,746
95 1/8	17,855	101 1/8	18,851	107 1/8	19,702	113 1/8	20,366	119 1/8	20,750
95 1/4	17,877	101 1/4	18,870	107 1/4	19,718	113 1/4	20,377	119 1/4	20,753
95 3/8	17,899	101 3/8	18,889	107 3/8	19,734	113 3/8	20,388	119 3/8	20,755
95 1/2	17,921	101 1/2	18,908	107 1/2	19,749	113 1/2	20,399	119 1/2	20,757
95 5/8	17,943	101 5/8	18,927	107 5/8	19,765	113 5/8	20,410	119 5/8	20,759
95 3/4	17,965	101 3/4	18,947	107 3/4	19,781	113 3/4	20,421		
95 7/8	17,986	101 7/8	18,966	107 7/8	19,796	113 7/8	20,432		
96	18,008	102	18,985	108	19,812	114	20,443		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.