

10'-25000 DWT6 Double-Wall Tank 24970 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	8	6 1/8	470	12 1/8	1,272	18 1/8	2299	24 1/8	3497	30 1/8	4829
1/4	12	6 1/4	483	12 1/4	1,292	18 1/4	2323	24 1/4	3524	30 1/4	4858
3/8	16	6 3/8	497	12 3/8	1,311	18 3/8	2346	24 3/8	3550	30 3/8	4887
1/2	20	6 1/2	512	12 1/2	1,331	18 1/2	2370	24 1/2	3577	30 1/2	4916
5/8	25	6 5/8	526	12 5/8	1,350	18 5/8	2393	24 5/8	3603	30 5/8	4945
3/4	31	6 3/4	540	12 3/4	1,370	18 3/4	2417	24 3/4	3630	30 3/4	4974
7/8	36	6 7/8	555	12 7/8	1,390	18 7/8	2441	24 7/8	3657	30 7/8	5003
1	42	7	570	13	1410	19	2464	25	3684	31	5033
1 1/8	48	7 1/8	584	13 1/8	1,430	19 1/8	2488	25 1/8	3711	31 1/8	5062
1 1/4	55	7 1/4	599	13 1/4	1,450	19 1/4	2512	25 1/4	3738	31 1/4	5091
1 3/8	62	7 3/8	614	13 3/8	1,470	19 3/8	2536	25 3/8	3765	31 3/8	5121
1 1/2	69	7 1/2	630	13 1/2	1,490	19 1/2	2560	25 1/2	3792	31 1/2	5150
1 5/8	76	7 5/8	645	13 5/8	1,511	19 5/8	2584	25 5/8	3819	31 5/8	5179
1 3/4	84	7 3/4	660	13 3/4	1,531	19 3/4	2609	25 3/4	3846	31 3/4	5209
1 7/8	91	7 7/8	676	13 7/8	1,552	19 7/8	2633	25 7/8	3873	31 7/8	5238
2	99	8	692	14	1572	20	2657	26	3900	32	5268
2 1/8	108	8 1/8	708	14 1/8	1,593	20 1/8	2682	26 1/8	3928	32 1/8	5298
2 1/4	116	8 1/4	723	14 1/4	1,614	20 1/4	2706	26 1/4	3955	32 1/4	5327
2 3/8	125	8 3/8	740	14 3/8	1,635	20 3/8	2731	26 3/8	3983	32 3/8	5357
2 1/2	134	8 1/2	756	14 1/2	1,656	20 1/2	2755	26 1/2	4010	32 1/2	5387
2 5/8	143	8 5/8	772	14 5/8	1,677	20 5/8	2780	26 5/8	4038	32 5/8	5416
2 3/4	152	8 3/4	788	14 3/4	1,698	20 3/4	2805	26 3/4	4065	32 3/4	5446
2 7/8	162	8 7/8	805	14 7/8	1,719	20 7/8	2830	26 7/8	4093	32 7/8	5476
3	171	9	822	15	1740	21	2855	27	4120	33	5506
3 1/8	181	9 1/8	838	15 1/8	1,762	21 1/8	2879	27 1/8	4148	33 1/8	5536
3 1/4	191	9 1/4	855	15 1/4	1,783	21 1/4	2905	27 1/4	4176	33 1/4	5566
3 3/8	202	9 3/8	872	15 3/8	1,805	21 3/8	2930	27 3/8	4204	33 3/8	5596
3 1/2	212	9 1/2	889	15 1/2	1,826	21 1/2	2955	27 1/2	4232	33 1/2	5626
3 5/8	223	9 5/8	906	15 5/8	1,848	21 5/8	2980	27 5/8	4260	33 5/8	5656
3 3/4	234	9 3/4	924	15 3/4	1,870	21 3/4	3005	27 3/4	4288	33 3/4	5686
3 7/8	245	9 7/8	941	15 7/8	1,892	21 7/8	3031	27 7/8	4316	33 7/8	5716
4	256	10	959	16	1,914	22	3056	28	4344	34	5747
4 1/8	267	10 1/8	976	16 1/8	1,936	22 1/8	3081	28 1/8	4372	34 1/8	5777
4 1/4	279	10 1/4	994	16 1/4	1,958	22 1/4	3107	28 1/4	4400	34 1/4	5807
4 3/8	290	10 3/8	1,012	16 3/8	1,980	22 3/8	3133	28 3/8	4428	34 3/8	5837
4 1/2	302	10 1/2	1,030	16 1/2	2,003	22 1/2	3158	28 1/2	4457	34 1/2	5868
4 5/8	314	10 5/8	1,048	16 5/8	2,025	22 5/8	3184	28 5/8	4485	34 5/8	5898
4 3/4	326	10 3/4	1,066	16 3/4	2,047	22 3/4	3210	28 3/4	4514	34 3/4	5929
4 7/8	338	10 7/8	1,084	16 7/8	2,070	22 7/8	3236	28 7/8	4542	34 7/8	5959
5	351	11	1,103	17	2,093	23	3261	29	4570	35	5990
5 1/8	363	11 1/8	1,121	17 1/8	2,115	23 1/8	3287	29 1/8	4599	35 1/8	6020
5 1/4	376	11 1/4	1,140	17 1/4	2,138	23 1/4	3313	29 1/4	4628	35 1/4	6051
5 3/8	389	11 3/8	1,158	17 3/8	2,161	23 3/8	3339	29 3/8	4656	35 3/8	6081
5 1/2	402	11 1/2	1,177	17 1/2	2,184	23 1/2	3366	29 1/2	4685	35 1/2	6112
5 5/8	415	11 5/8	1,196	17 5/8	2,207	23 5/8	3392	29 5/8	4714	35 5/8	6143
5 3/4	429	11 3/4	1,215	17 3/4	2,230	23 3/4	3418	29 3/4	4742	35 3/4	6174
5 7/8	442	11 7/8	1,234	17 7/8	2,253	23 7/8	3444	29 7/8	4771	35 7/8	6204
6	456	12	1,253	18	2,276	24	3471	30	4800	36	6235

10'-25000 DWT6 Double-Wall Tank 24970 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	6266	42 1/8	7783	48 1/8	9359	54 1/8	10973	60 1/8	12604	66 1/8	14234
36 1/4	6297	42 1/4	7816	48 1/4	9393	54 1/4	11007	60 1/4	12638	66 1/4	14268
36 3/8	6328	42 3/8	7848	48 3/8	9426	54 3/8	11041	60 3/8	12672	66 3/8	14302
36 1/2	6359	42 1/2	7880	48 1/2	9459	54 1/2	11074	60 1/2	12706	66 1/2	14336
36 5/8	6390	42 5/8	7913	48 5/8	9493	54 5/8	11108	60 5/8	12740	66 5/8	14370
36 3/4	6421	42 3/4	7945	48 3/4	9526	54 3/4	11142	60 3/4	12774	66 3/4	14403
36 7/8	6452	42 7/8	7978	48 7/8	9559	54 7/8	11176	60 7/8	12809	66 7/8	14437
37	6483	43	8010	49	9593	55	11210	61	12843	67	14471
37 1/8	6514	43 1/8	8043	49 1/8	9626	55 1/8	11244	61 1/8	12877	67 1/8	14505
37 1/4	6545	43 1/4	8075	49 1/4	9659	55 1/4	11278	61 1/4	12911	67 1/4	14538
37 3/8	6576	43 3/8	8108	49 3/8	9693	55 3/8	11312	61 3/8	12945	67 3/8	14572
37 1/2	6607	43 1/2	8140	49 1/2	9726	55 1/2	11346	61 1/2	12979	67 1/2	14606
37 5/8	6639	43 5/8	8173	49 5/8	9760	55 5/8	11380	61 5/8	13013	67 5/8	14639
37 3/4	6670	43 3/4	8205	49 3/4	9793	55 3/4	11414	61 3/4	13047	67 3/4	14673
37 7/8	6701	43 7/8	8238	49 7/8	9827	55 7/8	11448	61 7/8	13081	67 7/8	14707
38	6733	44	8271	50	9860	56	11482	62	13115	68	14740
38 1/8	6764	44 1/8	8303	50 1/8	9894	56 1/8	11516	62 1/8	13149	68 1/8	14774
38 1/4	6795	44 1/4	8336	50 1/4	9927	56 1/4	11550	62 1/4	13183	68 1/4	14808
38 3/8	6827	44 3/8	8369	50 3/8	9961	56 3/8	11584	62 3/8	13217	68 3/8	14841
38 1/2	6858	44 1/2	8401	50 1/2	9995	56 1/2	11618	62 1/2	13251	68 1/2	14875
38 5/8	6890	44 5/8	8434	50 5/8	10028	56 5/8	11651	62 5/8	13285	68 5/8	14909
38 3/4	6921	44 3/4	8467	50 3/4	10062	56 3/4	11685	62 3/4	13319	68 3/4	14942
38 7/8	6953	44 7/8	8500	50 7/8	10095	56 7/8	11719	62 7/8	13353	68 7/8	14976
39	6984	45	8532	51	10129	57	11753	63	13387	69	15009
39 1/8	7016	45 1/8	8565	51 1/8	10163	57 1/8	11787	63 1/8	13421	69 1/8	15043
39 1/4	7048	45 1/4	8598	51 1/4	10196	57 1/4	11821	63 1/4	13455	69 1/4	15076
39 3/8	7079	45 3/8	8631	51 3/8	10230	57 3/8	11856	63 3/8	13489	69 3/8	15110
39 1/2	7111	45 1/2	8664	51 1/2	10263	57 1/2	11890	63 1/2	13523	69 1/2	15143
39 5/8	7143	45 5/8	8697	51 5/8	10297	57 5/8	11924	63 5/8	13557	69 5/8	15177
39 3/4	7175	45 3/4	8730	51 3/4	10331	57 3/4	11958	63 3/4	13591	69 3/4	15210
39 7/8	7206	45 7/8	8763	51 7/8	10365	57 7/8	11992	63 7/8	13624	69 7/8	15244
40	7238	46	8796	52	10398	58	12026	64	13658	70	15277
40 1/8	7270	46 1/8	8829	52 1/8	10432	58 1/8	12060	64 1/8	13692	70 1/8	15311
40 1/4	7302	46 1/4	8862	52 1/4	10466	58 1/4	12094	64 1/4	13726	70 1/4	15344
40 3/8	7334	46 3/8	8895	52 3/8	10499	58 3/8	12128	64 3/8	13760	70 3/8	15378
40 1/2	7366	46 1/2	8928	52 1/2	10533	58 1/2	12162	64 1/2	13794	70 1/2	15411
40 5/8	7398	46 5/8	8961	52 5/8	10567	58 5/8	12196	64 5/8	13828	70 5/8	15444
40 3/4	7430	46 3/4	8994	52 3/4	10601	58 3/4	12230	64 3/4	13862	70 3/4	15478
40 7/8	7462	46 7/8	9027	52 7/8	10634	58 7/8	12264	64 7/8	13896	70 7/8	15511
41	7494	47	9060	53	10668	59	12298	65	13930	71	15544
41 1/8	7526	47 1/8	9093	53 1/8	10702	59 1/8	12332	65 1/8	13964	71 1/8	15578
41 1/4	7558	47 1/4	9127	53 1/4	10736	59 1/4	12366	65 1/4	13997	71 1/4	15611
41 3/8	7590	47 3/8	9160	53 3/8	10770	59 3/8	12400	65 3/8	14031	71 3/8	15644
41 1/2	7622	47 1/2	9193	53 1/2	10804	59 1/2	12434	65 1/2	14065	71 1/2	15678
41 5/8	7654	47 5/8	9226	53 5/8	10837	59 5/8	12468	65 5/8	14099	71 5/8	15711
41 3/4	7687	47 3/4	9259	53 3/4	10871	59 3/4	12502	65 3/4	14133	71 3/4	15744
41 7/8	7719	47 7/8	9293	53 7/8	10905	59 7/8	12536	65 7/8	14167	71 7/8	15777
42	7751	48	9326	54	10939	60	12570	66	14201	72	15810

10'-25000 DWT6 Double-Wall Tank 24970 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	15844	78 1/8	17412	84 1/8	18919	90 1/8	20343	96 1/8	21657	102 1/8	22832
72 1/4	15877	78 1/4	17444	84 1/4	18950	90 1/4	20371	96 1/4	21683	102 1/4	22855
72 3/8	15910	78 3/8	17476	84 3/8	18981	90 3/8	20400	96 3/8	21709	102 3/8	22878
72 1/2	15943	78 1/2	17508	84 1/2	19011	90 1/2	20428	96 1/2	21735	102 1/2	22900
72 5/8	15976	78 5/8	17541	84 5/8	19042	90 5/8	20457	96 5/8	21761	102 5/8	22923
72 3/4	16009	78 3/4	17573	84 3/4	19072	90 3/4	20485	96 3/4	21786	102 3/4	22945
72 7/8	16042	78 7/8	17604	84 7/8	19102	90 7/8	20513	96 7/8	21812	102 7/8	22968
73	16075	79	17636	85	19133	91	20542	97	21838	103	22990
73 1/8	16108	79 1/8	17668	85 1/8	19163	91 1/8	20570	97 1/8	21863	103 1/8	23012
73 1/4	16141	79 1/4	17700	85 1/4	19193	91 1/4	20598	97 1/4	21889	103 1/4	23034
73 3/8	16174	79 3/8	17732	85 3/8	19224	91 3/8	20626	97 3/8	21914	103 3/8	23056
73 1/2	16207	79 1/2	17764	85 1/2	19254	91 1/2	20654	97 1/2	21940	103 1/2	23078
73 5/8	16240	79 5/8	17796	85 5/8	19284	91 5/8	20683	97 5/8	21965	103 5/8	23100
73 3/4	16273	79 3/4	17827	85 3/4	19314	91 3/4	20711	97 3/4	21990	103 3/4	23122
73 7/8	16306	79 7/8	17859	85 7/8	19344	91 7/8	20738	97 7/8	22015	103 7/8	23144
74	16339	80	17891	86	19374	92	20766	98	22041	104	23165
74 1/8	16372	80 1/8	17923	86 1/8	19404	92 1/8	20794	98 1/8	22066	104 1/8	23187
74 1/4	16405	80 1/4	17954	86 1/4	19434	92 1/4	20822	98 1/4	22091	104 1/4	23208
74 3/8	16438	80 3/8	17986	86 3/8	19464	92 3/8	20850	98 3/8	22116	104 3/8	23230
74 1/2	16471	80 1/2	18017	86 1/2	19494	92 1/2	20877	98 1/2	22141	104 1/2	23251
74 5/8	16503	80 5/8	18049	86 5/8	19524	92 5/8	20905	98 5/8	22165	104 5/8	23272
74 3/4	16536	80 3/4	18080	86 3/4	19554	92 3/4	20933	98 3/4	22190	104 3/4	23294
74 7/8	16569	80 7/8	18112	86 7/8	19584	92 7/8	20960	98 7/8	22215	104 7/8	23315
75	16602	81	18143	87	19613	93	20988	99	22239	105	23336
75 1/8	16634	81 1/8	18175	87 1/8	19643	93 1/8	21015	99 1/8	22264	105 1/8	23356
75 1/4	16667	81 1/4	18206	87 1/4	19673	93 1/4	21042	99 1/4	22288	105 1/4	23377
75 3/8	16700	81 3/8	18238	87 3/8	19702	93 3/8	21070	99 3/8	22313	105 3/8	23398
75 1/2	16732	81 1/2	18269	87 1/2	19732	93 1/2	21097	99 1/2	22337	105 1/2	23419
75 5/8	16765	81 5/8	18300	87 5/8	19761	93 5/8	21124	99 5/8	22362	105 5/8	23439
75 3/4	16798	81 3/4	18332	87 3/4	19791	93 3/4	21151	99 3/4	22386	105 3/4	23460
75 7/8	16830	81 7/8	18363	87 7/8	19820	93 7/8	21179	99 7/8	22410	105 7/8	23480
76	16863	82	18394	88	19850	94	21206	100	22434	106	23500
76 1/8	16895	82 1/8	18425	88 1/8	19879	94 1/8	21233	100 1/8	22458	106 1/8	23520
76 1/4	16928	82 1/4	18456	88 1/4	19908	94 1/4	21260	100 1/4	22482	106 1/4	23540
76 3/8	16960	82 3/8	18487	88 3/8	19938	94 3/8	21286	100 3/8	22506	106 3/8	23560
76 1/2	16993	82 1/2	18519	88 1/2	19967	94 1/2	21313	100 1/2	22530	106 1/2	23580
76 5/8	17025	82 5/8	18550	88 5/8	19996	94 5/8	21340	100 5/8	22553	106 5/8	23600
76 3/4	17057	82 3/4	18581	88 3/4	20025	94 3/4	21367	100 3/4	22577	106 3/4	23620
76 7/8	17090	82 7/8	18612	88 7/8	20054	94 7/8	21393	100 7/8	22601	106 7/8	23640
77	17122	83	18643	89	20083	95	21420	101	22624	107	23659
77 1/8	17155	83 1/8	18673	89 1/8	20112	95 1/8	21447	101 1/8	22647	107 1/8	23679
77 1/4	17187	83 1/4	18704	89 1/4	20141	95 1/4	21473	101 1/4	22671	107 1/4	23698
77 3/8	17219	83 3/8	18735	89 3/8	20170	95 3/8	21499	101 3/8	22694	107 3/8	23717
77 1/2	17251	83 1/2	18766	89 1/2	20199	95 1/2	21526	101 1/2	22717	107 1/2	23736
77 5/8	17284	83 5/8	18797	89 5/8	20228	95 5/8	21552	101 5/8	22740	107 5/8	23755
77 3/4	17316	83 3/4	18827	89 3/4	20257	95 3/4	21578	101 3/4	22763	107 3/4	23774
77 7/8	17348	83 7/8	18858	89 7/8	20285	95 7/8	21605	101 7/8	22786	107 7/8	23793
78	17380	84	18889	90	20314	96	21631	102	22809	108	23812

10'-25000 DWT6 Double-Wall Tank 24970 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	23831	114 1/8	24594
108 1/4	23849	114 1/4	24607
108 3/8	23868	114 3/8	24619
108 1/2	23886	114 1/2	24632
108 5/8	23904	114 5/8	24644
108 3/4	23922	114 3/4	24656
108 7/8	23940	114 7/8	24668
109	23958	115	24680
109 1/8	23976	115 1/8	24692
109 1/4	23994	115 1/4	24703
109 3/8	24012	115 3/8	24715
109 1/2	24029	115 1/2	24726
109 5/8	24046	115 5/8	24737
109 3/4	24064	115 3/4	24747
109 7/8	24081	115 7/8	24758
110	24098	116	24769
110 1/8	24115	116 1/8	24779
110 1/4	24132	116 1/4	24789
110 3/8	24149	116 3/8	24799
110 1/2	24165	116 1/2	24809
110 5/8	24182	116 5/8	24818
110 3/4	24198	116 3/4	24827
110 7/8	24215	116 7/8	24836
111	24231	117	24845
111 1/8	24247	117 1/8	24854
111 1/4	24263	117 1/4	24863
111 3/8	24279	117 3/8	24871
111 1/2	24294	117 1/2	24879
111 5/8	24310	117 5/8	24887
111 3/4	24325	117 3/4	24894
111 7/8	24341	117 7/8	24901
112	24356	118	24909
112 1/8	24371	118 1/8	24915
112 1/4	24386	118 1/4	24922
112 3/8	24401	118 3/8	24928
112 1/2	24415	118 1/2	24934
112 5/8	24430	118 5/8	24940
112 3/4	24444	118 3/4	24945
112 7/8	24459	118 7/8	24950
113	24473	119	24954
113 1/8	24487	119 1/8	24958
113 1/4	24501	119 1/4	24962
113 3/8	24514	119 3/8	24965
113 1/2	24528	119 1/2	24968
113 5/8	24542	119 5/8	24970
113 3/4	24555		
113 7/8	24568		
114	24581		



**CONTAINMENT
SOLUTIONS®**

How To Properly Gauge Your Tank

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.