

DWT6 10'-27000 COMPARTMENT
26,585 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	9	6 1/8	503	12 1/8	1,361	18 1/8	2,457	24 1/8	3,733
1/4	13	6 1/4	518	12 1/4	1,382	18 1/4	2,482	24 1/4	3,761
3/8	17	6 3/8	533	12 3/8	1,402	18 3/8	2,507	24 3/8	3,790
1/2	22	6 1/2	548	12 1/2	1,423	18 1/2	2,532	24 1/2	3,818
5/8	27	6 5/8	563	12 5/8	1,444	18 5/8	2,557	24 5/8	3,846
3/4	33	6 3/4	579	12 3/4	1,465	18 3/4	2,582	24 3/4	3,875
7/8	39	6 7/8	594	12 7/8	1,486	18 7/8	2,607	24 7/8	3,903
1	45	7	610	13	1,508	19	2,633	25	3,932
1 1/8	52	7 1/8	626	13 1/8	1,529	19 1/8	2,658	25 1/8	3,961
1 1/4	59	7 1/4	642	13 1/4	1,550	19 1/4	2,684	25 1/4	3,989
1 3/8	66	7 3/8	658	13 3/8	1,572	19 3/8	2,709	25 3/8	4,018
1 1/2	74	7 1/2	674	13 1/2	1,594	19 1/2	2,735	25 1/2	4,047
1 5/8	82	7 5/8	691	13 5/8	1,615	19 5/8	2,761	25 5/8	4,076
1 3/4	90	7 3/4	707	13 3/4	1,637	19 3/4	2,786	25 3/4	4,105
1 7/8	98	7 7/8	724	13 7/8	1,659	19 7/8	2,812	25 7/8	4,134
2	107	8	741	14	1,681	20	2,838	26	4,163
2 1/8	116	8 1/8	758	14 1/8	1,703	20 1/8	2,864	26 1/8	4,192
2 1/4	125	8 1/4	775	14 1/4	1,725	20 1/4	2,890	26 1/4	4,221
2 3/8	134	8 3/8	792	14 3/8	1,748	20 3/8	2,917	26 3/8	4,250
2 1/2	144	8 1/2	809	14 1/2	1,770	20 1/2	2,943	26 1/2	4,279
2 5/8	153	8 5/8	826	14 5/8	1,793	20 5/8	2,969	26 5/8	4,309
2 3/4	163	8 3/4	844	14 3/4	1,815	20 3/4	2,995	26 3/4	4,338
2 7/8	173	8 7/8	862	14 7/8	1,838	20 7/8	3,022	26 7/8	4,368
3	184	9	879	15	1,860	21	3,048	27	4,397
3 1/8	194	9 1/8	897	15 1/8	1,883	21 1/8	3,075	27 1/8	4,427
3 1/4	205	9 1/4	915	15 1/4	1,906	21 1/4	3,102	27 1/4	4,456
3 3/8	216	9 3/8	934	15 3/8	1,929	21 3/8	3,128	27 3/8	4,486
3 1/2	228	9 1/2	952	15 1/2	1,952	21 1/2	3,155	27 1/2	4,515
3 5/8	239	9 5/8	970	15 5/8	1,976	21 5/8	3,182	27 5/8	4,545
3 3/4	250	9 3/4	989	15 3/4	1,999	21 3/4	3,209	27 3/4	4,575
3 7/8	262	9 7/8	1,007	15 7/8	2,022	21 7/8	3,236	27 7/8	4,605
4	274	10	1,026	16	2,046	22	3,263	28	4,635
4 1/8	286	10 1/8	1,045	16 1/8	2,069	22 1/8	3,290	28 1/8	4,665
4 1/4	299	10 1/4	1,064	16 1/4	2,093	22 1/4	3,317	28 1/4	4,695
4 3/8	311	10 3/8	1,083	16 3/8	2,116	22 3/8	3,345	28 3/8	4,725
4 1/2	324	10 1/2	1,102	16 1/2	2,140	22 1/2	3,372	28 1/2	4,755
4 5/8	337	10 5/8	1,121	16 5/8	2,164	22 5/8	3,399	28 5/8	4,785
4 3/4	350	10 3/4	1,141	16 3/4	2,188	22 3/4	3,427	28 3/4	4,815
4 7/8	363	10 7/8	1,160	16 7/8	2,212	22 7/8	3,454	28 7/8	4,846
5	376	11	1,180	17	2,236	23	3,482	29	4,876
5 1/8	390	11 1/8	1,199	17 1/8	2,260	23 1/8	3,510	29 1/8	4,906
5 1/4	403	11 1/4	1,219	17 1/4	2,285	23 1/4	3,537	29 1/4	4,937
5 3/8	417	11 3/8	1,239	17 3/8	2,309	23 3/8	3,565	29 3/8	4,967
5 1/2	431	11 1/2	1,259	17 1/2	2,333	23 1/2	3,593	29 1/2	4,998
5 5/8	445	11 5/8	1,279	17 5/8	2,358	23 5/8	3,621	29 5/8	5,028
5 3/4	459	11 3/4	1,300	17 3/4	2,382	23 3/4	3,649	29 3/4	5,059
5 7/8	474	11 7/8	1,320	17 7/8	2,407	23 7/8	3,677	29 7/8	5,090
6	488	12	1,340	18	2,432	24	3,705	30	5,120

DWT6 10'-27000 COMPARTMENT
26,585 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	5,151	36 1/8	6,680	42 1/8	8,294	48 1/8	9,970	54 1/8	11,685
30 1/4	5,182	36 1/4	6,713	42 1/4	8,329	48 1/4	10,005	54 1/4	11,721
30 3/8	5,213	36 3/8	6,746	42 3/8	8,363	48 3/8	10,041	54 3/8	11,757
30 1/2	5,244	36 1/2	6,779	42 1/2	8,398	48 1/2	10,076	54 1/2	11,793
30 5/8	5,275	36 5/8	6,812	42 5/8	8,432	48 5/8	10,112	54 5/8	11,829
30 3/4	5,306	36 3/4	6,845	42 3/4	8,466	48 3/4	10,147	54 3/4	11,865
30 7/8	5,337	36 7/8	6,878	42 7/8	8,501	48 7/8	10,183	54 7/8	11,901
31	5,368	37	6,911	43	8,535	49	10,218	55	11,937
31 1/8	5,399	37 1/8	6,944	43 1/8	8,570	49 1/8	10,254	55 1/8	11,973
31 1/4	5,430	37 1/4	6,977	43 1/4	8,605	49 1/4	10,289	55 1/4	12,009
31 3/8	5,462	37 3/8	7,010	43 3/8	8,639	49 3/8	10,325	55 3/8	12,046
31 1/2	5,493	37 1/2	7,044	43 1/2	8,674	49 1/2	10,360	55 1/2	12,082
31 5/8	5,524	37 5/8	7,077	43 5/8	8,708	49 5/8	10,396	55 5/8	12,118
31 3/4	5,556	37 3/4	7,110	43 3/4	8,743	49 3/4	10,431	55 3/4	12,154
31 7/8	5,587	37 7/8	7,143	43 7/8	8,778	49 7/8	10,467	55 7/8	12,190
32	5,618	38	7,177	44	8,812	50	10,503	56	12,226
32 1/8	5,650	38 1/8	7,210	44 1/8	8,847	50 1/8	10,538	56 1/8	12,262
32 1/4	5,682	38 1/4	7,244	44 1/4	8,882	50 1/4	10,574	56 1/4	12,298
32 3/8	5,713	38 3/8	7,277	44 3/8	8,917	50 3/8	10,610	56 3/8	12,334
32 1/2	5,745	38 1/2	7,310	44 1/2	8,951	50 1/2	10,645	56 1/2	12,370
32 5/8	5,776	38 5/8	7,344	44 5/8	8,986	50 5/8	10,681	56 5/8	12,407
32 3/4	5,808	38 3/4	7,377	44 3/4	9,021	50 3/4	10,717	56 3/4	12,443
32 7/8	5,840	38 7/8	7,411	44 7/8	9,056	50 7/8	10,752	56 7/8	12,479
33	5,872	39	7,445	45	9,091	51	10,788	57	12,515
33 1/8	5,904	39 1/8	7,478	45 1/8	9,126	51 1/8	10,824	57 1/8	12,551
33 1/4	5,936	39 1/4	7,512	45 1/4	9,161	51 1/4	10,860	57 1/4	12,587
33 3/8	5,967	39 3/8	7,546	45 3/8	9,196	51 3/8	10,895	57 3/8	12,623
33 1/2	5,999	39 1/2	7,579	45 1/2	9,231	51 1/2	10,931	57 1/2	12,660
33 5/8	6,031	39 5/8	7,613	45 5/8	9,266	51 5/8	10,967	57 5/8	12,696
33 3/4	6,064	39 3/4	7,647	45 3/4	9,301	51 3/4	11,003	57 3/4	12,732
33 7/8	6,096	39 7/8	7,681	45 7/8	9,336	51 7/8	11,039	57 7/8	12,768
34	6,128	40	7,715	46	9,371	52	11,074	58	12,804
34 1/8	6,160	40 1/8	7,748	46 1/8	9,406	52 1/8	11,110	58 1/8	12,840
34 1/4	6,192	40 1/4	7,782	46 1/4	9,441	52 1/4	11,146	58 1/4	12,877
34 3/8	6,224	40 3/8	7,816	46 3/8	9,476	52 3/8	11,182	58 3/8	12,913
34 1/2	6,257	40 1/2	7,850	46 1/2	9,511	52 1/2	11,218	58 1/2	12,949
34 5/8	6,289	40 5/8	7,884	46 5/8	9,546	52 5/8	11,254	58 5/8	12,985
34 3/4	6,322	40 3/4	7,918	46 3/4	9,582	52 3/4	11,290	58 3/4	13,021
34 7/8	6,354	40 7/8	7,952	46 7/8	9,617	52 7/8	11,326	58 7/8	13,058
35	6,386	41	7,986	47	9,652	53	11,361	59	13,094
35 1/8	6,419	41 1/8	8,020	47 1/8	9,687	53 1/8	11,397	59 1/8	13,130
35 1/4	6,451	41 1/4	8,055	47 1/4	9,723	53 1/4	11,433	59 1/4	13,166
35 3/8	6,484	41 3/8	8,089	47 3/8	9,758	53 3/8	11,469	59 3/8	13,202
35 1/2	6,517	41 1/2	8,123	47 1/2	9,793	53 1/2	11,505	59 1/2	13,238
35 5/8	6,549	41 5/8	8,157	47 5/8	9,828	53 5/8	11,541	59 5/8	13,275
35 3/4	6,582	41 3/4	8,191	47 3/4	9,864	53 3/4	11,577	59 3/4	13,311
35 7/8	6,615	41 7/8	8,226	47 7/8	9,899	53 7/8	11,613	59 7/8	13,347
36	6,648	42	8,260	48	9,935	54	11,649	60	13,383

DWT6 10'-27000 COMPARTMENT
26,585 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	13,419	66 1/8	15,152	72 1/8	16,863	78 1/8	18,531	84 1/8	20,134
60 1/4	13,456	66 1/4	15,188	72 1/4	16,898	78 1/4	18,565	84 1/4	20,166
60 3/8	13,492	66 3/8	15,224	72 3/8	16,933	78 3/8	18,599	84 3/8	20,199
60 1/2	13,528	66 1/2	15,260	72 1/2	16,969	78 1/2	18,633	84 1/2	20,231
60 5/8	13,564	66 5/8	15,296	72 5/8	17,004	78 5/8	18,667	84 5/8	20,264
60 3/4	13,600	66 3/4	15,332	72 3/4	17,039	78 3/4	18,701	84 3/4	20,296
60 7/8	13,636	66 7/8	15,368	72 7/8	17,074	78 7/8	18,735	84 7/8	20,329
61	13,673	67	15,403	73	17,109	79	18,769	85	20,361
61 1/8	13,709	67 1/8	15,439	73 1/8	17,144	79 1/8	18,803	85 1/8	20,393
61 1/4	13,745	67 1/4	15,475	73 1/4	17,179	79 1/4	18,837	85 1/4	20,425
61 3/8	13,781	67 3/8	15,511	73 3/8	17,215	79 3/8	18,871	85 3/8	20,458
61 1/2	13,817	67 1/2	15,547	73 1/2	17,250	79 1/2	18,905	85 1/2	20,490
61 5/8	13,853	67 5/8	15,583	73 5/8	17,285	79 5/8	18,939	85 5/8	20,522
61 3/4	13,890	67 3/4	15,618	73 3/4	17,320	79 3/4	18,972	85 3/4	20,554
61 7/8	13,926	67 7/8	15,654	73 7/8	17,355	79 7/8	19,006	85 7/8	20,586
62	13,962	68	15,690	74	17,390	80	19,040	86	20,618
62 1/8	13,998	68 1/8	15,726	74 1/8	17,425	80 1/8	19,074	86 1/8	20,650
62 1/4	14,034	68 1/4	15,762	74 1/4	17,460	80 1/4	19,107	86 1/4	20,682
62 3/8	14,070	68 3/8	15,797	74 3/8	17,494	80 3/8	19,141	86 3/8	20,714
62 1/2	14,107	68 1/2	15,833	74 1/2	17,529	80 1/2	19,174	86 1/2	20,745
62 5/8	14,143	68 5/8	15,869	74 5/8	17,564	80 5/8	19,208	86 5/8	20,777
62 3/4	14,179	68 3/4	15,904	74 3/4	17,599	80 3/4	19,241	86 3/4	20,809
62 7/8	14,215	68 7/8	15,940	74 7/8	17,634	80 7/8	19,275	86 7/8	20,841
63	14,251	69	15,976	75	17,669	81	19,308	87	20,872
63 1/8	14,287	69 1/8	16,011	75 1/8	17,704	81 1/8	19,342	87 1/8	20,904
63 1/4	14,323	69 1/4	16,047	75 1/4	17,738	81 1/4	19,375	87 1/4	20,935
63 3/8	14,359	69 3/8	16,083	75 3/8	17,773	81 3/8	19,409	87 3/8	20,967
63 1/2	14,395	69 1/2	16,118	75 1/2	17,808	81 1/2	19,442	87 1/2	20,998
63 5/8	14,432	69 5/8	16,154	75 5/8	17,842	81 5/8	19,475	87 5/8	21,030
63 3/4	14,468	69 3/4	16,190	75 3/4	17,877	81 3/4	19,509	87 3/4	21,061
63 7/8	14,504	69 7/8	16,225	75 7/8	17,912	81 7/8	19,542	87 7/8	21,093
64	14,540	70	16,261	76	17,946	82	19,575	88	21,124
64 1/8	14,576	70 1/8	16,296	76 1/8	17,981	82 1/8	19,608	88 1/8	21,155
64 1/4	14,612	70 1/4	16,332	76 1/4	18,015	82 1/4	19,641	88 1/4	21,186
64 3/8	14,648	70 3/8	16,367	76 3/8	18,050	82 3/8	19,674	88 3/8	21,217
64 1/2	14,684	70 1/2	16,403	76 1/2	18,085	82 1/2	19,707	88 1/2	21,249
64 5/8	14,720	70 5/8	16,438	76 5/8	18,119	82 5/8	19,740	88 5/8	21,280
64 3/4	14,756	70 3/4	16,474	76 3/4	18,153	82 3/4	19,773	88 3/4	21,311
64 7/8	14,792	70 7/8	16,509	76 7/8	18,188	82 7/8	19,806	88 7/8	21,342
65	14,828	71	16,545	77	18,222	83	19,839	89	21,372
65 1/8	14,864	71 1/8	16,580	77 1/8	18,257	83 1/8	19,872	89 1/8	21,403
65 1/4	14,900	71 1/4	16,616	77 1/4	18,291	83 1/4	19,905	89 1/4	21,434
65 3/8	14,936	71 3/8	16,651	77 3/8	18,325	83 3/8	19,938	89 3/8	21,465
65 1/2	14,972	71 1/2	16,686	77 1/2	18,360	83 1/2	19,971	89 1/2	21,496
65 5/8	15,008	71 5/8	16,722	77 5/8	18,394	83 5/8	20,003	89 5/8	21,526
65 3/4	15,044	71 3/4	16,757	77 3/4	18,428	83 3/4	20,036	89 3/4	21,557
65 7/8	15,080	71 7/8	16,792	77 7/8	18,462	83 7/8	20,069	89 7/8	21,588
66	15,116	72	16,828	78	18,497	84	20,101	90	21,618

DWT6 10'-27000 COMPARTMENT
26,585 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	21,649	96 1/8	23,048	102 1/8	24,301	108 1/8	25,366	114 1/8	26,182
90 1/4	21,679	96 1/4	23,076	102 1/4	24,325	108 1/4	25,386	114 1/4	26,196
90 3/8	21,709	96 3/8	23,103	102 3/8	24,349	108 3/8	25,406	114 3/8	26,209
90 1/2	21,740	96 1/2	23,131	102 1/2	24,373	108 1/2	25,425	114 1/2	26,223
90 5/8	21,770	96 5/8	23,159	102 5/8	24,397	108 5/8	25,445	114 5/8	26,236
90 3/4	21,800	96 3/4	23,186	102 3/4	24,421	108 3/4	25,464	114 3/4	26,249
90 7/8	21,830	96 7/8	23,213	102 7/8	24,445	108 7/8	25,483	114 7/8	26,262
91	21,861	97	23,241	103	24,469	109	25,503	115	26,274
91 1/8	21,891	97 1/8	23,268	103 1/8	24,493	109 1/8	25,522	115 1/8	26,287
91 1/4	21,921	97 1/4	23,295	103 1/4	24,516	109 1/4	25,541	115 1/4	26,299
91 3/8	21,951	97 3/8	23,322	103 3/8	24,540	109 3/8	25,559	115 3/8	26,311
91 1/2	21,980	97 1/2	23,349	103 1/2	24,563	109 1/2	25,578	115 1/2	26,323
91 5/8	22,010	97 5/8	23,376	103 5/8	24,587	109 5/8	25,597	115 5/8	26,335
91 3/4	22,040	97 3/4	23,403	103 3/4	24,610	109 3/4	25,615	115 3/4	26,347
91 7/8	22,070	97 7/8	23,430	103 7/8	24,633	109 7/8	25,634	115 7/8	26,358
92	22,100	98	23,457	104	24,656	110	25,652	116	26,369
92 1/8	22,129	98 1/8	23,484	104 1/8	24,679	110 1/8	25,670	116 1/8	26,380
92 1/4	22,159	98 1/4	23,510	104 1/4	24,702	110 1/4	25,688	116 1/4	26,391
92 3/8	22,188	98 3/8	23,537	104 3/8	24,725	110 3/8	25,706	116 3/8	26,402
92 1/2	22,218	98 1/2	23,563	104 1/2	24,748	110 1/2	25,724	116 1/2	26,412
92 5/8	22,247	98 5/8	23,590	104 5/8	24,770	110 5/8	25,741	116 5/8	26,422
92 3/4	22,277	98 3/4	23,616	104 3/4	24,793	110 3/4	25,759	116 3/4	26,432
92 7/8	22,306	98 7/8	23,643	104 7/8	24,815	110 7/8	25,776	116 7/8	26,442
93	22,335	99	23,669	105	24,838	111	25,794	117	26,451
93 1/8	22,365	99 1/8	23,695	105 1/8	24,860	111 1/8	25,811	117 1/8	26,461
93 1/4	22,394	99 1/4	23,721	105 1/4	24,882	111 1/4	25,828	117 1/4	26,470
93 3/8	22,423	99 3/8	23,747	105 3/8	24,904	111 3/8	25,845	117 3/8	26,479
93 1/2	22,452	99 1/2	23,773	105 1/2	24,926	111 1/2	25,862	117 1/2	26,487
93 5/8	22,481	99 5/8	23,799	105 5/8	24,948	111 5/8	25,878	117 5/8	26,496
93 3/4	22,510	99 3/4	23,825	105 3/4	24,970	111 3/4	25,895	117 3/4	26,504
93 7/8	22,539	99 7/8	23,851	105 7/8	24,992	111 7/8	25,911	117 7/8	26,512
94	22,567	100	23,876	106	25,013	112	25,927	118	26,519
94 1/8	22,596	100 1/8	23,902	106 1/8	25,035	112 1/8	25,943	118 1/8	26,526
94 1/4	22,625	100 1/4	23,927	106 1/4	25,056	112 1/4	25,959	118 1/4	26,533
94 3/8	22,653	100 3/8	23,953	106 3/8	25,078	112 3/8	25,975	118 3/8	26,540
94 1/2	22,682	100 1/2	23,978	106 1/2	25,099	112 1/2	25,991	118 1/2	26,546
94 5/8	22,711	100 5/8	24,003	106 5/8	25,120	112 5/8	26,007	118 5/8	26,552
94 3/4	22,739	100 3/4	24,029	106 3/4	25,141	112 3/4	26,022	118 3/4	26,558
94 7/8	22,767	100 7/8	24,054	106 7/8	25,162	112 7/8	26,037	118 7/8	26,563
95	22,796	101	24,079	107	25,183	113	26,052	119	26,568
95 1/8	22,824	101 1/8	24,104	107 1/8	25,204	113 1/8	26,068	119 1/8	26,573
95 1/4	22,852	101 1/4	24,129	107 1/4	25,224	113 1/4	26,082	119 1/4	26,577
95 3/8	22,880	101 3/8	24,154	107 3/8	25,245	113 3/8	26,097	119 3/8	26,580
95 1/2	22,909	101 1/2	24,178	107 1/2	25,265	113 1/2	26,112	119 1/2	26,583
95 5/8	22,937	101 5/8	24,203	107 5/8	25,286	113 5/8	26,126	119 5/8	26,585
95 3/4	22,965	101 3/4	24,228	107 3/4	25,306	113 3/4	26,140		
95 7/8	22,992	101 7/8	24,252	107 7/8	25,326	113 7/8	26,154		
96	23,020	102	24,276	108	25,346	114	26,168		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.