

## 10'-30000 DWT6 Double-Wall Tank 29816 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	10	6 1/8	570	12 1/8	1538	18 1/8	2771	24 1/8	4205	30 1/8	5796
1/4	14	6 1/4	587	12 1/4	1561	18 1/4	2799	24 1/4	4237	30 1/4	5831
3/8	20	6 3/8	604	12 3/8	1585	18 3/8	2828	24 3/8	4269	30 3/8	5865
1/2	25	6 1/2	621	12 1/2	1608	18 1/2	2856	24 1/2	4300	30 1/2	5900
5/8	31	6 5/8	638	12 5/8	1632	18 5/8	2884	24 5/8	4332	30 5/8	5935
3/4	38	6 3/4	656	12 3/4	1656	18 3/4	2912	24 3/4	4364	30 3/4	5969
7/8	44	6 7/8	673	12 7/8	1679	18 7/8	2941	24 7/8	4396	30 7/8	6004
1	52	7	691	13	1703	19	2969	25	4428	31	6039
1 1/8	59	7 1/8	709	13 1/8	1727	19 1/8	2998	25 1/8	4461	31 1/8	6074
1 1/4	67	7 1/4	727	13 1/4	1752	19 1/4	3027	25 1/4	4493	31 1/4	6109
1 3/8	75	7 3/8	745	13 3/8	1776	19 3/8	3055	25 3/8	4525	31 3/8	6144
1 1/2	84	7 1/2	764	13 1/2	1800	19 1/2	3084	25 1/2	4557	31 1/2	6179
1 5/8	93	7 5/8	782	13 5/8	1825	19 5/8	3113	25 5/8	4590	31 5/8	6214
1 3/4	102	7 3/4	801	13 3/4	1849	19 3/4	3142	25 3/4	4622	31 3/4	6249
1 7/8	112	7 7/8	820	13 7/8	1874	19 7/8	3171	25 7/8	4655	31 7/8	6284
2	121	8	839	14	1899	20	3200	26	4687	32	6320
2 1/8	131	8 1/8	858	14 1/8	1924	20 1/8	3230	26 1/8	4720	32 1/8	6355
2 1/4	142	8 1/4	877	14 1/4	1949	20 1/4	3259	26 1/4	4753	32 1/4	6390
2 3/8	152	8 3/8	896	14 3/8	1974	20 3/8	3288	26 3/8	4785	32 3/8	6426
2 1/2	163	8 1/2	916	14 1/2	1999	20 1/2	3318	26 1/2	4818	32 1/2	6461
2 5/8	174	8 5/8	935	14 5/8	2024	20 5/8	3347	26 5/8	4851	32 5/8	6497
2 3/4	185	8 3/4	955	14 3/4	2050	20 3/4	3377	26 3/4	4884	32 3/4	6532
2 7/8	197	8 7/8	975	14 7/8	2075	20 7/8	3407	26 7/8	4917	32 7/8	6568
3	209	9	995	15	2101	21	3436	27	4950	33	6604
3 1/8	221	9 1/8	1015	15 1/8	2126	21 1/8	3466	27 1/8	4983	33 1/8	6639
3 1/4	233	9 1/4	1036	15 1/4	2152	21 1/4	3496	27 1/4	5017	33 1/4	6675
3 3/8	246	9 3/8	1056	15 3/8	2178	21 3/8	3526	27 3/8	5050	33 3/8	6711
3 1/2	258	9 1/2	1077	15 1/2	2204	21 1/2	3556	27 1/2	5083	33 1/2	6747
3 5/8	271	9 5/8	1098	15 5/8	2230	21 5/8	3587	27 5/8	5116	33 5/8	6783
3 3/4	284	9 3/4	1118	15 3/4	2256	21 3/4	3617	27 3/4	5150	33 3/4	6818
3 7/8	298	9 7/8	1139	15 7/8	2283	21 7/8	3647	27 7/8	5183	33 7/8	6854
4	311	10	1161	16	2309	22	3678	28	5217	34	6890
4 1/8	325	10 1/8	1182	16 1/8	2336	22 1/8	3708	28 1/8	5251	34 1/8	6927
4 1/4	339	10 1/4	1203	16 1/4	2362	22 1/4	3739	28 1/4	5284	34 1/4	6963
4 3/8	353	10 3/8	1225	16 3/8	2389	22 3/8	3769	28 3/8	5318	34 3/8	6999
4 1/2	367	10 1/2	1246	16 1/2	2415	22 1/2	3800	28 1/2	5352	34 1/2	7035
4 5/8	382	10 5/8	1268	16 5/8	2442	22 5/8	3831	28 5/8	5386	34 5/8	7071
4 3/4	397	10 3/4	1290	16 3/4	2469	22 3/4	3861	28 3/4	5419	34 3/4	7108
4 7/8	411	10 7/8	1312	16 7/8	2496	22 7/8	3892	28 7/8	5453	34 7/8	7144
5	426	11	1334	17	2523	23	3923	29	5487	35	7180
5 1/8	442	11 1/8	1356	17 1/8	2551	23 1/8	3954	29 1/8	5522	35 1/8	7217
5 1/4	457	11 1/4	1379	17 1/4	2578	23 1/4	3985	29 1/4	5556	35 1/4	7253
5 3/8	473	11 3/8	1401	17 3/8	2605	23 3/8	4017	29 3/8	5590	35 3/8	7290
5 1/2	489	11 1/2	1424	17 1/2	2633	23 1/2	4048	29 1/2	5624	35 1/2	7326
5 5/8	505	11 5/8	1446	17 5/8	2660	23 5/8	4079	29 5/8	5658	35 5/8	7363
5 3/4	521	11 3/4	1469	17 3/4	2688	23 3/4	4111	29 3/4	5693	35 3/4	7399
5 7/8	537	11 7/8	1492	17 7/8	2716	23 7/8	4142	29 7/8	5727	35 7/8	7436
6	553	12	1515	18	2744	24	4174	30	5761	36	7473

## 10'-30000 DWT6 Double-Wall Tank 29816 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	7509	42 1/8	9317	48 1/8	11192	54 1/8	13110	60 1/8	15050	66 1/8	16988
36 1/4	7546	42 1/4	9355	48 1/4	11231	54 1/4	13151	60 1/4	15091	66 1/4	17028
36 3/8	7583	42 3/8	9394	48 3/8	11271	54 3/8	13191	60 3/8	15131	66 3/8	17068
36 1/2	7620	42 1/2	9432	48 1/2	11310	54 1/2	13231	60 1/2	15171	66 1/2	17109
36 5/8	7657	42 5/8	9471	48 5/8	11350	54 5/8	13272	60 5/8	15212	66 5/8	17149
36 3/4	7694	42 3/4	9509	48 3/4	11390	54 3/4	13312	60 3/4	15252	66 3/4	17189
36 7/8	7731	42 7/8	9548	48 7/8	11430	54 7/8	13352	60 7/8	15293	66 7/8	17229
37	7768	43	9586	49	11469	55	13393	61	15333	67	17269
37 1/8	7805	43 1/8	9625	49 1/8	11509	55 1/8	13433	61 1/8	15374	67 1/8	17309
37 1/4	7842	43 1/4	9664	49 1/4	11549	55 1/4	13473	61 1/4	15414	67 1/4	17349
37 3/8	7879	43 3/8	9702	49 3/8	11589	55 3/8	13514	61 3/8	15455	67 3/8	17389
37 1/2	7916	43 1/2	9741	49 1/2	11628	55 1/2	13554	61 1/2	15495	67 1/2	17430
37 5/8	7953	43 5/8	9780	49 5/8	11668	55 5/8	13594	61 5/8	15536	67 5/8	17470
37 3/4	7991	43 3/4	9819	49 3/4	11708	55 3/4	13635	61 3/4	15576	67 3/4	17510
37 7/8	8028	43 7/8	9858	49 7/8	11748	55 7/8	13675	61 7/8	15616	67 7/8	17550
38	8065	44	9896	50	11788	56	13715	62	15657	68	17590
38 1/8	8103	44 1/8	9935	50 1/8	11827	56 1/8	13756	62 1/8	15697	68 1/8	17630
38 1/4	8140	44 1/4	9974	50 1/4	11867	56 1/4	13796	62 1/4	15738	68 1/4	17670
38 3/8	8178	44 3/8	10013	50 3/8	11907	56 3/8	13837	62 3/8	15778	68 3/8	17710
38 1/2	8215	44 1/2	10052	50 1/2	11947	56 1/2	13877	62 1/2	15819	68 1/2	17750
38 5/8	8253	44 5/8	10091	50 5/8	11987	56 5/8	13917	62 5/8	15859	68 5/8	17790
38 3/4	8290	44 3/4	10130	50 3/4	12027	56 3/4	13958	62 3/4	15899	68 3/4	17830
38 7/8	8328	44 7/8	10169	50 7/8	12067	56 7/8	13998	62 7/8	15940	68 7/8	17870
39	8365	45	10208	51	12107	57	14039	63	15980	69	17910
39 1/8	8403	45 1/8	10247	51 1/8	12147	57 1/8	14079	63 1/8	16021	69 1/8	17949
39 1/4	8441	45 1/4	10286	51 1/4	12187	57 1/4	14119	63 1/4	16061	69 1/4	17989
39 3/8	8478	45 3/8	10325	51 3/8	12227	57 3/8	14160	63 3/8	16101	69 3/8	18029
39 1/2	8516	45 1/2	10365	51 1/2	12267	57 1/2	14200	63 1/2	16142	69 1/2	18069
39 5/8	8554	45 5/8	10404	51 5/8	12307	57 5/8	14241	63 5/8	16182	69 5/8	18109
39 3/4	8592	45 3/4	10443	51 3/4	12347	57 3/4	14281	63 3/4	16223	69 3/4	18149
39 7/8	8630	45 7/8	10482	51 7/8	12387	57 7/8	14322	63 7/8	16263	69 7/8	18188
40	8668	46	10521	52	12427	58	14362	64	16303	70	18228
40 1/8	8705	46 1/8	10561	52 1/8	12467	58 1/8	14403	64 1/8	16344	70 1/8	18268
40 1/4	8743	46 1/4	10600	52 1/4	12507	58 1/4	14443	64 1/4	16384	70 1/4	18308
40 3/8	8781	46 3/8	10639	52 3/8	12548	58 3/8	14483	64 3/8	16424	70 3/8	18348
40 1/2	8819	46 1/2	10678	52 1/2	12588	58 1/2	14524	64 1/2	16465	70 1/2	18387
40 5/8	8857	46 5/8	10718	52 5/8	12628	58 5/8	14564	64 5/8	16505	70 5/8	18427
40 3/4	8896	46 3/4	10757	52 3/4	12668	58 3/4	14605	64 3/4	16545	70 3/4	18467
40 7/8	8934	46 7/8	10797	52 7/8	12708	58 7/8	14645	64 7/8	16586	70 7/8	18506
41	8972	47	10836	53	12748	59	14686	65	16626	71	18546
41 1/8	9010	47 1/8	10875	53 1/8	12789	59 1/8	14726	65 1/8	16666	71 1/8	18586
41 1/4	9048	47 1/4	10915	53 1/4	12829	59 1/4	14767	65 1/4	16706	71 1/4	18625
41 3/8	9086	47 3/8	10954	53 3/8	12869	59 3/8	14807	65 3/8	16747	71 3/8	18665
41 1/2	9125	47 1/2	10994	53 1/2	12909	59 1/2	14848	65 1/2	16787	71 1/2	18704
41 5/8	9163	47 5/8	11033	53 5/8	12949	59 5/8	14888	65 5/8	16827	71 5/8	18744
41 3/4	9201	47 3/4	11073	53 3/4	12990	59 3/4	14929	65 3/4	16867	71 3/4	18783
41 7/8	9240	47 7/8	11112	53 7/8	13030	59 7/8	14969	65 7/8	16908	71 7/8	18823
42	9278	48	11152	54	13070	60	15010	66	16948	72	18862

## 10'-30000 DWT6 Double-Wall Tank 29816 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	18902	78 1/8	20769	84 1/8	22564	90 1/8	24261	96 1/8	25831	102 1/8	27239
72 1/4	18941	78 1/4	20807	84 1/4	22600	90 1/4	24295	96 1/4	25862	102 1/4	27266
72 3/8	18981	78 3/8	20845	84 3/8	22637	90 3/8	24329	96 3/8	25893	102 3/8	27293
72 1/2	19020	78 1/2	20883	84 1/2	22673	90 1/2	24363	96 1/2	25924	102 1/2	27321
72 5/8	19060	78 5/8	20921	84 5/8	22709	90 5/8	24397	96 5/8	25955	102 5/8	27348
72 3/4	19099	78 3/4	20959	84 3/4	22746	90 3/4	24431	96 3/4	25986	102 3/4	27374
72 7/8	19138	78 7/8	20997	84 7/8	22782	90 7/8	24465	96 7/8	26017	102 7/8	27401
73	19178	79	21035	85	22818	91	24499	97	26048	103	27428
73 1/8	19217	79 1/8	21073	85 1/8	22854	91 1/8	24533	97 1/8	26078	103 1/8	27455
73 1/4	19256	79 1/4	21111	85 1/4	22890	91 1/4	24566	97 1/4	26109	103 1/4	27481
73 3/8	19295	79 3/8	21149	85 3/8	22926	91 3/8	24600	97 3/8	26139	103 3/8	27508
73 1/2	19335	79 1/2	21187	85 1/2	22962	91 1/2	24633	97 1/2	26170	103 1/2	27534
73 5/8	19374	79 5/8	21225	85 5/8	22998	91 5/8	24667	97 5/8	26200	103 5/8	27560
73 3/4	19413	79 3/4	21263	85 3/4	23034	91 3/4	24700	97 3/4	26230	103 3/4	27587
73 7/8	19452	79 7/8	21301	85 7/8	23070	91 7/8	24734	97 7/8	26260	103 7/8	27613
74	19491	80	21338	86	23106	92	24767	98	26290	104	27639
74 1/8	19531	80 1/8	21376	86 1/8	23142	92 1/8	24800	98 1/8	26321	104 1/8	27665
74 1/4	19570	80 1/4	21414	86 1/4	23177	92 1/4	24833	98 1/4	26350	104 1/4	27690
74 3/8	19609	80 3/8	21451	86 3/8	23213	92 3/8	24867	98 3/8	26380	104 3/8	27716
74 1/2	19648	80 1/2	21489	86 1/2	23249	92 1/2	24900	98 1/2	26410	104 1/2	27742
74 5/8	19687	80 5/8	21527	86 5/8	23284	92 5/8	24933	98 5/8	26440	104 5/8	27767
74 3/4	19726	80 3/4	21564	86 3/4	23320	92 3/4	24966	98 3/4	26469	104 3/4	27793
74 7/8	19765	80 7/8	21602	86 7/8	23356	92 7/8	24999	98 7/8	26499	104 7/8	27818
75	19804	81	21639	87	23391	93	25031	99	26529	105	27843
75 1/8	19843	81 1/8	21677	87 1/8	23426	93 1/8	25064	99 1/8	26558	105 1/8	27868
75 1/4	19881	81 1/4	21714	87 1/4	23462	93 1/4	25097	99 1/4	26587	105 1/4	27893
75 3/8	19920	81 3/8	21751	87 3/8	23497	93 3/8	25130	99 3/8	26616	105 3/8	27918
75 1/2	19959	81 1/2	21789	87 1/2	23532	93 1/2	25162	99 1/2	26646	105 1/2	27943
75 5/8	19998	81 5/8	21826	87 5/8	23568	93 5/8	25195	99 5/8	26675	105 5/8	27967
75 3/4	20037	81 3/4	21863	87 3/4	23603	93 3/4	25227	99 3/4	26704	105 3/4	27992
75 7/8	20076	81 7/8	21900	87 7/8	23638	93 7/8	25259	99 7/8	26733	105 7/8	28017
76	20114	82	21938	88	23673	94	25292	100	26762	106	28041
76 1/8	20153	82 1/8	21975	88 1/8	23708	94 1/8	25324	100 1/8	26790	106 1/8	28065
76 1/4	20192	82 1/4	22012	88 1/4	23743	94 1/4	25356	100 1/4	26819	106 1/4	28089
76 3/8	20230	82 3/8	22049	88 3/8	23778	94 3/8	25388	100 3/8	26848	106 3/8	28113
76 1/2	20269	82 1/2	22086	88 1/2	23813	94 1/2	25420	100 1/2	26876	106 1/2	28137
76 5/8	20308	82 5/8	22123	88 5/8	23847	94 5/8	25452	100 5/8	26904	106 5/8	28161
76 3/4	20346	82 3/4	22160	88 3/4	23882	94 3/4	25484	100 3/4	26933	106 3/4	28185
76 7/8	20385	82 7/8	22197	88 7/8	23917	94 7/8	25516	100 7/8	26961	106 7/8	28208
77	20423	83	22234	89	23952	95	25548	101	26989	107	28232
77 1/8	20462	83 1/8	22271	89 1/8	23986	95 1/8	25580	101 1/8	27017	107 1/8	28255
77 1/4	20500	83 1/4	22307	89 1/4	24021	95 1/4	25612	101 1/4	27045	107 1/4	28279
77 3/8	20539	83 3/8	22344	89 3/8	24055	95 3/8	25643	101 3/8	27073	107 3/8	28302
77 1/2	20577	83 1/2	22381	89 1/2	24090	95 1/2	25675	101 1/2	27101	107 1/2	28325
77 5/8	20615	83 5/8	22417	89 5/8	24124	95 5/8	25706	101 5/8	27129	107 5/8	28348
77 3/4	20654	83 3/4	22454	89 3/4	24158	95 3/4	25738	101 3/4	27156	107 3/4	28371
77 7/8	20692	83 7/8	22491	89 7/8	24193	95 7/8	25769	101 7/8	27184	107 7/8	28393
78	20730	84	22527	90	24227	96	25800	102	27212	108	28416

# 10'-30000 DWT6 Double-Wall Tank 29816 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	28438	114 1/8	29360
108 1/4	28461	114 1/4	29375
108 3/8	28483	114 3/8	29390
108 1/2	28505	114 1/2	29405
108 5/8	28527	114 5/8	29420
108 3/4	28549	114 3/4	29435
108 7/8	28571	114 7/8	29449
109	28592	115	29464
109 1/8	28614	115 1/8	29478
109 1/4	28635	115 1/4	29492
109 3/8	28656	115 3/8	29506
109 1/2	28677	115 1/2	29519
109 5/8	28698	115 5/8	29532
109 3/4	28719	115 3/4	29546
109 7/8	28740	115 7/8	29558
110	28761	116	29571
110 1/8	28781	116 1/8	29584
110 1/4	28801	116 1/4	29596
110 3/8	28822	116 3/8	29608
110 1/2	28842	116 1/2	29620
110 5/8	28862	116 5/8	29631
110 3/4	28881	116 3/4	29643
110 7/8	28901	116 7/8	29654
111	28920	117	29665
111 1/8	28940	117 1/8	29675
111 1/4	28959	117 1/4	29685
111 3/8	28978	117 3/8	29695
111 1/2	28997	117 1/2	29705
111 5/8	29016	117 5/8	29715
111 3/4	29035	117 3/4	29724
111 7/8	29053	117 7/8	29733
112	29071	118	29741
112 1/8	29090	118 1/8	29750
112 1/4	29108	118 1/4	29758
112 3/8	29126	118 3/8	29765
112 1/2	29143	118 1/2	29772
112 5/8	29161	118 5/8	29779
112 3/4	29178	118 3/4	29786
112 7/8	29196	118 7/8	29792
113	29213	119	29797
113 1/8	29230	119 1/8	29802
113 1/4	29247	119 1/4	29807
113 3/8	29263	119 3/8	29811
113 1/2	29280	119 1/2	29814
113 5/8	29296	119 5/8	29816
113 3/4	29312		
113 7/8	29328		
114	29344		



**CONTAINMENT**  
SOLUTIONS®

**HOW TO PROPERLY GAUGE A TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gauging or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoila Water Finding Paste  
Federal Process Corp.  
800-846-7325  
www.gasoila.com

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled.

**Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
5150 Jefferson Chemical Road  
Conroe, TX 77301  
Tel: 936-756-7731  
Fax: 936-756-7766

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**