

**DWT6 10'-32000 COMPARTMENT**  
**31,604 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	11	6 1/8	607	12 1/8	1,636	18 1/8	2,946	24 1/8	4,467
1/4	15	6 1/4	625	12 1/4	1,661	18 1/4	2,975	24 1/4	4,500
3/8	21	6 3/8	643	12 3/8	1,686	18 3/8	3,005	24 3/8	4,534
1/2	27	6 1/2	661	12 1/2	1,711	18 1/2	3,035	24 1/2	4,568
5/8	33	6 5/8	680	12 5/8	1,736	18 5/8	3,065	24 5/8	4,601
3/4	40	6 3/4	698	12 3/4	1,761	18 3/4	3,095	24 3/4	4,635
7/8	47	6 7/8	717	12 7/8	1,786	18 7/8	3,125	24 7/8	4,669
1	55	7	736	13	1,812	19	3,156	25	4,703
1 1/8	63	7 1/8	755	13 1/8	1,837	19 1/8	3,186	25 1/8	4,737
1 1/4	72	7 1/4	774	13 1/4	1,863	19 1/4	3,216	25 1/4	4,771
1 3/8	80	7 3/8	794	13 3/8	1,889	19 3/8	3,247	25 3/8	4,806
1 1/2	90	7 1/2	813	13 1/2	1,915	19 1/2	3,277	25 1/2	4,840
1 5/8	99	7 5/8	833	13 5/8	1,941	19 5/8	3,308	25 5/8	4,874
1 3/4	109	7 3/4	853	13 3/4	1,967	19 3/4	3,339	25 3/4	4,909
1 7/8	119	7 7/8	873	13 7/8	1,993	19 7/8	3,370	25 7/8	4,943
2	129	8	893	14	2,019	20	3,401	26	4,978
2 1/8	140	8 1/8	913	14 1/8	2,046	20 1/8	3,432	26 1/8	5,012
2 1/4	151	8 1/4	934	14 1/4	2,072	20 1/4	3,463	26 1/4	5,047
2 3/8	162	8 3/8	954	14 3/8	2,099	20 3/8	3,494	26 3/8	5,082
2 1/2	174	8 1/2	975	14 1/2	2,126	20 1/2	3,525	26 1/2	5,116
2 5/8	186	8 5/8	996	14 5/8	2,152	20 5/8	3,557	26 5/8	5,151
2 3/4	198	8 3/4	1,017	14 3/4	2,179	20 3/4	3,588	26 3/4	5,186
2 7/8	210	8 7/8	1,038	14 7/8	2,207	20 7/8	3,620	26 7/8	5,221
3	223	9	1,059	15	2,234	21	3,651	27	5,256
3 1/8	235	9 1/8	1,081	15 1/8	2,261	21 1/8	3,683	27 1/8	5,291
3 1/4	249	9 1/4	1,102	15 1/4	2,288	21 1/4	3,715	27 1/4	5,327
3 3/8	262	9 3/8	1,124	15 3/8	2,316	21 3/8	3,746	27 3/8	5,362
3 1/2	275	9 1/2	1,146	15 1/2	2,343	21 1/2	3,778	27 1/2	5,397
3 5/8	289	9 5/8	1,168	15 5/8	2,371	21 5/8	3,810	27 5/8	5,433
3 3/4	303	9 3/4	1,190	15 3/4	2,399	21 3/4	3,842	27 3/4	5,468
3 7/8	317	9 7/8	1,213	15 7/8	2,427	21 7/8	3,875	27 7/8	5,504
4	332	10	1,235	16	2,455	22	3,907	28	5,539
4 1/8	346	10 1/8	1,258	16 1/8	2,483	22 1/8	3,939	28 1/8	5,575
4 1/4	361	10 1/4	1,280	16 1/4	2,511	22 1/4	3,972	28 1/4	5,610
4 3/8	376	10 3/8	1,303	16 3/8	2,539	22 3/8	4,004	28 3/8	5,646
4 1/2	391	10 1/2	1,326	16 1/2	2,568	22 1/2	4,037	28 1/2	5,682
4 5/8	407	10 5/8	1,349	16 5/8	2,596	22 5/8	4,069	28 5/8	5,718
4 3/4	422	10 3/4	1,372	16 3/4	2,625	22 3/4	4,102	28 3/4	5,754
4 7/8	438	10 7/8	1,396	16 7/8	2,654	22 7/8	4,135	28 7/8	5,790
5	454	11	1,419	17	2,682	23	4,168	29	5,826
5 1/8	471	11 1/8	1,443	17 1/8	2,711	23 1/8	4,201	29 1/8	5,862
5 1/4	487	11 1/4	1,467	17 1/4	2,740	23 1/4	4,234	29 1/4	5,898
5 3/8	504	11 3/8	1,491	17 3/8	2,769	23 3/8	4,267	29 3/8	5,934
5 1/2	520	11 1/2	1,515	17 1/2	2,798	23 1/2	4,300	29 1/2	5,971
5 5/8	537	11 5/8	1,539	17 5/8	2,828	23 5/8	4,333	29 5/8	6,007
5 3/4	555	11 3/4	1,563	17 3/4	2,857	23 3/4	4,366	29 3/4	6,043
5 7/8	572	11 7/8	1,587	17 7/8	2,886	23 7/8	4,400	29 7/8	6,080
6	590	12	1,612	18	2,916	24	4,433	30	6,116

**DWT6 10'-32000 COMPARTMENT**  
**31,604 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	6,153	36 1/8	7,968	42 1/8	9,882	48 1/8	11,868	54 1/8	13,899
30 1/4	6,189	36 1/4	8,007	42 1/4	9,923	48 1/4	11,910	54 1/4	13,942
30 3/8	6,226	36 3/8	8,046	42 3/8	9,964	48 3/8	11,952	54 3/8	13,985
30 1/2	6,263	36 1/2	8,085	42 1/2	10,005	48 1/2	11,994	54 1/2	14,027
30 5/8	6,300	36 5/8	8,124	42 5/8	10,046	48 5/8	12,036	54 5/8	14,070
30 3/4	6,337	36 3/4	8,164	42 3/4	10,086	48 3/4	12,078	54 3/4	14,113
30 7/8	6,373	36 7/8	8,203	42 7/8	10,127	48 7/8	12,120	54 7/8	14,155
31	6,410	37	8,242	43	10,168	49	12,162	55	14,198
31 1/8	6,447	37 1/8	8,281	43 1/8	10,209	49 1/8	12,204	55 1/8	14,241
31 1/4	6,484	37 1/4	8,321	43 1/4	10,250	49 1/4	12,246	55 1/4	14,283
31 3/8	6,522	37 3/8	8,360	43 3/8	10,291	49 3/8	12,288	55 3/8	14,326
31 1/2	6,559	37 1/2	8,399	43 1/2	10,332	49 1/2	12,330	55 1/2	14,369
31 5/8	6,596	37 5/8	8,439	43 5/8	10,373	49 5/8	12,372	55 5/8	14,411
31 3/4	6,633	37 3/4	8,478	43 3/4	10,414	49 3/4	12,414	55 3/4	14,454
31 7/8	6,670	37 7/8	8,518	43 7/8	10,455	49 7/8	12,457	55 7/8	14,497
32	6,708	38	8,557	44	10,496	50	12,499	56	14,540
32 1/8	6,745	38 1/8	8,597	44 1/8	10,538	50 1/8	12,541	56 1/8	14,582
32 1/4	6,783	38 1/4	8,636	44 1/4	10,579	50 1/4	12,583	56 1/4	14,625
32 3/8	6,820	38 3/8	8,676	44 3/8	10,620	50 3/8	12,626	56 3/8	14,668
32 1/2	6,858	38 1/2	8,716	44 1/2	10,661	50 1/2	12,668	56 1/2	14,711
32 5/8	6,895	38 5/8	8,756	44 5/8	10,702	50 5/8	12,710	56 5/8	14,754
32 3/4	6,933	38 3/4	8,795	44 3/4	10,744	50 3/4	12,752	56 3/4	14,796
32 7/8	6,971	38 7/8	8,835	44 7/8	10,785	50 7/8	12,795	56 7/8	14,839
33	7,009	39	8,875	45	10,826	51	12,837	57	14,882
33 1/8	7,046	39 1/8	8,915	45 1/8	10,868	51 1/8	12,879	57 1/8	14,925
33 1/4	7,084	39 1/4	8,955	45 1/4	10,909	51 1/4	12,922	57 1/4	14,967
33 3/8	7,122	39 3/8	8,995	45 3/8	10,951	51 3/8	12,964	57 3/8	15,010
33 1/2	7,160	39 1/2	9,035	45 1/2	10,992	51 1/2	13,006	57 1/2	15,053
33 5/8	7,198	39 5/8	9,075	45 5/8	11,034	51 5/8	13,049	57 5/8	15,096
33 3/4	7,236	39 3/4	9,115	45 3/4	11,075	51 3/4	13,091	57 3/4	15,139
33 7/8	7,274	39 7/8	9,155	45 7/8	11,117	51 7/8	13,134	57 7/8	15,182
34	7,313	40	9,195	46	11,158	52	13,176	58	15,224
34 1/8	7,351	40 1/8	9,235	46 1/8	11,200	52 1/8	13,219	58 1/8	15,267
34 1/4	7,389	40 1/4	9,275	46 1/4	11,241	52 1/4	13,261	58 1/4	15,310
34 3/8	7,427	40 3/8	9,316	46 3/8	11,283	52 3/8	13,303	58 3/8	15,353
34 1/2	7,466	40 1/2	9,356	46 1/2	11,325	52 1/2	13,346	58 1/2	15,396
34 5/8	7,504	40 5/8	9,396	46 5/8	11,366	52 5/8	13,388	58 5/8	15,439
34 3/4	7,543	40 3/4	9,437	46 3/4	11,408	52 3/4	13,431	58 3/4	15,481
34 7/8	7,581	40 7/8	9,477	46 7/8	11,450	52 7/8	13,473	58 7/8	15,524
35	7,620	41	9,517	47	11,491	53	13,516	59	15,567
35 1/8	7,658	41 1/8	9,558	47 1/8	11,533	53 1/8	13,559	59 1/8	15,610
35 1/4	7,697	41 1/4	9,598	47 1/4	11,575	53 1/4	13,601	59 1/4	15,653
35 3/8	7,735	41 3/8	9,639	47 3/8	11,617	53 3/8	13,644	59 3/8	15,696
35 1/2	7,774	41 1/2	9,679	47 1/2	11,658	53 1/2	13,686	59 1/2	15,738
35 5/8	7,813	41 5/8	9,720	47 5/8	11,700	53 5/8	13,729	59 5/8	15,781
35 3/4	7,852	41 3/4	9,760	47 3/4	11,742	53 3/4	13,771	59 3/4	15,824
35 7/8	7,891	41 7/8	9,801	47 7/8	11,784	53 7/8	13,814	59 7/8	15,867
36	7,929	42	9,842	48	11,826	54	13,857	60	15,910

**DWT6 10'-32000 COMPARTMENT**  
**31,604 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	15,953	66 1/8	18,004	72 1/8	20,030	78 1/8	22,007	84 1/8	23,909
60 1/4	15,995	66 1/4	18,047	72 1/4	20,072	78 1/4	22,048	84 1/4	23,947
60 3/8	16,038	66 3/8	18,089	72 3/8	20,114	78 3/8	22,088	84 3/8	23,986
60 1/2	16,081	66 1/2	18,132	72 1/2	20,156	78 1/2	22,128	84 1/2	24,024
60 5/8	16,124	66 5/8	18,174	72 5/8	20,197	78 5/8	22,169	84 5/8	24,063
60 3/4	16,167	66 3/4	18,217	72 3/4	20,239	78 3/4	22,209	84 3/4	24,101
60 7/8	16,210	66 7/8	18,259	72 7/8	20,281	78 7/8	22,249	84 7/8	24,140
61	16,252	67	18,302	73	20,322	79	22,290	85	24,178
61 1/8	16,295	67 1/8	18,344	73 1/8	20,364	79 1/8	22,330	85 1/8	24,216
61 1/4	16,338	67 1/4	18,387	73 1/4	20,406	79 1/4	22,370	85 1/4	24,254
61 3/8	16,381	67 3/8	18,429	73 3/8	20,447	79 3/8	22,410	85 3/8	24,293
61 1/2	16,424	67 1/2	18,472	73 1/2	20,489	79 1/2	22,450	85 1/2	24,331
61 5/8	16,467	67 5/8	18,514	73 5/8	20,530	79 5/8	22,491	85 5/8	24,369
61 3/4	16,509	67 3/4	18,557	73 3/4	20,572	79 3/4	22,531	85 3/4	24,407
61 7/8	16,552	67 7/8	18,599	73 7/8	20,613	79 7/8	22,571	85 7/8	24,445
62	16,595	68	18,641	74	20,655	80	22,611	86	24,483
62 1/8	16,638	68 1/8	18,684	74 1/8	20,696	80 1/8	22,651	86 1/8	24,521
62 1/4	16,681	68 1/4	18,726	74 1/4	20,737	80 1/4	22,690	86 1/4	24,559
62 3/8	16,723	68 3/8	18,768	74 3/8	20,779	80 3/8	22,730	86 3/8	24,597
62 1/2	16,766	68 1/2	18,811	74 1/2	20,820	80 1/2	22,770	86 1/2	24,634
62 5/8	16,809	68 5/8	18,853	74 5/8	20,862	80 5/8	22,810	86 5/8	24,672
62 3/4	16,852	68 3/4	18,895	74 3/4	20,903	80 3/4	22,850	86 3/4	24,710
62 7/8	16,895	68 7/8	18,938	74 7/8	20,944	80 7/8	22,890	86 7/8	24,747
63	16,937	69	18,980	75	20,985	81	22,929	87	24,785
63 1/8	16,980	69 1/8	19,022	75 1/8	21,027	81 1/8	22,969	87 1/8	24,823
63 1/4	17,023	69 1/4	19,064	75 1/4	21,068	81 1/4	23,008	87 1/4	24,860
63 3/8	17,066	69 3/8	19,106	75 3/8	21,109	81 3/8	23,048	87 3/8	24,897
63 1/2	17,108	69 1/2	19,149	75 1/2	21,150	81 1/2	23,088	87 1/2	24,935
63 5/8	17,151	69 5/8	19,191	75 5/8	21,191	81 5/8	23,127	87 5/8	24,972
63 3/4	17,194	69 3/4	19,233	75 3/4	21,232	81 3/4	23,167	87 3/4	25,009
63 7/8	17,237	69 7/8	19,275	75 7/8	21,273	81 7/8	23,206	87 7/8	25,047
64	17,279	70	19,317	76	21,314	82	23,245	88	25,084
64 1/8	17,322	70 1/8	19,359	76 1/8	21,355	82 1/8	23,285	88 1/8	25,121
64 1/4	17,365	70 1/4	19,401	76 1/4	21,396	82 1/4	23,324	88 1/4	25,158
64 3/8	17,407	70 3/8	19,444	76 3/8	21,437	82 3/8	23,363	88 3/8	25,195
64 1/2	17,450	70 1/2	19,486	76 1/2	21,478	82 1/2	23,403	88 1/2	25,232
64 5/8	17,493	70 5/8	19,528	76 5/8	21,519	82 5/8	23,442	88 5/8	25,269
64 3/4	17,535	70 3/4	19,570	76 3/4	21,560	82 3/4	23,481	88 3/4	25,306
64 7/8	17,578	70 7/8	19,612	76 7/8	21,601	82 7/8	23,520	88 7/8	25,342
65	17,621	71	19,654	77	21,641	83	23,559	89	25,379
65 1/8	17,663	71 1/8	19,696	77 1/8	21,682	83 1/8	23,598	89 1/8	25,416
65 1/4	17,706	71 1/4	19,737	77 1/4	21,723	83 1/4	23,637	89 1/4	25,452
65 3/8	17,749	71 3/8	19,779	77 3/8	21,764	83 3/8	23,676	89 3/8	25,489
65 1/2	17,791	71 1/2	19,821	77 1/2	21,804	83 1/2	23,715	89 1/2	25,525
65 5/8	17,834	71 5/8	19,863	77 5/8	21,845	83 5/8	23,754	89 5/8	25,562
65 3/4	17,876	71 3/4	19,905	77 3/4	21,885	83 3/4	23,792	89 3/4	25,598
65 7/8	17,919	71 7/8	19,947	77 7/8	21,926	83 7/8	23,831	89 7/8	25,635
66	17,962	72	19,989	78	21,967	84	23,870	90	25,671

**DWT6 10'-32000 COMPARTMENT**  
**31,604 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	25,707	96 1/8	27,372	102 1/8	28,865	108 1/8	30,139	114 1/8	31,118
90 1/4	25,743	96 1/4	27,405	102 1/4	28,894	108 1/4	30,162	114 1/4	31,135
90 3/8	25,779	96 3/8	27,438	102 3/8	28,923	108 3/8	30,186	114 3/8	31,151
90 1/2	25,815	96 1/2	27,471	102 1/2	28,952	108 1/2	30,209	114 1/2	31,167
90 5/8	25,851	96 5/8	27,503	102 5/8	28,980	108 5/8	30,233	114 5/8	31,183
90 3/4	25,887	96 3/4	27,536	102 3/4	29,009	108 3/4	30,256	114 3/4	31,198
90 7/8	25,923	96 7/8	27,569	102 7/8	29,037	108 7/8	30,279	114 7/8	31,214
91	25,959	97	27,601	103	29,066	109	30,302	115	31,229
91 1/8	25,995	97 1/8	27,634	103 1/8	29,094	109 1/8	30,325	115 1/8	31,244
91 1/4	26,031	97 1/4	27,666	103 1/4	29,122	109 1/4	30,348	115 1/4	31,259
91 3/8	26,066	97 3/8	27,698	103 3/8	29,150	109 3/8	30,370	115 3/8	31,274
91 1/2	26,102	97 1/2	27,731	103 1/2	29,178	109 1/2	30,393	115 1/2	31,288
91 5/8	26,137	97 5/8	27,763	103 5/8	29,206	109 5/8	30,415	115 5/8	31,302
91 3/4	26,173	97 3/4	27,795	103 3/4	29,234	109 3/4	30,437	115 3/4	31,316
91 7/8	26,208	97 7/8	27,827	103 7/8	29,262	109 7/8	30,459	115 7/8	31,330
92	26,243	98	27,859	104	29,289	110	30,481	116	31,343
92 1/8	26,279	98 1/8	27,891	104 1/8	29,317	110 1/8	30,503	116 1/8	31,357
92 1/4	26,314	98 1/4	27,922	104 1/4	29,344	110 1/4	30,524	116 1/4	31,370
92 3/8	26,349	98 3/8	27,954	104 3/8	29,372	110 3/8	30,546	116 3/8	31,383
92 1/2	26,384	98 1/2	27,986	104 1/2	29,399	110 1/2	30,567	116 1/2	31,395
92 5/8	26,419	98 5/8	28,017	104 5/8	29,426	110 5/8	30,588	116 5/8	31,408
92 3/4	26,454	98 3/4	28,049	104 3/4	29,453	110 3/4	30,610	116 3/4	31,420
92 7/8	26,489	98 7/8	28,080	104 7/8	29,480	110 7/8	30,630	116 7/8	31,431
93	26,524	99	28,111	105	29,506	111	30,651	117	31,443
93 1/8	26,558	99 1/8	28,143	105 1/8	29,533	111 1/8	30,672	117 1/8	31,454
93 1/4	26,593	99 1/4	28,174	105 1/4	29,560	111 1/4	30,692	117 1/4	31,465
93 3/8	26,628	99 3/8	28,205	105 3/8	29,586	111 3/8	30,713	117 3/8	31,476
93 1/2	26,662	99 1/2	28,236	105 1/2	29,612	111 1/2	30,733	117 1/2	31,486
93 5/8	26,697	99 5/8	28,266	105 5/8	29,639	111 5/8	30,753	117 5/8	31,496
93 3/4	26,731	99 3/4	28,297	105 3/4	29,665	111 3/4	30,773	117 3/4	31,506
93 7/8	26,765	99 7/8	28,328	105 7/8	29,691	111 7/8	30,792	117 7/8	31,516
94	26,800	100	28,358	106	29,717	112	30,812	118	31,525
94 1/8	26,834	100 1/8	28,389	106 1/8	29,742	112 1/8	30,831	118 1/8	31,534
94 1/4	26,868	100 1/4	28,419	106 1/4	29,768	112 1/4	30,850	118 1/4	31,542
94 3/8	26,902	100 3/8	28,450	106 3/8	29,793	112 3/8	30,869	118 3/8	31,550
94 1/2	26,936	100 1/2	28,480	106 1/2	29,819	112 1/2	30,888	118 1/2	31,558
94 5/8	26,970	100 5/8	28,510	106 5/8	29,844	112 5/8	30,907	118 5/8	31,565
94 3/4	27,004	100 3/4	28,540	106 3/4	29,869	112 3/4	30,926	118 3/4	31,572
94 7/8	27,038	100 7/8	28,570	106 7/8	29,894	112 7/8	30,944	118 7/8	31,579
95	27,071	101	28,600	107	29,919	113	30,962	119	31,584
95 1/8	27,105	101 1/8	28,630	107 1/8	29,944	113 1/8	30,980	119 1/8	31,590
95 1/4	27,139	101 1/4	28,660	107 1/4	29,969	113 1/4	30,998	119 1/4	31,595
95 3/8	27,172	101 3/8	28,689	107 3/8	29,994	113 3/8	31,016	119 3/8	31,599
95 1/2	27,206	101 1/2	28,719	107 1/2	30,018	113 1/2	31,033	119 1/2	31,602
95 5/8	27,239	101 5/8	28,748	107 5/8	30,042	113 5/8	31,051	119 5/8	31,604
95 3/4	27,272	101 3/4	28,778	107 3/4	30,067	113 3/4	31,068		
95 7/8	27,306	101 7/8	28,807	107 7/8	30,091	113 7/8	31,085		
96	27,339	102	28,836	108	30,115	114	31,102		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.