

**DWT6 10'-34000 COMPARTMENT**  
**34,027 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	12	6 1/8	657	12 1/8	1,769	18 1/8	3,182	24 1/8	4,821
1/4	17	6 1/4	677	12 1/4	1,796	18 1/4	3,214	24 1/4	4,857
3/8	23	6 3/8	696	12 3/8	1,823	18 3/8	3,246	24 3/8	4,893
1/2	29	6 1/2	716	12 1/2	1,850	18 1/2	3,278	24 1/2	4,929
5/8	36	6 5/8	736	12 5/8	1,877	18 5/8	3,310	24 5/8	4,966
3/4	43	6 3/4	756	12 3/4	1,904	18 3/4	3,343	24 3/4	5,002
7/8	51	6 7/8	776	12 7/8	1,931	18 7/8	3,375	24 7/8	5,039
1	60	7	797	13	1,959	19	3,408	25	5,075
1 1/8	69	7 1/8	817	13 1/8	1,986	19 1/8	3,441	25 1/8	5,112
1 1/4	78	7 1/4	838	13 1/4	2,014	19 1/4	3,473	25 1/4	5,149
1 3/8	87	7 3/8	859	13 3/8	2,042	19 3/8	3,506	25 3/8	5,186
1 1/2	97	7 1/2	880	13 1/2	2,070	19 1/2	3,539	25 1/2	5,223
1 5/8	107	7 5/8	901	13 5/8	2,098	19 5/8	3,572	25 5/8	5,260
1 3/4	118	7 3/4	923	13 3/4	2,126	19 3/4	3,605	25 3/4	5,297
1 7/8	129	7 7/8	944	13 7/8	2,154	19 7/8	3,639	25 7/8	5,334
2	140	8	966	14	2,182	20	3,672	26	5,371
2 1/8	152	8 1/8	988	14 1/8	2,211	20 1/8	3,705	26 1/8	5,408
2 1/4	164	8 1/4	1,010	14 1/4	2,240	20 1/4	3,739	26 1/4	5,446
2 3/8	176	8 3/8	1,032	14 3/8	2,268	20 3/8	3,773	26 3/8	5,483
2 1/2	189	8 1/2	1,055	14 1/2	2,297	20 1/2	3,806	26 1/2	5,520
2 5/8	201	8 5/8	1,077	14 5/8	2,326	20 5/8	3,840	26 5/8	5,558
2 3/4	214	8 3/4	1,100	14 3/4	2,355	20 3/4	3,874	26 3/4	5,596
2 7/8	228	8 7/8	1,123	14 7/8	2,385	20 7/8	3,908	26 7/8	5,633
3	241	9	1,146	15	2,414	21	3,942	27	5,671
3 1/8	255	9 1/8	1,169	15 1/8	2,443	21 1/8	3,976	27 1/8	5,709
3 1/4	269	9 1/4	1,193	15 1/4	2,473	21 1/4	4,010	27 1/4	5,747
3 3/8	284	9 3/8	1,216	15 3/8	2,502	21 3/8	4,045	27 3/8	5,785
3 1/2	298	9 1/2	1,240	15 1/2	2,532	21 1/2	4,079	27 1/2	5,823
3 5/8	313	9 5/8	1,264	15 5/8	2,562	21 5/8	4,114	27 5/8	5,861
3 3/4	328	9 3/4	1,288	15 3/4	2,592	21 3/4	4,148	27 3/4	5,899
3 7/8	344	9 7/8	1,312	15 7/8	2,622	21 7/8	4,183	27 7/8	5,937
4	359	10	1,336	16	2,652	22	4,218	28	5,976
4 1/8	375	10 1/8	1,360	16 1/8	2,683	22 1/8	4,252	28 1/8	6,014
4 1/4	391	10 1/4	1,385	16 1/4	2,713	22 1/4	4,287	28 1/4	6,052
4 3/8	408	10 3/8	1,409	16 3/8	2,744	22 3/8	4,322	28 3/8	6,091
4 1/2	424	10 1/2	1,434	16 1/2	2,774	22 1/2	4,357	28 1/2	6,129
4 5/8	441	10 5/8	1,459	16 5/8	2,805	22 5/8	4,393	28 5/8	6,168
4 3/4	458	10 3/4	1,484	16 3/4	2,836	22 3/4	4,428	28 3/4	6,207
4 7/8	475	10 7/8	1,510	16 7/8	2,867	22 7/8	4,463	28 7/8	6,245
5	492	11	1,535	17	2,898	23	4,498	29	6,284
5 1/8	510	11 1/8	1,560	17 1/8	2,929	23 1/8	4,534	29 1/8	6,323
5 1/4	528	11 1/4	1,586	17 1/4	2,960	23 1/4	4,569	29 1/4	6,362
5 3/8	546	11 3/8	1,612	17 3/8	2,991	23 3/8	4,605	29 3/8	6,401
5 1/2	564	11 1/2	1,638	17 1/2	3,023	23 1/2	4,641	29 1/2	6,440
5 5/8	582	11 5/8	1,664	17 5/8	3,054	23 5/8	4,677	29 5/8	6,479
5 3/4	601	11 3/4	1,690	17 3/4	3,086	23 3/4	4,712	29 3/4	6,518
5 7/8	619	11 7/8	1,716	17 7/8	3,118	23 7/8	4,748	29 7/8	6,558
6	638	12	1,743	18	3,150	24	4,784	30	6,597

**DWT6 10'-34000 COMPARTMENT**  
**34,027 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	6,636	36 1/8	8,590	42 1/8	10,649	48 1/8	12,784	54 1/8	14,968
30 1/4	6,676	36 1/4	8,632	42 1/4	10,693	48 1/4	12,829	54 1/4	15,014
30 3/8	6,715	36 3/8	8,674	42 3/8	10,736	48 3/8	12,874	54 3/8	15,059
30 1/2	6,755	36 1/2	8,716	42 1/2	10,780	48 1/2	12,919	54 1/2	15,105
30 5/8	6,794	36 5/8	8,758	42 5/8	10,824	48 5/8	12,964	54 5/8	15,151
30 3/4	6,834	36 3/4	8,800	42 3/4	10,868	48 3/4	13,009	54 3/4	15,197
30 7/8	6,874	36 7/8	8,842	42 7/8	10,912	48 7/8	13,055	54 7/8	15,243
31	6,913	37	8,884	43	10,956	49	13,100	55	15,289
31 1/8	6,953	37 1/8	8,927	43 1/8	11,000	49 1/8	13,145	55 1/8	15,335
31 1/4	6,993	37 1/4	8,969	43 1/4	11,044	49 1/4	13,190	55 1/4	15,381
31 3/8	7,033	37 3/8	9,011	43 3/8	11,088	49 3/8	13,236	55 3/8	15,427
31 1/2	7,073	37 1/2	9,054	43 1/2	11,132	49 1/2	13,281	55 1/2	15,472
31 5/8	7,113	37 5/8	9,096	43 5/8	11,176	49 5/8	13,326	55 5/8	15,518
31 3/4	7,153	37 3/4	9,138	43 3/4	11,221	49 3/4	13,371	55 3/4	15,564
31 7/8	7,193	37 7/8	9,181	43 7/8	11,265	49 7/8	13,417	55 7/8	15,610
32	7,234	38	9,223	44	11,309	50	13,462	56	15,656
32 1/8	7,274	38 1/8	9,266	44 1/8	11,353	50 1/8	13,508	56 1/8	15,702
32 1/4	7,314	38 1/4	9,309	44 1/4	11,398	50 1/4	13,553	56 1/4	15,748
32 3/8	7,355	38 3/8	9,351	44 3/8	11,442	50 3/8	13,598	56 3/8	15,794
32 1/2	7,395	38 1/2	9,394	44 1/2	11,486	50 1/2	13,644	56 1/2	15,840
32 5/8	7,435	38 5/8	9,437	44 5/8	11,531	50 5/8	13,689	56 5/8	15,886
32 3/4	7,476	38 3/4	9,480	44 3/4	11,575	50 3/4	13,735	56 3/4	15,932
32 7/8	7,517	38 7/8	9,522	44 7/8	11,620	50 7/8	13,780	56 7/8	15,978
33	7,557	39	9,565	45	11,664	51	13,826	57	16,024
33 1/8	7,598	39 1/8	9,608	45 1/8	11,708	51 1/8	13,871	57 1/8	16,070
33 1/4	7,639	39 1/4	9,651	45 1/4	11,753	51 1/4	13,917	57 1/4	16,116
33 3/8	7,680	39 3/8	9,694	45 3/8	11,798	51 3/8	13,962	57 3/8	16,162
33 1/2	7,720	39 1/2	9,737	45 1/2	11,842	51 1/2	14,008	57 1/2	16,208
33 5/8	7,761	39 5/8	9,780	45 5/8	11,887	51 5/8	14,053	57 5/8	16,254
33 3/4	7,802	39 3/4	9,823	45 3/4	11,931	51 3/4	14,099	57 3/4	16,300
33 7/8	7,843	39 7/8	9,866	45 7/8	11,976	51 7/8	14,145	57 7/8	16,346
34	7,884	40	9,909	46	12,021	52	14,190	58	16,392
34 1/8	7,925	40 1/8	9,953	46 1/8	12,065	52 1/8	14,236	58 1/8	16,438
34 1/4	7,967	40 1/4	9,996	46 1/4	12,110	52 1/4	14,282	58 1/4	16,484
34 3/8	8,008	40 3/8	10,039	46 3/8	12,155	52 3/8	14,327	58 3/8	16,530
34 1/2	8,049	40 1/2	10,082	46 1/2	12,200	52 1/2	14,373	58 1/2	16,576
34 5/8	8,090	40 5/8	10,126	46 5/8	12,244	52 5/8	14,419	58 5/8	16,622
34 3/4	8,132	40 3/4	10,169	46 3/4	12,289	52 3/4	14,464	58 3/4	16,669
34 7/8	8,173	40 7/8	10,213	46 7/8	12,334	52 7/8	14,510	58 7/8	16,715
35	8,215	41	10,256	47	12,379	53	14,556	59	16,761
35 1/8	8,256	41 1/8	10,300	47 1/8	12,424	53 1/8	14,601	59 1/8	16,807
35 1/4	8,298	41 1/4	10,343	47 1/4	12,469	53 1/4	14,647	59 1/4	16,853
35 3/8	8,339	41 3/8	10,387	47 3/8	12,514	53 3/8	14,693	59 3/8	16,899
35 1/2	8,381	41 1/2	10,430	47 1/2	12,559	53 1/2	14,739	59 1/2	16,945
35 5/8	8,423	41 5/8	10,474	47 5/8	12,604	53 5/8	14,785	59 5/8	16,991
35 3/4	8,464	41 3/4	10,518	47 3/4	12,649	53 3/4	14,830	59 3/4	17,037
35 7/8	8,506	41 7/8	10,561	47 7/8	12,694	53 7/8	14,876	59 7/8	17,083
36	8,548	42	10,605	48	12,739	54	14,922	60	17,129

**DWT6 10'-34000 COMPARTMENT**  
**34,027 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	17,175	66 1/8	19,381	72 1/8	21,559	78 1/8	23,685	84 1/8	25,730
60 1/4	17,221	66 1/4	19,426	72 1/4	21,604	78 1/4	23,728	84 1/4	25,772
60 3/8	17,267	66 3/8	19,472	72 3/8	21,649	78 3/8	23,772	84 3/8	25,813
60 1/2	17,313	66 1/2	19,518	72 1/2	21,694	78 1/2	23,815	84 1/2	25,855
60 5/8	17,359	66 5/8	19,564	72 5/8	21,739	78 5/8	23,859	84 5/8	25,896
60 3/4	17,405	66 3/4	19,609	72 3/4	21,783	78 3/4	23,902	84 3/4	25,937
60 7/8	17,451	66 7/8	19,655	72 7/8	21,828	78 7/8	23,945	84 7/8	25,979
61	17,497	67	19,701	73	21,873	79	23,989	85	26,020
61 1/8	17,544	67 1/8	19,746	73 1/8	21,918	79 1/8	24,032	85 1/8	26,061
61 1/4	17,590	67 1/4	19,792	73 1/4	21,962	79 1/4	24,075	85 1/4	26,102
61 3/8	17,636	67 3/8	19,838	73 3/8	22,007	79 3/8	24,118	85 3/8	26,143
61 1/2	17,682	67 1/2	19,883	73 1/2	22,052	79 1/2	24,162	85 1/2	26,185
61 5/8	17,728	67 5/8	19,929	73 5/8	22,097	79 5/8	24,205	85 5/8	26,226
61 3/4	17,774	67 3/4	19,974	73 3/4	22,141	79 3/4	24,248	85 3/4	26,267
61 7/8	17,820	67 7/8	20,020	73 7/8	22,186	79 7/8	24,291	85 7/8	26,307
62	17,866	68	20,066	74	22,230	80	24,334	86	26,348
62 1/8	17,912	68 1/8	20,111	74 1/8	22,275	80 1/8	24,377	86 1/8	26,389
62 1/4	17,958	68 1/4	20,157	74 1/4	22,319	80 1/4	24,420	86 1/4	26,430
62 3/8	18,004	68 3/8	20,202	74 3/8	22,364	80 3/8	24,463	86 3/8	26,471
62 1/2	18,050	68 1/2	20,248	74 1/2	22,408	80 1/2	24,506	86 1/2	26,511
62 5/8	18,096	68 5/8	20,293	74 5/8	22,453	80 5/8	24,548	86 5/8	26,552
62 3/4	18,142	68 3/4	20,339	74 3/4	22,497	80 3/4	24,591	86 3/4	26,592
62 7/8	18,188	68 7/8	20,384	74 7/8	22,542	80 7/8	24,634	86 7/8	26,633
63	18,234	69	20,429	75	22,586	81	24,677	87	26,673
63 1/8	18,280	69 1/8	20,475	75 1/8	22,630	81 1/8	24,719	87 1/8	26,714
63 1/4	18,326	69 1/4	20,520	75 1/4	22,674	81 1/4	24,762	87 1/4	26,754
63 3/8	18,372	69 3/8	20,566	75 3/8	22,719	81 3/8	24,804	87 3/8	26,794
63 1/2	18,418	69 1/2	20,611	75 1/2	22,763	81 1/2	24,847	87 1/2	26,834
63 5/8	18,464	69 5/8	20,656	75 5/8	22,807	81 5/8	24,889	87 5/8	26,875
63 3/4	18,509	69 3/4	20,702	75 3/4	22,851	81 3/4	24,932	87 3/4	26,915
63 7/8	18,555	69 7/8	20,747	75 7/8	22,895	81 7/8	24,974	87 7/8	26,955
64	18,601	70	20,792	76	22,940	82	25,017	88	26,995
64 1/8	18,647	70 1/8	20,838	76 1/8	22,984	82 1/8	25,059	88 1/8	27,035
64 1/4	18,693	70 1/4	20,883	76 1/4	23,028	82 1/4	25,101	88 1/4	27,075
64 3/8	18,739	70 3/8	20,928	76 3/8	23,072	82 3/8	25,143	88 3/8	27,114
64 1/2	18,785	70 1/2	20,973	76 1/2	23,116	82 1/2	25,186	88 1/2	27,154
64 5/8	18,831	70 5/8	21,018	76 5/8	23,160	82 5/8	25,228	88 5/8	27,194
64 3/4	18,877	70 3/4	21,064	76 3/4	23,204	82 3/4	25,270	88 3/4	27,234
64 7/8	18,923	70 7/8	21,109	76 7/8	23,248	82 7/8	25,312	88 7/8	27,273
65	18,968	71	21,154	77	23,291	83	25,354	89	27,313
65 1/8	19,014	71 1/8	21,199	77 1/8	23,335	83 1/8	25,396	89 1/8	27,352
65 1/4	19,060	71 1/4	21,244	77 1/4	23,379	83 1/4	25,438	89 1/4	27,392
65 3/8	19,106	71 3/8	21,289	77 3/8	23,423	83 3/8	25,480	89 3/8	27,431
65 1/2	19,152	71 1/2	21,334	77 1/2	23,467	83 1/2	25,522	89 1/2	27,470
65 5/8	19,198	71 5/8	21,379	77 5/8	23,510	83 5/8	25,563	89 5/8	27,509
65 3/4	19,243	71 3/4	21,424	77 3/4	23,554	83 3/4	25,605	89 3/4	27,549
65 7/8	19,289	71 7/8	21,469	77 7/8	23,598	83 7/8	25,647	89 7/8	27,588
66	19,335	72	21,514	78	23,641	84	25,689	90	27,627

**DWT6 10'-34000 COMPARTMENT**  
**34,027 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	27,666	96 1/8	29,458	102 1/8	31,068	108 1/8	32,442	114 1/8	33,500
90 1/4	27,705	96 1/4	29,494	102 1/4	31,099	108 1/4	32,467	114 1/4	33,518
90 3/8	27,744	96 3/8	29,529	102 3/8	31,130	108 3/8	32,493	114 3/8	33,536
90 1/2	27,782	96 1/2	29,565	102 1/2	31,161	108 1/2	32,518	114 1/2	33,553
90 5/8	27,821	96 5/8	29,600	102 5/8	31,192	108 5/8	32,543	114 5/8	33,570
90 3/4	27,860	96 3/4	29,635	102 3/4	31,223	108 3/4	32,569	114 3/4	33,587
90 7/8	27,898	96 7/8	29,670	102 7/8	31,254	108 7/8	32,594	114 7/8	33,604
91	27,937	97	29,706	103	31,284	109	32,618	115	33,620
91 1/8	27,975	97 1/8	29,741	103 1/8	31,315	109 1/8	32,643	115 1/8	33,637
91 1/4	28,014	97 1/4	29,775	103 1/4	31,345	109 1/4	32,668	115 1/4	33,653
91 3/8	28,052	97 3/8	29,810	103 3/8	31,375	109 3/8	32,692	115 3/8	33,668
91 1/2	28,091	97 1/2	29,845	103 1/2	31,406	109 1/2	32,716	115 1/2	33,684
91 5/8	28,129	97 5/8	29,880	103 5/8	31,436	109 5/8	32,740	115 5/8	33,699
91 3/4	28,167	97 3/4	29,914	103 3/4	31,466	109 3/4	32,764	115 3/4	33,715
91 7/8	28,205	97 7/8	29,949	103 7/8	31,496	109 7/8	32,788	115 7/8	33,729
92	28,243	98	29,983	104	31,525	110	32,812	116	33,744
92 1/8	28,281	98 1/8	30,017	104 1/8	31,555	110 1/8	32,835	116 1/8	33,758
92 1/4	28,319	98 1/4	30,052	104 1/4	31,585	110 1/4	32,858	116 1/4	33,773
92 3/8	28,357	98 3/8	30,086	104 3/8	31,614	110 3/8	32,882	116 3/8	33,786
92 1/2	28,395	98 1/2	30,120	104 1/2	31,643	110 1/2	32,905	116 1/2	33,800
92 5/8	28,432	98 5/8	30,154	104 5/8	31,673	110 5/8	32,928	116 5/8	33,813
92 3/4	28,470	98 3/4	30,188	104 3/4	31,702	110 3/4	32,950	116 3/4	33,826
92 7/8	28,507	98 7/8	30,221	104 7/8	31,731	110 7/8	32,973	116 7/8	33,839
93	28,545	99	30,255	105	31,759	111	32,995	117	33,852
93 1/8	28,582	99 1/8	30,289	105 1/8	31,788	111 1/8	33,018	117 1/8	33,864
93 1/4	28,620	99 1/4	30,322	105 1/4	31,817	111 1/4	33,040	117 1/4	33,876
93 3/8	28,657	99 3/8	30,356	105 3/8	31,845	111 3/8	33,062	117 3/8	33,887
93 1/2	28,694	99 1/2	30,389	105 1/2	31,874	111 1/2	33,083	117 1/2	33,899
93 5/8	28,731	99 5/8	30,422	105 5/8	31,902	111 5/8	33,105	117 5/8	33,910
93 3/4	28,768	99 3/4	30,456	105 3/4	31,930	111 3/4	33,126	117 3/4	33,920
93 7/8	28,805	99 7/8	30,489	105 7/8	31,958	111 7/8	33,148	117 7/8	33,931
94	28,842	100	30,522	106	31,986	112	33,169	118	33,941
94 1/8	28,879	100 1/8	30,554	106 1/8	32,014	112 1/8	33,190	118 1/8	33,950
94 1/4	28,916	100 1/4	30,587	106 1/4	32,042	112 1/4	33,211	118 1/4	33,959
94 3/8	28,953	100 3/8	30,620	106 3/8	32,069	112 3/8	33,231	118 3/8	33,968
94 1/2	28,989	100 1/2	30,653	106 1/2	32,097	112 1/2	33,252	118 1/2	33,976
94 5/8	29,026	100 5/8	30,685	106 5/8	32,124	112 5/8	33,272	118 5/8	33,984
94 3/4	29,062	100 3/4	30,718	106 3/4	32,151	112 3/4	33,292	118 3/4	33,992
94 7/8	29,099	100 7/8	30,750	106 7/8	32,178	112 7/8	33,312	118 7/8	33,999
95	29,135	101	30,782	107	32,205	113	33,331	119	34,005
95 1/8	29,171	101 1/8	30,814	107 1/8	32,232	113 1/8	33,351	119 1/8	34,011
95 1/4	29,207	101 1/4	30,846	107 1/4	32,259	113 1/4	33,370	119 1/4	34,016
95 3/8	29,243	101 3/8	30,878	107 3/8	32,285	113 3/8	33,389	119 3/8	34,021
95 1/2	29,279	101 1/2	30,910	107 1/2	32,312	113 1/2	33,408	119 1/2	34,024
95 5/8	29,315	101 5/8	30,942	107 5/8	32,338	113 5/8	33,427	119 5/8	34,027
95 3/4	29,351	101 3/4	30,973	107 3/4	32,364	113 3/4	33,446		
95 7/8	29,387	101 7/8	31,005	107 7/8	32,390	113 7/8	33,464		
96	29,423	102	31,036	108	32,416	114	33,482		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.