

**DWT6 10'-8000 COMPARTMENT**  
**8,642 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	2	6 1/8	131	12 1/8	377	18 1/8	709	24 1/8	1,111
1/4	3	6 1/4	135	12 1/4	383	18 1/4	717	24 1/4	1,120
3/8	4	6 3/8	139	12 3/8	389	18 3/8	725	24 3/8	1,130
1/2	5	6 1/2	143	12 1/2	395	18 1/2	732	24 1/2	1,139
5/8	6	6 5/8	147	12 5/8	401	18 5/8	740	24 5/8	1,148
3/4	8	6 3/4	152	12 3/4	408	18 3/4	748	24 3/4	1,157
7/8	9	6 7/8	156	12 7/8	414	18 7/8	756	24 7/8	1,166
1	11	7	160	13	420	19	764	25	1,175
1 1/8	12	7 1/8	165	13 1/8	427	19 1/8	772	25 1/8	1,184
1 1/4	14	7 1/4	169	13 1/4	433	19 1/4	780	25 1/4	1,194
1 3/8	16	7 3/8	174	13 3/8	439	19 3/8	788	25 3/8	1,203
1 1/2	17	7 1/2	178	13 1/2	446	19 1/2	796	25 1/2	1,212
1 5/8	19	7 5/8	183	13 5/8	452	19 5/8	804	25 5/8	1,221
1 3/4	21	7 3/4	188	13 3/4	459	19 3/4	812	25 3/4	1,231
1 7/8	24	7 7/8	192	13 7/8	466	19 7/8	820	25 7/8	1,240
2	26	8	197	14	472	20	828	26	1,249
2 1/8	28	8 1/8	202	14 1/8	479	20 1/8	836	26 1/8	1,259
2 1/4	30	8 1/4	207	14 1/4	486	20 1/4	844	26 1/4	1,268
2 3/8	33	8 3/8	211	14 3/8	492	20 3/8	853	26 3/8	1,278
2 1/2	35	8 1/2	216	14 1/2	499	20 1/2	861	26 1/2	1,287
2 5/8	37	8 5/8	221	14 5/8	506	20 5/8	869	26 5/8	1,297
2 3/4	40	8 3/4	226	14 3/4	513	20 3/4	877	26 3/4	1,306
2 7/8	43	8 7/8	231	14 7/8	519	20 7/8	886	26 7/8	1,316
3	45	9	236	15	526	21	894	27	1,325
3 1/8	48	9 1/8	242	15 1/8	533	21 1/8	902	27 1/8	1,335
3 1/4	51	9 1/4	247	15 1/4	540	21 1/4	911	27 1/4	1,344
3 3/8	54	9 3/8	252	15 3/8	547	21 3/8	919	27 3/8	1,354
3 1/2	57	9 1/2	257	15 1/2	554	21 1/2	928	27 1/2	1,364
3 5/8	60	9 5/8	262	15 5/8	561	21 5/8	936	27 5/8	1,373
3 3/4	63	9 3/4	268	15 3/4	568	21 3/4	945	27 3/4	1,383
3 7/8	66	9 7/8	273	15 7/8	575	21 7/8	953	27 7/8	1,393
4	69	10	279	16	583	22	962	28	1,402
4 1/8	72	10 1/8	284	16 1/8	590	22 1/8	970	28 1/8	1,412
4 1/4	75	10 1/4	290	16 1/4	597	22 1/4	979	28 1/4	1,422
4 3/8	79	10 3/8	295	16 3/8	604	22 3/8	988	28 3/8	1,432
4 1/2	82	10 1/2	301	16 1/2	612	22 1/2	996	28 1/2	1,441
4 5/8	85	10 5/8	306	16 5/8	619	22 5/8	1,005	28 5/8	1,451
4 3/4	89	10 3/4	312	16 3/4	626	22 3/4	1,014	28 3/4	1,461
4 7/8	92	10 7/8	318	16 7/8	634	22 7/8	1,023	28 7/8	1,471
5	96	11	323	17	641	23	1,031	29	1,481
5 1/8	100	11 1/8	329	17 1/8	648	23 1/8	1,040	29 1/8	1,491
5 1/4	103	11 1/4	335	17 1/4	656	23 1/4	1,049	29 1/4	1,501
5 3/8	107	11 3/8	341	17 3/8	663	23 3/8	1,058	29 3/8	1,511
5 1/2	111	11 1/2	347	17 1/2	671	23 1/2	1,067	29 1/2	1,521
5 5/8	115	11 5/8	353	17 5/8	679	23 5/8	1,076	29 5/8	1,531
5 3/4	119	11 3/4	359	17 3/4	686	23 3/4	1,085	29 3/4	1,541
5 7/8	123	11 7/8	365	17 7/8	694	23 7/8	1,093	29 7/8	1,551
6	127	12	371	18	701	24	1,102	30	1,561

**DWT6 10'-8000 COMPARTMENT**  
**8,642 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	1,571	36 1/8	2,076	42 1/8	2,618	48 1/8	3,186	54 1/8	3,771
30 1/4	1,581	36 1/4	2,087	42 1/4	2,629	48 1/4	3,198	54 1/4	3,783
30 3/8	1,591	36 3/8	2,098	42 3/8	2,641	48 3/8	3,210	54 3/8	3,795
30 1/2	1,601	36 1/2	2,109	42 1/2	2,653	48 1/2	3,222	54 1/2	3,808
30 5/8	1,611	36 5/8	2,120	42 5/8	2,664	48 5/8	3,234	54 5/8	3,820
30 3/4	1,622	36 3/4	2,131	42 3/4	2,676	48 3/4	3,246	54 3/4	3,832
30 7/8	1,632	36 7/8	2,142	42 7/8	2,688	48 7/8	3,258	54 7/8	3,845
31	1,642	37	2,153	43	2,699	49	3,270	55	3,857
31 1/8	1,652	37 1/8	2,164	43 1/8	2,711	49 1/8	3,282	55 1/8	3,869
31 1/4	1,662	37 1/4	2,175	43 1/4	2,723	49 1/4	3,294	55 1/4	3,882
31 3/8	1,673	37 3/8	2,186	43 3/8	2,734	49 3/8	3,306	55 3/8	3,894
31 1/2	1,683	37 1/2	2,198	43 1/2	2,746	49 1/2	3,319	55 1/2	3,906
31 5/8	1,693	37 5/8	2,209	43 5/8	2,758	49 5/8	3,331	55 5/8	3,919
31 3/4	1,704	37 3/4	2,220	43 3/4	2,769	49 3/4	3,343	55 3/4	3,931
31 7/8	1,714	37 7/8	2,231	43 7/8	2,781	49 7/8	3,355	55 7/8	3,943
32	1,724	38	2,242	44	2,793	50	3,367	56	3,956
32 1/8	1,735	38 1/8	2,253	44 1/8	2,805	50 1/8	3,379	56 1/8	3,968
32 1/4	1,745	38 1/4	2,264	44 1/4	2,816	50 1/4	3,391	56 1/4	3,980
32 3/8	1,756	38 3/8	2,276	44 3/8	2,828	50 3/8	3,404	56 3/8	3,993
32 1/2	1,766	38 1/2	2,287	44 1/2	2,840	50 1/2	3,416	56 1/2	4,005
32 5/8	1,776	38 5/8	2,298	44 5/8	2,852	50 5/8	3,428	56 5/8	4,018
32 3/4	1,787	38 3/4	2,309	44 3/4	2,864	50 3/4	3,440	56 3/4	4,030
32 7/8	1,797	38 7/8	2,321	44 7/8	2,875	50 7/8	3,452	56 7/8	4,042
33	1,808	39	2,332	45	2,887	51	3,464	57	4,055
33 1/8	1,818	39 1/8	2,343	45 1/8	2,899	51 1/8	3,477	57 1/8	4,067
33 1/4	1,829	39 1/4	2,354	45 1/4	2,911	51 1/4	3,489	57 1/4	4,079
33 3/8	1,840	39 3/8	2,366	45 3/8	2,923	51 3/8	3,501	57 3/8	4,092
33 1/2	1,850	39 1/2	2,377	45 1/2	2,935	51 1/2	3,513	57 1/2	4,104
33 5/8	1,861	39 5/8	2,388	45 5/8	2,946	51 5/8	3,525	57 5/8	4,116
33 3/4	1,871	39 3/4	2,400	45 3/4	2,958	51 3/4	3,538	57 3/4	4,129
33 7/8	1,882	39 7/8	2,411	45 7/8	2,970	51 7/8	3,550	57 7/8	4,141
34	1,893	40	2,423	46	2,982	52	3,562	58	4,154
34 1/8	1,903	40 1/8	2,434	46 1/8	2,994	52 1/8	3,574	58 1/8	4,166
34 1/4	1,914	40 1/4	2,445	46 1/4	3,006	52 1/4	3,587	58 1/4	4,178
34 3/8	1,925	40 3/8	2,457	46 3/8	3,018	52 3/8	3,599	58 3/8	4,191
34 1/2	1,935	40 1/2	2,468	46 1/2	3,030	52 1/2	3,611	58 1/2	4,203
34 5/8	1,946	40 5/8	2,480	46 5/8	3,042	52 5/8	3,623	58 5/8	4,216
34 3/4	1,957	40 3/4	2,491	46 3/4	3,054	52 3/4	3,636	58 3/4	4,228
34 7/8	1,968	40 7/8	2,502	46 7/8	3,066	52 7/8	3,648	58 7/8	4,240
35	1,979	41	2,514	47	3,078	53	3,660	59	4,253
35 1/8	1,989	41 1/8	2,525	47 1/8	3,090	53 1/8	3,672	59 1/8	4,265
35 1/4	2,000	41 1/4	2,537	47 1/4	3,102	53 1/4	3,685	59 1/4	4,277
35 3/8	2,011	41 3/8	2,548	47 3/8	3,114	53 3/8	3,697	59 3/8	4,290
35 1/2	2,022	41 1/2	2,560	47 1/2	3,126	53 1/2	3,709	59 1/2	4,302
35 5/8	2,033	41 5/8	2,572	47 5/8	3,138	53 5/8	3,722	59 5/8	4,315
35 3/4	2,044	41 3/4	2,583	47 3/4	3,150	53 3/4	3,734	59 3/4	4,327
35 7/8	2,054	41 7/8	2,595	47 7/8	3,162	53 7/8	3,746	59 7/8	4,339
36	2,065	42	2,606	48	3,174	54	3,758	60	4,352

**DWT6 10'-8000 COMPARTMENT**  
**8,642 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	4,364	66 1/8	4,957	72 1/8	5,540	78 1/8	6,105	84 1/8	6,641
60 1/4	4,377	66 1/4	4,969	72 1/4	5,552	78 1/4	6,116	84 1/4	6,652
60 3/8	4,389	66 3/8	4,981	72 3/8	5,564	78 3/8	6,128	84 3/8	6,663
60 1/2	4,401	66 1/2	4,994	72 1/2	5,576	78 1/2	6,139	84 1/2	6,674
60 5/8	4,414	66 5/8	5,006	72 5/8	5,588	78 5/8	6,151	84 5/8	6,685
60 3/4	4,426	66 3/4	5,018	72 3/4	5,600	78 3/4	6,162	84 3/4	6,695
60 7/8	4,438	66 7/8	5,030	72 7/8	5,612	78 7/8	6,173	84 7/8	6,706
61	4,451	67	5,043	73	5,624	79	6,185	85	6,717
61 1/8	4,463	67 1/8	5,055	73 1/8	5,636	79 1/8	6,196	85 1/8	6,728
61 1/4	4,476	67 1/4	5,067	73 1/4	5,648	79 1/4	6,208	85 1/4	6,738
61 3/8	4,488	67 3/8	5,079	73 3/8	5,659	79 3/8	6,219	85 3/8	6,749
61 1/2	4,500	67 1/2	5,092	73 1/2	5,671	79 1/2	6,230	85 1/2	6,760
61 5/8	4,513	67 5/8	5,104	73 5/8	5,683	79 5/8	6,242	85 5/8	6,770
61 3/4	4,525	67 3/4	5,116	73 3/4	5,695	79 3/4	6,253	85 3/4	6,781
61 7/8	4,537	67 7/8	5,128	73 7/8	5,707	79 7/8	6,264	85 7/8	6,791
62	4,550	68	5,141	74	5,719	80	6,276	86	6,802
62 1/8	4,562	68 1/8	5,153	74 1/8	5,731	80 1/8	6,287	86 1/8	6,813
62 1/4	4,575	68 1/4	5,165	74 1/4	5,743	80 1/4	6,298	86 1/4	6,823
62 3/8	4,587	68 3/8	5,177	74 3/8	5,754	80 3/8	6,310	86 3/8	6,834
62 1/2	4,599	68 1/2	5,189	74 1/2	5,766	80 1/2	6,321	86 1/2	6,844
62 5/8	4,612	68 5/8	5,202	74 5/8	5,778	80 5/8	6,332	86 5/8	6,855
62 3/4	4,624	68 3/4	5,214	74 3/4	5,790	80 3/4	6,343	86 3/4	6,865
62 7/8	4,636	68 7/8	5,226	74 7/8	5,802	80 7/8	6,355	86 7/8	6,876
63	4,649	69	5,238	75	5,813	81	6,366	87	6,886
63 1/8	4,661	69 1/8	5,250	75 1/8	5,825	81 1/8	6,377	87 1/8	6,896
63 1/4	4,673	69 1/4	5,262	75 1/4	5,837	81 1/4	6,388	87 1/4	6,907
63 3/8	4,686	69 3/8	5,275	75 3/8	5,849	81 3/8	6,399	87 3/8	6,917
63 1/2	4,698	69 1/2	5,287	75 1/2	5,860	81 1/2	6,411	87 1/2	6,928
63 5/8	4,711	69 5/8	5,299	75 5/8	5,872	81 5/8	6,422	87 5/8	6,938
63 3/4	4,723	69 3/4	5,311	75 3/4	5,884	81 3/4	6,433	87 3/4	6,948
63 7/8	4,735	69 7/8	5,323	75 7/8	5,896	81 7/8	6,444	87 7/8	6,959
64	4,748	70	5,335	76	5,907	82	6,455	88	6,969
64 1/8	4,760	70 1/8	5,347	76 1/8	5,919	82 1/8	6,466	88 1/8	6,979
64 1/4	4,772	70 1/4	5,359	76 1/4	5,931	82 1/4	6,477	88 1/4	6,989
64 3/8	4,785	70 3/8	5,371	76 3/8	5,942	82 3/8	6,488	88 3/8	7,000
64 1/2	4,797	70 1/2	5,384	76 1/2	5,954	82 1/2	6,499	88 1/2	7,010
64 5/8	4,809	70 5/8	5,396	76 5/8	5,966	82 5/8	6,510	88 5/8	7,020
64 3/4	4,822	70 3/4	5,408	76 3/4	5,977	82 3/4	6,521	88 3/4	7,030
64 7/8	4,834	70 7/8	5,420	76 7/8	5,989	82 7/8	6,532	88 7/8	7,040
65	4,846	71	5,432	77	6,001	83	6,543	89	7,050
65 1/8	4,859	71 1/8	5,444	77 1/8	6,012	83 1/8	6,554	89 1/8	7,061
65 1/4	4,871	71 1/4	5,456	77 1/4	6,024	83 1/4	6,565	89 1/4	7,071
65 3/8	4,883	71 3/8	5,468	77 3/8	6,035	83 3/8	6,576	89 3/8	7,081
65 1/2	4,895	71 1/2	5,480	77 1/2	6,047	83 1/2	6,587	89 1/2	7,091
65 5/8	4,908	71 5/8	5,492	77 5/8	6,059	83 5/8	6,598	89 5/8	7,101
65 3/4	4,920	71 3/4	5,504	77 3/4	6,070	83 3/4	6,609	89 3/4	7,111
65 7/8	4,932	71 7/8	5,516	77 7/8	6,082	83 7/8	6,620	89 7/8	7,121
66	4,945	72	5,528	78	6,093	84	6,631	90	7,131

**DWT6 10'-8000 COMPARTMENT**  
**8,642 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	7,141	96 1/8	7,593	102 1/8	7,986	108 1/8	8,307	114 1/8	8,538
90 1/4	7,151	96 1/4	7,601	102 1/4	7,993	108 1/4	8,312	114 1/4	8,542
90 3/8	7,161	96 3/8	7,610	102 3/8	8,001	108 3/8	8,318	114 3/8	8,545
90 1/2	7,171	96 1/2	7,619	102 1/2	8,008	108 1/2	8,324	114 1/2	8,549
90 5/8	7,180	96 5/8	7,628	102 5/8	8,015	108 5/8	8,330	114 5/8	8,553
90 3/4	7,190	96 3/4	7,637	102 3/4	8,023	108 3/4	8,335	114 3/4	8,556
90 7/8	7,200	96 7/8	7,645	102 7/8	8,030	108 7/8	8,341	114 7/8	8,560
91	7,210	97	7,654	103	8,037	109	8,346	115	8,563
91 1/8	7,220	97 1/8	7,663	103 1/8	8,045	109 1/8	8,352	115 1/8	8,566
91 1/4	7,229	97 1/4	7,671	103 1/4	8,052	109 1/4	8,358	115 1/4	8,569
91 3/8	7,239	97 3/8	7,680	103 3/8	8,059	109 3/8	8,363	115 3/8	8,573
91 1/2	7,249	97 1/2	7,688	103 1/2	8,066	109 1/2	8,368	115 1/2	8,576
91 5/8	7,259	97 5/8	7,697	103 5/8	8,073	109 5/8	8,374	115 5/8	8,579
91 3/4	7,268	97 3/4	7,705	103 3/4	8,080	109 3/4	8,379	115 3/4	8,582
91 7/8	7,278	97 7/8	7,714	103 7/8	8,087	109 7/8	8,384	115 7/8	8,585
92	7,288	98	7,722	104	8,094	110	8,390	116	8,588
92 1/8	7,297	98 1/8	7,731	104 1/8	8,101	110 1/8	8,395	116 1/8	8,591
92 1/4	7,307	98 1/4	7,739	104 1/4	8,108	110 1/4	8,400	116 1/4	8,594
92 3/8	7,316	98 3/8	7,748	104 3/8	8,115	110 3/8	8,405	116 3/8	8,596
92 1/2	7,326	98 1/2	7,756	104 1/2	8,122	110 1/2	8,410	116 1/2	8,599
92 5/8	7,335	98 5/8	7,764	104 5/8	8,129	110 5/8	8,415	116 5/8	8,602
92 3/4	7,345	98 3/4	7,773	104 3/4	8,136	110 3/4	8,420	116 3/4	8,604
92 7/8	7,354	98 7/8	7,781	104 7/8	8,143	110 7/8	8,425	116 7/8	8,607
93	7,364	99	7,789	105	8,149	111	8,430	117	8,609
93 1/8	7,373	99 1/8	7,797	105 1/8	8,156	111 1/8	8,435	117 1/8	8,611
93 1/4	7,383	99 1/4	7,805	105 1/4	8,163	111 1/4	8,440	117 1/4	8,614
93 3/8	7,392	99 3/8	7,814	105 3/8	8,169	111 3/8	8,445	117 3/8	8,616
93 1/2	7,402	99 1/2	7,822	105 1/2	8,176	111 1/2	8,449	117 1/2	8,618
93 5/8	7,411	99 5/8	7,830	105 5/8	8,183	111 5/8	8,454	117 5/8	8,620
93 3/4	7,420	99 3/4	7,838	105 3/4	8,189	111 3/4	8,459	117 3/4	8,622
93 7/8	7,429	99 7/8	7,846	105 7/8	8,196	111 7/8	8,463	117 7/8	8,624
94	7,439	100	7,854	106	8,202	112	8,468	118	8,626
94 1/8	7,448	100 1/8	7,862	106 1/8	8,209	112 1/8	8,472	118 1/8	8,628
94 1/4	7,457	100 1/4	7,870	106 1/4	8,215	112 1/4	8,477	118 1/4	8,629
94 3/8	7,466	100 3/8	7,878	106 3/8	8,221	112 3/8	8,481	118 3/8	8,631
94 1/2	7,476	100 1/2	7,886	106 1/2	8,228	112 1/2	8,486	118 1/2	8,633
94 5/8	7,485	100 5/8	7,894	106 5/8	8,234	112 5/8	8,490	118 5/8	8,634
94 3/4	7,494	100 3/4	7,901	106 3/4	8,240	112 3/4	8,494	118 3/4	8,635
94 7/8	7,503	100 7/8	7,909	106 7/8	8,246	112 7/8	8,498	118 7/8	8,637
95	7,512	101	7,917	107	8,253	113	8,503	119	8,638
95 1/8	7,521	101 1/8	7,925	107 1/8	8,259	113 1/8	8,507	119 1/8	8,639
95 1/4	7,530	101 1/4	7,932	107 1/4	8,265	113 1/4	8,511	119 1/4	8,640
95 3/8	7,539	101 3/8	7,940	107 3/8	8,271	113 3/8	8,515	119 3/8	8,640
95 1/2	7,548	101 1/2	7,948	107 1/2	8,277	113 1/2	8,519	119 1/2	8,641
95 5/8	7,557	101 5/8	7,955	107 5/8	8,283	113 5/8	8,523	119 5/8	8,642
95 3/4	7,566	101 3/4	7,963	107 3/4	8,289	113 3/4	8,527		
95 7/8	7,575	101 7/8	7,971	107 7/8	8,295	113 7/8	8,531		
96	7,584	102	7,978	108	8,301	114	8,534		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.