

(12') D-7 SWT 20,000 GALLON (20,046 gals)

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	6	7 1/8	395	14 1/8	1,065	21 1/8	1913	28 1/8	2896	35 1/8	3985
1/4	8	7 1/4	405	14 1/4	1,079	21 1/4	1930	28 1/4	2915	35 1/4	4005
3/8	11	7 3/8	416	14 3/8	1,093	21 3/8	1946	28 3/8	2934	35 3/8	4025
1/2	14	7 1/2	426	14 1/2	1,106	21 1/2	1963	28 1/2	2952	35 1/2	4046
5/8	18	7 5/8	436	14 5/8	1,120	21 5/8	1980	28 5/8	2971	35 5/8	4066
3/4	21	7 3/4	446	14 3/4	1,134	21 3/4	1996	28 3/4	2990	35 3/4	4086
7/8	25	7 7/8	457	14 7/8	1,148	21 7/8	2013	28 7/8	3009	35 7/8	4107
1	29	8	467	15	1162	22	2030	29	3027	36	4127
1 1/8	33	8 1/8	478	15 1/8	1,177	22 1/8	2046	29 1/8	3046	36 1/8	4148
1 1/4	38	8 1/4	488	15 1/4	1,191	22 1/4	2063	29 1/4	3065	36 1/4	4168
1 3/8	43	8 3/8	499	15 3/8	1,205	22 3/8	2080	29 3/8	3084	36 3/8	4189
1 1/2	47	8 1/2	510	15 1/2	1,219	22 1/2	2097	29 1/2	3103	36 1/2	4209
1 5/8	52	8 5/8	521	15 5/8	1,234	22 5/8	2114	29 5/8	3122	36 5/8	4230
1 3/4	57	8 3/4	532	15 3/4	1,248	22 3/4	2131	29 3/4	3141	36 3/4	4250
1 7/8	63	8 7/8	543	15 7/8	1,262	22 7/8	2148	29 7/8	3160	36 7/8	4271
2	68	9	554	16	1277	23	2165	30	3179	37	4291
2 1/8	74	9 1/8	565	16 1/8	1,292	23 1/8	2182	30 1/8	3198	37 1/8	4312
2 1/4	80	9 1/4	576	16 1/4	1,306	23 1/4	2199	30 1/4	3217	37 1/4	4333
2 3/8	86	9 3/8	587	16 3/8	1,321	23 3/8	2216	30 3/8	3236	37 3/8	4353
2 1/2	92	9 1/2	599	16 1/2	1,336	23 1/2	2233	30 1/2	3255	37 1/2	4374
2 5/8	98	9 5/8	610	16 5/8	1,350	23 5/8	2251	30 5/8	3274	37 5/8	4395
2 3/4	104	9 3/4	622	16 3/4	1,365	23 3/4	2268	30 3/4	3294	37 3/4	4415
2 7/8	111	9 7/8	633	16 7/8	1,380	23 7/8	2285	30 7/8	3313	37 7/8	4436
3	117	10	645	17	1395	24	2303	31	3332	38	4457
3 1/8	124	10 1/8	657	17 1/8	1,410	24 1/8	2320	31 1/8	3352	38 1/8	4478
3 1/4	131	10 1/4	668	17 1/4	1,425	24 1/4	2338	31 1/4	3371	38 1/4	4499
3 3/8	138	10 3/8	680	17 3/8	1,440	24 3/8	2355	31 3/8	3390	38 3/8	4520
3 1/2	145	10 1/2	692	17 1/2	1,455	24 1/2	2373	31 1/2	3410	38 1/2	4540
3 5/8	152	10 5/8	704	17 5/8	1,470	24 5/8	2390	31 5/8	3429	38 5/8	4561
3 3/4	159	10 3/4	716	17 3/4	1,485	24 3/4	2408	31 3/4	3449	38 3/4	4582
3 7/8	167	10 7/8	728	17 7/8	1,501	24 7/8	2425	31 7/8	3468	38 7/8	4603
4	174	11	740	18	1,516	25	2443	32	3488	39	4624
4 1/8	182	11 1/8	753	18 1/8	1,531	25 1/8	2461	32 1/8	3507	39 1/8	4645
4 1/4	190	11 1/4	765	18 1/4	1,547	25 1/4	2478	32 1/4	3527	39 1/4	4666
4 3/8	198	11 3/8	777	18 3/8	1,562	25 3/8	2496	32 3/8	3546	39 3/8	4687
4 1/2	206	11 1/2	790	18 1/2	1,578	25 1/2	2514	32 1/2	3566	39 1/2	4708
4 5/8	214	11 5/8	802	18 5/8	1,593	25 5/8	2532	32 5/8	3586	39 5/8	4729
4 3/4	222	11 3/4	815	18 3/4	1,609	25 3/4	2550	32 3/4	3605	39 3/4	4751
4 7/8	230	11 7/8	828	18 7/8	1,624	25 7/8	2568	32 7/8	3625	39 7/8	4772
5	239	12	840	19	1640	26	2586	33	3645	40	4793
5 1/8	247	12 1/8	853	19 1/8	1,656	26 1/8	2604	33 1/8	3665	40 1/8	4814
5 1/4	256	12 1/4	866	19 1/4	1,671	26 1/4	2622	33 1/4	3684	40 1/4	4835
5 3/8	264	12 3/8	879	19 3/8	1,687	26 3/8	2640	33 3/8	3704	40 3/8	4856
5 1/2	273	12 1/2	892	19 1/2	1,703	26 1/2	2658	33 1/2	3724	40 1/2	4878
5 5/8	282	12 5/8	905	19 5/8	1,719	26 5/8	2676	33 5/8	3744	40 5/8	4899
5 3/4	291	12 3/4	918	19 3/4	1,735	26 3/4	2694	33 3/4	3764	40 3/4	4920
5 7/8	300	12 7/8	931	19 7/8	1,751	26 7/8	2712	33 7/8	3784	40 7/8	4942
6	309	13	944	20	1767	27	2731	34	3804	41	4963
6 1/8	318	13 1/8	957	20 1/8	1,783	27 1/8	2749	34 1/8	3824	41 1/8	4984
6 1/4	328	13 1/4	970	20 1/4	1,799	27 1/4	2767	34 1/4	3844	41 1/4	5006
6 3/8	337	13 3/8	984	20 3/8	1,815	27 3/8	2786	34 3/8	3864	41 3/8	5027
6 1/2	347	13 1/2	997	20 1/2	1,832	27 1/2	2804	34 1/2	3884	41 1/2	5048
6 5/8	356	13 5/8	1,011	20 5/8	1,848	27 5/8	2822	34 5/8	3904	41 5/8	5070
6 3/4	366	13 3/4	1,024	20 3/4	1,864	27 3/4	2841	34 3/4	3924	41 3/4	5091
6 7/8	376	13 7/8	1,038	20 7/8	1,881	27 7/8	2859	34 7/8	3945	41 7/8	5113
7	386	14	1,051	21	1,897	28	2,878	35	3,965	42	5,134

(12') D-7 SWT 20,000 GALLON (20,046 gals)

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	5156	49 1/8	6389	56 1/8	7668	63 1/8	8975	70 1/8	10294	77 1/8	11611
42 1/4	5177	49 1/4	6412	56 1/4	7691	63 1/4	8998	70 1/4	10318	77 1/4	11634
42 3/8	5199	49 3/8	6434	56 3/8	7714	63 3/8	9022	70 3/8	10342	77 3/8	11658
42 1/2	5220	49 1/2	6457	56 1/2	7737	63 1/2	9045	70 1/2	10365	77 1/2	11681
42 5/8	5242	49 5/8	6479	56 5/8	7761	63 5/8	9069	70 5/8	10389	77 5/8	11704
42 3/4	5264	49 3/4	6502	56 3/4	7784	63 3/4	9093	70 3/4	10412	77 3/4	11728
42 7/8	5285	49 7/8	6525	56 7/8	7807	63 7/8	9116	70 7/8	10436	77 7/8	11751
43	5307	50	6547	57	7830	64	9140	71	10460	78	11774
43 1/8	5329	50 1/8	6570	57 1/8	7853	64 1/8	9163	71 1/8	10483	78 1/8	11798
43 1/4	5350	50 1/4	6592	57 1/4	7877	64 1/4	9187	71 1/4	10507	78 1/4	11821
43 3/8	5372	50 3/8	6615	57 3/8	7900	64 3/8	9210	71 3/8	10530	78 3/8	11844
43 1/2	5394	50 1/2	6638	57 1/2	7923	64 1/2	9234	71 1/2	10554	78 1/2	11868
43 5/8	5415	50 5/8	6660	57 5/8	7946	64 5/8	9257	71 5/8	10577	78 5/8	11891
43 3/4	5437	50 3/4	6683	57 3/4	7969	64 3/4	9281	71 3/4	10601	78 3/4	11914
43 7/8	5459	50 7/8	6705	57 7/8	7993	64 7/8	9304	71 7/8	10624	78 7/8	11937
44	5481	51	6728	58	8016	65	9328	72	10648	79	11961
44 1/8	5503	51 1/8	6751	58 1/8	8039	65 1/8	9351	72 1/8	10672	79 1/8	11984
44 1/4	5525	51 1/4	6774	58 1/4	8062	65 1/4	9375	72 1/4	10695	79 1/4	12007
44 3/8	5546	51 3/8	6796	58 3/8	8086	65 3/8	9399	72 3/8	10719	79 3/8	12031
44 1/2	5568	51 1/2	6819	58 1/2	8109	65 1/2	9422	72 1/2	10742	79 1/2	12054
44 5/8	5590	51 5/8	6842	58 5/8	8132	65 5/8	9446	72 5/8	10766	79 5/8	12077
44 3/4	5612	51 3/4	6864	58 3/4	8156	65 3/4	9469	72 3/4	10789	79 3/4	12100
44 7/8	5634	51 7/8	6887	58 7/8	8179	65 7/8	9493	72 7/8	10813	79 7/8	12124
45	5656	52	6910	59	8202	66	9516	73	10836	80	12147
45 1/8	5678	52 1/8	6933	59 1/8	8226	66 1/8	9540	73 1/8	10860	80 1/8	12170
45 1/4	5700	52 1/4	6956	59 1/4	8249	66 1/4	9563	73 1/4	10883	80 1/4	12193
45 3/8	5722	52 3/8	6978	59 3/8	8272	66 3/8	9587	73 3/8	10907	80 3/8	12216
45 1/2	5744	52 1/2	7001	59 1/2	8296	66 1/2	9611	73 1/2	10930	80 1/2	12240
45 5/8	5766	52 5/8	7024	59 5/8	8319	66 5/8	9634	73 5/8	10954	80 5/8	12263
45 3/4	5788	52 3/4	7047	59 3/4	8342	66 3/4	9658	73 3/4	10978	80 3/4	12286
45 7/8	5810	52 7/8	7070	59 7/8	8366	66 7/8	9681	73 7/8	11001	80 7/8	12309
46	5832	53	7093	60	8389	67	9705	74	11025	81	12332
46 1/8	5854	53 1/8	7116	60 1/8	8412	67 1/8	9728	74 1/8	11048	81 1/8	12355
46 1/4	5876	53 1/4	7138	60 1/4	8436	67 1/4	9752	74 1/4	11072	81 1/4	12379
46 3/8	5898	53 3/8	7161	60 3/8	8459	67 3/8	9776	74 3/8	11095	81 3/8	12402
46 1/2	5921	53 1/2	7184	60 1/2	8483	67 1/2	9799	74 1/2	11119	81 1/2	12425
46 5/8	5943	53 5/8	7207	60 5/8	8506	67 5/8	9823	74 5/8	11142	81 5/8	12448
46 3/4	5965	53 3/4	7230	60 3/4	8529	67 3/4	9846	74 3/4	11165	81 3/4	12471
46 7/8	5987	53 7/8	7253	60 7/8	8553	67 7/8	9870	74 7/8	11189	81 7/8	12494
47	6009	54	7276	61	8576	68	9894	75	11212	82	12517
47 1/8	6032	54 1/8	7299	61 1/8	8600	68 1/8	9917	75 1/8	11236	82 1/8	12540
47 1/4	6054	54 1/4	7322	61 1/4	8623	68 1/4	9941	75 1/4	11259	82 1/4	12563
47 3/8	6076	54 3/8	7345	61 3/8	8646	68 3/8	9964	75 3/8	11283	82 3/8	12586
47 1/2	6098	54 1/2	7368	61 1/2	8670	68 1/2	9988	75 1/2	11306	82 1/2	12609
47 5/8	6121	54 5/8	7391	61 5/8	8693	68 5/8	10011	75 5/8	11330	82 5/8	12632
47 3/4	6143	54 3/4	7414	61 3/4	8717	68 3/4	10035	75 3/4	11353	82 3/4	12655
47 7/8	6165	54 7/8	7437	61 7/8	8740	68 7/8	10059	75 7/8	11377	82 7/8	12678
48	6188	55	7460	62	8764	69	10082	76	11400	83	12701
48 1/8	6210	55 1/8	7483	62 1/8	8787	69 1/8	10106	76 1/8	11424	83 1/8	12724
48 1/4	6232	55 1/4	7506	62 1/4	8811	69 1/4	10129	76 1/4	11447	83 1/4	12747
48 3/8	6255	55 3/8	7529	62 3/8	8834	69 3/8	10153	76 3/8	11470	83 3/8	12770
48 1/2	6277	55 1/2	7552	62 1/2	8858	69 1/2	10177	76 1/2	11494	83 1/2	12793
48 5/8	6300	55 5/8	7576	62 5/8	8881	69 5/8	10200	76 5/8	11517	83 5/8	12816
48 3/4	6322	55 3/4	7599	62 3/4	8905	69 3/4	10224	76 3/4	11541	83 3/4	12839
48 7/8	6344	55 7/8	7622	62 7/8	8928	69 7/8	10247	76 7/8	11564	83 7/8	12862
49	6367	56	7645	63	8951	70	10271	77	11587	84	12885

(12') D-7 SWT 20,000 GALLON (20,046 gals)

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	12908	91 1/8	14170	98 1/8	15,380	105 1/8	16,520	112 1/8	17,568	119 1/8	18500
84 1/4	12931	91 1/4	14192	98 1/4	15,401	105 1/4	16,539	112 1/4	17,586	119 1/4	18515
84 3/8	12954	91 3/8	14214	98 3/8	15,422	105 3/8	16,559	112 3/8	17,603	119 3/8	18531
84 1/2	12977	91 1/2	14237	98 1/2	15,443	105 1/2	16,578	112 1/2	17,621	119 1/2	18546
84 5/8	13000	91 5/8	14259	98 5/8	15,464	105 5/8	16,598	112 5/8	17,639	119 5/8	18561
84 3/4	13022	91 3/4	14281	98 3/4	15,485	105 3/4	16,617	112 3/4	17,656	119 3/4	18576
84 7/8	13045	91 7/8	14303	98 7/8	15,506	105 7/8	16,637	112 7/8	17,674	119 7/8	18592
85	13068	92	14325	99	15,527	106	16,656	113	17691	120	18607
85 1/8	13091	92 1/8	14347	99 1/8	15,548	106 1/8	16,676	113 1/8	17,709	120 1/8	18622
85 1/4	13114	92 1/4	14369	99 1/4	15,569	106 1/4	16,695	113 1/4	17,726	120 1/4	18637
85 3/8	13136	92 3/8	14391	99 3/8	15,589	106 3/8	16,714	113 3/8	17,744	120 3/8	18652
85 1/2	13159	92 1/2	14413	99 1/2	15,610	106 1/2	16,734	113 1/2	17,761	120 1/2	18667
85 5/8	13182	92 5/8	14434	99 5/8	15,631	106 5/8	16,753	113 5/8	17,778	120 5/8	18681
85 3/4	13205	92 3/4	14456	99 3/4	15,652	106 3/4	16,772	113 3/4	17,796	120 3/4	18696
85 7/8	13228	92 7/8	14478	99 7/8	15,672	106 7/8	16,791	113 7/8	17,813	120 7/8	18711
86	13250	93	14500	100	15,693	107	16,810	114	17830	121	18726
86 1/8	13273	93 1/8	14522	100 1/8	15,714	107 1/8	16,830	114 1/8	17,847	121 1/8	18740
86 1/4	13296	93 1/4	14544	100 1/4	15,735	107 1/4	16,849	114 1/4	17,865	121 1/4	18755
86 3/8	13318	93 3/8	14566	100 3/8	15,755	107 3/8	16,868	114 3/8	17,882	121 3/8	18770
86 1/2	13341	93 1/2	14587	100 1/2	15,776	107 1/2	16,887	114 1/2	17,899	121 1/2	18784
86 5/8	13364	93 5/8	14609	100 5/8	15,796	107 5/8	16,906	114 5/8	17,916	121 5/8	18798
86 3/4	13386	93 3/4	14631	100 3/4	15,817	107 3/4	16,925	114 3/4	17,933	121 3/4	18813
86 7/8	13409	93 7/8	14653	100 7/8	15,837	107 7/8	16,944	114 7/8	17,950	121 7/8	18827
87	13432	94	14674	101	15,858	108	16,963	115	17966	122	18842
87 1/8	13454	94 1/8	14696	101 1/8	15,878	108 1/8	16,982	115 1/8	17,983	122 1/8	18856
87 1/4	13477	94 1/4	14718	101 1/4	15,899	108 1/4	17,000	115 1/4	18,000	122 1/4	18870
87 3/8	13499	94 3/8	14740	101 3/8	15,919	108 3/8	17,019	115 3/8	18,017	122 3/8	18884
87 1/2	13522	94 1/2	14761	101 1/2	15,940	108 1/2	17,038	115 1/2	18,034	122 1/2	18898
87 5/8	13545	94 5/8	14783	101 5/8	15,960	108 5/8	17,057	115 5/8	18,050	122 5/8	18912
87 3/4	13567	94 3/4	14804	101 3/4	15,980	108 3/4	17,075	115 3/4	18,067	122 3/4	18926
87 7/8	13590	94 7/8	14826	101 7/8	16,001	108 7/8	17,094	115 7/8	18,084	122 7/8	18940
88	13612	95	14848	102	16,021	109	17,113	116	18,100	123	18954
88 1/8	13635	95 1/8	14869	102 1/8	16,041	109 1/8	17,131	116 1/8	18,117	123 1/8	18968
88 1/4	13657	95 1/4	14891	102 1/4	16,062	109 1/4	17,150	116 1/4	18,133	123 1/4	18981
88 3/8	13680	95 3/8	14912	102 3/8	16,082	109 3/8	17,169	116 3/8	18,150	123 3/8	18995
88 1/2	13702	95 1/2	14934	102 1/2	16,102	109 1/2	17,187	116 1/2	18,166	123 1/2	19009
88 5/8	13725	95 5/8	14955	102 5/8	16,122	109 5/8	17,206	116 5/8	18,182	123 5/8	19022
88 3/4	13747	95 3/4	14977	102 3/4	16,142	109 3/4	17,224	116 3/4	18,199	123 3/4	19036
88 7/8	13769	95 7/8	14998	102 7/8	16,162	109 7/8	17,242	116 7/8	18215	123 7/8	19049
89	13792	96	15019	103	16,182	110	17,261	117	18231	124	19063
89 1/8	13814	96 1/8	15041	103 1/8	16,203	110 1/8	17,279	117 1/8	18247	124 1/8	19076
89 1/4	13837	96 1/4	15062	103 1/4	16,223	110 1/4	17,298	117 1/4	18263	124 1/4	19089
89 3/8	13859	96 3/8	15084	103 3/8	16,243	110 3/8	17,316	117 3/8	18279	124 3/8	19103
89 1/2	13881	96 1/2	15105	103 1/2	16,263	110 1/2	17,334	117 1/2	18296	124 1/2	19116
89 5/8	13904	96 5/8	15126	103 5/8	16,283	110 5/8	17,352	117 5/8	18311	124 5/8	19129
89 3/4	13926	96 3/4	15148	103 3/4	16,302	110 3/4	17,370	117 3/4	18327	124 3/4	19142
89 7/8	13948	96 7/8	15169	103 7/8	16,322	110 7/8	17,389	117 7/8	18343	124 7/8	19155
90	13970	97	15190	104	16,342	111	17,407	118	18359	125	19168
90 1/8	13993	97 1/8	15211	104 1/8	16,362	111 1/8	17,425	118 1/8	18375	125 1/8	19181
90 1/4	14015	97 1/4	15232	104 1/4	16,382	111 1/4	17,443	118 1/4	18391	125 1/4	19194
90 3/8	14037	97 3/8	15254	104 3/8	16,402	111 3/8	17,461	118 3/8	18407	125 3/8	19206
90 1/2	14059	97 1/2	15275	104 1/2	16,421	111 1/2	17,479	118 1/2	18422	125 1/2	19219
90 5/8	14082	97 5/8	15296	104 5/8	16,441	111 5/8	17,497	118 5/8	18438	125 5/8	19232
90 3/4	14104	97 3/4	15317	104 3/4	16,461	111 3/4	17,515	118 3/4	18453	125 3/4	19244
90 7/8	14126	97 7/8	15338	104 7/8	16,481	111 7/8	17,532	118 7/8	18469	125 7/8	19257
91	14148	98	15359	105	16,500	112	17,550	119	18484	126	19269

(12') D-7 SWT 20,000 GALLON (20,046 gals)

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	19281	133 1/8	19857
126 1/4	19294	133 1/4	19864
126 3/8	19306	133 3/8	19872
126 1/2	19318	133 1/2	19880
126 5/8	19330	133 5/8	19887
126 3/4	19342	133 3/4	19894
126 7/8	19354	133 7/8	19902
127	19366	134	19909
127 1/8	19378	134 1/8	19916
127 1/4	19390	134 1/4	19922
127 3/8	19402	134 3/8	19929
127 1/2	19413	134 1/2	19936
127 5/8	19425	134 5/8	19942
127 3/4	19436	134 3/4	19949
127 7/8	19448	134 7/8	19955
128	19459	135	19961
128 1/8	19470	135 1/8	19967
128 1/4	19482	135 1/4	19973
128 3/8	19493	135 3/8	19978
128 1/2	19504	135 1/2	19984
128 5/8	19515	135 5/8	19989
128 3/4	19526	135 3/4	19994
128 7/8	19537	135 7/8	19999
129	19547	136	20004
129 1/8	19558	136 1/8	20009
129 1/4	19569	136 1/4	20013
129 3/8	19579	136 3/8	20017
129 1/2	19590	136 1/2	20021
129 5/8	19600	136 5/8	20025
129 3/4	19611	136 3/4	20029
129 7/8	19621	136 7/8	20032
130	19631	137	20035
130 1/8	19641	137 1/8	20038
130 1/4	19651	137 1/4	20041
130 3/8	19661	137 3/8	20043
130 1/2	19671	137 1/2	20045
130 5/8	19681	137 5/8	20046
130 3/4	19690		
130 7/8	19700		
131	19709		
131 1/8	19719		
131 1/4	19728		
131 3/8	19737		
131 1/2	19746		
131 5/8	19755		
131 3/4	19764		
131 7/8	19773		
132	19782		
132 1/8	19791		
132 1/4	19799		
132 3/8	19808		
132 1/2	19816		
132 5/8	19824		
132 3/4	19833		
132 7/8	19841		
133	19849		



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Gasoila Water Finding Paste
 Federal Process Corp.
 800-846-7325
www.gasoila.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overflow shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
 5150 Jefferson Chemical Road
 Conroe, TX 77301
 Tel: 936-756-7731
 Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.

Pub. No. CAL 8130-SWT 8/97