

**SWT D7 (12) 25,000  
25485 gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	7	7 1/8	509	14 1/8	1,368	21 1/8	2452	28 1/8	3705	35 1/8	5089
1/4	11	7 1/4	522	14 1/4	1,385	21 1/4	2473	28 1/4	3728	35 1/4	5115
3/8	14	7 3/8	535	14 3/8	1,403	21 3/8	2494	28 3/8	3752	35 3/8	5141
1/2	18	7 1/2	548	14 1/2	1,421	21 1/2	2515	28 1/2	3776	35 1/2	5167
5/8	23	7 5/8	561	14 5/8	1,438	21 5/8	2536	28 5/8	3800	35 5/8	5192
3/4	27	7 3/4	574	14 3/4	1,456	21 3/4	2557	28 3/4	3823	35 3/4	5218
7/8	32	7 7/8	588	14 7/8	1,474	21 7/8	2579	28 7/8	3847	35 7/8	5244
1	38	8	601	15	1492	22	2600	29	3871	36	5270
1 1/8	43	8 1/8	615	15 1/8	1,510	22 1/8	2621	29 1/8	3895	36 1/8	5296
1 1/4	49	8 1/4	628	15 1/4	1,528	22 1/4	2643	29 1/4	3919	36 1/4	5322
1 3/8	55	8 3/8	642	15 3/8	1,547	22 3/8	2664	29 3/8	3943	36 3/8	5348
1 1/2	61	8 1/2	656	15 1/2	1,565	22 1/2	2686	29 1/2	3967	36 1/2	5374
1 5/8	68	8 5/8	670	15 5/8	1,583	22 5/8	2707	29 5/8	3991	36 5/8	5400
1 3/4	74	8 3/4	684	15 3/4	1,602	22 3/4	2729	29 3/4	4016	36 3/4	5426
1 7/8	81	8 7/8	698	15 7/8	1,620	22 7/8	2751	29 7/8	4040	36 7/8	5452
2	88	9	712	16	1639	23	2772	30	4064	37	5479
2 1/8	95	9 1/8	727	16 1/8	1,657	23 1/8	2794	30 1/8	4088	37 1/8	5505
2 1/4	103	9 1/4	741	16 1/4	1,676	23 1/4	2816	30 1/4	4113	37 1/4	5531
2 3/8	111	9 3/8	755	16 3/8	1,695	23 3/8	2838	30 3/8	4137	37 3/8	5557
2 1/2	118	9 1/2	770	16 1/2	1,713	23 1/2	2860	30 1/2	4161	37 1/2	5584
2 5/8	126	9 5/8	785	16 5/8	1,732	23 5/8	2882	30 5/8	4186	37 5/8	5610
2 3/4	135	9 3/4	799	16 3/4	1,751	23 3/4	2904	30 3/4	4210	37 3/4	5636
2 7/8	143	9 7/8	814	16 7/8	1,770	23 7/8	2926	30 7/8	4235	37 7/8	5663
3	151	10	829	17	1789	24	2948	31	4259	38	5689
3 1/8	160	10 1/8	844	17 1/8	1,808	24 1/8	2970	31 1/8	4284	38 1/8	5715
3 1/4	169	10 1/4	859	17 1/4	1,828	24 1/4	2993	31 1/4	4308	38 1/4	5742
3 3/8	178	10 3/8	875	17 3/8	1,847	24 3/8	3015	31 3/8	4333	38 3/8	5768
3 1/2	187	10 1/2	890	17 1/2	1,866	24 1/2	3037	31 1/2	4358	38 1/2	5795
3 5/8	196	10 5/8	905	17 5/8	1,886	24 5/8	3060	31 5/8	4382	38 5/8	5821
3 3/4	206	10 3/4	921	17 3/4	1,905	24 3/4	3082	31 3/4	4407	38 3/4	5848
3 7/8	215	10 7/8	936	17 7/8	1,924	24 7/8	3105	31 7/8	4432	38 7/8	5875
4	225	11	952	18	1,944	25	3127	32	4457	39	5901
4 1/8	235	11 1/8	967	18 1/8	1,964	25 1/8	3150	32 1/8	4482	39 1/8	5928
4 1/4	245	11 1/4	983	18 1/4	1,983	25 1/4	3172	32 1/4	4507	39 1/4	5955
4 3/8	255	11 3/8	999	18 3/8	2,003	25 3/8	3195	32 3/8	4532	39 3/8	5981
4 1/2	265	11 1/2	1,015	18 1/2	2,023	25 1/2	3218	32 1/2	4557	39 1/2	6008
4 5/8	276	11 5/8	1,031	18 5/8	2,043	25 5/8	3240	32 5/8	4582	39 5/8	6035
4 3/4	286	11 3/4	1,047	18 3/4	2,063	25 3/4	3263	32 3/4	4607	39 3/4	6062
4 7/8	297	11 7/8	1,063	18 7/8	2,083	25 7/8	3286	32 7/8	4632	39 7/8	6089
5	308	12	1,080	19	2,103	26	3,309	33	4,657	40	6,115
5 1/8	319	12 1/8	1,096	19 1/8	2,123	26 1/8	3,332	33 1/8	4,682	40 1/8	6,142
5 1/4	330	12 1/4	1,112	19 1/4	2,143	26 1/4	3,355	33 1/4	4,707	40 1/4	6,169
5 3/8	341	12 3/8	1,129	19 3/8	2,163	26 3/8	3,378	33 3/8	4,732	40 3/8	6,196
5 1/2	352	12 1/2	1,145	19 1/2	2,183	26 1/2	3,401	33 1/2	4,758	40 1/2	6,223
5 5/8	363	12 5/8	1,162	19 5/8	2,204	26 5/8	3,424	33 5/8	4,783	40 5/8	6,250
5 3/4	375	12 3/4	1,179	19 3/4	2,224	26 3/4	3,447	33 3/4	4,808	40 3/4	6,277
5 7/8	387	12 7/8	1,196	19 7/8	2,244	26 7/8	3,470	33 7/8	4,834	40 7/8	6,304
6	398	13	1,212	20	2,265	27	3,494	34	4,859	41	6,331
6 1/8	410	13 1/8	1,229	20 1/8	2,285	27 1/8	3,517	34 1/8	4,885	41 1/8	6,358
6 1/4	422	13 1/4	1,246	20 1/4	2,306	27 1/4	3,540	34 1/4	4,910	41 1/4	6,385
6 3/8	434	13 3/8	1,263	20 3/8	2,327	27 3/8	3,564	34 3/8	4,936	41 3/8	6,413
6 1/2	446	13 1/2	1,281	20 1/2	2,347	27 1/2	3,587	34 1/2	4,961	41 1/2	6,440
6 5/8	459	13 5/8	1,298	20 5/8	2,368	27 5/8	3,610	34 5/8	4,987	41 5/8	6,467
6 3/4	471	13 3/4	1,315	20 3/4	2,389	27 3/4	3,634	34 3/4	5,012	41 3/4	6,494
6 7/8	484	13 7/8	1,333	20 7/8	2,410	27 7/8	3,657	34 7/8	5,038	41 7/8	6,521
7	496	14	1,350	21	2,431	28	3,681	35	5,064	42	6,549

**SWT D7 (12) 25,000  
25485 gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	6576	49 1/8	8141	56 1/8	9761	63 1/8	11416	70 1/8	13086	77 1/8	14753
42 1/4	6603	49 1/4	8169	56 1/4	9790	63 1/4	11445	70 1/4	13116	77 1/4	14782
42 3/8	6631	49 3/8	8198	56 3/8	9819	63 3/8	11475	70 3/8	13146	77 3/8	14812
42 1/2	6658	49 1/2	8226	56 1/2	9849	63 1/2	11505	70 1/2	13176	77 1/2	14841
42 5/8	6685	49 5/8	8255	56 5/8	9878	63 5/8	11535	70 5/8	13205	77 5/8	14871
42 3/4	6713	49 3/4	8283	56 3/4	9907	63 3/4	11564	70 3/4	13235	77 3/4	14901
42 7/8	6740	49 7/8	8312	56 7/8	9937	63 7/8	11594	70 7/8	13265	77 7/8	14930
43	6768	50	8340	57	9966	64	11624	71	13295	78	14960
43 1/8	6795	50 1/8	8369	57 1/8	9995	64 1/8	11654	71 1/8	13325	78 1/8	14989
43 1/4	6823	50 1/4	8398	57 1/4	10025	64 1/4	11684	71 1/4	13355	78 1/4	15019
43 3/8	6850	50 3/8	8426	57 3/8	10054	64 3/8	11713	71 3/8	13385	78 3/8	15048
43 1/2	6878	50 1/2	8455	57 1/2	10084	64 1/2	11743	71 1/2	13414	78 1/2	15078
43 5/8	6906	50 5/8	8484	57 5/8	10113	64 5/8	11773	71 5/8	13444	78 5/8	15107
43 3/4	6933	50 3/4	8512	57 3/4	10142	64 3/4	11803	71 3/4	13474	78 3/4	15137
43 7/8	6961	50 7/8	8541	57 7/8	10172	64 7/8	11833	71 7/8	13504	78 7/8	15166
44	6988	51	8570	58	10201	65	11862	72	13534	79	15196
44 1/8	7016	51 1/8	8599	58 1/8	10231	65 1/8	11892	72 1/8	13563	79 1/8	15225
44 1/4	7044	51 1/4	8627	58 1/4	10260	65 1/4	11922	72 1/4	13593	79 1/4	15255
44 3/8	7072	51 3/8	8656	58 3/8	10290	65 3/8	11952	72 3/8	13623	79 3/8	15284
44 1/2	7099	51 1/2	8685	58 1/2	10319	65 1/2	11982	72 1/2	13653	79 1/2	15314
44 5/8	7127	51 5/8	8714	58 5/8	10349	65 5/8	12011	72 5/8	13683	79 5/8	15343
44 3/4	7155	51 3/4	8743	58 3/4	10378	65 3/4	12041	72 3/4	13713	79 3/4	15373
44 7/8	7183	51 7/8	8771	58 7/8	10408	65 7/8	12071	72 7/8	13742	79 7/8	15402
45	7210	52	8800	59	10437	66	12101	73	13772	80	15431
45 1/8	7238	52 1/8	8829	59 1/8	10467	66 1/8	12131	73 1/8	13802	80 1/8	15461
45 1/4	7266	52 1/4	8858	59 1/4	10496	66 1/4	12161	73 1/4	13832	80 1/4	15490
45 3/8	7294	52 3/8	8887	59 3/8	10526	66 3/8	12190	73 3/8	13861	80 3/8	15520
45 1/2	7322	52 1/2	8916	59 1/2	10555	66 1/2	12220	73 1/2	13891	80 1/2	15549
45 5/8	7350	52 5/8	8945	59 5/8	10585	66 5/8	12250	73 5/8	13921	80 5/8	15578
45 3/4	7378	52 3/4	8974	59 3/4	10615	66 3/4	12280	73 3/4	13951	80 3/4	15608
45 7/8	7406	52 7/8	9003	59 7/8	10644	66 7/8	12310	73 7/8	13981	80 7/8	15637
46	7434	53	9032	60	10674	67	12340	74	14010	81	15666
46 1/8	7462	53 1/8	9061	60 1/8	10703	67 1/8	12370	74 1/8	14040	81 1/8	15696
46 1/4	7490	53 1/4	9090	60 1/4	10733	67 1/4	12399	74 1/4	14070	81 1/4	15725
46 3/8	7518	53 3/8	9119	60 3/8	10763	67 3/8	12429	74 3/8	14100	81 3/8	15754
46 1/2	7546	53 1/2	9148	60 1/2	10792	67 1/2	12459	74 1/2	14129	81 1/2	15784
46 5/8	7574	53 5/8	9177	60 5/8	10822	67 5/8	12489	74 5/8	14159	81 5/8	15813
46 3/4	7602	53 3/4	9206	60 3/4	10851	67 3/4	12519	74 3/4	14189	81 3/4	15842
46 7/8	7631	53 7/8	9235	60 7/8	10881	67 7/8	12549	74 7/8	14219	81 7/8	15871
47	7659	54	9264	61	10911	68	12579	75	14248	82	15901
47 1/8	7687	54 1/8	9293	61 1/8	10940	68 1/8	12608	75 1/8	14278	82 1/8	15930
47 1/4	7715	54 1/4	9322	61 1/4	10970	68 1/4	12638	75 1/4	14308	82 1/4	15959
47 3/8	7743	54 3/8	9351	61 3/8	11000	68 3/8	12668	75 3/8	14337	82 3/8	15988
47 1/2	7772	54 1/2	9381	61 1/2	11029	68 1/2	12698	75 1/2	14367	82 1/2	16017
47 5/8	7800	54 5/8	9410	61 5/8	11059	68 5/8	12728	75 5/8	14397	82 5/8	16047
47 3/4	7828	54 3/4	9439	61 3/4	11089	68 3/4	12758	75 3/4	14426	82 3/4	16076
47 7/8	7856	54 7/8	9468	61 7/8	11118	68 7/8	12788	75 7/8	14456	82 7/8	16105
48	7885	55	9497	62	11148	69	12817	76	14486	83	16134
48 1/8	7913	55 1/8	9527	62 1/8	11178	69 1/8	12847	76 1/8	14515	83 1/8	16163
48 1/4	7941	55 1/4	9556	62 1/4	11208	69 1/4	12877	76 1/4	14545	83 1/4	16192
48 3/8	7970	55 3/8	9585	62 3/8	11237	69 3/8	12907	76 3/8	14575	83 3/8	16221
48 1/2	7998	55 1/2	9614	62 1/2	11267	69 1/2	12937	76 1/2	14604	83 1/2	16250
48 5/8	8027	55 5/8	9643	62 5/8	11297	69 5/8	12967	76 5/8	14634	83 5/8	16280
48 3/4	8055	55 3/4	9673	62 3/4	11326	69 3/4	12997	76 3/4	14664	83 3/4	16309
48 7/8	8084	55 7/8	9702	62 7/8	11356	69 7/8	13026	76 7/8	14693	83 7/8	16338
49	8112	56	9731	63	11386	70	13056	77	14723	84	16367

**SWT D7 (12) 25,000  
25485 gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	16396	91 1/8	17995	98 1/8	19,531	105 1/8	20,979	112 1/8	22,313	119 1/8	23502
84 1/4	16425	91 1/4	18024	98 1/4	19,558	105 1/4	21,004	112 1/4	22,336	119 1/4	23522
84 3/8	16454	91 3/8	18052	98 3/8	19,584	105 3/8	21,029	112 3/8	22,358	119 3/8	23541
84 1/2	16483	91 1/2	18080	98 1/2	19,611	105 1/2	21,053	112 1/2	22,381	119 1/2	23561
84 5/8	16512	91 5/8	18108	98 5/8	19,637	105 5/8	21,078	112 5/8	22,403	119 5/8	23581
84 3/4	16541	91 3/4	18135	98 3/4	19,664	105 3/4	21,103	112 3/4	22,426	119 3/4	23600
84 7/8	16570	91 7/8	18163	98 7/8	19,691	105 7/8	21,128	112 7/8	22,448	119 7/8	23619
85	16598	92	18191	99	19,717	106	21,152	113	22471	120	23639
85 1/8	16627	92 1/8	18219	99 1/8	19,744	106 1/8	21,177	113 1/8	22,493	120 1/8	23658
85 1/4	16656	92 1/4	18247	99 1/4	19,770	106 1/4	21,202	113 1/4	22,515	120 1/4	23677
85 3/8	16685	92 3/8	18275	99 3/8	19,797	106 3/8	21,226	113 3/8	22,537	120 3/8	23696
85 1/2	16714	92 1/2	18303	99 1/2	19,823	106 1/2	21,251	113 1/2	22,559	120 1/2	23715
85 5/8	16743	92 5/8	18331	99 5/8	19,849	106 5/8	21,275	113 5/8	22,581	120 5/8	23734
85 3/4	16772	92 3/4	18358	99 3/4	19,876	106 3/4	21,300	113 3/4	22,604	120 3/4	23753
85 7/8	16801	92 7/8	18386	99 7/8	19,902	106 7/8	21,324	113 7/8	22,626	120 7/8	23772
86	16829	93	18414	100	19,928	107	21,349	114	22647	121	23791
86 1/8	16858	93 1/8	18442	100 1/8	19,955	107 1/8	21,373	114 1/8	22,669	121 1/8	23810
86 1/4	16887	93 1/4	18469	100 1/4	19,981	107 1/4	21,397	114 1/4	22,691	121 1/4	23828
86 3/8	16916	93 3/8	18497	100 3/8	20,007	107 3/8	21,422	114 3/8	22,713	121 3/8	23847
86 1/2	16944	93 1/2	18525	100 1/2	20,033	107 1/2	21,446	114 1/2	22,735	121 1/2	23865
86 5/8	16973	93 5/8	18552	100 5/8	20,059	107 5/8	21,470	114 5/8	22,756	121 5/8	23884
86 3/4	17002	93 3/4	18580	100 3/4	20,085	107 3/4	21,494	114 3/4	22,778	121 3/4	23902
86 7/8	17030	93 7/8	18608	100 7/8	20,111	107 7/8	21,518	114 7/8	22,800	121 7/8	23921
87	17059	94	18635	101	20,138	108	21,542	115	22821	122	23939
87 1/8	17088	94 1/8	18663	101 1/8	20,164	108 1/8	21,566	115 1/8	22,843	122 1/8	23957
87 1/4	17116	94 1/4	18690	101 1/4	20,190	108 1/4	21,590	115 1/4	22,864	122 1/4	23975
87 3/8	17145	94 3/8	18718	101 3/8	20,215	108 3/8	21,614	115 3/8	22,886	122 3/8	23993
87 1/2	17174	94 1/2	18745	101 1/2	20,241	108 1/2	21,638	115 1/2	22,907	122 1/2	24011
87 5/8	17202	94 5/8	18773	101 5/8	20,267	108 5/8	21,662	115 5/8	22,928	122 5/8	24029
87 3/4	17231	94 3/4	18800	101 3/4	20,293	108 3/4	21,686	115 3/4	22,949	122 3/4	24047
87 7/8	17259	94 7/8	18827	101 7/8	20,319	108 7/8	21,710	115 7/8	22,971	122 7/8	24065
88	17288	95	18855	102	20,345	109	21,733	116	22,992	123	24083
88 1/8	17316	95 1/8	18882	102 1/8	20,371	109 1/8	21,757	116 1/8	23,013	123 1/8	24100
88 1/4	17345	95 1/4	18909	102 1/4	20,396	109 1/4	21,781	116 1/4	23,034	123 1/4	24118
88 3/8	17373	95 3/8	18937	102 3/8	20,422	109 3/8	21,804	116 3/8	23,055	123 3/8	24135
88 1/2	17402	95 1/2	18964	102 1/2	20,448	109 1/2	21,828	116 1/2	23,076	123 1/2	24153
88 5/8	17430	95 5/8	18991	102 5/8	20,473	109 5/8	21,852	116 5/8	23,097	123 5/8	24170
88 3/4	17459	95 3/4	19018	102 3/4	20,499	109 3/4	21,875	116 3/4	23,117	123 3/4	24188
88 7/8	17487	95 7/8	19046	102 7/8	20,524	109 7/8	21,898	116 7/8	23138	123 7/8	24205
89	17516	96	19073	103	20,550	110	21,922	117	23159	124	24222
89 1/8	17544	96 1/8	19100	103 1/8	20,575	110 1/8	21,945	117 1/8	23180	124 1/8	24239
89 1/4	17572	96 1/4	19127	103 1/4	20,601	110 1/4	21,969	117 1/4	23200	124 1/4	24256
89 3/8	17601	96 3/8	19154	103 3/8	20,626	110 3/8	21,992	117 3/8	23221	124 3/8	24273
89 1/2	17629	96 1/2	19181	103 1/2	20,652	110 1/2	22,015	117 1/2	23241	124 1/2	24290
89 5/8	17657	96 5/8	19208	103 5/8	20,677	110 5/8	22,038	117 5/8	23262	124 5/8	24307
89 3/4	17686	96 3/4	19235	103 3/4	20,702	110 3/4	22,061	117 3/4	23282	124 3/4	24323
89 7/8	17714	96 7/8	19262	103 7/8	20,728	110 7/8	22,085	117 7/8	23302	124 7/8	24340
90	17742	97	19289	104	20,753	111	22,108	118	23322	125	24357
90 1/8	17770	97 1/8	19316	104 1/8	20,778	111 1/8	22,131	118 1/8	23343	125 1/8	24373
90 1/4	17799	97 1/4	19343	104 1/4	20,803	111 1/4	22,154	118 1/4	23363	125 1/4	24390
90 3/8	17827	97 3/8	19370	104 3/8	20,829	111 3/8	22,177	118 3/8	23383	125 3/8	24406
90 1/2	17855	97 1/2	19397	104 1/2	20,854	111 1/2	22,199	118 1/2	23403	125 1/2	24422
90 5/8	17883	97 5/8	19424	104 5/8	20,879	111 5/8	22,222	118 5/8	23423	125 5/8	24438
90 3/4	17911	97 3/4	19451	104 3/4	20,904	111 3/4	22,245	118 3/4	23443	125 3/4	24454
90 7/8	17939	97 7/8	19477	104 7/8	20,929	111 7/8	22,268	118 7/8	23463	125 7/8	24470
91	17967	98	19504	105	20,954	112	22,291	119	23482	126	24486

**SWT D7 (12) 25,000  
25485 gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	24502	133 1/8	25241
126 1/4	24518	133 1/4	25251
126 3/8	24534	133 3/8	25260
126 1/2	24549	133 1/2	25270
126 5/8	24565	133 5/8	25280
126 3/4	24580	133 3/4	25289
126 7/8	24596	133 7/8	25298
127	24611	134	25308
127 1/8	24626	134 1/8	25317
127 1/4	24641	134 1/4	25325
127 3/8	24656	134 3/8	25334
127 1/2	24671	134 1/2	25343
127 5/8	24686	134 5/8	25351
127 3/4	24701	134 3/4	25359
127 7/8	24715	134 7/8	25367
128	24730	135	25375
128 1/8	24745	135 1/8	25383
128 1/4	24759	135 1/4	25390
128 3/8	24773	135 3/8	25397
128 1/2	24787	135 1/2	25404
128 5/8	24802	135 5/8	25411
128 3/4	24816	135 3/4	25418
128 7/8	24830	135 7/8	25424
129	24843	136	25431
129 1/8	24857	136 1/8	25437
129 1/4	24871	136 1/4	25442
129 3/8	24884	136 3/8	25448
129 1/2	24898	136 1/2	25453
129 5/8	24911	136 5/8	25458
129 3/4	24924	136 3/4	25463
129 7/8	24938	136 7/8	25467
130	24951	137	25471
130 1/8	24964	137 1/8	25475
130 1/4	24976	137 1/4	25478
130 3/8	24989	137 3/8	25481
130 1/2	25002	137 1/2	25483
130 5/8	25014	137 5/8	25485
130 3/4	25027		
130 7/8	25039		
131	25051		
131 1/8	25063		
131 1/4	25075		
131 3/8	25087		
131 1/2	25099		
131 5/8	25111		
131 3/4	25122		
131 7/8	25133		
132	25145		
132 1/8	25156		
132 1/4	25167		
132 3/8	25178		
132 1/2	25189		
132 5/8	25199		
132 3/4	25210		
132 7/8	25220		
133	25230		



**HOW TO PROPERLY GAUGE YOUR TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870  
DAYCO/NATIONAL  
DAYTON, OH  
TEL: 1-800-283-2926  
FAX: 1-800-688-4854

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overflow shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
5150 Jefferson Chemical Road  
Conroe, TX 77301  
Tel: 936-756-7731  
Fax: 936-756-7766

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**

Pub. No. CAL 8130-SWT 8/97