

**12'-30000 DWT6 Double-Wall Tank  
30147 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	9	7 1/8	607	14 1/8	1,627	21 1/8	2914	28 1/8	4398	35 1/8	6037
1/4	13	7 1/4	622	14 1/4	1,648	21 1/4	2939	28 1/4	4426	35 1/4	6067
3/8	17	7 3/8	637	14 3/8	1,669	21 3/8	2964	28 3/8	4454	35 3/8	6097
1/2	22	7 1/2	653	14 1/2	1,690	21 1/2	2989	28 1/2	4482	35 1/2	6128
5/8	27	7 5/8	668	14 5/8	1,711	21 5/8	3014	28 5/8	4511	35 5/8	6158
3/4	33	7 3/4	684	14 3/4	1,733	21 3/4	3039	28 3/4	4539	35 3/4	6189
7/8	39	7 7/8	700	14 7/8	1,754	21 7/8	3064	28 7/8	4567	35 7/8	6220
1	45	8	716	15	1775	22	3090	29	4595	36	6250
1 1/8	52	8 1/8	732	15 1/8	1,797	22 1/8	3115	29 1/8	4624	36 1/8	6281
1 1/4	58	8 1/4	748	15 1/4	1,818	22 1/4	3140	29 1/4	4652	36 1/4	6312
1 3/8	66	8 3/8	765	15 3/8	1,840	22 3/8	3166	29 3/8	4681	36 3/8	6343
1 1/2	73	8 1/2	781	15 1/2	1,862	22 1/2	3191	29 1/2	4709	36 1/2	6373
1 5/8	81	8 5/8	798	15 5/8	1,883	22 5/8	3217	29 5/8	4738	36 5/8	6404
1 3/4	89	8 3/4	815	15 3/4	1,905	22 3/4	3243	29 3/4	4766	36 3/4	6435
1 7/8	97	8 7/8	831	15 7/8	1,927	22 7/8	3268	29 7/8	4795	36 7/8	6466
2	105	9	848	16	1949	23	3294	30	4824	37	6497
2 1/8	114	9 1/8	865	16 1/8	1,971	23 1/8	3320	30 1/8	4852	37 1/8	6528
2 1/4	123	9 1/4	882	16 1/4	1,994	23 1/4	3346	30 1/4	4881	37 1/4	6559
2 3/8	132	9 3/8	900	16 3/8	2,016	23 3/8	3372	30 3/8	4910	37 3/8	6590
2 1/2	141	9 1/2	917	16 1/2	2,038	23 1/2	3398	30 1/2	4939	37 1/2	6621
2 5/8	151	9 5/8	934	16 5/8	2,061	23 5/8	3424	30 5/8	4968	37 5/8	6652
2 3/4	161	9 3/4	952	16 3/4	2,083	23 3/4	3450	30 3/4	4997	37 3/4	6683
2 7/8	170	9 7/8	970	16 7/8	2,106	23 7/8	3476	30 7/8	5026	37 7/8	6714
3	181	10	987	17	2128	24	3502	31	5055	38	6746
3 1/8	191	10 1/8	1,005	17 1/8	2,151	24 1/8	3529	31 1/8	5084	38 1/8	6777
3 1/4	201	10 1/4	1,023	17 1/4	2,174	24 1/4	3555	31 1/4	5113	38 1/4	6808
3 3/8	212	10 3/8	1,041	17 3/8	2,196	24 3/8	3581	31 3/8	5142	38 3/8	6840
3 1/2	223	10 1/2	1,060	17 1/2	2,219	24 1/2	3608	31 1/2	5171	38 1/2	6871
3 5/8	234	10 5/8	1,078	17 5/8	2,242	24 5/8	3634	31 5/8	5201	38 5/8	6902
3 3/4	245	10 3/4	1,096	17 3/4	2,265	24 3/4	3661	31 3/4	5230	38 3/4	6934
3 7/8	257	10 7/8	1,115	17 7/8	2,289	24 7/8	3688	31 7/8	5259	38 7/8	6965
4	268	11	1,133	18	2,312	25	3714	32	5289	39	6997
4 1/8	280	11 1/8	1,152	18 1/8	2,335	25 1/8	3741	32 1/8	5318	39 1/8	7028
4 1/4	292	11 1/4	1,171	18 1/4	2,358	25 1/4	3768	32 1/4	5347	39 1/4	7060
4 3/8	304	11 3/8	1,189	18 3/8	2,382	25 3/8	3795	32 3/8	5377	39 3/8	7091
4 1/2	316	11 1/2	1,208	18 1/2	2,405	25 1/2	3821	32 1/2	5407	39 1/2	7123
4 5/8	329	11 5/8	1,227	18 5/8	2,429	25 5/8	3848	32 5/8	5436	39 5/8	7155
4 3/4	341	11 3/4	1,247	18 3/4	2,452	25 3/4	3875	32 3/4	5466	39 3/4	7186
4 7/8	354	11 7/8	1,266	18 7/8	2,476	25 7/8	3902	32 7/8	5495	39 7/8	7218
5	367	12	1,285	19	2500	26	3930	33	5525	40	7250
5 1/8	380	12 1/8	1,305	19 1/8	2524	26 1/8	3957	33 1/8	5555	40 1/8	7282
5 1/4	393	12 1/4	1,324	19 1/4	2548	26 1/4	3984	33 1/4	5585	40 1/4	7313
5 3/8	406	12 3/8	1,344	19 3/8	2571	26 3/8	4011	33 3/8	5615	40 3/8	7345
5 1/2	420	12 1/2	1,363	19 1/2	2595	26 1/2	4039	33 1/2	5644	40 1/2	7377
5 5/8	433	12 5/8	1,383	19 5/8	2620	26 5/8	4066	33 5/8	5674	40 5/8	7409
5 3/4	447	12 3/4	1,403	19 3/4	2644	26 3/4	4093	33 3/4	5704	40 3/4	7441
5 7/8	461	12 7/8	1,423	19 7/8	2668	26 7/8	4121	33 7/8	5734	40 7/8	7473
6	475	13	1,443	20	2692	27	4148	34	5764	41	7505
6 1/8	489	13 1/8	1,463	20 1/8	2717	27 1/8	4176	34 1/8	5794	41 1/8	7537
6 1/4	503	13 1/4	1,483	20 1/4	2741	27 1/4	4204	34 1/4	5825	41 1/4	7569
6 3/8	517	13 3/8	1,504	20 3/8	2765	27 3/8	4231	34 3/8	5855	41 3/8	7601
6 1/2	532	13 1/2	1,524	20 1/2	2790	27 1/2	4259	34 1/2	5885	41 1/2	7633
6 5/8	547	13 5/8	1,545	20 5/8	2815	27 5/8	4287	34 5/8	5915	41 5/8	7665
6 3/4	561	13 3/4	1,565	20 3/4	2839	27 3/4	4315	34 3/4	5945	41 3/4	7697
6 7/8	576	13 7/8	1,586	20 7/8	2864	27 7/8	4342	34 7/8	5976	41 7/8	7730
7	591	14	1,607	21	2889	28	4370	35	6006	42	7762

**12'-30000 DWT6 Double-Wall Tank  
30147 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	7794	49 1/8	9642	56 1/8	11555	63 1/8	13508	70 1/8	15479	77 1/8	17445
42 1/4	7826	49 1/4	9676	56 1/4	11589	63 1/4	13543	70 1/4	15514	77 1/4	17480
42 3/8	7859	49 3/8	9709	56 3/8	11624	63 3/8	13578	70 3/8	15549	77 3/8	17515
42 1/2	7891	49 1/2	9743	56 1/2	11658	63 1/2	13613	70 1/2	15585	77 1/2	17550
42 5/8	7923	49 5/8	9777	56 5/8	11693	63 5/8	13648	70 5/8	15620	77 5/8	17585
42 3/4	7956	49 3/4	9811	56 3/4	11728	63 3/4	13683	70 3/4	15655	77 3/4	17620
42 7/8	7988	49 7/8	9844	56 7/8	11762	63 7/8	13719	70 7/8	15690	77 7/8	17655
43	8021	50	9878	57	11797	64	13754	71	15726	78	17690
43 1/8	8053	50 1/8	9912	57 1/8	11832	64 1/8	13789	71 1/8	15761	78 1/8	17725
43 1/4	8086	50 1/4	9946	57 1/4	11866	64 1/4	13824	71 1/4	15796	78 1/4	17760
43 3/8	8118	50 3/8	9980	57 3/8	11901	64 3/8	13859	71 3/8	15831	78 3/8	17794
43 1/2	8151	50 1/2	10013	57 1/2	11936	64 1/2	13894	71 1/2	15866	78 1/2	17829
43 5/8	8183	50 5/8	10047	57 5/8	11971	64 5/8	13930	71 5/8	15902	78 5/8	17864
43 3/4	8216	50 3/4	10081	57 3/4	12005	64 3/4	13965	71 3/4	15937	78 3/4	17899
43 7/8	8249	50 7/8	10115	57 7/8	12040	64 7/8	14000	71 7/8	15972	78 7/8	17934
44	8281	51	10149	58	12075	65	14035	72	16007	79	17969
44 1/8	8314	51 1/8	10183	58 1/8	12110	65 1/8	14070	72 1/8	16042	79 1/8	18003
44 1/4	8347	51 1/4	10217	58 1/4	12144	65 1/4	14105	72 1/4	16077	79 1/4	18038
44 3/8	8380	51 3/8	10251	58 3/8	12179	65 3/8	14141	72 3/8	16113	79 3/8	18073
44 1/2	8412	51 1/2	10285	58 1/2	12214	65 1/2	14176	72 1/2	16148	79 1/2	18108
44 5/8	8445	51 5/8	10319	58 5/8	12249	65 5/8	14211	72 5/8	16183	79 5/8	18142
44 3/4	8478	51 3/4	10353	58 3/4	12284	65 3/4	14246	72 3/4	16218	79 3/4	18177
44 7/8	8511	51 7/8	10387	58 7/8	12318	65 7/8	14281	72 7/8	16253	79 7/8	18212
45	8544	52	10421	59	12353	66	14317	73	16288	80	18247
45 1/8	8577	52 1/8	10455	59 1/8	12388	66 1/8	14352	73 1/8	16324	80 1/8	18281
45 1/4	8609	52 1/4	10489	59 1/4	12423	66 1/4	14387	73 1/4	16359	80 1/4	18316
45 3/8	8642	52 3/8	10523	59 3/8	12458	66 3/8	14422	73 3/8	16394	80 3/8	18351
45 1/2	8675	52 1/2	10558	59 1/2	12493	66 1/2	14457	73 1/2	16429	80 1/2	18385
45 5/8	8708	52 5/8	10592	59 5/8	12528	66 5/8	14493	73 5/8	16464	80 5/8	18420
45 3/4	8741	52 3/4	10626	59 3/4	12563	66 3/4	14528	73 3/4	16499	80 3/4	18455
45 7/8	8775	52 7/8	10660	59 7/8	12597	66 7/8	14563	73 7/8	16534	80 7/8	18489
46	8808	53	10694	60	12632	67	14598	74	16570	81	18524
46 1/8	8841	53 1/8	10729	60 1/8	12667	67 1/8	14633	74 1/8	16605	81 1/8	18558
46 1/4	8874	53 1/4	10763	60 1/4	12702	67 1/4	14669	74 1/4	16640	81 1/4	18593
46 3/8	8907	53 3/8	10797	60 3/8	12737	67 3/8	14704	74 3/8	16675	81 3/8	18628
46 1/2	8940	53 1/2	10831	60 1/2	12772	67 1/2	14739	74 1/2	16710	81 1/2	18662
46 5/8	8973	53 5/8	10866	60 5/8	12807	67 5/8	14774	74 5/8	16745	81 5/8	18697
46 3/4	9007	53 3/4	10900	60 3/4	12842	67 3/4	14810	74 3/4	16780	81 3/4	18731
46 7/8	9040	53 7/8	10934	60 7/8	12877	67 7/8	14845	74 7/8	16815	81 7/8	18766
47	9073	54	10969	61	12912	68	14880	75	16850	82	18800
47 1/8	9106	54 1/8	11003	61 1/8	12947	68 1/8	14915	75 1/8	16885	82 1/8	18835
47 1/4	9140	54 1/4	11037	61 1/4	12982	68 1/4	14951	75 1/4	16920	82 1/4	18869
47 3/8	9173	54 3/8	11072	61 3/8	13017	68 3/8	14986	75 3/8	16956	82 3/8	18904
47 1/2	9206	54 1/2	11106	61 1/2	13052	68 1/2	15021	75 1/2	16991	82 1/2	18938
47 5/8	9240	54 5/8	11141	61 5/8	13087	68 5/8	15056	75 5/8	17026	82 5/8	18973
47 3/4	9273	54 3/4	11175	61 3/4	13122	68 3/4	15091	75 3/4	17061	82 3/4	19007
47 7/8	9307	54 7/8	11209	61 7/8	13157	68 7/8	15127	75 7/8	17096	82 7/8	19042
48	9340	55	11244	62	13192	69	15162	76	17131	83	19076
48 1/8	9374	55 1/8	11278	62 1/8	13227	69 1/8	15197	76 1/8	17166	83 1/8	19110
48 1/4	9407	55 1/4	11313	62 1/4	13262	69 1/4	15232	76 1/4	17201	83 1/4	19145
48 3/8	9441	55 3/8	11347	62 3/8	13297	69 3/8	15268	76 3/8	17236	83 3/8	19179
48 1/2	9474	55 1/2	11382	62 1/2	13332	69 1/2	15303	76 1/2	17271	83 1/2	19213
48 5/8	9508	55 5/8	11416	62 5/8	13368	69 5/8	15338	76 5/8	17306	83 5/8	19248
48 3/4	9541	55 3/4	11451	62 3/4	13403	69 3/4	15373	76 3/4	17341	83 3/4	19282
48 7/8	9575	55 7/8	11485	62 7/8	13438	69 7/8	15409	76 7/8	17376	83 7/8	19316
49	9608	56	11520	63	13473	70	15444	77	17411	84	19351

**12'-30000 DWT6 Double-Wall Tank  
30147 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	19385	91 1/8	21274	98 1/8	23,088	105 1/8	24,800	112 1/8	26,380	119 1/8	27789
84 1/4	19419	91 1/4	21307	98 1/4	23,120	105 1/4	24,830	112 1/4	26,407	119 1/4	27813
84 3/8	19453	91 3/8	21340	98 3/8	23,151	105 3/8	24,859	112 3/8	26,433	119 3/8	27836
84 1/2	19488	91 1/2	21373	98 1/2	23,183	105 1/2	24,889	112 1/2	26,460	119 1/2	27859
84 5/8	19522	91 5/8	21406	98 5/8	23,214	105 5/8	24,918	112 5/8	26,487	119 5/8	27882
84 3/4	19556	91 3/4	21439	98 3/4	23,245	105 3/4	24,947	112 3/4	26,513	119 3/4	27905
84 7/8	19590	91 7/8	21472	98 7/8	23,277	105 7/8	24,976	112 7/8	26,540	119 7/8	27928
85	19624	92	21505	99	23,308	106	25,006	113	26566	120	27951
85 1/8	19658	92 1/8	21538	99 1/8	23,339	106 1/8	25,035	113 1/8	26,593	120 1/8	27974
85 1/4	19692	92 1/4	21571	99 1/4	23,371	106 1/4	25,064	113 1/4	26,619	120 1/4	27997
85 3/8	19727	92 3/8	21604	99 3/8	23,402	106 3/8	25,093	113 3/8	26,645	120 3/8	28020
85 1/2	19761	92 1/2	21637	99 1/2	23,433	106 1/2	25,122	113 1/2	26,672	120 1/2	28042
85 5/8	19795	92 5/8	21670	99 5/8	23,464	106 5/8	25,151	113 5/8	26,698	120 5/8	28065
85 3/4	19829	92 3/4	21703	99 3/4	23,496	106 3/4	25,180	113 3/4	26,724	120 3/4	28087
85 7/8	19863	92 7/8	21735	99 7/8	23,527	106 7/8	25,209	113 7/8	26,750	120 7/8	28110
86	19897	93	21768	100	23,558	107	25,238	114	26776	121	28132
86 1/8	19931	93 1/8	21801	100 1/8	23,589	107 1/8	25,267	114 1/8	26,802	121 1/8	28154
86 1/4	19965	93 1/4	21834	100 1/4	23,620	107 1/4	25,295	114 1/4	26,828	121 1/4	28176
86 3/8	19999	93 3/8	21866	100 3/8	23,651	107 3/8	25,324	114 3/8	26,854	121 3/8	28198
86 1/2	20033	93 1/2	21899	100 1/2	23,682	107 1/2	25,353	114 1/2	26,879	121 1/2	28220
86 5/8	20067	93 5/8	21932	100 5/8	23,713	107 5/8	25,381	114 5/8	26,905	121 5/8	28242
86 3/4	20100	93 3/4	21964	100 3/4	23,744	107 3/4	25,410	114 3/4	26,931	121 3/4	28264
86 7/8	20134	93 7/8	21997	100 7/8	23,774	107 7/8	25,439	114 7/8	26,956	121 7/8	28286
87	20168	94	22029	101	23,805	108	25,467	115	26982	122	28308
87 1/8	20202	94 1/8	22062	101 1/8	23,836	108 1/8	25,495	115 1/8	27,007	122 1/8	28329
87 1/4	20236	94 1/4	22095	101 1/4	23,867	108 1/4	25,524	115 1/4	27,033	122 1/4	28351
87 3/8	20270	94 3/8	22127	101 3/8	23,897	108 3/8	25,552	115 3/8	27,058	122 3/8	28372
87 1/2	20303	94 1/2	22159	101 1/2	23,928	108 1/2	25,581	115 1/2	27,083	122 1/2	28394
87 5/8	20337	94 5/8	22192	101 5/8	23,959	108 5/8	25,609	115 5/8	27,109	122 5/8	28415
87 3/4	20371	94 3/4	22224	101 3/4	23,989	108 3/4	25,637	115 3/4	27,134	122 3/4	28436
87 7/8	20405	94 7/8	22257	101 7/8	24,020	108 7/8	25,665	115 7/8	27,159	122 7/8	28457
88	20438	95	22289	102	24,050	109	25,693	116	27,184	123	28478
88 1/8	20472	95 1/8	22321	102 1/8	24,081	109 1/8	25,721	116 1/8	27,209	123 1/8	28499
88 1/4	20506	95 1/4	22354	102 1/4	24,111	109 1/4	25,749	116 1/4	27,234	123 1/4	28520
88 3/8	20539	95 3/8	22386	102 3/8	24,142	109 3/8	25,777	116 3/8	27,259	123 3/8	28541
88 1/2	20573	95 1/2	22418	102 1/2	24,172	109 1/2	25,805	116 1/2	27,284	123 1/2	28562
88 5/8	20606	95 5/8	22450	102 5/8	24,202	109 5/8	25,833	116 5/8	27,308	123 5/8	28583
88 3/4	20640	95 3/4	22482	102 3/4	24,232	109 3/4	25,861	116 3/4	27,333	123 3/4	28603
88 7/8	20674	95 7/8	22515	102 7/8	24,263	109 7/8	25,889	116 7/8	27358	123 7/8	28624
89	20707	96	22547	103	24,293	110	25,916	117	27382	124	28644
89 1/8	20741	96 1/8	22579	103 1/8	24,323	110 1/8	25,944	117 1/8	27407	124 1/8	28664
89 1/4	20774	96 1/4	22611	103 1/4	24,353	110 1/4	25,972	117 1/4	27431	124 1/4	28685
89 3/8	20808	96 3/8	22643	103 3/8	24,383	110 3/8	25,999	117 3/8	27455	124 3/8	28705
89 1/2	20841	96 1/2	22675	103 1/2	24,413	110 1/2	26,027	117 1/2	27480	124 1/2	28725
89 5/8	20875	96 5/8	22707	103 5/8	24,443	110 5/8	26,054	117 5/8	27504	124 5/8	28745
89 3/4	20908	96 3/4	22739	103 3/4	24,473	110 3/4	26,082	117 3/4	27528	124 3/4	28765
89 7/8	20941	96 7/8	22771	103 7/8	24,503	110 7/8	26,109	117 7/8	27552	124 7/8	28784
90	20975	97	22803	104	24,533	111	26,136	118	27576	125	28804
90 1/8	21008	97 1/8	22834	104 1/8	24,563	111 1/8	26,164	118 1/8	27600	125 1/8	28824
90 1/4	21041	97 1/4	22866	104 1/4	24,593	111 1/4	26,191	118 1/4	27624	125 1/4	28843
90 3/8	21075	97 3/8	22898	104 3/8	24,623	111 3/8	26,218	118 3/8	27648	125 3/8	28863
90 1/2	21108	97 1/2	22930	104 1/2	24,652	111 1/2	26,245	118 1/2	27672	125 1/2	28882
90 5/8	21141	97 5/8	22961	104 5/8	24,682	111 5/8	26,272	118 5/8	27695	125 5/8	28901
90 3/4	21174	97 3/4	22993	104 3/4	24,712	111 3/4	26,299	118 3/4	27719	125 3/4	28920
90 7/8	21208	97 7/8	23025	104 7/8	24,741	111 7/8	26,326	118 7/8	27742	125 7/8	28939
91	21241	98	23056	105	24,771	112	26,353	119	27766	126	28958

# 12'-30000 DWT6 Double-Wall Tank

## 30147 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	28977	133 1/8	29856
126 1/4	28996	133 1/4	29868
126 3/8	29014	133 3/8	29879
126 1/2	29033	133 1/2	29891
126 5/8	29052	133 5/8	29902
126 3/4	29070	133 3/4	29914
126 7/8	29088	133 7/8	29925
127	29106	134	29936
127 1/8	29124	134 1/8	29946
127 1/4	29142	134 1/4	29957
127 3/8	29160	134 3/8	29967
127 1/2	29178	134 1/2	29977
127 5/8	29196	134 5/8	29987
127 3/4	29213	134 3/4	29997
127 7/8	29231	134 7/8	30006
128	29248	135	30016
128 1/8	29265	135 1/8	30025
128 1/4	29282	135 1/4	30034
128 3/8	29299	135 3/8	30042
128 1/2	29316	135 1/2	30051
128 5/8	29333	135 5/8	30059
128 3/4	29350	135 3/4	30067
128 7/8	29366	135 7/8	30075
129	29383	136	30082
129 1/8	29399	136 1/8	30089
129 1/4	29415	136 1/4	30096
129 3/8	29432	136 3/8	30103
129 1/2	29448	136 1/2	30109
129 5/8	29463	136 5/8	30115
129 3/4	29479	136 3/4	30121
129 7/8	29495	136 7/8	30126
130	29510	137	30131
130 1/8	29526	137 1/8	30135
130 1/4	29541	137 1/4	30139
130 3/8	29556	137 3/8	30142
130 1/2	29571	137 1/2	30145
130 5/8	29586	137 5/8	30147
130 3/4	29601		
130 7/8	29616		
131	29630		
131 1/8	29645		
131 1/4	29659		
131 3/8	29673		
131 1/2	29687		
131 5/8	29701		
131 3/4	29715		
131 7/8	29728		
132	29742		
132 1/8	29755		
132 1/4	29768		
132 3/8	29781		
132 1/2	29794		
132 5/8	29807		
132 3/4	29819		
132 7/8	29831		
133	29844		



**CONTAINMENT**  
SOLUTIONS®

**HOW TO PROPERLY GAUGE YOUR TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870  
DAYCO/NATIONAL  
DAYTON, OH  
TEL: 1-800-283-2926  
FAX: 1-800-688-4854

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
333 North Rivershire Dr., Suite 190  
Conroe, TX 77304  
Tel: 936-756-7731  
Fax: 936-756-7766

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**