

**(12') D-7 SWT 30,000 GALLON (30,147 gals)**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	9	7 1/8	607	14 1/8	1,627	21 1/8	2913	28 1/8	4397	35 1/8	6036
1/4	13	7 1/4	622	14 1/4	1,648	21 1/4	2938	28 1/4	4425	35 1/4	6066
3/8	17	7 3/8	637	14 3/8	1,669	21 3/8	2963	28 3/8	4454	35 3/8	6097
1/2	22	7 1/2	653	14 1/2	1,690	21 1/2	2988	28 1/2	4482	35 1/2	6127
5/8	27	7 5/8	668	14 5/8	1,711	21 5/8	3013	28 5/8	4510	35 5/8	6158
3/4	33	7 3/4	684	14 3/4	1,732	21 3/4	3038	28 3/4	4538	35 3/4	6188
7/8	39	7 7/8	700	14 7/8	1,753	21 7/8	3063	28 7/8	4566	35 7/8	6219
1	45	8	716	15	1775	22	3089	29	4595	36	6250
1 1/8	52	8 1/8	732	15 1/8	1,796	22 1/8	3114	29 1/8	4623	36 1/8	6280
1 1/4	58	8 1/4	748	15 1/4	1,818	22 1/4	3139	29 1/4	4651	36 1/4	6311
1 3/8	66	8 3/8	765	15 3/8	1,839	22 3/8	3165	29 3/8	4680	36 3/8	6342
1 1/2	73	8 1/2	781	15 1/2	1,861	22 1/2	3190	29 1/2	4708	36 1/2	6373
1 5/8	81	8 5/8	798	15 5/8	1,883	22 5/8	3216	29 5/8	4737	36 5/8	6403
1 3/4	89	8 3/4	814	15 3/4	1,905	22 3/4	3242	29 3/4	4765	36 3/4	6434
1 7/8	97	8 7/8	831	15 7/8	1,927	22 7/8	3267	29 7/8	4794	36 7/8	6465
2	105	9	848	16	1949	23	3293	30	4823	37	6496
2 1/8	114	9 1/8	865	16 1/8	1,971	23 1/8	3319	30 1/8	4851	37 1/8	6527
2 1/4	123	9 1/4	882	16 1/4	1,993	23 1/4	3345	30 1/4	4880	37 1/4	6558
2 3/8	132	9 3/8	900	16 3/8	2,015	23 3/8	3371	30 3/8	4909	37 3/8	6589
2 1/2	141	9 1/2	917	16 1/2	2,037	23 1/2	3397	30 1/2	4938	37 1/2	6620
2 5/8	151	9 5/8	934	16 5/8	2,060	23 5/8	3423	30 5/8	4967	37 5/8	6651
2 3/4	161	9 3/4	952	16 3/4	2,082	23 3/4	3449	30 3/4	4996	37 3/4	6682
2 7/8	171	9 7/8	970	16 7/8	2,105	23 7/8	3475	30 7/8	5025	37 7/8	6714
3	181	10	987	17	2127	24	3502	31	5054	38	6745
3 1/8	191	10 1/8	1,005	17 1/8	2,150	24 1/8	3528	31 1/8	5083	38 1/8	6776
3 1/4	201	10 1/4	1,023	17 1/4	2,173	24 1/4	3554	31 1/4	5112	38 1/4	6807
3 3/8	212	10 3/8	1,041	17 3/8	2,196	24 3/8	3581	31 3/8	5141	38 3/8	6839
3 1/2	223	10 1/2	1,059	17 1/2	2,219	24 1/2	3607	31 1/2	5170	38 1/2	6870
3 5/8	234	10 5/8	1,078	17 5/8	2,242	24 5/8	3634	31 5/8	5200	38 5/8	6902
3 3/4	245	10 3/4	1,096	17 3/4	2,265	24 3/4	3660	31 3/4	5229	38 3/4	6933
3 7/8	257	10 7/8	1,114	17 7/8	2,288	24 7/8	3687	31 7/8	5258	38 7/8	6964
4	268	11	1,133	18	2,311	25	3713	32	5288	39	6996
4 1/8	280	11 1/8	1,152	18 1/8	2,334	25 1/8	3740	32 1/8	5317	39 1/8	7027
4 1/4	292	11 1/4	1,170	18 1/4	2,358	25 1/4	3767	32 1/4	5347	39 1/4	7059
4 3/8	304	11 3/8	1,189	18 3/8	2,381	25 3/8	3794	32 3/8	5376	39 3/8	7091
4 1/2	316	11 1/2	1,208	18 1/2	2,404	25 1/2	3821	32 1/2	5406	39 1/2	7122
4 5/8	329	11 5/8	1,227	18 5/8	2,428	25 5/8	3848	32 5/8	5435	39 5/8	7154
4 3/4	341	11 3/4	1,246	18 3/4	2,452	25 3/4	3875	32 3/4	5465	39 3/4	7186
4 7/8	354	11 7/8	1,265	18 7/8	2,475	25 7/8	3902	32 7/8	5495	39 7/8	7217
5	367	12	1,285	19	2,499	26	3929	33	5524	40	7249
5 1/8	380	12 1/8	1,304	19 1/8	2,523	26 1/8	3956	33 1/8	5554	40 1/8	7281
5 1/4	393	12 1/4	1,324	19 1/4	2,547	26 1/4	3983	33 1/4	5584	40 1/4	7313
5 3/8	406	12 3/8	1,343	19 3/8	2,571	26 3/8	4010	33 3/8	5614	40 3/8	7344
5 1/2	420	12 1/2	1,363	19 1/2	2,595	26 1/2	4038	33 1/2	5644	40 1/2	7376
5 5/8	433	12 5/8	1,383	19 5/8	2,619	26 5/8	4065	33 5/8	5674	40 5/8	7408
5 3/4	447	12 3/4	1,403	19 3/4	2,643	26 3/4	4093	33 3/4	5704	40 3/4	7440
5 7/8	461	12 7/8	1,423	19 7/8	2,667	26 7/8	4120	33 7/8	5734	40 7/8	7472
6	475	13	1,443	20	2,691	27	4147	34	5764	41	7504
6 1/8	489	13 1/8	1,463	20 1/8	2,716	27 1/8	4175	34 1/8	5794	41 1/8	7536
6 1/4	503	13 1/4	1,483	20 1/4	2,740	27 1/4	4203	34 1/4	5824	41 1/4	7568
6 3/8	517	13 3/8	1,503	20 3/8	2,765	27 3/8	4230	34 3/8	5854	41 3/8	7600
6 1/2	532	13 1/2	1,524	20 1/2	2,789	27 1/2	4258	34 1/2	5884	41 1/2	7632
6 5/8	547	13 5/8	1,544	20 5/8	2,814	27 5/8	4286	34 5/8	5914	41 5/8	7665
6 3/4	561	13 3/4	1,565	20 3/4	2,839	27 3/4	4314	34 3/4	5945	41 3/4	7697
6 7/8	576	13 7/8	1,585	20 7/8	2,863	27 7/8	4342	34 7/8	5975	41 7/8	7729
7	591	14	1,606	21	2,888	28	4369	35	6005	42	7761

**(12') D-7 SWT 30,000 GALLON (30,147 gals)**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	7793	49 1/8	9641	56 1/8	11554	63 1/8	13508	70 1/8	15479	77 1/8	17446
42 1/4	7826	49 1/4	9675	56 1/4	11589	63 1/4	13543	70 1/4	15514	77 1/4	17481
42 3/8	7858	49 3/8	9709	56 3/8	11623	63 3/8	13578	70 3/8	15549	77 3/8	17515
42 1/2	7890	49 1/2	9743	56 1/2	11658	63 1/2	13613	70 1/2	15585	77 1/2	17550
42 5/8	7923	49 5/8	9776	56 5/8	11693	63 5/8	13648	70 5/8	15620	77 5/8	17585
42 3/4	7955	49 3/4	9810	56 3/4	11727	63 3/4	13683	70 3/4	15655	77 3/4	17620
42 7/8	7988	49 7/8	9844	56 7/8	11762	63 7/8	13718	70 7/8	15690	77 7/8	17655
43	8020	50	9878	57	11797	64	13754	71	15725	78	17690
43 1/8	8052	50 1/8	9911	57 1/8	11831	64 1/8	13789	71 1/8	15761	78 1/8	17725
43 1/4	8085	50 1/4	9945	57 1/4	11866	64 1/4	13824	71 1/4	15796	78 1/4	17760
43 3/8	8118	50 3/8	9979	57 3/8	11901	64 3/8	13859	71 3/8	15831	78 3/8	17795
43 1/2	8150	50 1/2	10013	57 1/2	11935	64 1/2	13894	71 1/2	15866	78 1/2	17829
43 5/8	8183	50 5/8	10047	57 5/8	11970	64 5/8	13929	71 5/8	15901	78 5/8	17864
43 3/4	8215	50 3/4	10081	57 3/4	12005	64 3/4	13964	71 3/4	15937	78 3/4	17899
43 7/8	8248	50 7/8	10115	57 7/8	12040	64 7/8	14000	71 7/8	15972	78 7/8	17934
44	8281	51	10148	58	12074	65	14035	72	16007	79	17969
44 1/8	8313	51 1/8	10182	58 1/8	12109	65 1/8	14070	72 1/8	16042	79 1/8	18004
44 1/4	8346	51 1/4	10216	58 1/4	12144	65 1/4	14105	72 1/4	16077	79 1/4	18038
44 3/8	8379	51 3/8	10250	58 3/8	12179	65 3/8	14140	72 3/8	16113	79 3/8	18073
44 1/2	8412	51 1/2	10284	58 1/2	12214	65 1/2	14176	72 1/2	16148	79 1/2	18108
44 5/8	8444	51 5/8	10318	58 5/8	12248	65 5/8	14211	72 5/8	16183	79 5/8	18143
44 3/4	8477	51 3/4	10352	58 3/4	12283	65 3/4	14246	72 3/4	16218	79 3/4	18177
44 7/8	8510	51 7/8	10387	58 7/8	12318	65 7/8	14281	72 7/8	16253	79 7/8	18212
45	8543	52	10421	59	12353	66	14316	73	16288	80	18247
45 1/8	8576	52 1/8	10455	59 1/8	12388	66 1/8	14352	73 1/8	16324	80 1/8	18281
45 1/4	8609	52 1/4	10489	59 1/4	12423	66 1/4	14387	73 1/4	16359	80 1/4	18316
45 3/8	8642	52 3/8	10523	59 3/8	12457	66 3/8	14422	73 3/8	16394	80 3/8	18351
45 1/2	8675	52 1/2	10557	59 1/2	12492	66 1/2	14457	73 1/2	16429	80 1/2	18386
45 5/8	8708	52 5/8	10591	59 5/8	12527	66 5/8	14492	73 5/8	16464	80 5/8	18420
45 3/4	8741	52 3/4	10625	59 3/4	12562	66 3/4	14528	73 3/4	16499	80 3/4	18455
45 7/8	8774	52 7/8	10660	59 7/8	12597	66 7/8	14563	73 7/8	16534	80 7/8	18489
46	8807	53	10694	60	12632	67	14598	74	16570	81	18524
46 1/8	8840	53 1/8	10728	60 1/8	12667	67 1/8	14633	74 1/8	16605	81 1/8	18559
46 1/4	8873	53 1/4	10762	60 1/4	12702	67 1/4	14669	74 1/4	16640	81 1/4	18593
46 3/8	8906	53 3/8	10797	60 3/8	12737	67 3/8	14704	74 3/8	16675	81 3/8	18628
46 1/2	8940	53 1/2	10831	60 1/2	12772	67 1/2	14739	74 1/2	16710	81 1/2	18662
46 5/8	8973	53 5/8	10865	60 5/8	12807	67 5/8	14774	74 5/8	16745	81 5/8	18697
46 3/4	9006	53 3/4	10899	60 3/4	12842	67 3/4	14809	74 3/4	16780	81 3/4	18732
46 7/8	9039	53 7/8	10934	60 7/8	12877	67 7/8	14845	74 7/8	16815	81 7/8	18766
47	9072	54	10968	61	12912	68	14880	75	16850	82	18801
47 1/8	9106	54 1/8	11003	61 1/8	12947	68 1/8	14915	75 1/8	16885	82 1/8	18835
47 1/4	9139	54 1/4	11037	61 1/4	12982	68 1/4	14950	75 1/4	16921	82 1/4	18870
47 3/8	9172	54 3/8	11071	61 3/8	13017	68 3/8	14986	75 3/8	16956	82 3/8	18904
47 1/2	9206	54 1/2	11106	61 1/2	13052	68 1/2	15021	75 1/2	16991	82 1/2	18938
47 5/8	9239	54 5/8	11140	61 5/8	13087	68 5/8	15056	75 5/8	17026	82 5/8	18973
47 3/4	9273	54 3/4	11175	61 3/4	13122	68 3/4	15091	75 3/4	17061	82 3/4	19007
47 7/8	9306	54 7/8	11209	61 7/8	13157	68 7/8	15127	75 7/8	17096	82 7/8	19042
48	9339	55	11243	62	13192	69	15162	76	17131	83	19076
48 1/8	9373	55 1/8	11278	62 1/8	13227	69 1/8	15197	76 1/8	17166	83 1/8	19111
48 1/4	9406	55 1/4	11312	62 1/4	13262	69 1/4	15232	76 1/4	17201	83 1/4	19145
48 3/8	9440	55 3/8	11347	62 3/8	13297	69 3/8	15268	76 3/8	17236	83 3/8	19179
48 1/2	9473	55 1/2	11381	62 1/2	13332	69 1/2	15303	76 1/2	17271	83 1/2	19214
48 5/8	9507	55 5/8	11416	62 5/8	13367	69 5/8	15338	76 5/8	17306	83 5/8	19248
48 3/4	9541	55 3/4	11450	62 3/4	13402	69 3/4	15373	76 3/4	17341	83 3/4	19282
48 7/8	9574	55 7/8	11485	62 7/8	13437	69 7/8	15408	76 7/8	17376	83 7/8	19317
49	9608	56	11520	63	13473	70	15444	77	17411	84	19351

**(12') D-7 SWT 30,000 GALLON (30,147 gals)**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	19385	91 1/8	21274	98 1/8	23,088	105 1/8	24,801	112 1/8	26,381	119 1/8	27790
84 1/4	19419	91 1/4	21307	98 1/4	23,120	105 1/4	24,830	112 1/4	26,407	119 1/4	27813
84 3/8	19454	91 3/8	21341	98 3/8	23,152	105 3/8	24,860	112 3/8	26,434	119 3/8	27836
84 1/2	19488	91 1/2	21374	98 1/2	23,183	105 1/2	24,889	112 1/2	26,461	119 1/2	27860
84 5/8	19522	91 5/8	21407	98 5/8	23,214	105 5/8	24,918	112 5/8	26,487	119 5/8	27883
84 3/4	19556	91 3/4	21440	98 3/4	23,246	105 3/4	24,948	112 3/4	26,514	119 3/4	27906
84 7/8	19590	91 7/8	21473	98 7/8	23,277	105 7/8	24,977	112 7/8	26,540	119 7/8	27929
85	19624	92	21506	99	23,309	106	25,006	113	26567	120	27952
85 1/8	19659	92 1/8	21539	99 1/8	23,340	106 1/8	25,035	113 1/8	26,593	120 1/8	27975
85 1/4	19693	92 1/4	21572	99 1/4	23,371	106 1/4	25,065	113 1/4	26,620	120 1/4	27997
85 3/8	19727	92 3/8	21604	99 3/8	23,403	106 3/8	25,094	113 3/8	26,646	120 3/8	28020
85 1/2	19761	92 1/2	21637	99 1/2	23,434	106 1/2	25,123	113 1/2	26,672	120 1/2	28043
85 5/8	19795	92 5/8	21670	99 5/8	23,465	106 5/8	25,152	113 5/8	26,698	120 5/8	28065
85 3/4	19829	92 3/4	21703	99 3/4	23,496	106 3/4	25,181	113 3/4	26,724	120 3/4	28088
85 7/8	19863	92 7/8	21736	99 7/8	23,527	106 7/8	25,210	113 7/8	26,751	120 7/8	28110
86	19897	93	21769	100	23,558	107	25,238	114	26777	121	28132
86 1/8	19931	93 1/8	21801	100 1/8	23,589	107 1/8	25,267	114 1/8	26,803	121 1/8	28155
86 1/4	19965	93 1/4	21834	100 1/4	23,620	107 1/4	25,296	114 1/4	26,828	121 1/4	28177
86 3/8	19999	93 3/8	21867	100 3/8	23,651	107 3/8	25,325	114 3/8	26,854	121 3/8	28199
86 1/2	20033	93 1/2	21899	100 1/2	23,682	107 1/2	25,353	114 1/2	26,880	121 1/2	28221
86 5/8	20067	93 5/8	21932	100 5/8	23,713	107 5/8	25,382	114 5/8	26,906	121 5/8	28243
86 3/4	20101	93 3/4	21965	100 3/4	23,744	107 3/4	25,411	114 3/4	26,931	121 3/4	28265
86 7/8	20135	93 7/8	21997	100 7/8	23,775	107 7/8	25,439	114 7/8	26,957	121 7/8	28286
87	20168	94	22030	101	23,806	108	25,468	115	26982	122	28308
87 1/8	20202	94 1/8	22062	101 1/8	23,836	108 1/8	25,496	115 1/8	27,008	122 1/8	28330
87 1/4	20236	94 1/4	22095	101 1/4	23,867	108 1/4	25,524	115 1/4	27,033	122 1/4	28351
87 3/8	20270	94 3/8	22127	101 3/8	23,898	108 3/8	25,553	115 3/8	27,059	122 3/8	28373
87 1/2	20304	94 1/2	22160	101 1/2	23,929	108 1/2	25,581	115 1/2	27,084	122 1/2	28394
87 5/8	20337	94 5/8	22192	101 5/8	23,959	108 5/8	25,609	115 5/8	27,109	122 5/8	28415
87 3/4	20371	94 3/4	22225	101 3/4	23,990	108 3/4	25,638	115 3/4	27,134	122 3/4	28437
87 7/8	20405	94 7/8	22257	101 7/8	24,020	108 7/8	25,666	115 7/8	27,160	122 7/8	28458
88	20439	95	22289	102	24,051	109	25,694	116	27,185	123	28479
88 1/8	20472	95 1/8	22322	102 1/8	24,081	109 1/8	25,722	116 1/8	27,210	123 1/8	28500
88 1/4	20506	95 1/4	22354	102 1/4	24,112	109 1/4	25,750	116 1/4	27,235	123 1/4	28521
88 3/8	20540	95 3/8	22386	102 3/8	24,142	109 3/8	25,778	116 3/8	27,259	123 3/8	28541
88 1/2	20573	95 1/2	22419	102 1/2	24,172	109 1/2	25,806	116 1/2	27,284	123 1/2	28562
88 5/8	20607	95 5/8	22451	102 5/8	24,203	109 5/8	25,834	116 5/8	27,309	123 5/8	28583
88 3/4	20640	95 3/4	22483	102 3/4	24,233	109 3/4	25,862	116 3/4	27,334	123 3/4	28603
88 7/8	20674	95 7/8	22515	102 7/8	24,263	109 7/8	25,889	116 7/8	27358	123 7/8	28624
89	20708	96	22547	103	24,294	110	25,917	117	27383	124	28644
89 1/8	20741	96 1/8	22579	103 1/8	24,324	110 1/8	25,945	117 1/8	27407	124 1/8	28665
89 1/4	20775	96 1/4	22611	103 1/4	24,354	110 1/4	25,972	117 1/4	27432	124 1/4	28685
89 3/8	20808	96 3/8	22643	103 3/8	24,384	110 3/8	26,000	117 3/8	27456	124 3/8	28705
89 1/2	20841	96 1/2	22675	103 1/2	24,414	110 1/2	26,027	117 1/2	27480	124 1/2	28725
89 5/8	20875	96 5/8	22707	103 5/8	24,444	110 5/8	26,055	117 5/8	27504	124 5/8	28745
89 3/4	20908	96 3/4	22739	103 3/4	24,474	110 3/4	26,082	117 3/4	27529	124 3/4	28765
89 7/8	20942	96 7/8	22771	103 7/8	24,504	110 7/8	26,110	117 7/8	27553	124 7/8	28784
90	20975	97	22803	104	24,534	111	26,137	118	27577	125	28804
90 1/8	21008	97 1/8	22835	104 1/8	24,564	111 1/8	26,164	118 1/8	27601	125 1/8	28824
90 1/4	21042	97 1/4	22867	104 1/4	24,593	111 1/4	26,192	118 1/4	27625	125 1/4	28843
90 3/8	21075	97 3/8	22898	104 3/8	24,623	111 3/8	26,219	118 3/8	27648	125 3/8	28863
90 1/2	21108	97 1/2	22930	104 1/2	24,653	111 1/2	26,246	118 1/2	27672	125 1/2	28882
90 5/8	21142	97 5/8	22962	104 5/8	24,683	111 5/8	26,273	118 5/8	27696	125 5/8	28901
90 3/4	21175	97 3/4	22994	104 3/4	24,712	111 3/4	26,300	118 3/4	27719	125 3/4	28920
90 7/8	21208	97 7/8	23025	104 7/8	24,742	111 7/8	26,327	118 7/8	27743	125 7/8	28939
91	21241	98	23057	105	24,771	112	26,354	119	27766	126	28958

**(12") D-7 SWT 30,000 GALLON (30,147 gals)**

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	28977	133 1/8	29855
126 1/4	28996	133 1/4	29867
126 3/8	29015	133 3/8	29879
126 1/2	29033	133 1/2	29891
126 5/8	29052	133 5/8	29902
126 3/4	29070	133 3/4	29913
126 7/8	29088	133 7/8	29924
127	29106	134	29935
127 1/8	29124	134 1/8	29946
127 1/4	29142	134 1/4	29956
127 3/8	29160	134 3/8	29967
127 1/2	29178	134 1/2	29977
127 5/8	29196	134 5/8	29987
127 3/4	29213	134 3/4	29997
127 7/8	29231	134 7/8	30006
128	29248	135	30015
128 1/8	29265	135 1/8	30025
128 1/4	29282	135 1/4	30033
128 3/8	29299	135 3/8	30042
128 1/2	29316	135 1/2	30051
128 5/8	29333	135 5/8	30059
128 3/4	29350	135 3/4	30067
128 7/8	29366	135 7/8	30074
129	29383	136	30082
129 1/8	29399	136 1/8	30089
129 1/4	29415	136 1/4	30096
129 3/8	29431	136 3/8	30102
129 1/2	29447	136 1/2	30109
129 5/8	29463	136 5/8	30115
129 3/4	29479	136 3/4	30120
129 7/8	29495	136 7/8	30126
130	29510	137	30130
130 1/8	29526	137 1/8	30135
130 1/4	29541	137 1/4	30139
130 3/8	29556	137 3/8	30142
130 1/2	29571	137 1/2	30145
130 5/8	29586	137 5/8	30147
130 3/4	29601		
130 7/8	29615		
131	29630		
131 1/8	29644		
131 1/4	29659		
131 3/8	29673		
131 1/2	29687		
131 5/8	29701		
131 3/4	29714		
131 7/8	29728		
132	29741		
132 1/8	29755		
132 1/4	29768		
132 3/8	29781		
132 1/2	29794		
132 5/8	29806		
132 3/4	29819		
132 7/8	29831		
133	29843		



**HOW TO PROPERLY GAUGE YOUR TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870  
 DAYCO/NATIONAL  
 DAYTON, OH  
 TEL: 1-800-283-2926  
 FAX: 1-800-688-4854

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overflow shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
**5150 Jefferson Chemical Road**  
**Conroe, TX 77301**  
**Tel: 936-756-7731**  
**Fax: 936-756-7766**

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**

*Pub. No. CAL 8130-SWT 8/97*