

**DWT6 12'-34000 COMPARTMENT**  
**34,104 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	10	6 1/8	556	12 1/8	1,481	18 1/8	2,650
1/4	14	6 1/4	572	12 1/4	1,503	18 1/4	2,676
3/8	19	6 3/8	588	12 3/8	1,526	18 3/8	2,703
1/2	25	6 1/2	605	12 1/2	1,548	18 1/2	2,729
5/8	31	6 5/8	621	12 5/8	1,570	18 5/8	2,756
3/4	37	6 3/4	638	12 3/4	1,593	18 3/4	2,783
7/8	44	6 7/8	655	12 7/8	1,616	18 7/8	2,809
1	51	7	672	13	1,638	19	2,836
1 1/8	59	7 1/8	689	13 1/8	1,661	19 1/8	2,863
1 1/4	67	7 1/4	707	13 1/4	1,684	19 1/4	2,890
1 3/8	75	7 3/8	724	13 3/8	1,707	19 3/8	2,918
1 1/2	83	7 1/2	742	13 1/2	1,730	19 1/2	2,945
1 5/8	92	7 5/8	759	13 5/8	1,754	19 5/8	2,972
1 3/4	101	7 3/4	777	13 3/4	1,777	19 3/4	2,999
1 7/8	110	7 7/8	795	13 7/8	1,800	19 7/8	3,027
2	120	8	814	14	1,824	20	3,054
2 1/8	130	8 1/8	832	14 1/8	1,847	20 1/8	3,082
2 1/4	140	8 1/4	850	14 1/4	1,871	20 1/4	3,110
2 3/8	150	8 3/8	869	14 3/8	1,895	20 3/8	3,137
2 1/2	161	8 1/2	888	14 1/2	1,919	20 1/2	3,165
2 5/8	172	8 5/8	906	14 5/8	1,943	20 5/8	3,193
2 3/4	183	8 3/4	925	14 3/4	1,967	20 3/4	3,221
2 7/8	194	8 7/8	944	14 7/8	1,991	20 7/8	3,249
3	205	9	964	15	2,015	21	3,277
3 1/8	217	9 1/8	983	15 1/8	2,040	21 1/8	3,305
3 1/4	229	9 1/4	1,002	15 1/4	2,064	21 1/4	3,334
3 3/8	241	9 3/8	1,022	15 3/8	2,088	21 3/8	3,362
3 1/2	254	9 1/2	1,042	15 1/2	2,113	21 1/2	3,390
3 5/8	266	9 5/8	1,061	15 5/8	2,138	21 5/8	3,419
3 3/4	279	9 3/4	1,081	15 3/4	2,163	21 3/4	3,447
3 7/8	292	9 7/8	1,101	15 7/8	2,187	21 7/8	3,476
4	305	10	1,122	16	2,212	22	3,504
4 1/8	318	10 1/8	1,142	16 1/8	2,237	22 1/8	3,533
4 1/4	332	10 1/4	1,162	16 1/4	2,263	22 1/4	3,562
4 3/8	346	10 3/8	1,183	16 3/8	2,288	22 3/8	3,591
4 1/2	359	10 1/2	1,203	16 1/2	2,313	22 1/2	3,620
4 5/8	374	10 5/8	1,224	16 5/8	2,338	22 5/8	3,649
4 3/4	388	10 3/4	1,245	16 3/4	2,364	22 3/4	3,678
4 7/8	402	10 7/8	1,266	16 7/8	2,389	22 7/8	3,707
5	417	11	1,287	17	2,415	23	3,736
5 1/8	432	11 1/8	1,308	17 1/8	2,441	23 1/8	3,765
5 1/4	447	11 1/4	1,329	17 1/4	2,467	23 1/4	3,795
5 3/8	462	11 3/8	1,351	17 3/8	2,493	23 3/8	3,824
5 1/2	477	11 1/2	1,372	17 1/2	2,519	23 1/2	3,853
5 5/8	492	11 5/8	1,394	17 5/8	2,545	23 5/8	3,883
5 3/4	508	11 3/4	1,416	17 3/4	2,571	23 3/4	3,913
5 7/8	524	11 7/8	1,437	17 7/8	2,597	23 7/8	3,942
6	539	12	1,459	18	2,623	24	3,972

**DWT6 12'-34000 COMPARTMENT**  
**34,104 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	4,002	30 1/8	5,500	36 1/8	7,116	42 1/8	8,827
24 1/4	4,032	30 1/4	5,533	36 1/4	7,151	42 1/4	8,864
24 3/8	4,061	30 3/8	5,565	36 3/8	7,186	42 3/8	8,900
24 1/2	4,091	30 1/2	5,598	36 1/2	7,221	42 1/2	8,937
24 5/8	4,121	30 5/8	5,631	36 5/8	7,256	42 5/8	8,973
24 3/4	4,151	30 3/4	5,663	36 3/4	7,291	42 3/4	9,010
24 7/8	4,182	30 7/8	5,696	36 7/8	7,326	42 7/8	9,047
25	4,212	31	5,729	37	7,361	43	9,083
25 1/8	4,242	31 1/8	5,762	37 1/8	7,396	43 1/8	9,120
25 1/4	4,272	31 1/4	5,795	37 1/4	7,431	43 1/4	9,157
25 3/8	4,303	31 3/8	5,828	37 3/8	7,466	43 3/8	9,194
25 1/2	4,333	31 1/2	5,861	37 1/2	7,501	43 1/2	9,231
25 5/8	4,364	31 5/8	5,894	37 5/8	7,536	43 5/8	9,267
25 3/4	4,394	31 3/4	5,927	37 3/4	7,571	43 3/4	9,304
25 7/8	4,425	31 7/8	5,960	37 7/8	7,607	43 7/8	9,341
26	4,456	32	5,994	38	7,642	44	9,378
26 1/8	4,486	32 1/8	6,027	38 1/8	7,677	44 1/8	9,415
26 1/4	4,517	32 1/4	6,060	38 1/4	7,713	44 1/4	9,452
26 3/8	4,548	32 3/8	6,094	38 3/8	7,748	44 3/8	9,489
26 1/2	4,579	32 1/2	6,127	38 1/2	7,784	44 1/2	9,526
26 5/8	4,610	32 5/8	6,161	38 5/8	7,819	44 5/8	9,563
26 3/4	4,641	32 3/4	6,194	38 3/4	7,855	44 3/4	9,600
26 7/8	4,672	32 7/8	6,228	38 7/8	7,890	44 7/8	9,637
27	4,703	33	6,261	39	7,926	45	9,675
27 1/8	4,735	33 1/8	6,295	39 1/8	7,961	45 1/8	9,712
27 1/4	4,766	33 1/4	6,329	39 1/4	7,997	45 1/4	9,749
27 3/8	4,797	33 3/8	6,363	39 3/8	8,033	45 3/8	9,786
27 1/2	4,829	33 1/2	6,396	39 1/2	8,069	45 1/2	9,824
27 5/8	4,860	33 5/8	6,430	39 5/8	8,104	45 5/8	9,861
27 3/4	4,891	33 3/4	6,464	39 3/4	8,140	45 3/4	9,898
27 7/8	4,923	33 7/8	6,498	39 7/8	8,176	45 7/8	9,936
28	4,955	34	6,532	40	8,212	46	9,973
28 1/8	4,986	34 1/8	6,566	40 1/8	8,248	46 1/8	10,010
28 1/4	5,018	34 1/4	6,600	40 1/4	8,284	46 1/4	10,048
28 3/8	5,050	34 3/8	6,634	40 3/8	8,320	46 3/8	10,085
28 1/2	5,082	34 1/2	6,668	40 1/2	8,356	46 1/2	10,123
28 5/8	5,113	34 5/8	6,703	40 5/8	8,392	46 5/8	10,160
28 3/4	5,145	34 3/4	6,737	40 3/4	8,428	46 3/4	10,198
28 7/8	5,177	34 7/8	6,771	40 7/8	8,464	46 7/8	10,235
29	5,209	35	6,805	41	8,500	47	10,273
29 1/8	5,241	35 1/8	6,840	41 1/8	8,536	47 1/8	10,311
29 1/4	5,274	35 1/4	6,874	41 1/4	8,573	47 1/4	10,348
29 3/8	5,306	35 3/8	6,909	41 3/8	8,609	47 3/8	10,386
29 1/2	5,338	35 1/2	6,943	41 1/2	8,645	47 1/2	10,424
29 5/8	5,370	35 5/8	6,978	41 5/8	8,682	47 5/8	10,461
29 3/4	5,403	35 3/4	7,012	41 3/4	8,718	47 3/4	10,499
29 7/8	5,435	35 7/8	7,047	41 7/8	8,754	47 7/8	10,537
30	5,468	36	7,082	42	8,791	48	10,575

**DWT6 12'-34000 COMPARTMENT**  
**34,104 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	10,613	54 1/8	12,454	60 1/8	14,334	66 1/8	16,237
48 1/4	10,650	54 1/4	12,493	60 1/4	14,373	66 1/4	16,276
48 3/8	10,688	54 3/8	12,531	60 3/8	14,413	66 3/8	16,316
48 1/2	10,726	54 1/2	12,570	60 1/2	14,452	66 1/2	16,356
48 5/8	10,764	54 5/8	12,609	60 5/8	14,492	66 5/8	16,396
48 3/4	10,802	54 3/4	12,648	60 3/4	14,531	66 3/4	16,436
48 7/8	10,840	54 7/8	12,687	60 7/8	14,571	66 7/8	16,475
49	10,878	55	12,726	61	14,610	67	16,515
49 1/8	10,916	55 1/8	12,765	61 1/8	14,650	67 1/8	16,555
49 1/4	10,954	55 1/4	12,804	61 1/4	14,689	67 1/4	16,595
49 3/8	10,992	55 3/8	12,843	61 3/8	14,729	67 3/8	16,634
49 1/2	11,030	55 1/2	12,882	61 1/2	14,769	67 1/2	16,674
49 5/8	11,068	55 5/8	12,921	61 5/8	14,808	67 5/8	16,714
49 3/4	11,106	55 3/4	12,960	61 3/4	14,848	67 3/4	16,754
49 7/8	11,145	55 7/8	12,999	61 7/8	14,887	67 7/8	16,794
50	11,183	56	13,038	62	14,927	68	16,833
50 1/8	11,221	56 1/8	13,077	62 1/8	14,966	68 1/8	16,873
50 1/4	11,259	56 1/4	13,116	62 1/4	15,006	68 1/4	16,913
50 3/8	11,297	56 3/8	13,155	62 3/8	15,046	68 3/8	16,953
50 1/2	11,336	56 1/2	13,194	62 1/2	15,085	68 1/2	16,993
50 5/8	11,374	56 5/8	13,233	62 5/8	15,125	68 5/8	17,032
50 3/4	11,412	56 3/4	13,273	62 3/4	15,165	68 3/4	17,072
50 7/8	11,451	56 7/8	13,312	62 7/8	15,204	68 7/8	17,112
51	11,489	57	13,351	63	15,244	69	17,152
51 1/8	11,527	57 1/8	13,390	63 1/8	15,283	69 1/8	17,192
51 1/4	11,566	57 1/4	13,429	63 1/4	15,323	69 1/4	17,231
51 3/8	11,604	57 3/8	13,468	63 3/8	15,363	69 3/8	17,271
51 1/2	11,642	57 1/2	13,508	63 1/2	15,402	69 1/2	17,311
51 5/8	11,681	57 5/8	13,547	63 5/8	15,442	69 5/8	17,351
51 3/4	11,719	57 3/4	13,586	63 3/4	15,482	69 3/4	17,391
51 7/8	11,758	57 7/8	13,625	63 7/8	15,521	69 7/8	17,430
52	11,796	58	13,665	64	15,561	70	17,470
52 1/8	11,835	58 1/8	13,704	64 1/8	15,601	70 1/8	17,510
52 1/4	11,873	58 1/4	13,743	64 1/4	15,641	70 1/4	17,550
52 3/8	11,912	58 3/8	13,782	64 3/8	15,680	70 3/8	17,589
52 1/2	11,951	58 1/2	13,822	64 1/2	15,720	70 1/2	17,629
52 5/8	11,989	58 5/8	13,861	64 5/8	15,760	70 5/8	17,669
52 3/4	12,028	58 3/4	13,900	64 3/4	15,799	70 3/4	17,709
52 7/8	12,066	58 7/8	13,940	64 7/8	15,839	70 7/8	17,749
53	12,105	59	13,979	65	15,879	71	17,788
53 1/8	12,144	59 1/8	14,019	65 1/8	15,919	71 1/8	17,828
53 1/4	12,182	59 1/4	14,058	65 1/4	15,958	71 1/4	17,868
53 3/8	12,221	59 3/8	14,097	65 3/8	15,998	71 3/8	17,908
53 1/2	12,260	59 1/2	14,137	65 1/2	16,038	71 1/2	17,947
53 5/8	12,299	59 5/8	14,176	65 5/8	16,078	71 5/8	17,987
53 3/4	12,337	59 3/4	14,216	65 3/4	16,117	71 3/4	18,027
53 7/8	12,376	59 7/8	14,255	65 7/8	16,157	71 7/8	18,067
54	12,415	60	14,294	66	16,197	72	18,106

**DWT6 12'-34000 COMPARTMENT**  
**34,104 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
72 1/8	18,146	78 1/8	20,047	84 1/8	21,922	90 1/8	23,756
72 1/4	18,186	78 1/4	20,086	84 1/4	21,961	90 1/4	23,794
72 3/8	18,226	78 3/8	20,125	84 3/8	21,999	90 3/8	23,832
72 1/2	18,265	78 1/2	20,165	84 1/2	22,038	90 1/2	23,869
72 5/8	18,305	78 5/8	20,204	84 5/8	22,077	90 5/8	23,907
72 3/4	18,345	78 3/4	20,243	84 3/4	22,115	90 3/4	23,944
72 7/8	18,385	78 7/8	20,283	84 7/8	22,154	90 7/8	23,982
73	18,424	79	20,322	85	22,193	91	24,019
73 1/8	18,464	79 1/8	20,361	85 1/8	22,231	91 1/8	24,057
73 1/4	18,504	79 1/4	20,401	85 1/4	22,270	91 1/4	24,094
73 3/8	18,543	79 3/8	20,440	85 3/8	22,308	91 3/8	24,132
73 1/2	18,583	79 1/2	20,479	85 1/2	22,347	91 1/2	24,169
73 5/8	18,623	79 5/8	20,518	85 5/8	22,385	91 5/8	24,206
73 3/4	18,662	79 3/4	20,558	85 3/4	22,424	91 3/4	24,244
73 7/8	18,702	79 7/8	20,597	85 7/8	22,462	91 7/8	24,281
74	18,742	80	20,636	86	22,501	92	24,318
74 1/8	18,781	80 1/8	20,675	86 1/8	22,539	92 1/8	24,356
74 1/4	18,821	80 1/4	20,715	86 1/4	22,577	92 1/4	24,393
74 3/8	18,861	80 3/8	20,754	86 3/8	22,616	92 3/8	24,430
74 1/2	18,900	80 1/2	20,793	86 1/2	22,654	92 1/2	24,467
74 5/8	18,940	80 5/8	20,832	86 5/8	22,692	92 5/8	24,504
74 3/4	18,980	80 3/4	20,871	86 3/4	22,731	92 3/4	24,541
74 7/8	19,019	80 7/8	20,910	86 7/8	22,769	92 7/8	24,578
75	19,059	81	20,949	87	22,807	93	24,615
75 1/8	19,099	81 1/8	20,988	87 1/8	22,845	93 1/8	24,652
75 1/4	19,138	81 1/4	21,028	87 1/4	22,884	93 1/4	24,689
75 3/8	19,178	81 3/8	21,067	87 3/8	22,922	93 3/8	24,726
75 1/2	19,217	81 1/2	21,106	87 1/2	22,960	93 1/2	24,763
75 5/8	19,257	81 5/8	21,145	87 5/8	22,998	93 5/8	24,800
75 3/4	19,296	81 3/4	21,184	87 3/4	23,036	93 3/4	24,837
75 7/8	19,336	81 7/8	21,223	87 7/8	23,074	93 7/8	24,874
76	19,376	82	21,262	88	23,112	94	24,911
76 1/8	19,415	82 1/8	21,301	88 1/8	23,151	94 1/8	24,948
76 1/4	19,455	82 1/4	21,340	88 1/4	23,189	94 1/4	24,984
76 3/8	19,494	82 3/8	21,379	88 3/8	23,227	94 3/8	25,021
76 1/2	19,534	82 1/2	21,418	88 1/2	23,265	94 1/2	25,058
76 5/8	19,573	82 5/8	21,456	88 5/8	23,303	94 5/8	25,094
76 3/4	19,613	82 3/4	21,495	88 3/4	23,340	94 3/4	25,131
76 7/8	19,652	82 7/8	21,534	88 7/8	23,378	94 7/8	25,168
77	19,692	83	21,573	89	23,416	95	25,204
77 1/8	19,731	83 1/8	21,612	89 1/8	23,454	95 1/8	25,241
77 1/4	19,771	83 1/4	21,651	89 1/4	23,492	95 1/4	25,277
77 3/8	19,810	83 3/8	21,690	89 3/8	23,530	95 3/8	25,314
77 1/2	19,850	83 1/2	21,728	89 1/2	23,568	95 1/2	25,350
77 5/8	19,889	83 5/8	21,767	89 5/8	23,605	95 5/8	25,387
77 3/4	19,928	83 3/4	21,806	89 3/4	23,643	95 3/4	25,423
77 7/8	19,968	83 7/8	21,845	89 7/8	23,681	95 7/8	25,459
78	20,007	84	21,883	90	23,719	96	25,496

**DWT6 12'-34000 COMPARTMENT**  
**34,104 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
96 1/8	25,532	102 1/8	27,230	108 1/8	28,831	114 1/8	30,310
96 1/4	25,568	102 1/4	27,265	108 1/4	28,863	114 1/4	30,339
96 3/8	25,604	102 3/8	27,299	108 3/8	28,895	114 3/8	30,368
96 1/2	25,640	102 1/2	27,333	108 1/2	28,927	114 1/2	30,398
96 5/8	25,677	102 5/8	27,368	108 5/8	28,959	114 5/8	30,427
96 3/4	25,713	102 3/4	27,402	108 3/4	28,991	114 3/4	30,456
96 7/8	25,749	102 7/8	27,436	108 7/8	29,023	114 7/8	30,485
97	25,785	103	27,470	109	29,055	115	30,514
97 1/8	25,821	103 1/8	27,504	109 1/8	29,087	115 1/8	30,543
97 1/4	25,857	103 1/4	27,538	109 1/4	29,118	115 1/4	30,571
97 3/8	25,893	103 3/8	27,573	109 3/8	29,150	115 3/8	30,600
97 1/2	25,929	103 1/2	27,606	109 1/2	29,182	115 1/2	30,629
97 5/8	25,964	103 5/8	27,640	109 5/8	29,213	115 5/8	30,657
97 3/4	26,000	103 3/4	27,674	109 3/4	29,245	115 3/4	30,686
97 7/8	26,036	103 7/8	27,708	109 7/8	29,276	115 7/8	30,714
98	26,072	104	27,742	110	29,307	116	30,743
98 1/8	26,107	104 1/8	27,776	110 1/8	29,339	116 1/8	30,771
98 1/4	26,143	104 1/4	27,809	110 1/4	29,370	116 1/4	30,799
98 3/8	26,179	104 3/8	27,843	110 3/8	29,401	116 3/8	30,827
98 1/2	26,214	104 1/2	27,877	110 1/2	29,432	116 1/2	30,856
98 5/8	26,250	104 5/8	27,910	110 5/8	29,463	116 5/8	30,884
98 3/4	26,286	104 3/4	27,944	110 3/4	29,495	116 3/4	30,911
98 7/8	26,321	104 7/8	27,977	110 7/8	29,525	116 7/8	30,939
99	26,356	105	28,011	111	29,556	117	30,967
99 1/8	26,392	105 1/8	28,044	111 1/8	29,587	117 1/8	30,995
99 1/4	26,427	105 1/4	28,078	111 1/4	29,618	117 1/4	31,023
99 3/8	26,463	105 3/8	28,111	111 3/8	29,649	117 3/8	31,050
99 1/2	26,498	105 1/2	28,144	111 1/2	29,680	117 1/2	31,078
99 5/8	26,533	105 5/8	28,177	111 5/8	29,710	117 5/8	31,105
99 3/4	26,568	105 3/4	28,210	111 3/4	29,741	117 3/4	31,132
99 7/8	26,604	105 7/8	28,244	111 7/8	29,771	117 7/8	31,160
100	26,639	106	28,277	112	29,802	118	31,187
100 1/8	26,674	106 1/8	28,310	112 1/8	29,832	118 1/8	31,214
100 1/4	26,709	106 1/4	28,343	112 1/4	29,862	118 1/4	31,241
100 3/8	26,744	106 3/8	28,375	112 3/8	29,893	118 3/8	31,268
100 1/2	26,779	106 1/2	28,408	112 1/2	29,923	118 1/2	31,295
100 5/8	26,814	106 5/8	28,441	112 5/8	29,953	118 5/8	31,322
100 3/4	26,849	106 3/4	28,474	112 3/4	29,983	118 3/4	31,349
100 7/8	26,884	106 7/8	28,507	112 7/8	30,013	118 7/8	31,375
101	26,919	107	28,539	113	30,043	119	31,402
101 1/8	26,953	107 1/8	28,572	113 1/8	30,073	119 1/8	31,429
101 1/4	26,988	107 1/4	28,604	113 1/4	30,103	119 1/4	31,455
101 3/8	27,023	107 3/8	28,637	113 3/8	30,133	119 3/8	31,481
101 1/2	27,058	107 1/2	28,669	113 1/2	30,162	119 1/2	31,508
101 5/8	27,092	107 5/8	28,702	113 5/8	30,192	119 5/8	31,534
101 3/4	27,127	107 3/4	28,734	113 3/4	30,222	119 3/4	31,560
101 7/8	27,161	107 7/8	28,766	113 7/8	30,251	119 7/8	31,586
102	27,196	108	28,799	114	30,281	120	31,612

**DWT6 12'-34000 COMPARTMENT**  
**34,104 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
120 1/8	31,638	126 1/8	32,775	132 1/8	33,658
120 1/4	31,664	126 1/4	32,796	132 1/4	33,673
120 3/8	31,689	126 3/8	32,818	132 3/8	33,688
120 1/2	31,715	126 1/2	32,839	132 1/2	33,702
120 5/8	31,741	126 5/8	32,860	132 5/8	33,717
120 3/4	31,766	126 3/4	32,880	132 3/4	33,731
120 7/8	31,791	126 7/8	32,901	132 7/8	33,745
121	31,817	127	32,922	133	33,759
121 1/8	31,842	127 1/8	32,942	133 1/8	33,773
121 1/4	31,867	127 1/4	32,963	133 1/4	33,786
121 3/8	31,892	127 3/8	32,983	133 3/8	33,800
121 1/2	31,917	127 1/2	33,003	133 1/2	33,813
121 5/8	31,942	127 5/8	33,023	133 5/8	33,826
121 3/4	31,967	127 3/4	33,043	133 3/4	33,838
121 7/8	31,991	127 7/8	33,063	133 7/8	33,851
122	32,016	128	33,083	134	33,863
122 1/8	32,041	128 1/8	33,102	134 1/8	33,875
122 1/4	32,065	128 1/4	33,122	134 1/4	33,887
122 3/8	32,089	128 3/8	33,141	134 3/8	33,899
122 1/2	32,114	128 1/2	33,160	134 1/2	33,911
122 5/8	32,138	128 5/8	33,179	134 5/8	33,922
122 3/4	32,162	128 3/4	33,198	134 3/4	33,933
122 7/8	32,186	128 7/8	33,217	134 7/8	33,944
123	32,210	129	33,236	135	33,954
123 1/8	32,233	129 1/8	33,254	135 1/8	33,965
123 1/4	32,257	129 1/4	33,273	135 1/4	33,975
123 3/8	32,281	129 3/8	33,291	135 3/8	33,985
123 1/2	32,304	129 1/2	33,309	135 1/2	33,994
123 5/8	32,328	129 5/8	33,327	135 5/8	34,004
123 3/4	32,351	129 3/4	33,345	135 3/4	34,013
123 7/8	32,374	129 7/8	33,363	135 7/8	34,021
124	32,397	130	33,380	136	34,030
124 1/8	32,420	130 1/8	33,398	136 1/8	34,038
124 1/4	32,443	130 1/4	33,415	136 1/4	34,046
124 3/8	32,466	130 3/8	33,433	136 3/8	34,053
124 1/2	32,489	130 1/2	33,450	136 1/2	34,060
124 5/8	32,512	130 5/8	33,467	136 5/8	34,067
124 3/4	32,534	130 3/4	33,483	136 3/4	34,074
124 7/8	32,556	130 7/8	33,500	136 7/8	34,080
125	32,579	131	33,516	137	34,085
125 1/8	32,601	131 1/8	33,533	137 1/8	34,090
125 1/4	32,623	131 1/4	33,549	137 1/4	34,095
125 3/8	32,645	131 3/8	33,565	137 3/8	34,098
125 1/2	32,667	131 1/2	33,581	137 1/2	34,102
125 5/8	32,689	131 5/8	33,597	137 5/8	34,104
125 3/4	32,711	131 3/4	33,612		
125 7/8	32,732	131 7/8	33,628		
126	32,754	132	33,643		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.