

4'-550 SWT D5 Single-Wall Tank 543 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	1	6 1/8	39	12 1/8	107	18 1/8	189	24 1/8	278
1/4	1	6 1/4	41	12 1/4	108	18 1/4	191	24 1/4	280
3/8	1	6 3/8	42	12 3/8	110	18 3/8	193	24 3/8	282
1/2	2	6 1/2	43	12 1/2	111	18 1/2	194	24 1/2	284
5/8	2	6 5/8	44	12 5/8	113	18 5/8	196	24 5/8	286
3/4	2	6 3/4	45	12 3/4	115	18 3/4	198	24 3/4	287
7/8	3	6 7/8	47	12 7/8	116	18 7/8	200	24 7/8	289
1	3	7	48	13	118	19	202	25	291
1 1/8	4	7 1/8	49	13 1/8	120	19 1/8	204	25 1/8	293
1 1/4	4	7 1/4	50	13 1/4	121	19 1/4	205	25 1/4	295
1 3/8	5	7 3/8	52	13 3/8	123	19 3/8	207	25 3/8	297
1 1/2	6	7 1/2	53	13 1/2	125	19 1/2	209	25 1/2	299
1 5/8	6	7 5/8	54	13 5/8	126	19 5/8	211	25 5/8	301
1 3/4	7	7 3/4	56	13 3/4	128	19 3/4	213	25 3/4	302
1 7/8	8	7 7/8	57	13 7/8	129	19 7/8	215	25 7/8	304
2	8	8	58	14	131	20	216	26	306
2 1/8	9	8 1/8	60	14 1/8	133	20 1/8	218	26 1/8	308
2 1/4	10	8 1/4	61	14 1/4	135	20 1/4	220	26 1/4	310
2 3/8	10	8 3/8	62	14 3/8	136	20 3/8	222	26 3/8	312
2 1/2	11	8 1/2	64	14 1/2	138	20 1/2	224	26 1/2	314
2 5/8	12	8 5/8	65	14 5/8	140	20 5/8	226	26 5/8	315
2 3/4	13	8 3/4	66	14 3/4	141	20 3/4	228	26 3/4	317
2 7/8	13	8 7/8	68	14 7/8	143	20 7/8	229	26 7/8	319
3	14	9	69	15	145	21	231	27	321
3 1/8	15	9 1/8	71	15 1/8	146	21 1/8	233	27 1/8	323
3 1/4	16	9 1/4	72	15 1/4	148	21 1/4	235	27 1/4	325
3 3/8	17	9 3/8	73	15 3/8	150	21 3/8	237	27 3/8	327
3 1/2	18	9 1/2	75	15 1/2	152	21 1/2	239	27 1/2	328
3 5/8	19	9 5/8	76	15 5/8	153	21 5/8	241	27 5/8	330
3 3/4	19	9 3/4	78	15 3/4	155	21 3/4	242	27 3/4	332
3 7/8	20	9 7/8	79	15 7/8	157	21 7/8	244	27 7/8	334
4	21	10	81	16	159	22	246	28	336
4 1/8	22	10 1/8	82	16 1/8	160	22 1/8	248	28 1/8	338
4 1/4	23	10 1/4	84	16 1/4	162	22 1/4	250	28 1/4	339
4 3/8	24	10 3/8	85	16 3/8	164	22 3/8	252	28 3/8	341
4 1/2	25	10 1/2	87	16 1/2	166	22 1/2	254	28 1/2	343
4 5/8	26	10 5/8	88	16 5/8	167	22 5/8	256	28 5/8	345
4 3/4	27	10 3/4	90	16 3/4	169	22 3/4	257	28 3/4	347
4 7/8	28	10 7/8	91	16 7/8	171	22 7/8	259	28 7/8	349
5	29	11	93	17	173	23	261	29	350
5 1/8	30	11 1/8	94	17 1/8	175	23 1/8	263	29 1/8	352
5 1/4	32	11 1/4	96	17 1/4	176	23 1/4	265	29 1/4	354
5 3/8	33	11 3/8	97	17 3/8	178	23 3/8	267	29 3/8	356
5 1/2	34	11 1/2	99	17 1/2	180	23 1/2	269	29 1/2	358
5 5/8	35	11 5/8	100	17 5/8	182	23 5/8	271	29 5/8	359
5 3/4	36	11 3/4	102	17 3/4	184	23 3/4	272	29 3/4	361
5 7/8	37	11 7/8	103	17 7/8	185	23 7/8	274	29 7/8	363
6	38	12	105	18	187	24	276	30	365

4'-550 SWT D5 Single-Wall Tank 543 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	367	36 1/8	447	42 1/8	511
30 1/4	368	36 1/4	449	42 1/4	513
30 3/8	370	36 3/8	450	42 3/8	514
30 1/2	372	36 1/2	452	42 1/2	515
30 5/8	374	36 5/8	453	42 5/8	516
30 3/4	376	36 3/4	455	42 3/4	517
30 7/8	377	36 7/8	456	42 7/8	518
31	379	37	458	43	519
31 1/8	381	37 1/8	459	43 1/8	520
31 1/4	383	37 1/4	461	43 1/4	521
31 3/8	384	37 3/8	462	43 3/8	522
31 1/2	386	37 1/2	464	43 1/2	523
31 5/8	388	37 5/8	465	43 5/8	524
31 3/4	390	37 3/4	467	43 3/4	524
31 7/8	391	37 7/8	468	43 7/8	525
32	393	38	470	44	526
32 1/8	395	38 1/8	471	44 1/8	527
32 1/4	397	38 1/4	472	44 1/4	528
32 3/8	398	38 3/8	474	44 3/8	529
32 1/2	400	38 1/2	475	44 1/2	530
32 5/8	402	38 5/8	477	44 5/8	530
32 3/4	403	38 3/4	478	44 3/4	531
32 7/8	405	38 7/8	479	44 7/8	532
33	407	39	481	45	533
33 1/8	408	39 1/8	482	45 1/8	533
33 1/4	410	39 1/4	483	45 1/4	534
33 3/8	412	39 3/8	485	45 3/8	535
33 1/2	414	39 1/2	486	45 1/2	536
33 5/8	415	39 5/8	487	45 5/8	536
33 3/4	417	39 3/4	489	45 3/4	537
33 7/8	419	39 7/8	490	45 7/8	537
34	420	40	491	46	538
34 1/8	422	40 1/8	493	46 1/8	539
34 1/4	423	40 1/4	494	46 1/4	539
34 3/8	425	40 3/8	495	46 3/8	540
34 1/2	427	40 1/2	496	46 1/2	540
34 5/8	428	40 5/8	498	46 5/8	541
34 3/4	430	40 3/4	499	46 3/4	541
34 7/8	432	40 7/8	500	46 7/8	541
35	433	41	501	47	542
35 1/8	435	41 1/8	502	47 1/8	542
35 1/4	436	41 1/4	504	47 1/4	542
35 3/8	438	41 3/8	505	47 3/8	543
35 1/2	440	41 1/2	506	47 1/2	543
35 5/8	441	41 5/8	507	47 5/8	543
35 3/4	443	41 3/4	508		
35 7/8	444	41 7/8	509		
36	446	42	510		



CONTAINMENT
SOLUTIONS®

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.