

**6'-10000 DWT6 Double-Wall Tank
9792 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	8	6 1/8	426	12 1/8	1117	18 1/8	1967	24 1/8	2917
1/4	11	6 1/4	438	12 1/4	1134	18 1/4	1985	24 1/4	2938
3/8	15	6 3/8	450	12 3/8	1150	18 3/8	2004	24 3/8	2959
1/2	19	6 1/2	463	12 1/2	1167	18 1/2	2023	24 1/2	2979
5/8	24	6 5/8	475	12 5/8	1183	18 5/8	2042	24 5/8	3000
3/4	29	6 3/4	488	12 3/4	1200	18 3/4	2062	24 3/4	3021
7/8	34	6 7/8	501	12 7/8	1216	18 7/8	2081	24 7/8	3041
1	40	7	514	13	1233	19	2100	25	3062
1 1/8	46	7 1/8	527	13 1/8	1250	19 1/8	2119	25 1/8	3083
1 1/4	52	7 1/4	540	13 1/4	1267	19 1/4	2138	25 1/4	3104
1 3/8	58	7 3/8	553	13 3/8	1284	19 3/8	2158	25 3/8	3124
1 1/2	65	7 1/2	566	13 1/2	1301	19 1/2	2177	25 1/2	3145
1 5/8	71	7 5/8	580	13 5/8	1318	19 5/8	2196	25 5/8	3166
1 3/4	78	7 3/4	593	13 3/4	1335	19 3/4	2216	25 3/4	3187
1 7/8	85	7 7/8	607	13 7/8	1352	19 7/8	2235	25 7/8	3208
2	93	8	620	14	1369	20	2255	26	3229
2 1/8	100	8 1/8	634	14 1/8	1386	20 1/8	2274	26 1/8	3250
2 1/4	108	8 1/4	648	14 1/4	1404	20 1/4	2294	26 1/4	3271
2 3/8	116	8 3/8	662	14 3/8	1421	20 3/8	2313	26 3/8	3292
2 1/2	124	8 1/2	676	14 1/2	1438	20 1/2	2333	26 1/2	3313
2 5/8	133	8 5/8	690	14 5/8	1456	20 5/8	2353	26 5/8	3334
2 3/4	141	8 3/4	704	14 3/4	1473	20 3/4	2373	26 3/4	3355
2 7/8	150	8 7/8	718	14 7/8	1491	20 7/8	2392	26 7/8	3376
3	159	9	733	15	1509	21	2412	27	3397
3 1/8	168	9 1/8	747	15 1/8	1526	21 1/8	2432	27 1/8	3418
3 1/4	177	9 1/4	762	15 1/4	1544	21 1/4	2452	27 1/4	3439
3 3/8	186	9 3/8	776	15 3/8	1562	21 3/8	2472	27 3/8	3461
3 1/2	196	9 1/2	791	15 1/2	1580	21 1/2	2492	27 1/2	3482
3 5/8	205	9 5/8	806	15 5/8	1598	21 5/8	2512	27 5/8	3503
3 3/4	215	9 3/4	821	15 3/4	1616	21 3/4	2532	27 3/4	3524
3 7/8	225	9 7/8	836	15 7/8	1634	21 7/8	2552	27 7/8	3545
4	235	10	851	16	1652	22	2572	28	3567
4 1/8	245	10 1/8	866	16 1/8	1670	22 1/8	2592	28 1/8	3588
4 1/4	256	10 1/4	881	16 1/4	1688	22 1/4	2612	28 1/4	3609
4 3/8	266	10 3/8	896	16 3/8	1706	22 3/8	2632	28 3/8	3631
4 1/2	277	10 1/2	912	16 1/2	1725	22 1/2	2652	28 1/2	3652
4 5/8	287	10 5/8	927	16 5/8	1743	22 5/8	2672	28 5/8	3673
4 3/4	298	10 3/4	942	16 3/4	1761	22 3/4	2693	28 3/4	3695
4 7/8	309	10 7/8	958	16 7/8	1780	22 7/8	2713	28 7/8	3716
5	320	11	974	17	1798	23	2733	29	3737
5 1/8	332	11 1/8	989	17 1/8	1817	23 1/8	2754	29 1/8	3759
5 1/4	343	11 1/4	1005	17 1/4	1835	23 1/4	2774	29 1/4	3780
5 3/8	354	11 3/8	1021	17 3/8	1854	23 3/8	2794	29 3/8	3802
5 1/2	366	11 1/2	1037	17 1/2	1873	23 1/2	2815	29 1/2	3823
5 5/8	378	11 5/8	1053	17 5/8	1891	23 5/8	2835	29 5/8	3844
5 3/4	389	11 3/4	1069	17 3/4	1910	23 3/4	2856	29 3/4	3866
5 7/8	401	11 7/8	1085	17 7/8	1929	23 7/8	2876	29 7/8	3887
6	413	12	1101	18	1948	24	2897	30	3909

**6'-10000 DWT6 Double-Wall Tank
9792 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	3930	36 1/8	4972	42 1/8	6012	48 1/8	7018	54 1/8	7957
30 1/4	3952	36 1/4	4994	42 1/4	6033	48 1/4	7038	54 1/4	7975
30 3/8	3973	36 3/8	5016	42 3/8	6055	48 3/8	7059	54 3/8	7994
30 1/2	3995	36 1/2	5038	42 1/2	6076	48 1/2	7079	54 1/2	8012
30 5/8	4017	36 5/8	5059	42 5/8	6097	48 5/8	7099	54 5/8	8031
30 3/4	4038	36 3/4	5081	42 3/4	6119	48 3/4	7120	54 3/4	8049
30 7/8	4060	36 7/8	5103	42 7/8	6140	48 7/8	7140	54 7/8	8067
31	4081	37	5125	43	6161	49	7160	55	8086
31 1/8	4103	37 1/8	5147	43 1/8	6183	49 1/8	7180	55 1/8	8104
31 1/4	4125	37 1/4	5168	43 1/4	6204	49 1/4	7200	55 1/4	8122
31 3/8	4146	37 3/8	5190	43 3/8	6225	49 3/8	7220	55 3/8	8140
31 1/2	4168	37 1/2	5212	43 1/2	6247	49 1/2	7240	55 1/2	8158
31 5/8	4189	37 5/8	5234	43 5/8	6268	49 5/8	7260	55 5/8	8176
31 3/4	4211	37 3/4	5255	43 3/4	6289	49 3/4	7280	55 3/4	8194
31 7/8	4233	37 7/8	5277	43 7/8	6310	49 7/8	7300	55 7/8	8212
32	4254	38	5299	44	6331	50	7320	56	8230
32 1/8	4276	38 1/8	5321	44 1/8	6353	50 1/8	7340	56 1/8	8248
32 1/4	4298	38 1/4	5342	44 1/4	6374	50 1/4	7360	56 1/4	8266
32 3/8	4319	38 3/8	5364	44 3/8	6395	50 3/8	7380	56 3/8	8283
32 1/2	4341	38 1/2	5386	44 1/2	6416	50 1/2	7400	56 1/2	8301
32 5/8	4363	38 5/8	5407	44 5/8	6437	50 5/8	7419	56 5/8	8319
32 3/4	4385	38 3/4	5429	44 3/4	6458	50 3/4	7439	56 3/4	8336
32 7/8	4406	38 7/8	5451	44 7/8	6479	50 7/8	7459	56 7/8	8354
33	4428	39	5473	45	6500	51	7479	57	8371
33 1/8	4450	39 1/8	5494	45 1/8	6521	51 1/8	7498	57 1/8	8388
33 1/4	4471	39 1/4	5516	45 1/4	6542	51 1/4	7518	57 1/4	8406
33 3/8	4493	39 3/8	5538	45 3/8	6563	51 3/8	7537	57 3/8	8423
33 1/2	4515	39 1/2	5559	45 1/2	6584	51 1/2	7557	57 1/2	8440
33 5/8	4537	39 5/8	5581	45 5/8	6605	51 5/8	7576	57 5/8	8457
33 3/4	4558	39 3/4	5603	45 3/4	6626	51 3/4	7596	57 3/4	8474
33 7/8	4580	39 7/8	5624	45 7/8	6647	51 7/8	7615	57 7/8	8491
34	4602	40	5646	46	6668	52	7634	58	8508
34 1/8	4624	40 1/8	5667	46 1/8	6688	52 1/8	7654	58 1/8	8525
34 1/4	4645	40 1/4	5689	46 1/4	6709	52 1/4	7673	58 1/4	8542
34 3/8	4667	40 3/8	5711	46 3/8	6730	52 3/8	7692	58 3/8	8559
34 1/2	4689	40 1/2	5732	46 1/2	6751	52 1/2	7711	58 1/2	8576
34 5/8	4711	40 5/8	5754	46 5/8	6771	52 5/8	7730	58 5/8	8592
34 3/4	4733	40 3/4	5775	46 3/4	6792	52 3/4	7750	58 3/4	8609
34 7/8	4754	40 7/8	5797	46 7/8	6813	52 7/8	7769	58 7/8	8625
35	4776	41	5819	47	6833	53	7788	59	8642
35 1/8	4798	41 1/8	5840	47 1/8	6854	53 1/8	7807	59 1/8	8658
35 1/4	4820	41 1/4	5862	47 1/4	6875	53 1/4	7826	59 1/4	8675
35 3/8	4842	41 3/8	5883	47 3/8	6895	53 3/8	7844	59 3/8	8691
35 1/2	4863	41 1/2	5905	47 1/2	6916	53 1/2	7863	59 1/2	8707
35 5/8	4885	41 5/8	5926	47 5/8	6936	53 5/8	7882	59 5/8	8723
35 3/4	4907	41 3/4	5948	47 3/4	6957	53 3/4	7901	59 3/4	8739
35 7/8	4929	41 7/8	5969	47 7/8	6977	53 7/8	7919	59 7/8	8755
36	4950	42	5990	48	6998	54	7938	60	8771

6'-10000 DWT6 Double-Wall Tank 9792 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	8787	66 1/8	9449
60 1/4	8803	66 1/4	9461
60 3/8	8818	66 3/8	9472
60 1/2	8834	66 1/2	9483
60 5/8	8850	66 5/8	9494
60 3/4	8865	66 3/4	9505
60 7/8	8880	66 7/8	9515
61	8896	67	9526
61 1/8	8911	67 1/8	9536
61 1/4	8926	67 1/4	9547
61 3/8	8941	67 3/8	9557
61 1/2	8956	67 1/2	9567
61 5/8	8971	67 5/8	9577
61 3/4	8986	67 3/4	9587
61 7/8	9001	67 7/8	9596
62	9016	68	9606
62 1/8	9030	68 1/8	9615
62 1/4	9045	68 1/4	9624
62 3/8	9059	68 3/8	9633
62 1/2	9074	68 1/2	9642
62 5/8	9088	68 5/8	9651
62 3/4	9102	68 3/4	9659
62 7/8	9116	68 7/8	9668
63	9130	69	9676
63 1/8	9144	69 1/8	9684
63 1/4	9158	69 1/4	9692
63 3/8	9172	69 3/8	9699
63 1/2	9185	69 1/2	9707
63 5/8	9199	69 5/8	9714
63 3/4	9212	69 3/4	9721
63 7/8	9226	69 7/8	9727
64	9239	70	9734
64 1/8	9252	70 1/8	9740
64 1/4	9265	70 1/4	9746
64 3/8	9278	70 3/8	9752
64 1/2	9291	70 1/2	9758
64 5/8	9304	70 5/8	9763
64 3/4	9317	70 3/4	9768
64 7/8	9329	70 7/8	9773
65	9342	71	9777
65 1/8	9354	71 1/8	9781
65 1/4	9366	71 1/4	9784
65 3/8	9379	71 3/8	9787
65 1/2	9391	71 1/2	9790
65 5/8	9403	71 5/8	9792
65 3/4	9414		
65 7/8	9426		
66	9438		



CONTAINMENT
SOLUTIONS®

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.