

6'-10000 SWT D6 Single-Wall Tank 9650 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	8	6 1/8	419	12 1/8	1101	18 1/8	1938	24 1/8	2875
1/4	11	6 1/4	431	12 1/4	1117	18 1/4	1956	24 1/4	2895
3/8	15	6 3/8	444	12 3/8	1133	18 3/8	1975	24 3/8	2916
1/2	19	6 1/2	456	12 1/2	1150	18 1/2	1994	24 1/2	2936
5/8	24	6 5/8	468	12 5/8	1166	18 5/8	2013	24 5/8	2956
3/4	29	6 3/4	481	12 3/4	1182	18 3/4	2031	24 3/4	2977
7/8	34	6 7/8	493	12 7/8	1199	18 7/8	2050	24 7/8	2997
1	39	7	506	13	1215	19	2069	25	3018
1 1/8	45	7 1/8	519	13 1/8	1232	19 1/8	2088	25 1/8	3038
1 1/4	51	7 1/4	532	13 1/4	1248	19 1/4	2107	25 1/4	3059
1 3/8	57	7 3/8	545	13 3/8	1265	19 3/8	2126	25 3/8	3079
1 1/2	64	7 1/2	558	13 1/2	1282	19 1/2	2145	25 1/2	3100
1 5/8	70	7 5/8	571	13 5/8	1298	19 5/8	2164	25 5/8	3120
1 3/4	77	7 3/4	584	13 3/4	1315	19 3/4	2184	25 3/4	3141
1 7/8	84	7 7/8	598	13 7/8	1332	19 7/8	2203	25 7/8	3161
2	91	8	611	14	1349	20	2222	26	3182
2 1/8	99	8 1/8	625	14 1/8	1366	20 1/8	2241	26 1/8	3203
2 1/4	107	8 1/4	638	14 1/4	1383	20 1/4	2260	26 1/4	3223
2 3/8	114	8 3/8	652	14 3/8	1,400	20 3/8	2280	26 3/8	3244
2 1/2	123	8 1/2	666	14 1/2	1,417	20 1/2	2299	26 1/2	3265
2 5/8	131	8 5/8	680	14 5/8	1,435	20 5/8	2319	26 5/8	3285
2 3/4	139	8 3/4	694	14 3/4	1,452	20 3/4	2338	26 3/4	3306
2 7/8	148	8 7/8	708	14 7/8	1,469	20 7/8	2357	26 7/8	3327
3	156	9	722	15	1487	21	2377	27	3348
3 1/8	165	9 1/8	736	15 1/8	1,504	21 1/8	2396	27 1/8	3369
3 1/4	174	9 1/4	751	15 1/4	1,522	21 1/4	2416	27 1/4	3389
3 3/8	183	9 3/8	765	15 3/8	1,539	21 3/8	2436	27 3/8	3410
3 1/2	193	9 1/2	779	15 1/2	1,557	21 1/2	2455	27 1/2	3431
3 5/8	202	9 5/8	794	15 5/8	1,574	21 5/8	2475	27 5/8	3452
3 3/4	212	9 3/4	809	15 3/4	1,592	21 3/4	2495	27 3/4	3473
3 7/8	222	9 7/8	823	15 7/8	1,610	21 7/8	2514	27 7/8	3494
4	232	10	838	16	1,628	22	2534	28	3515
4 1/8	242	10 1/8	853	16 1/8	1,646	22 1/8	2554	28 1/8	3536
4 1/4	252	10 1/4	868	16 1/4	1,663	22 1/4	2574	28 1/4	3557
4 3/8	262	10 3/8	883	16 3/8	1,681	22 3/8	2594	28 3/8	3578
4 1/2	273	10 1/2	898	16 1/2	1,699	22 1/2	2614	28 1/2	3599
4 5/8	283	10 5/8	913	16 5/8	1,717	22 5/8	2634	28 5/8	3620
4 3/4	294	10 3/4	929	16 3/4	1,736	22 3/4	2653	28 3/4	3641
4 7/8	305	10 7/8	944	16 7/8	1754	22 7/8	2673	28 7/8	3662
5	316	11	959	17	1772	23	2693	29	3683
5 1/8	327	11 1/8	975	17 1/8	1790	23 1/8	2714	29 1/8	3704
5 1/4	338	11 1/4	990	17 1/4	1808	23 1/4	2734	29 1/4	3725
5 3/8	349	11 3/8	1006	17 3/8	1827	23 3/8	2754	29 3/8	3746
5 1/2	361	11 1/2	1022	17 1/2	1845	23 1/2	2774	29 1/2	3768
5 5/8	372	11 5/8	1037	17 5/8	1864	23 5/8	2794	29 5/8	3789
5 3/4	384	11 3/4	1053	17 3/4	1882	23 3/4	2814	29 3/4	3810
5 7/8	395	11 7/8	1069	17 7/8	1901	23 7/8	2834	29 7/8	3831
6	407	12	1085	18	1919	24	2855	30	3852

6'-10000 SWT D6 Single-Wall Tank 9650 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	3873	36 1/8	4900	42 1/8	5925	48 1/8	6916	54 1/8	7842
30 1/4	3895	36 1/4	4922	42 1/4	5946	48 1/4	6937	54 1/4	7860
30 3/8	3916	36 3/8	4943	42 3/8	5967	48 3/8	6957	54 3/8	7878
30 1/2	3937	36 1/2	4965	42 1/2	5988	48 1/2	6977	54 1/2	7896
30 5/8	3958	36 5/8	4986	42 5/8	6009	48 5/8	6997	54 5/8	7915
30 3/4	3980	36 3/4	5008	42 3/4	6030	48 3/4	7017	54 3/4	7933
30 7/8	4001	36 7/8	5029	42 7/8	6051	48 7/8	7037	54 7/8	7951
31	4022	37	5050	43	6072	49	7056	55	7969
31 1/8	4043	37 1/8	5072	43 1/8	6093	49 1/8	7076	55 1/8	7987
31 1/4	4065	37 1/4	5093	43 1/4	6114	49 1/4	7096	55 1/4	8005
31 3/8	4086	37 3/8	5115	43 3/8	6135	49 3/8	7116	55 3/8	8022
31 1/2	4107	37 1/2	5136	43 1/2	6156	49 1/2	7136	55 1/2	8040
31 5/8	4129	37 5/8	5158	43 5/8	6177	49 5/8	7155	55 5/8	8058
31 3/4	4150	37 3/4	5179	43 3/4	6198	49 3/4	7175	55 3/4	8076
31 7/8	4171	37 7/8	5201	43 7/8	6219	49 7/8	7195	55 7/8	8093
32	4193	38	5222	44	6240	50	7214	56	8111
32 1/8	4214	38 1/8	5243	44 1/8	6261	50 1/8	7234	56 1/8	8129
32 1/4	4235	38 1/4	5265	44 1/4	6281	50 1/4	7254	56 1/4	8146
32 3/8	4257	38 3/8	5286	44 3/8	6302	50 3/8	7273	56 3/8	8164
32 1/2	4278	38 1/2	5308	44 1/2	6323	50 1/2	7293	56 1/2	8181
32 5/8	4300	38 5/8	5329	44 5/8	6344	50 5/8	7312	56 5/8	8198
32 3/4	4321	38 3/4	5351	44 3/4	6365	50 3/4	7332	56 3/4	8216
32 7/8	4342	38 7/8	5372	44 7/8	6385	50 7/8	7351	56 7/8	8233
33	4364	39	5393	45	6406	51	7370	57	8250
33 1/8	4385	39 1/8	5415	45 1/8	6427	51 1/8	7390	57 1/8	8267
33 1/4	4407	39 1/4	5436	45 1/4	6447	51 1/4	7409	57 1/4	8284
33 3/8	4428	39 3/8	5457	45 3/8	6468	51 3/8	7428	57 3/8	8301
33 1/2	4449	39 1/2	5479	45 1/2	6489	51 1/2	7447	57 1/2	8318
33 5/8	4471	39 5/8	5500	45 5/8	6509	51 5/8	7467	57 5/8	8335
33 3/4	4492	39 3/4	5521	45 3/4	6530	51 3/4	7486	57 3/4	8352
33 7/8	4514	39 7/8	5543	45 7/8	6551	51 7/8	7505	57 7/8	8369
34	4535	40	5564	46	6571	52	7524	58	8385
34 1/8	4557	40 1/8	5585	46 1/8	6592	52 1/8	7543	58 1/8	8402
34 1/4	4578	40 1/4	5607	46 1/4	6612	52 1/4	7562	58 1/4	8419
34 3/8	4600	40 3/8	5628	46 3/8	6633	52 3/8	7581	58 3/8	8435
34 1/2	4621	40 1/2	5649	46 1/2	6653	52 1/2	7600	58 1/2	8452
34 5/8	4643	40 5/8	5671	46 5/8	6673	52 5/8	7619	58 5/8	8468
34 3/4	4664	40 3/4	5692	46 3/4	6694	52 3/4	7637	58 3/4	8484
34 7/8	4685	40 7/8	5713	46 7/8	6714	52 7/8	7656	58 7/8	8501
35	4707	41	5734	47	6735	53	7675	59	8517
35 1/8	4728	41 1/8	5756	47 1/8	6755	53 1/8	7694	59 1/8	8533
35 1/4	4750	41 1/4	5777	47 1/4	6775	53 1/4	7712	59 1/4	8549
35 3/8	4771	41 3/8	5798	47 3/8	6795	53 3/8	7731	59 3/8	8565
35 1/2	4793	41 1/2	5819	47 1/2	6816	53 1/2	7749	59 1/2	8581
35 5/8	4814	41 5/8	5840	47 5/8	6836	53 5/8	7768	59 5/8	8597
35 3/4	4836	41 3/4	5861	47 3/4	6856	53 3/4	7786	59 3/4	8613
35 7/8	4857	41 7/8	5883	47 7/8	6876	53 7/8	7805	59 7/8	8628
36	4879	42	5904	48	6896	54	7823	60	8644

6'-10000 SWT D6 Single-Wall Tank

9650 Gals



CONTAINMENT
SOLUTIONS®

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	8660	66 1/8	9312
60 1/4	8675	66 1/4	9323
60 3/8	8691	66 3/8	9335
60 1/2	8706	66 1/2	9345
60 5/8	8721	66 5/8	9356
60 3/4	8737	66 3/4	9367
60 7/8	8752	66 7/8	9378
61	8767	67	9388
61 1/8	8782	67 1/8	9398
61 1/4	8797	67 1/4	9409
61 3/8	8812	67 3/8	9419
61 1/2	8827	67 1/2	9428
61 5/8	8841	67 5/8	9438
61 3/4	8856	67 3/4	9448
61 7/8	8871	67 7/8	9457
62	8885	68	9467
62 1/8	8900	68 1/8	9476
62 1/4	8914	68 1/4	9485
62 3/8	8928	68 3/8	9494
62 1/2	8942	68 1/2	9502
62 5/8	8956	68 5/8	9511
62 3/4	8970	68 3/4	9519
62 7/8	8984	68 7/8	9528
63	8998	69	9536
63 1/8	9012	69 1/8	9543
63 1/4	9025	69 1/4	9551
63 3/8	9039	69 3/8	9559
63 1/2	9052	69 1/2	9566
63 5/8	9066	69 5/8	9573
63 3/4	9079	69 3/4	9580
63 7/8	9092	69 7/8	9587
64	9105	70	9593
64 1/8	9118	70 1/8	9599
64 1/4	9131	70 1/4	9605
64 3/8	9144	70 3/8	9611
64 1/2	9157	70 1/2	9616
64 5/8	9169	70 5/8	9622
64 3/4	9182	70 3/4	9626
64 7/8	9194	70 7/8	9631
65	9207	71	9635
65 1/8	9219	71 1/8	9639
65 1/4	9231	71 1/4	9642
65 3/8	9243	71 3/8	9645
65 1/2	9255	71 1/2	9648
65 5/8	9266	71 5/8	9650
65 3/4	9278		
65 7/8	9290		
66	9301		

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.