

Model DWT6 (6) 14900 L
DW FRP CUL Tank = 14,983 Liters

Liquid Depth (cm)	Volume (liters)	Liquid Depth (cm)	Volume (liters)	Liquid Depth (cm)	Volume (liters)	Liquid Depth (cm)	Volume (liters)	Liquid Depth (cm)	Volume (liters)
0.5	14	30.5	1658	60.5	4357	90.5	7470	120.5	10586
1.0	23	31.0	1697	61.0	4407	91.0	7523	121.0	10636
1.5	34	31.5	1736	61.5	4457	91.5	7576	121.5	10685
2.0	45	32.0	1775	62.0	4507	92.0	7629	122.0	10735
2.5	58	32.5	1815	62.5	4557	92.5	7682	122.5	10784
3.0	71	33.0	1855	63.0	4607	93.0	7735	123.0	10834
3.5	86	33.5	1895	63.5	4657	93.5	7788	123.5	10883
4.0	101	34.0	1936	64.0	4707	94.0	7841	124.0	10932
4.5	118	34.5	1976	64.5	4758	94.5	7894	124.5	10981
5.0	135	35.0	2017	65.0	4808	95.0	7947	125.0	11029
5.5	153	35.5	2058	65.5	4859	95.5	8000	125.5	11078
6.0	171	36.0	2100	66.0	4910	96.0	8053	126.0	11126
6.5	190	36.5	2141	66.5	4961	96.5	8106	126.5	11175
7.0	210	37.0	2183	67.0	5012	97.0	8159	127.0	11223
7.5	231	37.5	2225	67.5	5063	97.5	8211	127.5	11271
8.0	252	38.0	2268	68.0	5114	98.0	8264	128.0	11319
8.5	274	38.5	2310	68.5	5165	98.5	8317	128.5	11367
9.0	296	39.0	2353	69.0	5216	99.0	8370	129.0	11415
9.5	319	39.5	2396	69.5	5267	99.5	8422	129.5	11462
10.0	342	40.0	2439	70.0	5319	100.0	8475	130.0	11509
10.5	366	40.5	2482	70.5	5370	100.5	8528	130.5	11557
11.0	390	41.0	2526	71.0	5422	101.0	8580	131.0	11604
11.5	415	41.5	2570	71.5	5474	101.5	8633	131.5	11651
12.0	441	42.0	2614	72.0	5525	102.0	8686	132.0	11697
12.5	467	42.5	2658	72.5	5577	102.5	8738	132.5	11744
13.0	493	43.0	2702	73.0	5629	103.0	8791	133.0	11790
13.5	520	43.5	2747	73.5	5681	103.5	8843	133.5	11837
14.0	547	44.0	2791	74.0	5733	104.0	8895	134.0	11883
14.5	575	44.5	2836	74.5	5785	104.5	8948	134.5	11929
15.0	603	45.0	2881	75.0	5837	105.0	9000	135.0	11975
15.5	632	45.5	2927	75.5	5889	105.5	9052	135.5	12020
16.0	661	46.0	2972	76.0	5941	106.0	9104	136.0	12066
16.5	691	46.5	3018	76.5	5993	106.5	9157	136.5	12111
17.0	720	47.0	3063	77.0	6046	107.0	9209	137.0	12156
17.5	751	47.5	3109	77.5	6098	107.5	9261	137.5	12201
18.0	781	48.0	3156	78.0	6150	108.0	9313	138.0	12245
18.5	812	48.5	3202	78.5	6203	108.5	9364	138.5	12290
19.0	844	49.0	3248	79.0	6255	109.0	9416	139.0	12334
19.5	876	49.5	3295	79.5	6308	109.5	9468	139.5	12378
20.0	908	50.0	3342	80.0	6360	110.0	9520	140.0	12422
20.5	940	50.5	3389	80.5	6413	110.5	9571	140.5	12466
21.0	973	51.0	3436	81.0	6466	111.0	9623	141.0	12510
21.5	1006	51.5	3483	81.5	6518	111.5	9674	141.5	12553
22.0	1040	52.0	3530	82.0	6571	112.0	9726	142.0	12596
22.5	1074	52.5	3578	82.5	6624	112.5	9777	142.5	12639
23.0	1108	53.0	3626	83.0	6676	113.0	9828	143.0	12682
23.5	1142	53.5	3673	83.5	6729	113.5	9879	143.5	12724
24.0	1177	54.0	3721	84.0	6782	114.0	9931	144.0	12766
24.5	1212	54.5	3770	84.5	6835	114.5	9982	144.5	12808
25.0	1248	55.0	3818	85.0	6888	115.0	10032	145.0	12850
25.5	1284	55.5	3866	85.5	6941	115.5	10083	145.5	12892
26.0	1320	56.0	3915	86.0	6994	116.0	10134	146.0	12933
26.5	1356	56.5	3963	86.5	7046	116.5	10185	146.5	12974
27.0	1393	57.0	4012	87.0	7099	117.0	10235	147.0	13015
27.5	1430	57.5	4061	87.5	7152	117.5	10286	147.5	13056
28.0	1467	58.0	4110	88.0	7205	118.0	10336	148.0	13096
28.5	1505	58.5	4159	88.5	7258	118.5	10386	148.5	13136
29.0	1543	59.0	4208	89.0	7311	119.0	10436	149.0	13176
29.5	1581	59.5	4258	89.5	7364	119.5	10486	149.5	13216
30.0	1619	60.0	4307	90.0	7417	120.0	10536	150.0	13255

**Model DWT6 (6) 14900 L
DW FRP CUL Tank = 14,983 Liters**

Liquid Depth (cm)	Volume (liters)	Liquid Depth (cm)	Volume (liters)
150.5	13294	180.5	14963
151.0	13333	181.0	14971
151.5	13372	181.5	14978
152.0	13410	182.0	14983
152.5	13448		
153.0	13486		
153.5	13524		
154.0	13561		
154.5	13598		
155.0	13634		
155.5	13671		
156.0	13707		
156.5	13742		
157.0	13778		
157.5	13813		
158.0	13848		
158.5	13882		
159.0	13916		
159.5	13950		
160.0	13984		
160.5	14017		
161.0	14050		
161.5	14082		
162.0	14114		
162.5	14146		
163.0	14177		
163.5	14208		
164.0	14239		
164.5	14269		
165.0	14299		
165.5	14328		
166.0	14357		
166.5	14386		
167.0	14414		
167.5	14442		
168.0	14469		
168.5	14496		
169.0	14522		
169.5	14548		
170.0	14573		
170.5	14598		
171.0	14622		
171.5	14646		
172.0	14670		
172.5	14692		
173.0	14714		
173.5	14736		
174.0	14757		
174.5	14777		
175.0	14797		
175.5	14816		
176.0	14835		
176.5	14852		
177.0	14869		
177.5	14885		
178.0	14901		
178.5	14915		
179.0	14929		
179.5	14941		
180.0	14952		



**CONTAINMENT
SOLUTIONS®**

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection:

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoila Water Finding Paste
Federal Process Corp.
800-846-7325
www.gasoila.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 8mm [5/16"] deflector plate.

Pub No. CAL 6-14900DWT-CAN 5/11