

## 6'-1500 Double-Wall Compartment Tank Extension (1542 gals)

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	1	6 1/8	68	12 1/8	178	18 1/8	312	24 1/8	461
1/4	2	6 1/4	70	12 1/4	180	18 1/4	315	24 1/4	465
3/8	2	6 3/8	72	12 3/8	183	18 3/8	318	24 3/8	468
1/2	3	6 1/2	74	12 1/2	186	18 1/2	321	24 1/2	471
5/8	4	6 5/8	76	12 5/8	188	18 5/8	324	24 5/8	474
3/4	5	6 3/4	78	12 3/4	191	18 3/4	327	24 3/4	477
7/8	6	6 7/8	80	12 7/8	194	18 7/8	330	24 7/8	481
1	6	7	82	13	196	19	333	25	484
1 1/8	7	7 1/8	84	13 1/8	199	19 1/8	336	25 1/8	487
1 1/4	8	7 1/4	86	13 1/4	202	19 1/4	339	25 1/4	491
1 3/8	9	7 3/8	88	13 3/8	204	19 3/8	342	25 3/8	494
1 1/2	10	7 1/2	90	13 1/2	207	19 1/2	345	25 1/2	497
1 5/8	11	7 5/8	93	13 5/8	210	19 5/8	348	25 5/8	500
1 3/4	13	7 3/4	95	13 3/4	212	19 3/4	351	25 3/4	504
1 7/8	14	7 7/8	97	13 7/8	215	19 7/8	354	25 7/8	507
2	15	8	99	14	218	20	357	26	510
2 1/8	16	8 1/8	101	14 1/8	220	20 1/8	360	26 1/8	513
2 1/4	17	8 1/4	103	14 1/4	223	20 1/4	363	26 1/4	517
2 3/8	19	8 3/8	106	14 3/8	226	20 3/8	366	26 3/8	520
2 1/2	20	8 1/2	108	14 1/2	229	20 1/2	370	26 1/2	523
2 5/8	21	8 5/8	110	14 5/8	231	20 5/8	373	26 5/8	527
2 3/4	23	8 3/4	112	14 3/4	234	20 3/4	376	26 3/4	530
2 7/8	24	8 7/8	115	14 7/8	237	20 7/8	379	26 7/8	533
3	25	9	117	15	240	21	382	27	537
3 1/8	27	9 1/8	119	15 1/8	243	21 1/8	385	27 1/8	540
3 1/4	28	9 1/4	122	15 1/4	245	21 1/4	388	27 1/4	543
3 3/8	30	9 3/8	124	15 3/8	248	21 3/8	391	27 3/8	546
3 1/2	31	9 1/2	126	15 1/2	251	21 1/2	394	27 1/2	550
3 5/8	33	9 5/8	129	15 5/8	254	21 5/8	398	27 5/8	553
3 3/4	34	9 3/4	131	15 3/4	257	21 3/4	401	27 3/4	556
3 7/8	36	9 7/8	133	15 7/8	259	21 7/8	404	27 7/8	560
4	38	10	136	16	262	22	407	28	563
4 1/8	39	10 1/8	138	16 1/8	265	22 1/8	410	28 1/8	566
4 1/4	41	10 1/4	140	16 1/4	268	22 1/4	413	28 1/4	570
4 3/8	43	10 3/8	143	16 3/8	271	22 3/8	417	28 3/8	573
4 1/2	44	10 1/2	145	16 1/2	274	22 1/2	420	28 1/2	576
4 5/8	46	10 5/8	148	16 5/8	277	22 5/8	423	28 5/8	580
4 3/4	48	10 3/4	150	16 3/4	280	22 3/4	426	28 3/4	583
4 7/8	50	10 7/8	153	16 7/8	282	22 7/8	429	28 7/8	586
5	51	11	155	17	285	23	432	29	590
5 1/8	53	11 1/8	158	17 1/8	288	23 1/8	436	29 1/8	593
5 1/4	55	11 1/4	160	17 1/4	291	23 1/4	439	29 1/4	596
5 3/8	57	11 3/8	163	17 3/8	294	23 3/8	442	29 3/8	600
5 1/2	59	11 1/2	165	17 1/2	297	23 1/2	445	29 1/2	603
5 5/8	60	11 5/8	168	17 5/8	300	23 5/8	448	29 5/8	607
5 3/4	62	11 3/4	170	17 3/4	303	23 3/4	452	29 3/4	610
5 7/8	64	11 7/8	173	17 7/8	306	23 7/8	455	29 7/8	613
6	66	12	175	18	309	24	458	30	617

## 6'-1500 Double-Wall Compartment Tank Extension (1542 gals)

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	620	36 1/8	783	42 1/8	946	48 1/8	1103	54 1/8	1251
30 1/4	623	36 1/4	786	42 1/4	949	48 1/4	1107	54 1/4	1254
30 3/8	627	36 3/8	790	42 3/8	952	48 3/8	1110	54 3/8	1257
30 1/2	630	36 1/2	793	42 1/2	956	48 1/2	1113	54 1/2	1260
30 5/8	634	36 5/8	797	42 5/8	959	48 5/8	1116	54 5/8	1263
30 3/4	637	36 3/4	800	42 3/4	962	48 3/4	1119	54 3/4	1266
30 7/8	640	36 7/8	804	42 7/8	966	48 7/8	1123	54 7/8	1268
31	644	37	807	43	969	49	1126	55	1271
31 1/8	647	37 1/8	810	43 1/8	973	49 1/8	1129	55 1/8	1274
31 1/4	650	37 1/4	814	43 1/4	976	49 1/4	1132	55 1/4	1277
31 3/8	654	37 3/8	817	43 3/8	979	49 3/8	1135	55 3/8	1280
31 1/2	657	37 1/2	821	43 1/2	983	49 1/2	1138	55 1/2	1283
31 5/8	661	37 5/8	824	43 5/8	986	49 5/8	1142	55 5/8	1286
31 3/4	664	37 3/4	827	43 3/4	989	49 3/4	1145	55 3/4	1288
31 7/8	667	37 7/8	831	43 7/8	992	49 7/8	1148	55 7/8	1291
32	671	38	834	44	996	50	1151	56	1294
32 1/8	674	38 1/8	838	44 1/8	999	50 1/8	1154	56 1/8	1297
32 1/4	678	38 1/4	841	44 1/4	1002	50 1/4	1157	56 1/4	1300
32 3/8	681	38 3/8	844	44 3/8	1006	50 3/8	1160	56 3/8	1303
32 1/2	684	38 1/2	848	44 1/2	1009	50 1/2	1163	56 1/2	1305
32 5/8	688	38 5/8	851	44 5/8	1012	50 5/8	1166	56 5/8	1308
32 3/4	691	38 3/4	855	44 3/4	1016	50 3/4	1170	56 3/4	1311
32 7/8	694	38 7/8	858	44 7/8	1019	50 7/8	1173	56 7/8	1314
33	698	39	861	45	1022	51	1176	57	1316
33 1/8	701	39 1/8	865	45 1/8	1026	51 1/8	1179	57 1/8	1319
33 1/4	705	39 1/4	868	45 1/4	1029	51 1/4	1182	57 1/4	1322
33 3/8	708	39 3/8	872	45 3/8	1032	51 3/8	1185	57 3/8	1325
33 1/2	711	39 1/2	875	45 1/2	1035	51 1/2	1188	57 1/2	1327
33 5/8	715	39 5/8	878	45 5/8	1039	51 5/8	1191	57 5/8	1330
33 3/4	718	39 3/4	882	45 3/4	1042	51 3/4	1194	57 3/4	1333
33 7/8	722	39 7/8	885	45 7/8	1045	51 7/8	1197	57 7/8	1335
34	725	40	888	46	1048	52	1200	58	1338
34 1/8	729	40 1/8	892	46 1/8	1052	52 1/8	1203	58 1/8	1341
34 1/4	732	40 1/4	895	46 1/4	1055	52 1/4	1206	58 1/4	1343
34 3/8	735	40 3/8	899	46 3/8	1058	52 3/8	1209	58 3/8	1346
34 1/2	739	40 1/2	902	46 1/2	1062	52 1/2	1212	58 1/2	1349
34 5/8	742	40 5/8	905	46 5/8	1065	52 5/8	1215	58 5/8	1351
34 3/4	746	40 3/4	909	46 3/4	1068	52 3/4	1218	58 3/4	1354
34 7/8	749	40 7/8	912	46 7/8	1071	52 7/8	1221	58 7/8	1357
35	752	41	915	47	1074	53	1224	59	1359
35 1/8	756	41 1/8	919	47 1/8	1078	53 1/8	1227	59 1/8	1362
35 1/4	759	41 1/4	922	47 1/4	1081	53 1/4	1230	59 1/4	1364
35 3/8	763	41 3/8	926	47 3/8	1084	53 3/8	1233	59 3/8	1367
35 1/2	766	41 1/2	929	47 1/2	1087	53 1/2	1236	59 1/2	1369
35 5/8	769	41 5/8	932	47 5/8	1091	53 5/8	1239	59 5/8	1372
35 3/4	773	41 3/4	936	47 3/4	1094	53 3/4	1242	59 3/4	1375
35 7/8	776	41 7/8	939	47 7/8	1097	53 7/8	1245	59 7/8	1377
36	780	42	942	48	1100	54	1248	60	1380

## 6'-1500 Double-Wall Compartment Tank Extension (1542 gals)

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	1382	66 1/8	1487
60 1/4	1385	66 1/4	1489
60 3/8	1387	66 3/8	1491
60 1/2	1390	66 1/2	1493
60 5/8	1392	66 5/8	1494
60 3/4	1394	66 3/4	1496
60 7/8	1397	66 7/8	1498
61	1399	67	1500
61 1/8	1402	67 1/8	1501
61 1/4	1404	67 1/4	1503
61 3/8	1407	67 3/8	1505
61 1/2	1409	67 1/2	1506
61 5/8	1411	67 5/8	1508
61 3/4	1414	67 3/4	1509
61 7/8	1416	67 7/8	1511
62	1418	68	1512
62 1/8	1421	68 1/8	1514
62 1/4	1423	68 1/4	1515
62 3/8	1425	68 3/8	1517
62 1/2	1428	68 1/2	1518
62 5/8	1430	68 5/8	1520
62 3/4	1432	68 3/4	1521
62 7/8	1434	68 7/8	1522
63	1437	69	1524
63 1/8	1439	69 1/8	1525
63 1/4	1441	69 1/4	1526
63 3/8	1443	69 3/8	1527
63 1/2	1445	69 1/2	1528
63 5/8	1447	69 5/8	1530
63 3/4	1450	69 3/4	1531
63 7/8	1452	69 7/8	1532
64	1454	70	1533
64 1/8	1456	70 1/8	1534
64 1/4	1458	70 1/4	1535
64 3/8	1460	70 3/8	1536
64 1/2	1462	70 1/2	1537
64 5/8	1464	70 5/8	1538
64 3/4	1466	70 3/4	1538
64 7/8	1468	70 7/8	1539
65	1470	71	1540
65 1/8	1472	71 1/8	1540
65 1/4	1474	71 1/4	1541
65 3/8	1476	71 3/8	1541
65 1/2	1478	71 1/2	1542
65 5/8	1480	71 5/8	1542
65 3/4	1482		
65 7/8	1484		
66	1486		



**CONTAINMENT**  
SOLUTIONS®

**HOW TO PROPERLY GAUGE YOUR TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection:**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoil Water Finding Paste  
Federal Process Corp.  
800-846-7325  
[www.gasoila.com](http://www.gasoila.com)

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
5150 Jefferson Chemical Road  
Conroe, TX 77301  
Tel: 409-756-7731  
Fax: 409-756-7766